



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 15, 2017 – 06:48 am GMT

PDB ID : 1YG8
Title : The structure of a V6A variant of ClpP.
Authors : Bewley, M.C.; Graziano, V.; Griffin, K.; Flanagan, J.M.
Deposited on : 2005-01-04
Resolution : 2.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	2895 (2.60-2.60)
Ramachandran outliers	110173	2848 (2.60-2.60)
Sidechain outliers	110143	2848 (2.60-2.60)






















The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	193	
1	B	193	
1	C	193	
1	D	193	
1	E	193	
1	F	193	
1	G	193	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	H	193	
1	I	193	
1	J	193	
1	K	193	
1	L	193	
1	M	193	
1	N	193	
1	O	193	
1	P	193	
1	Q	193	
1	R	193	
1	S	193	
1	T	193	
1	U	193	
1	V	193	
1	W	193	
1	X	193	
1	Y	193	
1	Z	193	
1	a	193	
1	b	193	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 39312 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent Clp protease proteolytic subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	B	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	C	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	D	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	E	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	F	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	G	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	H	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	I	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	J	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	K	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	L	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	M	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	N	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	O	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	P	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	R	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	S	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	T	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	U	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	V	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	W	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	X	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	Y	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	Z	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	a	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			
1	b	179	Total	C	N	O	S	0	0	0
			1404	885	244	264	11			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	3	ALA	VAL	ENGINEERED	UNP P19245
B	3	ALA	VAL	ENGINEERED	UNP P19245
C	3	ALA	VAL	ENGINEERED	UNP P19245
D	3	ALA	VAL	ENGINEERED	UNP P19245
E	3	ALA	VAL	ENGINEERED	UNP P19245
F	3	ALA	VAL	ENGINEERED	UNP P19245
G	3	ALA	VAL	ENGINEERED	UNP P19245
H	3	ALA	VAL	ENGINEERED	UNP P19245
I	3	ALA	VAL	ENGINEERED	UNP P19245
J	3	ALA	VAL	ENGINEERED	UNP P19245
K	3	ALA	VAL	ENGINEERED	UNP P19245
L	3	ALA	VAL	ENGINEERED	UNP P19245
M	3	ALA	VAL	ENGINEERED	UNP P19245
N	3	ALA	VAL	ENGINEERED	UNP P19245
O	3	ALA	VAL	ENGINEERED	UNP P19245

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
P	3	ALA	VAL	ENGINEERED	UNP P19245
Q	3	ALA	VAL	ENGINEERED	UNP P19245
R	3	ALA	VAL	ENGINEERED	UNP P19245
S	3	ALA	VAL	ENGINEERED	UNP P19245
T	3	ALA	VAL	ENGINEERED	UNP P19245
U	3	ALA	VAL	ENGINEERED	UNP P19245
V	3	ALA	VAL	ENGINEERED	UNP P19245
W	3	ALA	VAL	ENGINEERED	UNP P19245
X	3	ALA	VAL	ENGINEERED	UNP P19245
Y	3	ALA	VAL	ENGINEERED	UNP P19245
Z	3	ALA	VAL	ENGINEERED	UNP P19245
a	3	ALA	VAL	ENGINEERED	UNP P19245
b	3	ALA	VAL	ENGINEERED	UNP P19245

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: ATP-dependent Clp protease proteolytic subunit



- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain D: 




• Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain E: 




• Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain F: 




• Molecule 1: ATP-dependent Clp protease proteolytic subunit


Chain G: 



• Molecule 1: ATP-dependent Clp protease proteolytic subunit


Chain H: 






- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain I: 59% 32% 7%



- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain J: 52% 35% 6% 7%




- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain K: 53% 36% 7%




- Molecule 1: ATP-dependent Clp protease proteolytic subunit


Chain L: 55% 35% 7%




- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit



- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit






- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain R: 57% 32% 7%




- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain S: 59% 28% 6% 7%



- Molecule 1: ATP-dependent Clp protease proteolytic subunit


Chain T: 56% 33% 7%



- Molecule 1: ATP-dependent Clp protease proteolytic subunit


Chain U: 57% 33% 7%






- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain V: 41% 48% 7%



- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain W: 46% 40% 7% 7%




- Molecule 1: ATP-dependent Clp protease proteolytic subunit


Chain X: 50% 37% 5% 7%



- Molecule 1: ATP-dependent Clp protease proteolytic subunit


Chain Y: 51% 39% 7%





- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain Z: 47% 39% 6% • 7%



- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain a: 86% 7% 7%



- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain b: 86% 6% • 7%



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	94.80Å 161.00Å 186.60Å 90.00° 90.30° 90.00°	Depositor
Resolution (Å)	30.00 – 2.60	Depositor
% Data completeness (in resolution range)	(Not available) (30.00-2.60)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.220 , 0.267	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	39312	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.59	0/1427	0.81	1/1921 (0.1%)
1	B	0.60	0/1427	0.81	1/1921 (0.1%)
1	C	0.59	0/1427	0.80	1/1921 (0.1%)
1	D	0.60	0/1427	0.77	0/1921
1	E	0.57	0/1427	0.82	0/1921
1	F	0.58	0/1427	0.79	0/1921
1	G	0.56	0/1427	0.80	0/1921
1	H	0.60	0/1427	0.78	1/1921 (0.1%)
1	I	0.59	0/1427	0.82	1/1921 (0.1%)
1	J	0.62	1/1427 (0.1%)	0.82	0/1921
1	K	0.62	0/1427	0.83	0/1921
1	L	0.58	0/1427	0.78	1/1921 (0.1%)
1	M	0.58	0/1427	0.80	0/1921
1	N	0.60	0/1427	0.81	0/1921
1	O	0.62	0/1427	0.79	1/1921 (0.1%)
1	P	0.62	0/1427	0.85	1/1921 (0.1%)
1	Q	0.59	0/1427	0.79	0/1921
1	R	0.57	0/1427	0.77	1/1921 (0.1%)
1	S	0.61	0/1427	0.82	0/1921
1	T	0.59	0/1427	0.82	1/1921 (0.1%)
1	U	0.61	0/1427	0.85	1/1921 (0.1%)
1	V	0.62	0/1427	0.85	2/1921 (0.1%)
1	W	0.59	0/1427	0.84	3/1921 (0.2%)
1	X	0.56	0/1427	0.81	1/1921 (0.1%)
1	Y	0.58	0/1427	0.83	1/1921 (0.1%)
1	Z	0.59	0/1427	0.78	0/1921
1	a	0.58	0/1427	0.79	0/1921
1	b	0.57	0/1427	0.81	1/1921 (0.1%)
All	All	0.59	1/39956 (0.0%)	0.81	19/53788 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	S	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	J	91	CYS	CB-SG	-5.19	1.73	1.81

The worst 5 of 19 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	V	78	ASP	CB-CG-OD1	-7.39	111.65	118.30
1	U	31	LEU	CA-CB-CG	6.66	130.62	115.30
1	A	31	LEU	CA-CB-CG	6.23	129.62	115.30
1	X	31	LEU	CA-CB-CG	6.20	129.56	115.30
1	V	78	ASP	CB-CG-OD2	6.08	123.77	118.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	60	TYR	Sidechain
1	S	60	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1404	0	1409	112	0
1	B	1404	0	1409	121	0
1	C	1404	0	1409	38	0
1	D	1404	0	1409	62	0
1	E	1404	0	1409	74	0
1	F	1404	0	1409	89	0
1	G	1404	0	1409	60	0
1	H	1404	0	1409	50	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	I	1404	0	1409	66	0
1	J	1404	0	1409	87	0
1	K	1404	0	1409	74	0
1	L	1404	0	1409	80	0
1	M	1404	0	1409	64	0
1	N	1404	0	1409	45	0
1	O	1404	0	1409	157	0
1	P	1404	0	1409	120	0
1	Q	1404	0	1409	67	0
1	R	1404	0	1409	63	0
1	S	1404	0	1409	77	0
1	T	1404	0	1409	63	0
1	U	1404	0	1409	63	0
1	V	1404	0	1409	97	0
1	W	1404	0	1409	89	0
1	X	1404	0	1409	76	0
1	Y	1404	0	1409	91	0
1	Z	1404	0	1409	74	0
1	a	1404	0	1409	0	0
1	b	1404	0	1409	0	0
All	All	39312	0	39452	1749	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

The worst 5 of 1749 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:163:GLN:HA	1:K:163:GLN:HE21	0.98	1.13
1:D:16:SER:H	1:D:22:ARG:HD2	1.15	1.11
1:W:104:THR:HB	1:W:184:LEU:HD23	1.16	1.10
1:O:40:ALA:HB1	1:O:76:ILE:HD11	1.37	1.06
1:U:124:PRO:HG2	1:U:146:LYS:HA	1.34	1.04

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	177/193 (92%)	167 (94%)	8 (4%)	2 (1%)	17	35
1	B	177/193 (92%)	166 (94%)	10 (6%)	1 (1%)	28	53
1	C	177/193 (92%)	162 (92%)	14 (8%)	1 (1%)	28	53
1	D	177/193 (92%)	165 (93%)	11 (6%)	1 (1%)	28	53
1	E	177/193 (92%)	165 (93%)	10 (6%)	2 (1%)	17	35
1	F	177/193 (92%)	163 (92%)	12 (7%)	2 (1%)	17	35
1	G	177/193 (92%)	161 (91%)	16 (9%)	0	100	100
1	H	177/193 (92%)	170 (96%)	7 (4%)	0	100	100
1	I	177/193 (92%)	162 (92%)	14 (8%)	1 (1%)	28	53
1	J	177/193 (92%)	162 (92%)	12 (7%)	3 (2%)	11	21
1	K	177/193 (92%)	156 (88%)	18 (10%)	3 (2%)	11	21
1	L	177/193 (92%)	160 (90%)	16 (9%)	1 (1%)	28	53
1	M	177/193 (92%)	167 (94%)	10 (6%)	0	100	100
1	N	177/193 (92%)	163 (92%)	14 (8%)	0	100	100
1	O	177/193 (92%)	144 (81%)	22 (12%)	11 (6%)	2	1
1	P	177/193 (92%)	154 (87%)	20 (11%)	3 (2%)	11	21
1	Q	177/193 (92%)	166 (94%)	10 (6%)	1 (1%)	28	53
1	R	177/193 (92%)	171 (97%)	6 (3%)	0	100	100
1	S	177/193 (92%)	158 (89%)	16 (9%)	3 (2%)	11	21
1	T	177/193 (92%)	162 (92%)	13 (7%)	2 (1%)	17	35
1	U	177/193 (92%)	157 (89%)	18 (10%)	2 (1%)	17	35
1	V	177/193 (92%)	154 (87%)	19 (11%)	4 (2%)	7	13
1	W	177/193 (92%)	157 (89%)	16 (9%)	4 (2%)	7	13
1	X	177/193 (92%)	162 (92%)	14 (8%)	1 (1%)	28	53
1	Y	177/193 (92%)	161 (91%)	14 (8%)	2 (1%)	17	35

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	Z	177/193 (92%)	164 (93%)	10 (6%)	3 (2%)	11	21
1	a	177/193 (92%)	168 (95%)	5 (3%)	4 (2%)	7	13
1	b	177/193 (92%)	161 (91%)	13 (7%)	3 (2%)	11	21
All	All	4956/5404 (92%)	4528 (91%)	368 (7%)	60 (1%)	15	32

5 of 60 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	16	SER
1	B	54	ASN
1	J	16	SER
1	J	155	LEU
1	O	54	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	151/162 (93%)	141 (93%)	10 (7%)	19	38
1	B	151/162 (93%)	143 (95%)	8 (5%)	26	50
1	C	151/162 (93%)	141 (93%)	10 (7%)	19	38
1	D	151/162 (93%)	143 (95%)	8 (5%)	26	50
1	E	151/162 (93%)	144 (95%)	7 (5%)	31	58
1	F	151/162 (93%)	142 (94%)	9 (6%)	22	44
1	G	151/162 (93%)	145 (96%)	6 (4%)	36	64
1	H	151/162 (93%)	145 (96%)	6 (4%)	36	64
1	I	151/162 (93%)	141 (93%)	10 (7%)	19	38
1	J	151/162 (93%)	135 (89%)	16 (11%)	8	14
1	K	151/162 (93%)	140 (93%)	11 (7%)	16	33
1	L	151/162 (93%)	143 (95%)	8 (5%)	26	50
1	M	151/162 (93%)	139 (92%)	12 (8%)	14	28

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	N	151/162 (93%)	142 (94%)	9 (6%)	22	44
1	O	151/162 (93%)	138 (91%)	13 (9%)	12	23
1	P	151/162 (93%)	141 (93%)	10 (7%)	19	38
1	Q	151/162 (93%)	142 (94%)	9 (6%)	22	44
1	R	151/162 (93%)	138 (91%)	13 (9%)	12	23
1	S	151/162 (93%)	141 (93%)	10 (7%)	19	38
1	T	151/162 (93%)	144 (95%)	7 (5%)	31	58
1	U	151/162 (93%)	144 (95%)	7 (5%)	31	58
1	V	151/162 (93%)	143 (95%)	8 (5%)	26	50
1	W	151/162 (93%)	141 (93%)	10 (7%)	19	38
1	X	151/162 (93%)	138 (91%)	13 (9%)	12	23
1	Y	151/162 (93%)	142 (94%)	9 (6%)	22	44
1	Z	151/162 (93%)	133 (88%)	18 (12%)	6	11
1	a	151/162 (93%)	142 (94%)	9 (6%)	22	44
1	b	151/162 (93%)	141 (93%)	10 (7%)	19	38
All	All	4228/4536 (93%)	3952 (94%)	276 (6%)	20	39

5 of 276 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	N	39	MET
1	Q	31	LEU
1	Z	185	VAL
1	N	123	GLN
1	O	167	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 159 such sidechains are listed below:

Mol	Chain	Res	Type
1	N	129	GLN
1	Q	116	ASN
1	a	116	ASN
1	O	41	ASN
1	O	163	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.