



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2017 – 08:02 pm GMT

PDB ID : 1YSA  
Title : THE GCN4 BASIC REGION LEUCINE ZIPPER BINDS DNA AS A DIMER OF UNINTERRUPTED ALPHA HELICES: CRYSTAL STRUCTURE OF THE PROTEIN-DNA COMPLEX  
Authors : Ellenberger, T.E.; Brandl, C.J.; Struhl, K.; Harrison, S.C.  
Deposited on : 1993-08-09  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	1807 (2.90-2.90)
Ramachandran outliers	110173	1768 (2.90-2.90)
Sidechain outliers	110143	1770 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	20	
2	B	20	
3	C	58	
3	D	58	

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 1772 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(\*TP\*TP\*CP\*CP\*TP\*AP\*TP\*GP\*AP\*CP\*TP\*CP\*AP\*TP\*CP\*CP\*A P\*GP\*TP\*T)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	20	Total	C	N	O	P	0	0	0
			399	194	64	122	19			

- Molecule 2 is a DNA chain called DNA (5'-D(\*AP\*AP\*AP\*CP\*TP\*GP\*GP\*AP\*TP\*GP\*AP\*GP\*TP\*CP\*AP\*TP\*A P\*GP\*GP\*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	20	Total	C	N	O	P	0	0	0
			415	198	84	114	19			

- Molecule 3 is a protein called PROTEIN (GCN4).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	57	Total	C	N	O	S	0	0	0
			472	288	99	84	1			
3	D	57	Total	C	N	O	S	0	0	0
			469	287	96	84	2			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	4	Total	O	0	0
			4	4		
4	B	2	Total	O	0	0
			2	2		
4	C	4	Total	O	0	0
			4	4		
4	D	7	Total	O	0	0
			7	7		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: DNA (5'-D(\*TP\*TP\*CP\*CP\*TP\*AP\*TP\*GP\*AP\*CP\*TP\*CP\*AP\*TP\*CP\*CP\*A P\*GP\*TP\*T)-3')

Chain A: 



- Molecule 2: DNA (5'-D(\*AP\*AP\*AP\*CP\*TP\*GP\*GP\*AP\*TP\*GP\*AP\*GP\*TP\*CP\*AP\*TP\*A P\*GP\*GP\*A)-3')

Chain B: 




- Molecule 3: PROTEIN (GCN4)

Chain C: 



- Molecule 3: PROTEIN (GCN4)

Chain D: 



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	49.13Å 88.54Å 59.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.90	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-2.90)	Depositor
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	TNT	Depositor
R, $R_{free}$	0.230 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1772	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	2.40	23/444 (5.2%)	3.55	89/682 (13.0%)
2	B	2.79	39/468 (8.3%)	3.62	107/722 (14.8%)
3	C	1.15	1/474 (0.2%)	2.16	16/627 (2.6%)
3	D	1.10	1/471 (0.2%)	2.35	21/623 (3.4%)
All	All	2.00	64/1857 (3.4%)	3.03	233/2654 (8.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

All (64) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	39	DG	P-O5'	12.07	1.71	1.59
2	B	39	DG	C5'-C4'	11.15	1.63	1.51
1	A	10	DC	N1-C6	-10.61	1.30	1.37
1	A	1	DT	C5-C7	9.18	1.55	1.50
2	B	35	DA	C5'-C4'	9.00	1.61	1.51
2	B	24	DC	O3'-P	8.65	1.71	1.61
2	B	26	DG	C5'-C4'	-8.58	1.42	1.51
2	B	31	DA	C6-N6	-8.11	1.27	1.33
2	B	23	DA	C4'-C3'	8.11	1.61	1.53
2	B	32	DG	O3'-P	-8.06	1.51	1.61
2	B	37	DA	N9-C4	-7.81	1.33	1.37
1	A	7	DT	N1-C2	-7.44	1.32	1.38
2	B	31	DA	N7-C5	-7.44	1.34	1.39
2	B	31	DA	C5-C4	-7.29	1.33	1.38
2	B	25	DT	C5-C6	7.15	1.39	1.34
2	B	31	DA	C6-N1	-7.11	1.30	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	25	DT	O3'-P	6.92	1.69	1.61
1	A	8	DG	N9-C8	-6.83	1.33	1.37
1	A	1	DT	N1-C2	6.82	1.43	1.38
1	A	6	DA	N9-C4	-6.72	1.33	1.37
1	A	14	DT	C5-C7	6.67	1.54	1.50
2	B	27	DG	P-O5'	6.60	1.66	1.59
2	B	35	DA	O3'-P	6.52	1.69	1.61
1	A	20	DT	P-O5'	6.42	1.66	1.59
2	B	31	DA	C5-C6	-6.41	1.35	1.41
1	A	7	DT	C5-C7	6.39	1.53	1.50
1	A	9	DA	C3'-O3'	-6.30	1.35	1.44
2	B	30	DG	O3'-P	-6.23	1.53	1.61
1	A	19	DT	C5-C7	6.05	1.53	1.50
3	C	278	VAL	CA-CB	6.01	1.67	1.54
1	A	10	DC	N3-C4	-5.92	1.29	1.33
2	B	28	DA	C6-N6	-5.81	1.29	1.33
2	B	39	DG	C4'-O4'	5.75	1.50	1.45
1	A	1	DT	C2'-C1'	-5.74	1.46	1.52
2	B	21	DA	N9-C4	5.74	1.41	1.37
1	A	6	DA	O3'-P	5.66	1.68	1.61
1	A	18	DG	C5'-C4'	5.63	1.57	1.51
2	B	29	DT	C5-C6	-5.62	1.30	1.34
2	B	31	DA	N3-C4	-5.56	1.31	1.34
2	B	26	DG	N9-C4	-5.56	1.33	1.38
2	B	28	DA	P-O5'	-5.55	1.54	1.59
2	B	29	DT	O3'-P	-5.54	1.54	1.61
1	A	11	DT	C5'-C4'	5.54	1.57	1.51
2	B	27	DG	C5-C4	-5.47	1.34	1.38
2	B	24	DC	N1-C6	-5.44	1.33	1.37
2	B	28	DA	C6-N1	-5.41	1.31	1.35
2	B	36	DT	C4'-C3'	-5.41	1.47	1.52
2	B	23	DA	O3'-P	5.38	1.67	1.61
1	A	12	DC	O3'-P	5.38	1.67	1.61
3	D	262	SER	CA-CB	-5.34	1.45	1.52
1	A	8	DG	C5-C6	5.30	1.47	1.42
1	A	6	DA	C2'-C1'	-5.29	1.47	1.52
2	B	22	DA	N9-C4	5.29	1.41	1.37
1	A	20	DT	C5-C7	5.28	1.53	1.50
1	A	1	DT	C5'-C4'	5.24	1.57	1.51
1	A	20	DT	N3-C4	5.21	1.42	1.38
1	A	7	DT	P-O5'	5.21	1.65	1.59
2	B	33	DT	N1-C6	-5.13	1.34	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	36	DT	N3-C4	-5.11	1.34	1.38
2	B	29	DT	C3'-O3'	-5.09	1.37	1.44
2	B	23	DA	N7-C5	5.07	1.42	1.39
2	B	40	DA	P-O5'	5.07	1.64	1.59
2	B	38	DG	C5'-C4'	-5.04	1.45	1.51
2	B	25	DT	C5'-C4'	5.00	1.56	1.51

All (233) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	34	DC	P-O3'-C3'	18.18	141.52	119.70
2	B	22	DA	P-O3'-C3'	15.92	138.80	119.70
2	B	26	DG	O4'-C4'-C3'	15.35	115.21	106.00
1	A	2	DT	O4'-C1'-N1	-14.59	97.78	108.00
1	A	4	DC	O4'-C4'-C3'	14.32	114.59	106.00
1	A	19	DT	O4'-C1'-C2'	-14.28	94.48	105.90
2	B	38	DG	O4'-C1'-C2'	-13.89	94.79	105.90
1	A	15	DC	O4'-C1'-C2'	-13.71	94.93	105.90
3	D	249	ARG	NE-CZ-NH1	13.55	127.07	120.30
1	A	8	DG	O4'-C1'-N9	13.49	117.44	108.00
2	B	40	DA	O4'-C1'-C2'	-12.82	95.65	105.90
2	B	33	DT	N3-C2-O2	-12.73	114.66	122.30
1	A	4	DC	C4'-C3'-C2'	-12.59	91.77	103.10
1	A	4	DC	P-O3'-C3'	11.98	134.07	119.70
1	A	9	DA	O3'-P-O5'	-11.95	81.29	104.00
1	A	2	DT	O4'-C1'-C2'	-11.92	96.36	105.90
1	A	11	DT	O4'-C1'-C2'	-11.76	96.50	105.90
2	B	21	DA	P-O3'-C3'	11.70	133.74	119.70
3	D	234	ARG	NE-CZ-NH2	-11.46	114.57	120.30
2	B	31	DA	P-O3'-C3'	10.89	132.77	119.70
3	C	241	ARG	NE-CZ-NH2	-10.75	114.92	120.30
2	B	24	DC	O4'-C4'-C3'	10.60	112.36	106.00
2	B	23	DA	C1'-O4'-C4'	-10.56	99.53	110.10
1	A	10	DC	N1-C2-O2	10.56	125.24	118.90
1	A	1	DT	N3-C2-O2	-10.47	116.02	122.30
2	B	29	DT	P-O5'-C5'	-10.42	104.22	120.90
2	B	38	DG	P-O3'-C3'	10.39	132.16	119.70
2	B	29	DT	C6-C5-C7	-10.36	116.69	122.90
2	B	27	DG	O4'-C1'-C2'	-10.33	97.64	105.90
2	B	30	DG	P-O3'-C3'	10.04	131.75	119.70
2	B	25	DT	N1-C2-N3	9.91	120.55	114.60
1	A	11	DT	N3-C2-O2	-9.71	116.47	122.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	20	DT	N3-C4-O4	9.71	125.72	119.90
2	B	29	DT	O4'-C1'-C2'	-9.47	98.32	105.90
2	B	25	DT	C4-C5-C6	9.41	123.65	118.00
1	A	15	DC	P-O3'-C3'	9.35	130.92	119.70
3	D	243	ARG	NE-CZ-NH1	9.33	124.97	120.30
2	B	34	DC	O4'-C1'-N1	9.26	114.48	108.00
1	A	16	DC	N1-C2-O2	9.23	124.44	118.90
2	B	26	DG	C4'-C3'-C2'	-9.21	94.81	103.10
1	A	10	DC	N3-C2-O2	-9.21	115.46	121.90
1	A	1	DT	P-O3'-C3'	-9.19	108.67	119.70
2	B	25	DT	N3-C2-O2	-9.04	116.88	122.30
2	B	29	DT	N3-C2-O2	-9.04	116.88	122.30
1	A	19	DT	C6-C5-C7	-8.99	117.50	122.90
1	A	2	DT	C6-C5-C7	-8.94	117.54	122.90
3	D	245	ARG	NE-CZ-NH1	8.77	124.69	120.30
2	B	40	DA	C4'-C3'-C2'	-8.64	95.32	103.10
1	A	15	DC	N3-C2-O2	-8.55	115.92	121.90
1	A	16	DC	P-O3'-C3'	8.51	129.91	119.70
2	B	25	DT	C4-C5-C7	-8.50	113.90	119.00
3	C	278	VAL	CA-C-N	8.46	133.11	116.20
1	A	5	DT	C4-C5-C7	-8.34	114.00	119.00
1	A	14	DT	O4'-C1'-C2'	-8.21	99.33	105.90
1	A	9	DA	O4'-C1'-N9	8.21	113.75	108.00
3	D	273	ARG	NE-CZ-NH2	-8.20	116.20	120.30
2	B	32	DG	O3'-P-O5'	-8.19	88.44	104.00
3	C	249	ARG	NE-CZ-NH2	-8.12	116.24	120.30
2	B	31	DA	C5-C6-N1	8.09	121.75	117.70
1	A	8	DG	C4-C5-N7	-8.09	107.56	110.80
1	A	4	DC	O4'-C1'-N1	8.04	113.63	108.00
2	B	35	DA	C4'-C3'-C2'	-8.02	95.88	103.10
2	B	36	DT	C4-C5-C6	7.96	122.78	118.00
1	A	12	DC	P-O3'-C3'	7.96	129.25	119.70
2	B	24	DC	O4'-C1'-C2'	-7.93	99.56	105.90
2	B	24	DC	C3'-C2'-C1'	7.93	112.02	102.50
2	B	32	DG	O4'-C1'-C2'	-7.86	99.61	105.90
2	B	22	DA	P-O5'-C5'	-7.85	108.33	120.90
3	C	250	MET	CG-SD-CE	7.85	112.77	100.20
1	A	8	DG	N9-C4-C5	7.85	108.54	105.40
2	B	21	DA	O3'-P-O5'	-7.85	89.09	104.00
2	B	34	DC	C3'-C2'-C1'	7.75	111.80	102.50
1	A	10	DC	P-O3'-C3'	7.75	129.00	119.70
2	B	33	DT	O4'-C1'-C2'	-7.74	99.71	105.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	5	DT	P-O3'-C3'	7.74	128.99	119.70
1	A	15	DC	N1-C2-O2	7.73	123.54	118.90
2	B	34	DC	O4'-C1'-C2'	-7.70	99.74	105.90
1	A	18	DG	O4'-C1'-C2'	-7.68	99.76	105.90
3	D	262	SER	CA-CB-OG	-7.62	90.63	111.20
1	A	2	DT	C4-C5-C6	7.60	122.56	118.00
1	A	5	DT	O4'-C1'-C2'	-7.52	99.89	105.90
2	B	40	DA	O4'-C1'-N9	7.49	113.24	108.00
1	A	1	DT	O4'-C1'-N1	7.45	113.22	108.00
1	A	7	DT	O4'-C4'-C3'	7.45	110.47	106.00
2	B	36	DT	C6-C5-C7	-7.41	118.45	122.90
2	B	31	DA	O4'-C1'-C2'	-7.39	99.99	105.90
1	A	4	DC	O4'-C1'-C2'	-7.37	100.01	105.90
3	C	278	VAL	O-C-N	-7.36	110.69	123.20
1	A	1	DT	C6-C5-C7	-7.29	118.53	122.90
2	B	36	DT	N1-C2-N3	7.28	118.97	114.60
2	B	33	DT	C4-C5-C6	7.28	122.37	118.00
2	B	25	DT	P-O3'-C3'	7.27	128.42	119.70
2	B	39	DG	C5'-C4'-C3'	-7.24	101.08	114.10
2	B	31	DA	C6-N1-C2	-7.23	114.26	118.60
1	A	14	DT	C3'-C2'-C1'	7.20	111.14	102.50
3	D	232	ARG	NE-CZ-NH1	7.15	123.88	120.30
1	A	11	DT	C6-C5-C7	-7.15	118.61	122.90
1	A	9	DA	P-O3'-C3'	7.14	128.26	119.70
2	B	23	DA	C3'-C2'-C1'	-7.13	93.94	102.50
2	B	24	DC	C4'-C3'-C2'	-7.12	96.69	103.10
2	B	30	DG	O4'-C1'-C2'	-7.11	100.21	105.90
1	A	12	DC	O4'-C4'-C3'	7.10	110.26	106.00
1	A	4	DC	C3'-C2'-C1'	7.09	111.01	102.50
2	B	25	DT	C6-N1-C2	-7.06	117.77	121.30
1	A	6	DA	C4'-C3'-C2'	-7.03	96.78	103.10
3	C	249	ARG	NE-CZ-NH1	6.96	123.78	120.30
2	B	22	DA	O4'-C1'-C2'	-6.92	100.36	105.90
2	B	37	DA	C2-N3-C4	-6.90	107.15	110.60
2	B	39	DG	C5'-C4'-O4'	6.90	122.41	109.30
2	B	36	DT	N3-C2-O2	-6.89	118.17	122.30
1	A	19	DT	O3'-P-O5'	-6.88	90.94	104.00
3	D	280	GLU	N-CA-C	6.86	129.51	111.00
2	B	33	DT	C6-C5-C7	-6.79	118.83	122.90
1	A	16	DC	O3'-P-O5'	-6.78	91.12	104.00
2	B	25	DT	C6-N1-C1'	6.76	130.54	120.40
2	B	23	DA	C5-N7-C8	-6.73	100.53	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	30	DG	C4'-C3'-C2'	-6.71	97.06	103.10
3	D	245	ARG	NE-CZ-NH2	-6.71	116.94	120.30
1	A	4	DC	N1-C2-O2	6.63	122.88	118.90
2	B	28	DA	N1-C6-N6	-6.62	114.63	118.60
2	B	27	DG	O4'-C1'-N9	6.58	112.61	108.00
1	A	10	DC	C1'-O4'-C4'	-6.58	103.52	110.10
1	A	12	DC	O3'-P-O5'	-6.56	91.54	104.00
3	D	234	ARG	NE-CZ-NH1	6.56	123.58	120.30
1	A	2	DT	N3-C2-O2	-6.53	118.38	122.30
3	D	240	ARG	NE-CZ-NH1	6.53	123.57	120.30
2	B	30	DG	O4'-C4'-C3'	6.50	109.90	106.00
2	B	31	DA	C8-N9-C4	-6.46	103.22	105.80
1	A	9	DA	C5-C6-N6	6.45	128.86	123.70
2	B	28	DA	C5-C6-N1	6.43	120.91	117.70
1	A	9	DA	N9-C4-C5	6.37	108.35	105.80
2	B	29	DT	O4'-C4'-C3'	6.37	109.82	106.00
2	B	33	DT	O5'-P-OP2	6.34	118.31	110.70
2	B	34	DC	C4'-C3'-O3'	6.32	125.50	109.70
3	D	243	ARG	CB-CG-CD	6.31	128.01	111.60
1	A	11	DT	C5-C4-O4	6.30	129.31	124.90
2	B	31	DA	C4'-C3'-C2'	-6.26	97.47	103.10
3	D	225	LYS	N-CA-C	6.25	127.88	111.00
1	A	18	DG	O4'-C1'-N9	-6.24	103.63	108.00
2	B	33	DT	P-O3'-C3'	6.23	127.18	119.70
3	C	281	ARG	NE-CZ-NH1	6.19	123.39	120.30
2	B	33	DT	N1-C2-N3	6.17	118.31	114.60
3	C	263	LYS	CA-C-N	6.15	130.73	117.20
3	D	243	ARG	O-C-N	-6.13	112.89	122.70
2	B	39	DG	O4'-C1'-C2'	6.12	110.79	105.90
1	A	11	DT	C1'-O4'-C4'	6.11	116.21	110.10
1	A	11	DT	O4'-C4'-C3'	-6.10	102.06	104.50
2	B	35	DA	C3'-C2'-C1'	6.09	109.81	102.50
2	B	25	DT	C5-C6-N1	-6.08	120.05	123.70
1	A	20	DT	O4'-C4'-C3'	6.06	109.64	106.00
1	A	12	DC	P-O5'-C5'	-6.02	111.26	120.90
2	B	31	DA	N9-C4-C5	5.92	108.17	105.80
2	B	35	DA	O4'-C1'-C2'	-5.92	101.17	105.90
1	A	3	DC	C1'-O4'-C4'	-5.90	104.20	110.10
2	B	31	DA	O4'-C4'-C3'	5.90	109.54	106.00
2	B	23	DA	N7-C8-N9	5.87	116.74	113.80
1	A	4	DC	P-O5'-C5'	-5.87	111.51	120.90
1	A	16	DC	C2-N3-C4	5.85	122.83	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	14	DT	C4'-C3'-C2'	-5.84	97.84	103.10
3	D	243	ARG	CA-C-N	5.84	130.06	117.20
2	B	36	DT	C5-C6-N1	-5.82	120.21	123.70
2	B	38	DG	N1-C2-N3	5.81	127.39	123.90
2	B	36	DT	C5-C4-O4	5.80	128.96	124.90
1	A	20	DT	O4'-C1'-N1	5.78	112.04	108.00
2	B	28	DA	C6-N1-C2	-5.75	115.15	118.60
1	A	4	DC	N3-C2-O2	-5.75	117.88	121.90
2	B	25	DT	C5-C4-O4	5.73	128.91	124.90
2	B	29	DT	N1-C2-O2	5.73	127.69	123.10
1	A	11	DT	N3-C4-O4	-5.73	116.46	119.90
2	B	40	DA	O4'-C4'-C3'	5.72	109.44	106.00
1	A	5	DT	C4-C5-C6	5.71	121.42	118.00
2	B	40	DA	P-O5'-C5'	-5.68	111.81	120.90
1	A	1	DT	C5-C6-N1	-5.67	120.30	123.70
1	A	17	DA	O4'-C4'-C3'	5.67	109.40	106.00
1	A	12	DC	C4'-C3'-C2'	-5.64	98.02	103.10
1	A	14	DT	N3-C4-O4	5.62	123.27	119.90
3	C	242	SER	CB-CA-C	-5.58	99.49	110.10
2	B	39	DG	O4'-C4'-C3'	-5.58	102.27	104.50
1	A	2	DT	N1-C2-N3	5.57	117.94	114.60
2	B	24	DC	OP1-P-O3'	5.55	117.40	105.20
1	A	1	DT	N1-C2-O2	5.54	127.53	123.10
2	B	29	DT	C4-C5-C7	5.52	122.31	119.00
1	A	12	DC	C6-N1-C2	5.49	122.50	120.30
2	B	25	DT	P-O5'-C5'	5.49	129.68	120.90
3	C	281	ARG	N-CA-C	-5.48	96.21	111.00
2	B	30	DG	C3'-C2'-C1'	5.46	109.06	102.50
2	B	33	DT	O4'-C1'-N1	5.45	111.82	108.00
1	A	19	DT	C4-C5-C6	5.43	121.26	118.00
2	B	37	DA	N1-C6-N6	5.41	121.84	118.60
3	C	281	ARG	NE-CZ-NH2	-5.41	117.60	120.30
3	C	273	ARG	NE-CZ-NH2	5.39	123.00	120.30
2	B	39	DG	C1'-O4'-C4'	-5.39	104.71	110.10
2	B	34	DC	O4'-C4'-C3'	5.38	109.23	106.00
2	B	40	DA	C1'-O4'-C4'	-5.38	104.72	110.10
3	D	243	ARG	CA-CB-CG	-5.37	101.59	113.40
2	B	38	DG	N9-C4-C5	5.36	107.55	105.40
2	B	25	DT	N3-C4-C5	-5.31	112.01	115.20
1	A	9	DA	O4'-C1'-C2'	-5.31	101.65	105.90
3	D	228	ALA	CA-C-N	5.30	128.87	117.20
1	A	13	DA	P-O3'-C3'	5.30	126.06	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1	DT	O4'-C1'-C2'	-5.29	101.66	105.90
2	B	28	DA	C4'-C3'-C2'	-5.28	98.35	103.10
3	D	279	GLY	CA-C-N	-5.27	105.61	117.20
2	B	26	DG	N3-C4-N9	-5.25	122.85	126.00
2	B	33	DT	C6-N1-C2	-5.25	118.67	121.30
2	B	32	DG	N9-C4-C5	5.23	107.49	105.40
1	A	2	DT	C5-C6-N1	-5.22	120.57	123.70
3	C	246	LYS	CA-CB-CG	-5.20	101.96	113.40
1	A	6	DA	O4'-C4'-C3'	5.19	109.12	106.00
2	B	21	DA	C4'-C3'-C2'	-5.19	98.43	103.10
3	D	229	ALA	CB-CA-C	-5.19	102.32	110.10
3	D	248	GLN	O-C-N	-5.19	114.40	122.70
3	C	230	LEU	CA-CB-CG	5.18	127.22	115.30
2	B	37	DA	P-O5'-C5'	-5.17	112.63	120.90
1	A	11	DT	C4-C5-C6	5.15	121.09	118.00
1	A	13	DA	C4'-C3'-C2'	-5.15	98.47	103.10
2	B	23	DA	C4'-C3'-C2'	-5.13	98.48	103.10
2	B	24	DC	P-O3'-C3'	-5.13	113.54	119.70
1	A	10	DC	O4'-C1'-N1	-5.13	104.41	108.00
2	B	37	DA	O5'-P-OP1	5.13	116.85	110.70
1	A	19	DT	N3-C2-O2	-5.12	119.23	122.30
2	B	38	DG	P-O5'-C5'	-5.12	112.71	120.90
1	A	20	DT	N3-C4-C5	-5.11	112.13	115.20
3	D	239	ALA	CA-C-N	5.11	128.45	117.20
1	A	6	DA	O3'-P-O5'	-5.11	94.29	104.00
1	A	12	DC	C5'-C4'-C3'	-5.06	104.98	114.10
3	C	264	ASN	OD1-CG-ND2	-5.06	110.27	121.90
1	A	14	DT	C5-C4-O4	-5.03	121.38	124.90
2	B	38	DG	C8-N9-C4	-5.03	104.39	106.40
2	B	30	DG	C4'-C3'-O3'	-5.03	97.14	109.70
1	A	3	DC	P-O5'-C5'	-5.02	112.87	120.90
3	C	225	LYS	N-CA-C	5.02	124.55	111.00
2	B	33	DT	N3-C4-C5	-5.01	112.19	115.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	40	DA	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	399	0	230	7	0
2	B	415	0	222	12	0
3	C	472	0	506	17	0
3	D	469	0	502	18	0
4	A	4	0	0	0	0
4	B	2	0	0	0	0
4	C	4	0	0	0	0
4	D	7	0	0	0	0
All	All	1772	0	1460	42	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:261:LEU:HG	3:D:260:LEU:HD21	1.50	0.89
3:C:256:LYS:O	3:C:260:LEU:HG	1.83	0.76
3:C:257:VAL:O	3:C:261:LEU:HD12	1.87	0.74
3:D:226:ASP:HB2	3:D:229:ALA:HB3	1.68	0.73
2:B:23:DA:C8	2:B:24:DC:H5	2.12	0.67
3:C:227:PRO:O	3:C:231:LYS:HB2	1.98	0.63
3:D:237:GLU:HB3	3:D:241:ARG:HH12	1.65	0.62
3:D:275:LYS:HE3	3:D:280:GLU:HA	1.81	0.61
3:D:249:ARG:HG3	3:D:249:ARG:HH11	1.68	0.58
3:D:245:ARG:HD2	3:D:249:ARG:HH21	1.68	0.57
2:B:28:DA:P	3:C:241:ARG:HH22	2.28	0.56
1:A:12:DC:H2''	1:A:13:DA:C8	2.41	0.55
1:A:10:DC:H42	2:B:32:DG:H1	1.55	0.54
3:C:250:MET:HG2	3:C:250:MET:O	2.09	0.52
3:C:271:VAL:HG22	3:D:271:VAL:HG23	1.92	0.52
3:C:277:LEU:HD12	3:D:278:VAL:HG11	1.93	0.51
2:B:23:DA:H8	2:B:24:DC:H5	1.54	0.51
3:C:264:ASN:HB2	3:D:264:ASN:HD21	1.75	0.50
1:A:13:DA:H2''	1:A:14:DT:H5''	1.93	0.50

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:32:DG:OP1	3:D:240:ARG:NH2	2.47	0.48
3:D:245:ARG:HD2	3:D:249:ARG:NH2	2.28	0.48
3:C:253:LEU:HD23	3:C:256:LYS:NZ	2.29	0.48
3:C:277:LEU:H	3:C:277:LEU:HD23	1.78	0.46
3:C:267:LEU:HB3	3:D:267:LEU:HD23	1.97	0.46
2:B:23:DA:H2''	2:B:24:DC:OP2	2.14	0.46
1:A:12:DC:OP2	3:C:232:ARG:HD2	2.15	0.46
2:B:25:DT:H2''	2:B:26:DG:H5'	1.99	0.45
2:B:32:DG:N7	3:D:243:ARG:NH2	2.62	0.45
1:A:5:DT:H2''	1:A:6:DA:C8	2.52	0.45
3:D:237:GLU:HB3	3:D:241:ARG:NH1	2.32	0.44
2:B:21:DA:H1'	2:B:22:DA:OP2	2.18	0.44
3:D:257:VAL:O	3:D:261:LEU:HG	2.18	0.43
3:C:264:ASN:CB	3:D:264:ASN:HD21	2.33	0.42
3:C:278:VAL:HG13	3:C:279:GLY:H	1.84	0.42
3:D:264:ASN:N	3:D:264:ASN:HD22	2.18	0.42
3:D:261:LEU:HA	3:D:261:LEU:HD23	1.89	0.41
3:C:245:ARG:HD3	3:C:245:ARG:HH11	1.69	0.41
2:B:38:DG:H1'	2:B:39:DG:H5'	2.02	0.41
2:B:39:DG:O5'	2:B:39:DG:H2'	2.21	0.41
1:A:9:DA:H2'	3:C:243:ARG:NH1	2.36	0.41
2:B:26:DG:H1'	2:B:27:DG:C8	2.55	0.41
1:A:1:DT:H2''	1:A:2:DT:O5'	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	55/58 (95%)	48 (87%)	6 (11%)	1 (2%)	10	34
3	D	55/58 (95%)	49 (89%)	4 (7%)	2 (4%)	4	17

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	110/116 (95%)	97 (88%)	10 (9%)	3 (3%)	6	23

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	278	VAL
3	D	226	ASP
3	D	227	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	49/50 (98%)	40 (82%)	9 (18%)	2	6
3	D	49/50 (98%)	40 (82%)	9 (18%)	2	6
All	All	98/100 (98%)	80 (82%)	18 (18%)	2	6

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	C	231	LYS
3	C	232	ARG
3	C	248	GLN
3	C	251	LYS
3	C	253	LEU
3	C	261	LEU
3	C	264	ASN
3	C	277	LEU
3	C	278	VAL
3	D	225	LYS
3	D	242	SER
3	D	248	GLN
3	D	249	ARG
3	D	256	LYS
3	D	258	GLU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
3	D	262	SER
3	D	270	GLU
3	D	276	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
3	C	264	ASN
3	D	252	GLN
3	D	264	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.