



Full wwPDB X-ray Structure Validation Report i

Jan 8, 2018 – 06:45 PM EST

PDB ID : 4YWT
Title : Crystal structure of full-length glypican-1 core protein after controlled crystal dehydration to 87% relative humidity
Authors : Awad, W.; Mani, K.; Logan, D.T.
Deposited on : 2015-03-21
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20030736
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20030736


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4388 (2.40-2.36)
Clashscore	112137	4984 (2.40-2.36)
Ramachandran outliers	110173	4907 (2.40-2.36)
Sidechain outliers	110143	4909 (2.40-2.36)
RSRZ outliers	101464	4423 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CA	C	603	-	-	-	X

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 13110 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycan-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	411	Total	C 3166	N 1981	O 568	S 594	23	0	4	0
1	B	431	Total	C 3283	N 2062	O 581	S 616	24	0	3	0
1	C	400	Total	C 3058	N 1918	O 544	S 575	21	0	2	0
1	D	429	Total	C 3254	N 2043	O 571	S 613	27	0	4	0

There are 100 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	-	expression tag	UNP P35052
A	3	PRO	-	expression tag	UNP P35052
A	4	GLN	-	expression tag	UNP P35052
A	5	LEU	-	expression tag	UNP P35052
A	6	HIS	-	expression tag	UNP P35052
A	7	HIS	-	expression tag	UNP P35052
A	8	HIS	-	expression tag	UNP P35052
A	9	HIS	-	expression tag	UNP P35052
A	10	HIS	-	expression tag	UNP P35052
A	11	HIS	-	expression tag	UNP P35052
A	12	ASP	-	expression tag	UNP P35052
A	13	LEU	-	expression tag	UNP P35052
A	14	TYR	-	expression tag	UNP P35052
A	15	GLU	-	expression tag	UNP P35052
A	16	ASN	-	expression tag	UNP P35052
A	17	LEU	-	expression tag	UNP P35052
A	18	TYR	-	expression tag	UNP P35052
A	19	PHE	-	expression tag	UNP P35052
A	20	GLN	-	expression tag	UNP P35052
A	21	GLY	-	expression tag	UNP P35052
A	22	LYS	-	expression tag	UNP P35052

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	23	LEU	-	expression tag	UNP P35052
A	486	ALA	SER	engineered mutation	UNP P35052
A	488	ALA	SER	engineered mutation	UNP P35052
A	490	ALA	SER	engineered mutation	UNP P35052
B	2	ALA	-	expression tag	UNP P35052
B	3	PRO	-	expression tag	UNP P35052
B	4	GLN	-	expression tag	UNP P35052
B	5	LEU	-	expression tag	UNP P35052
B	6	HIS	-	expression tag	UNP P35052
B	7	HIS	-	expression tag	UNP P35052
B	8	HIS	-	expression tag	UNP P35052
B	9	HIS	-	expression tag	UNP P35052
B	10	HIS	-	expression tag	UNP P35052
B	11	HIS	-	expression tag	UNP P35052
B	12	ASP	-	expression tag	UNP P35052
B	13	LEU	-	expression tag	UNP P35052
B	14	TYR	-	expression tag	UNP P35052
B	15	GLU	-	expression tag	UNP P35052
B	16	ASN	-	expression tag	UNP P35052
B	17	LEU	-	expression tag	UNP P35052
B	18	TYR	-	expression tag	UNP P35052
B	19	PHE	-	expression tag	UNP P35052
B	20	GLN	-	expression tag	UNP P35052
B	21	GLY	-	expression tag	UNP P35052
B	22	LYS	-	expression tag	UNP P35052
B	23	LEU	-	expression tag	UNP P35052
B	486	ALA	SER	engineered mutation	UNP P35052
B	488	ALA	SER	engineered mutation	UNP P35052
B	490	ALA	SER	engineered mutation	UNP P35052
C	2	ALA	-	expression tag	UNP P35052
C	3	PRO	-	expression tag	UNP P35052
C	4	GLN	-	expression tag	UNP P35052
C	5	LEU	-	expression tag	UNP P35052
C	6	HIS	-	expression tag	UNP P35052
C	7	HIS	-	expression tag	UNP P35052
C	8	HIS	-	expression tag	UNP P35052
C	9	HIS	-	expression tag	UNP P35052
C	10	HIS	-	expression tag	UNP P35052
C	11	HIS	-	expression tag	UNP P35052
C	12	ASP	-	expression tag	UNP P35052
C	13	LEU	-	expression tag	UNP P35052
C	14	TYR	-	expression tag	UNP P35052

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	15	GLU	-	expression tag	UNP P35052
C	16	ASN	-	expression tag	UNP P35052
C	17	LEU	-	expression tag	UNP P35052
C	18	TYR	-	expression tag	UNP P35052
C	19	PHE	-	expression tag	UNP P35052
C	20	GLN	-	expression tag	UNP P35052
C	21	GLY	-	expression tag	UNP P35052
C	22	LYS	-	expression tag	UNP P35052
C	23	LEU	-	expression tag	UNP P35052
C	486	ALA	SER	engineered mutation	UNP P35052
C	488	ALA	SER	engineered mutation	UNP P35052
C	490	ALA	SER	engineered mutation	UNP P35052
D	2	ALA	-	expression tag	UNP P35052
D	3	PRO	-	expression tag	UNP P35052
D	4	GLN	-	expression tag	UNP P35052
D	5	LEU	-	expression tag	UNP P35052
D	6	HIS	-	expression tag	UNP P35052
D	7	HIS	-	expression tag	UNP P35052
D	8	HIS	-	expression tag	UNP P35052
D	9	HIS	-	expression tag	UNP P35052
D	10	HIS	-	expression tag	UNP P35052
D	11	HIS	-	expression tag	UNP P35052
D	12	ASP	-	expression tag	UNP P35052
D	13	LEU	-	expression tag	UNP P35052
D	14	TYR	-	expression tag	UNP P35052
D	15	GLU	-	expression tag	UNP P35052
D	16	ASN	-	expression tag	UNP P35052
D	17	LEU	-	expression tag	UNP P35052
D	18	TYR	-	expression tag	UNP P35052
D	19	PHE	-	expression tag	UNP P35052
D	20	GLN	-	expression tag	UNP P35052
D	21	GLY	-	expression tag	UNP P35052
D	22	LYS	-	expression tag	UNP P35052
D	23	LEU	-	expression tag	UNP P35052
D	486	ALA	SER	engineered mutation	UNP P35052
D	488	ALA	SER	engineered mutation	UNP P35052
D	490	ALA	SER	engineered mutation	UNP P35052

- Molecule 2 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C N O 14 8 1 5	0	0
2	B	1	Total C N O 14 8 1 5	0	0
2	C	1	Total C N O 14 8 1 5	0	0
2	D	1	Total C N O 14 8 1 5	0	0

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	2	Total Ca 2 2	0	0
3	A	2	Total Ca 2 2	0	0
3	D	2	Total Ca 2 2	0	0
3	C	3	Total Ca 3 3	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	102	Total O 102 102	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	86	Total O 86 86	0	0
4	C	53	Total O 53 53	0	0
4	D	43	Total O 43 43	0	0


3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glypican-1




- Molecule 1: Glypican-1



- Molecule 1: Glycan-1



- Molecule 1: Glycan-1



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	46.78 Å 166.59 Å 137.70 Å 90.00° 90.38° 90.00°	Depositor
Resolution (Å)	43.22 – 2.38 43.22 – 2.38	Depositor EDS
% Data completeness (in resolution range)	97.8 (43.22-2.38) 97.9 (43.22-2.38)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.35 (at 2.37 Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R , R_{free}	0.239 , 0.273 0.239 , 0.273	Depositor DCC
R_{free} test set	1977 reflections (2.40%)	DCC
Wilson B-factor (Å ²)	38.7	Xtriage
Anisotropy	0.569	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 59.8	EDS
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.055 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13110	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 46.82 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.0833e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.24	0/3238	0.45	1/4390 (0.0%)
1	B	0.29	0/3352	0.47	1/4550 (0.0%)
1	C	0.26	0/3120	0.44	0/4234
1	D	0.25	0/3326	0.44	0/4517
All	All	0.26	0/13036	0.45	2/17691 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	336	THR	N-CA-C	6.11	127.49	111.00
1	B	404	LYS	CA-CB-CG	5.15	124.74	113.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	198	ALA	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3166	0	3070	30	0
1	B	3283	0	3184	39	0
1	C	3058	0	2949	25	0
1	D	3254	0	3126	45	0
2	A	14	0	13	0	0
2	B	14	0	13	0	0
2	C	14	0	13	0	0
2	D	14	0	13	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	3	0	0	0	0
3	D	2	0	0	0	0
4	A	102	0	0	3	0
4	B	86	0	0	4	0
4	C	53	0	0	0	0
4	D	43	0	0	2	0
All	All	13110	0	12381	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:407:LEU:HD22	1:B:415:CYS:HB3	1.66	0.77
1:A:25:PRO:HD2	1:A:261:GLY:HA2	1.67	0.76
1:B:319:THR:HG21	1:B:367:ARG:HA	1.69	0.74
1:B:268[B]:CYS:SG	4:B:781:HOH:O	2.47	0.73
1:B:129:ALA:HB2	1:B:364:LEU:HD11	1.70	0.72
1:C:119:GLU:OE1	1:C:149:ARG:NH2	2.23	0.71
1:B:147:GLU:HG3	1:B:157:LEU:HD21	1.75	0.69
1:A:245:GLU:OE1	1:A:248:ARG:NH2	2.25	0.68
1:D:119:GLU:OE1	1:D:149:ARG:NH2	2.28	0.67
1:D:187:ASP:OD1	1:D:188:TYR:N	2.30	0.65
1:A:268[B]:CYS:SG	4:A:790:HOH:O	2.54	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:268[B]:CYS:SG	4:D:741:HOH:O	2.54	0.65
1:B:178:LEU:HD22	1:B:332:ARG:HD3	1.79	0.64
1:A:194:LYS:HD3	1:A:194:LYS:N	2.13	0.64
1:D:160:GLU:N	1:D:160:GLU:OE1	2.28	0.63
1:B:311:GLU:HG3	1:B:375:LEU:HD22	1.81	0.63
1:B:118:SER:OG	4:B:701:HOH:O	2.16	0.62
1:D:195:GLN:O	1:D:199:LEU:HB2	1.98	0.62
1:A:273:ARG:NH2	4:A:702:HOH:O	2.32	0.62
1:A:51:GLN:H	1:A:51:GLN:CD	2.02	0.62
1:D:129:ALA:HA	1:D:362:GLY:HA2	1.82	0.62
1:C:403:GLU:HG3	1:C:404:LYS:HD3	1.85	0.59
1:B:282:ASN:HB3	1:B:453:ILE:HD12	1.84	0.59
1:B:281:ALA:HB1	1:B:433:LEU:HA	1.85	0.59
1:D:333:ASP:HA	1:D:336:THR:HG22	1.84	0.58
1:C:36:ARG:HA	1:C:49:VAL:HG21	1.86	0.58
1:B:348:VAL:HG12	1:B:349:ASN:H	1.69	0.58
1:C:157:LEU:HD12	1:C:158:HIS:H	1.69	0.57
1:D:282:ASN:HB3	1:D:453:ILE:HD12	1.85	0.57
1:D:211:LEU:O	1:D:214:THR:OG1	2.21	0.56
1:B:179:HIS:NE2	1:B:336:THR:OG1	2.39	0.54
1:D:58:HIS:HE2	1:D:70:THR:HA	1.72	0.54
1:B:237:VAL:HG21	1:B:286:LEU:HD11	1.90	0.54
1:A:193:GLY:C	1:A:194:LYS:HD3	2.28	0.54
1:B:119:GLU:OE1	1:B:149:ARG:NH2	2.33	0.54
1:B:304:PHE:HB3	1:B:375:LEU:HD21	1.90	0.54
1:B:414:ARG:HD2	1:B:422:GLY:HA2	1.89	0.54
1:D:281:ALA:HB1	1:D:433:LEU:HA	1.90	0.53
1:A:57:GLU:HG3	1:A:58:HIS:N	2.24	0.53
1:C:270:ASP:OD1	1:C:273:ARG:NH2	2.39	0.53
1:B:429:MET:HG3	1:B:439:ASN:HD22	1.74	0.53
1:A:281:ALA:HB1	1:A:433:LEU:HA	1.91	0.52
1:D:421:ARG:NH2	4:D:703:HOH:O	2.42	0.52
1:C:430:GLY:O	1:C:436:GLN:NE2	2.41	0.52
1:D:160:GLU:CD	1:D:160:GLU:H	2.13	0.52
1:A:416:TRP:CE2	1:A:418:GLY:HA2	2.45	0.52
1:B:120:ARG:NH1	4:B:709:HOH:O	2.43	0.52
1:B:132:GLU:HA	1:B:135:THR:OG1	2.10	0.52
1:C:281:ALA:HB1	1:C:433:LEU:HA	1.90	0.52
1:A:59:LEU:HD21	1:A:67:THR:HG21	1.92	0.51
1:C:154:GLY:HA2	1:C:221:ARG:HD2	1.92	0.51
1:C:252:LYS:HA	1:C:256:CYS:SG	2.50	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:211:LEU:O	1:B:214:THR:OG1	2.27	0.51
1:D:297:MET:O	1:D:300:ILE:HG22	2.11	0.50
1:C:36:ARG:HB2	1:C:49:VAL:HG11	1.93	0.50
1:D:415:CYS:O	1:D:422:GLY:N	2.38	0.50
1:C:425:LEU:HG	1:C:426:PRO:HD3	1.94	0.49
1:D:252:LYS:HA	1:D:256:CYS:SG	2.53	0.49
1:B:46:LEU:O	1:B:49:VAL:HG12	2.12	0.49
1:D:430:GLY:O	1:D:436:GLN:NE2	2.45	0.49
1:A:252:LYS:HA	1:A:256:CYS:SG	2.52	0.49
1:C:173:ARG:O	1:C:177:GLN:HG2	2.13	0.49
1:D:298:VAL:O	1:D:301:THR:OG1	2.30	0.49
1:A:158:HIS:HE2	1:A:214:THR:HG23	1.77	0.49
1:D:175:PHE:HZ	1:D:336:THR:HG1	1.58	0.48
1:C:233:VAL:HG13	1:C:456:GLN:HB3	1.94	0.48
1:B:51:GLN:CD	1:B:51:GLN:H	2.16	0.48
1:D:172:GLU:O	1:D:176:LYS:HG3	2.14	0.48
1:D:291:ARG:HG2	1:D:390:GLN:HG3	1.96	0.48
1:D:169:ARG:C	1:D:169:ARG:HD3	2.35	0.47
1:A:210:ARG:NH1	4:A:711:HOH:O	2.40	0.47
1:D:222:SER:HB3	1:D:467:LEU:HD23	1.97	0.47
1:C:132:GLU:HA	1:C:135:THR:HB	1.97	0.47
1:D:311:GLU:HB2	1:D:375:LEU:HD22	1.96	0.46
1:D:304:PHE:HB3	1:D:375:LEU:HD21	1.97	0.46
1:A:158:HIS:CE1	1:A:160:GLU:H	2.34	0.46
1:C:383:LYS:HB3	1:C:387:ARG:HH12	1.79	0.46
1:A:42:LYS:O	1:A:80:ARG:NH2	2.38	0.46
1:D:154:GLY:HA2	1:D:221:ARG:HD2	1.98	0.46
1:C:383:LYS:HB3	1:C:387:ARG:NH1	2.30	0.46
1:D:38:ILE:O	1:D:42:LYS:HG3	2.15	0.45
1:B:252:LYS:HA	1:B:256:CYS:SG	2.56	0.45
1:A:36:ARG:HA	1:A:49:VAL:HG21	1.98	0.45
1:B:199:LEU:HD13	1:B:335:LEU:HD12	1.98	0.45
1:D:132:GLU:HA	1:D:135:THR:OG1	2.17	0.45
1:A:268[B]:CYS:SG	1:A:424:TYR:HB3	2.57	0.44
1:B:174:LEU:HD23	1:B:328:LEU:HD23	1.99	0.44
1:B:347:LYS:HG2	1:B:348:VAL:H	1.81	0.44
1:A:183:LEU:HA	1:A:183:LEU:HD12	1.81	0.44
1:C:387:ARG:NH1	1:D:376:GLU:OE1	2.50	0.44
1:D:295:ASP:OD1	1:D:387:ARG:NH1	2.49	0.44
1:A:45:SER:HB2	1:A:48:ASP:OD2	2.17	0.44
1:B:199:LEU:HD23	1:B:199:LEU:HA	1.76	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:216:ALA:HB1	1:D:310:VAL:HA	1.99	0.43
1:D:202:PHE:HB3	1:D:324:ALA:HB1	2.00	0.43
1:A:133:LEU:HD22	1:A:174:LEU:HD22	1.99	0.43
1:B:179:HIS:CE1	1:B:332:ARG:HH11	2.36	0.43
1:A:59:LEU:HD12	1:A:64:GLN:HA	2.00	0.43
1:B:297:MET:O	1:B:300:ILE:HG22	2.18	0.43
1:B:42:LYS:HE3	1:B:255:TYR:CE1	2.53	0.43
1:B:405:MET:H	1:B:405:MET:HG3	1.40	0.43
1:D:195:GLN:OE1	1:D:339:VAL:HA	2.18	0.43
1:C:97:GLN:NE2	1:C:235:ARG:HA	2.34	0.43
1:D:198:ALA:HA	1:D:200:ARG:HH11	1.84	0.43
1:A:336:THR:CG2	1:A:336:THR:O	2.67	0.43
1:B:129:ALA:HA	1:B:362:GLY:HA2	2.00	0.43
1:C:310:VAL:HG12	1:C:311:GLU:H	1.84	0.43
1:D:403:GLU:OE1	1:D:404:LYS:HB2	2.19	0.43
1:A:454:ARG:HD3	1:A:454:ARG:HA	1.81	0.42
1:B:452:THR:O	1:B:456:GLN:HG2	2.19	0.42
1:D:159:LEU:N	1:D:160:GLU:OE1	2.52	0.42
1:C:432:GLY:O	1:C:436:GLN:HG2	2.19	0.42
1:D:214:THR:O	1:D:218:VAL:HB	2.20	0.42
1:A:235:ARG:NH2	1:A:236:LYS:HE3	2.35	0.42
1:C:175:PHE:O	1:C:179:HIS:CD2	2.73	0.42
1:C:42:LYS:HE2	1:C:255:TYR:OH	2.19	0.42
1:C:39:TYR:CZ	1:C:73:MET:HG2	2.55	0.42
1:B:183:LEU:HD13	1:B:347:LYS:HD3	2.01	0.41
1:D:44:PHE:CE1	1:D:76:ASN:HB3	2.55	0.41
1:A:126:PHE:N	1:A:127:PRO:HD2	2.35	0.41
1:D:133:LEU:HA	1:D:177:GLN:OE1	2.20	0.41
1:D:316:SER:O	1:D:319:THR:OG1	2.23	0.41
1:B:414:ARG:HA	1:B:414:ARG:HD3	1.69	0.41
1:D:373:GLY:O	1:D:377:LYS:HG2	2.20	0.41
1:D:56:GLY:HA3	1:D:65:GLY:O	2.20	0.41
1:B:215:ARG:O	1:B:218:VAL:HG12	2.20	0.41
1:D:199:LEU:HD12	1:D:199:LEU:HA	1.85	0.41
1:B:372:SER:HB3	4:B:705:HOH:O	2.21	0.41
1:B:44:PHE:CE1	1:B:76:ASN:HB3	2.55	0.41
1:A:277:LYS:NZ	1:A:429:MET:O	2.39	0.41
1:B:159:LEU:HD12	1:B:159:LEU:HA	1.91	0.41
1:C:156:ASN:ND2	1:C:221:ARG:HH12	2.19	0.41
1:A:151:TYR:CE1	1:A:158:HIS:HA	2.57	0.40
1:A:50:PRO:HD3	1:A:70:THR:HG23	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:188:TYR:OH	1:D:344:GLY:O	2.30	0.40
1:A:132:GLU:HA	1:A:135:THR:OG1	2.21	0.40
1:C:445:ASP:OD2	1:C:447:THR:OG1	2.25	0.40
1:D:396:LEU:HB2	1:D:397:PRO:HD3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	407/526 (77%)	401 (98%)	4 (1%)	2 (0%)	32 44
1	B	428/526 (81%)	412 (96%)	16 (4%)	0	100 100
1	C	394/526 (75%)	385 (98%)	9 (2%)	0	100 100
1	D	427/526 (81%)	418 (98%)	9 (2%)	0	100 100
All	All	1656/2104 (79%)	1616 (98%)	38 (2%)	2 (0%)	55 71

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	336	THR
1	A	337	ALA

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/439 (76%)	331 (100%)	1 (0%)	94	98
1	B	341/439 (78%)	336 (98%)	5 (2%)	70	84
1	C	317/439 (72%)	315 (99%)	2 (1%)	89	95
1	D	336/439 (76%)	331 (98%)	5 (2%)	70	84
All	All	1326/1756 (76%)	1313 (99%)	13 (1%)	82	90

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	GLU
1	B	153	ARG
1	B	160	GLU
1	B	364	LEU
1	B	405	MET
1	B	474	ASN
1	C	94	ARG
1	C	307	THR
1	D	103	GLN
1	D	136	GLN
1	D	165	GLU
1	D	381[A]	GLU
1	D	381[B]	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	181	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 13 ligands modelled in this entry, 9 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	601	1	14,14,15	0.41	0	15,19,21	0.51	0
2	NAG	B	601	1	14,14,15	0.31	0	15,19,21	0.40	0
2	NAG	C	601	1	14,14,15	0.34	0	15,19,21	0.60	0
2	NAG	D	601	1	14,14,15	0.23	0	15,19,21	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	601	1	-	0/6/23/26	0/1/1/1
2	NAG	B	601	1	-	0/6/23/26	0/1/1/1
2	NAG	C	601	1	-	0/6/23/26	0/1/1/1
2	NAG	D	601	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	411/526 (78%)	1.01	58 (14%) 3 3	25, 48, 96, 119	0
1	B	431/526 (81%)	0.94	48 (11%) 6 6	30, 53, 98, 134	0
1	C	400/526 (76%)	0.89	33 (8%) 12 12	40, 59, 107, 139	0
1	D	429/526 (81%)	0.99	59 (13%) 3 3	37, 60, 104, 135	0
All	All	1671/2104 (79%)	0.96	198 (11%) 5 5	25, 56, 102, 139	0

All (198) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	180	PRO	9.3
1	A	196	ALA	8.3
1	C	337	ALA	8.1
1	B	156	ASN	8.1
1	A	184	LEU	6.3
1	D	174	LEU	6.0
1	B	155	ALA	5.7
1	C	335	LEU	5.6
1	B	407	LEU	5.5
1	C	177	GLN	5.3
1	A	44	PHE	5.1
1	C	158	HIS	4.9
1	C	184	LEU	4.6
1	A	199	LEU	4.6
1	A	25	PRO	4.5
1	D	366	PRO	4.5
1	A	45	SER	4.4
1	D	405	MET	4.4
1	D	335	LEU	4.3
1	D	184	LEU	4.2
1	C	175	PHE	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	366	PRO	4.1
1	B	413	ASP	4.1
1	A	366	PRO	4.1
1	D	370	PRO	4.1
1	D	132	GLU	4.1
1	C	334	THR	4.1
1	A	26	ALA	4.0
1	A	262	VAL	4.0
1	A	156	ASN	4.0
1	C	199	LEU	4.0
1	D	170	LEU	4.0
1	A	261	GLY	4.0
1	A	158	HIS	4.0
1	C	179	HIS	3.9
1	D	372	SER	3.9
1	B	50	PRO	3.9
1	A	71	SER	3.8
1	A	198	ALA	3.8
1	D	156	ASN	3.8
1	A	335	LEU	3.8
1	A	181	GLN	3.7
1	B	361	ARG	3.7
1	B	371	PRO	3.7
1	D	155	ALA	3.6
1	C	157	LEU	3.6
1	B	211	LEU	3.6
1	C	185	PRO	3.6
1	A	185	PRO	3.5
1	D	182	LEU	3.5
1	D	189	LEU	3.4
1	B	402	SER	3.4
1	C	423	ARG	3.4
1	C	414	ARG	3.4
1	D	413	ASP	3.3
1	B	44	PHE	3.3
1	B	45	SER	3.3
1	B	41	ALA	3.3
1	C	207[A]	ARG	3.3
1	C	336	THR	3.3
1	C	474	ASN	3.3
1	B	77	LEU	3.2
1	B	370	PRO	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	369	ARG	3.2
1	D	175	PHE	3.2
1	D	403	GLU	3.2
1	D	361	ARG	3.2
1	A	50	PRO	3.2
1	C	328	LEU	3.2
1	A	265	ALA	3.1
1	B	183	LEU	3.1
1	A	186	ASP	3.1
1	B	373	GLY	3.1
1	B	405	MET	3.1
1	D	268[A]	CYS	3.1
1	A	195	GLN	3.0
1	B	37	GLN	3.0
1	B	154	GLY	3.0
1	D	195	GLN	3.0
1	D	371	PRO	3.0
1	C	182	LEU	2.9
1	B	38	ILE	2.9
1	D	89	LEU	2.9
1	D	157	LEU	2.9
1	A	372	SER	2.9
1	C	171	LEU	2.9
1	A	46	LEU	2.8
1	C	333	ASP	2.8
1	B	173	ARG	2.8
1	A	159	LEU	2.8
1	D	169	ARG	2.8
1	C	181	GLN	2.8
1	A	27	SER	2.8
1	B	368	GLU	2.8
1	B	51	GLN	2.7
1	B	48	ASP	2.7
1	A	72	GLU	2.7
1	C	132	GLU	2.7
1	A	73	MET	2.7
1	D	402	SER	2.7
1	A	178	LEU	2.7
1	C	178	LEU	2.7
1	C	298	VAL	2.7
1	C	427	GLU	2.7
1	B	332	ARG	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	372	SER	2.7
1	D	200	ARG	2.6
1	B	114	LEU	2.6
1	D	336	THR	2.6
1	C	380	SER	2.6
1	D	348	VAL	2.6
1	D	265	ALA	2.6
1	D	48	ASP	2.6
1	D	473	GLY	2.6
1	B	47	SER	2.5
1	D	181	GLN	2.5
1	B	198	ALA	2.5
1	A	67	THR	2.5
1	A	42	LYS	2.5
1	D	428	VAL	2.5
1	A	177	GLN	2.5
1	A	183	LEU	2.5
1	A	260	LEU	2.5
1	A	339	VAL	2.5
1	D	199	LEU	2.5
1	D	364	LEU	2.5
1	B	132	GLU	2.5
1	A	37	GLN	2.5
1	B	46	LEU	2.5
1	B	66	TYR	2.4
1	D	369	ARG	2.4
1	A	77	LEU	2.4
1	D	52	ALA	2.4
1	A	51	GLN	2.4
1	D	415	CYS	2.4
1	A	473	GLY	2.4
1	C	422	GLY	2.4
1	C	141	PHE	2.4
1	D	44	PHE	2.4
1	A	57	GLU	2.4
1	D	161	GLU	2.4
1	B	199	LEU	2.3
1	C	238	ALA	2.3
1	A	60	ARG	2.3
1	A	28	LYS	2.3
1	B	142	ARG	2.3
1	D	262	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	331	ASN	2.3
1	D	70	THR	2.3
1	D	401	CYS	2.3
1	A	36	ARG	2.3
1	B	159	LEU	2.2
1	A	69	CYS	2.2
1	B	49	VAL	2.2
1	A	220	ALA	2.2
1	B	153	ARG	2.2
1	D	406	ALA	2.2
1	A	175	PHE	2.2
1	C	332	ARG	2.2
1	D	380	SER	2.2
1	D	159	LEU	2.2
1	A	257	ALA	2.2
1	D	425	LEU	2.2
1	D	139	ARG	2.2
1	D	114	LEU	2.2
1	A	245	GLU	2.2
1	C	383	LYS	2.2
1	A	70	THR	2.2
1	D	142	ARG	2.2
1	B	425	LEU	2.2
1	D	178	LEU	2.2
1	A	255	TYR	2.1
1	A	330	ASP	2.1
1	A	380	SER	2.1
1	D	45	SER	2.1
1	A	368	GLU	2.1
1	D	196	ALA	2.1
1	D	165	GLU	2.1
1	D	243	GLY	2.1
1	A	182	LEU	2.1
1	D	211	LEU	2.1
1	B	197	GLU	2.1
1	D	153	ARG	2.1
1	B	374	THR	2.1
1	C	205	ALA	2.1
1	B	180	PRO	2.1
1	A	33	GLY	2.0
1	A	40	GLY	2.0
1	B	57	GLU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	29	SER	2.0
1	A	369	ARG	2.0
1	A	425	LEU	2.0
1	B	315	GLY	2.0
1	D	47	SER	2.0
1	A	248	ARG	2.0
1	B	367	ARG	2.0
1	B	158	HIS	2.0
1	D	294	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	CA	C	603	1/1	0.34	0.27	3.58	99,99,99,99	0
3	CA	A	603	1/1	0.27	0.15	-0.40	90,90,90,90	0
3	CA	C	604	1/1	0.43	0.18	-0.78	60,60,60,60	0
2	NAG	A	601	14/15	0.90	0.16	-1.31	56,68,78,81	0
3	CA	D	602	1/1	0.39	0.11	-1.71	93,93,93,93	0
3	CA	B	602	1/1	0.91	0.06	-4.78	87,87,87,87	0
2	NAG	D	601	14/15	0.86	0.20	-	80,89,95,96	0
3	CA	A	602	1/1	0.70	0.15	-	47,47,47,47	0
3	CA	B	603	1/1	0.28	0.10	-	43,43,43,43	1
2	NAG	C	601	14/15	0.86	0.20	-	79,84,89,90	0
3	CA	C	602	1/1	0.72	0.14	-	71,71,71,71	0
2	NAG	B	601	14/15	0.87	0.19	-	65,72,80,84	0
3	CA	D	603	1/1	0.86	0.11	-	82,82,82,82	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.