



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 03:09 pm GMT

PDB ID : 4Z88
Title : SH3-II of Drosophila Rim-binding protein with Aplip1 peptide
Authors : Driller, J.H.; Holton, N.; Siebert, M.; Boehme, M.A.; Wahl, M.C.; Sigrist, S.J.;
Loll, B.
Deposited on : 2015-04-08
Resolution : 2.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4243 (2.10-2.10)
Clashscore	112137	4788 (2.10-2.10)
Ramachandran outliers	110173	4740 (2.10-2.10)
Sidechain outliers	110143	4741 (2.10-2.10)
RSRZ outliers	101464	4275 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	73	 10% 73% 15% 11%
1	B	73	 77% 8% 5% 10%
1	C	73	 82% 7% 11%
1	D	73	 89% 7%
1	E	73	 7% 75% 11% 14%
1	F	73	 5% 81% 11% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	73	 11% 78% 12% 8%
1	H	73	 85% 10%
1	I	73	 84% 7% 10%
1	J	73	 77% 15% 8%
1	K	73	 4% 79% 10% 10%
1	L	73	 88% 5% 7%
2	M	17	 47% 24% 29%
2	N	17	 29% 71%
2	O	17	 65% 35%
2	P	17	 24% 18% 6% 53%
2	Q	17	 76% 6% 18%
2	R	17	 29% 6% 6% 59%
2	S	17	 65% 18% 18%
2	T	17	 18% 12% 71%
2	U	17	 6% 65% 12% 24%
2	V	17	 35% 6% 59%
2	W	17	 65% 12% 24%
2	X	17	 41% 59%

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 7564 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RIM-binding protein, isoform F.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	65	Total 532	C 335	N 85	O 108	S 4	0	1	0
1	B	66	Total 538	C 341	N 86	O 107	S 4	0	0	0
1	C	65	Total 528	C 336	N 85	O 103	S 4	0	0	0
1	D	70	Total 564	C 356	N 90	O 114	S 4	0	0	0
1	E	63	Total 506	C 321	N 80	O 101	S 4	0	0	0
1	F	67	Total 543	C 344	N 87	O 108	S 4	0	0	0
1	G	67	Total 537	C 340	N 87	O 106	S 4	0	0	0
1	H	70	Total 564	C 356	N 90	O 114	S 4	0	0	0
1	I	66	Total 538	C 341	N 86	O 107	S 4	0	0	0
1	J	68	Total 550	C 349	N 88	O 109	S 4	0	0	0
1	K	66	Total 537	C 341	N 86	O 106	S 4	0	0	0
1	L	68	Total 550	C 349	N 88	O 109	S 4	0	0	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1310	GLY	-	expression tag	UNP A0A0B4JDC9
A	1311	PRO	-	expression tag	UNP A0A0B4JDC9
A	1312	LEU	-	expression tag	UNP A0A0B4JDC9
A	1313	GLY	-	expression tag	UNP A0A0B4JDC9
A	1314	SER	-	expression tag	UNP A0A0B4JDC9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1315	PRO	-	expression tag	UNP A0A0B4JDC9
A	1316	GLU	-	expression tag	UNP A0A0B4JDC9
A	1317	PHE	-	expression tag	UNP A0A0B4JDC9
B	1310	GLY	-	expression tag	UNP A0A0B4JDC9
B	1311	PRO	-	expression tag	UNP A0A0B4JDC9
B	1312	LEU	-	expression tag	UNP A0A0B4JDC9
B	1313	GLY	-	expression tag	UNP A0A0B4JDC9
B	1314	SER	-	expression tag	UNP A0A0B4JDC9
B	1315	PRO	-	expression tag	UNP A0A0B4JDC9
B	1316	GLU	-	expression tag	UNP A0A0B4JDC9
B	1317	PHE	-	expression tag	UNP A0A0B4JDC9
C	1310	GLY	-	expression tag	UNP A0A0B4JDC9
C	1311	PRO	-	expression tag	UNP A0A0B4JDC9
C	1312	LEU	-	expression tag	UNP A0A0B4JDC9
C	1313	GLY	-	expression tag	UNP A0A0B4JDC9
C	1314	SER	-	expression tag	UNP A0A0B4JDC9
C	1315	PRO	-	expression tag	UNP A0A0B4JDC9
C	1316	GLU	-	expression tag	UNP A0A0B4JDC9
C	1317	PHE	-	expression tag	UNP A0A0B4JDC9
D	1310	GLY	-	expression tag	UNP A0A0B4JDC9
D	1311	PRO	-	expression tag	UNP A0A0B4JDC9
D	1312	LEU	-	expression tag	UNP A0A0B4JDC9
D	1313	GLY	-	expression tag	UNP A0A0B4JDC9
D	1314	SER	-	expression tag	UNP A0A0B4JDC9
D	1315	PRO	-	expression tag	UNP A0A0B4JDC9
D	1316	GLU	-	expression tag	UNP A0A0B4JDC9
D	1317	PHE	-	expression tag	UNP A0A0B4JDC9
E	1310	GLY	-	expression tag	UNP A0A0B4JDC9
E	1311	PRO	-	expression tag	UNP A0A0B4JDC9
E	1312	LEU	-	expression tag	UNP A0A0B4JDC9
E	1313	GLY	-	expression tag	UNP A0A0B4JDC9
E	1314	SER	-	expression tag	UNP A0A0B4JDC9
E	1315	PRO	-	expression tag	UNP A0A0B4JDC9
E	1316	GLU	-	expression tag	UNP A0A0B4JDC9
E	1317	PHE	-	expression tag	UNP A0A0B4JDC9
F	1310	GLY	-	expression tag	UNP A0A0B4JDC9
F	1311	PRO	-	expression tag	UNP A0A0B4JDC9
F	1312	LEU	-	expression tag	UNP A0A0B4JDC9
F	1313	GLY	-	expression tag	UNP A0A0B4JDC9
F	1314	SER	-	expression tag	UNP A0A0B4JDC9
F	1315	PRO	-	expression tag	UNP A0A0B4JDC9
F	1316	GLU	-	expression tag	UNP A0A0B4JDC9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	1317	PHE	-	expression tag	UNP A0A0B4JDC9
G	1310	GLY	-	expression tag	UNP A0A0B4JDC9
G	1311	PRO	-	expression tag	UNP A0A0B4JDC9
G	1312	LEU	-	expression tag	UNP A0A0B4JDC9
G	1313	GLY	-	expression tag	UNP A0A0B4JDC9
G	1314	SER	-	expression tag	UNP A0A0B4JDC9
G	1315	PRO	-	expression tag	UNP A0A0B4JDC9
G	1316	GLU	-	expression tag	UNP A0A0B4JDC9
G	1317	PHE	-	expression tag	UNP A0A0B4JDC9
H	1310	GLY	-	expression tag	UNP A0A0B4JDC9
H	1311	PRO	-	expression tag	UNP A0A0B4JDC9
H	1312	LEU	-	expression tag	UNP A0A0B4JDC9
H	1313	GLY	-	expression tag	UNP A0A0B4JDC9
H	1314	SER	-	expression tag	UNP A0A0B4JDC9
H	1315	PRO	-	expression tag	UNP A0A0B4JDC9
H	1316	GLU	-	expression tag	UNP A0A0B4JDC9
H	1317	PHE	-	expression tag	UNP A0A0B4JDC9
I	1310	GLY	-	expression tag	UNP A0A0B4JDC9
I	1311	PRO	-	expression tag	UNP A0A0B4JDC9
I	1312	LEU	-	expression tag	UNP A0A0B4JDC9
I	1313	GLY	-	expression tag	UNP A0A0B4JDC9
I	1314	SER	-	expression tag	UNP A0A0B4JDC9
I	1315	PRO	-	expression tag	UNP A0A0B4JDC9
I	1316	GLU	-	expression tag	UNP A0A0B4JDC9
I	1317	PHE	-	expression tag	UNP A0A0B4JDC9
J	1310	GLY	-	expression tag	UNP A0A0B4JDC9
J	1311	PRO	-	expression tag	UNP A0A0B4JDC9
J	1312	LEU	-	expression tag	UNP A0A0B4JDC9
J	1313	GLY	-	expression tag	UNP A0A0B4JDC9
J	1314	SER	-	expression tag	UNP A0A0B4JDC9
J	1315	PRO	-	expression tag	UNP A0A0B4JDC9
J	1316	GLU	-	expression tag	UNP A0A0B4JDC9
J	1317	PHE	-	expression tag	UNP A0A0B4JDC9
K	1310	GLY	-	expression tag	UNP A0A0B4JDC9
K	1311	PRO	-	expression tag	UNP A0A0B4JDC9
K	1312	LEU	-	expression tag	UNP A0A0B4JDC9
K	1313	GLY	-	expression tag	UNP A0A0B4JDC9
K	1314	SER	-	expression tag	UNP A0A0B4JDC9
K	1315	PRO	-	expression tag	UNP A0A0B4JDC9
K	1316	GLU	-	expression tag	UNP A0A0B4JDC9
K	1317	PHE	-	expression tag	UNP A0A0B4JDC9
L	1310	GLY	-	expression tag	UNP A0A0B4JDC9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	1311	PRO	-	expression tag	UNP A0A0B4JDC9
L	1312	LEU	-	expression tag	UNP A0A0B4JDC9
L	1313	GLY	-	expression tag	UNP A0A0B4JDC9
L	1314	SER	-	expression tag	UNP A0A0B4JDC9
L	1315	PRO	-	expression tag	UNP A0A0B4JDC9
L	1316	GLU	-	expression tag	UNP A0A0B4JDC9
L	1317	PHE	-	expression tag	UNP A0A0B4JDC9

- Molecule 2 is a protein called JNK-interacting protein 1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	M	12	95	61	20	14	0	0	1
2	N	5	39	27	5	7	0	0	0
2	O	11	84	55	16	13	0	0	1
2	P	8	70	45	15	10	0	0	0
2	Q	14	117	73	28	16	0	0	1
2	R	7	59	39	11	9	0	0	0
2	S	14	117	73	28	16	0	0	1
2	T	5	46	29	12	5	0	0	0
2	U	13	106	67	24	15	0	0	1
2	V	7	63	40	14	9	0	0	0
2	W	13	106	67	24	15	0	0	1
2	X	7	63	40	14	9	0	0	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
M	148	ACE	-	acetylation	UNP Q9W0K0
M	164	NH2	-	amidation	UNP Q9W0K0
N	148	ACE	-	acetylation	UNP Q9W0K0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
N	164	NH2	-	amidation	UNP Q9W0K0
O	148	ACE	-	acetylation	UNP Q9W0K0
O	164	NH2	-	amidation	UNP Q9W0K0
P	148	ACE	-	acetylation	UNP Q9W0K0
P	164	NH2	-	amidation	UNP Q9W0K0
Q	148	ACE	-	acetylation	UNP Q9W0K0
Q	164	NH2	-	amidation	UNP Q9W0K0
R	148	ACE	-	acetylation	UNP Q9W0K0
R	164	NH2	-	amidation	UNP Q9W0K0
S	148	ACE	-	acetylation	UNP Q9W0K0
S	164	NH2	-	amidation	UNP Q9W0K0
T	148	ACE	-	acetylation	UNP Q9W0K0
T	164	NH2	-	amidation	UNP Q9W0K0
U	148	ACE	-	acetylation	UNP Q9W0K0
U	164	NH2	-	amidation	UNP Q9W0K0
V	148	ACE	-	acetylation	UNP Q9W0K0
V	164	NH2	-	amidation	UNP Q9W0K0
W	148	ACE	-	acetylation	UNP Q9W0K0
W	164	NH2	-	amidation	UNP Q9W0K0
X	148	ACE	-	acetylation	UNP Q9W0K0
X	164	NH2	-	amidation	UNP Q9W0K0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total O P 5 4 1	0	0
3	C	1	Total O P 5 4 1	0	0
3	E	1	Total O P 5 4 1	0	0
3	F	1	Total O P 5 4 1	0	0
3	G	1	Total O P 5 4 1	0	0
3	H	1	Total O P 5 4 1	0	0
3	I	1	Total O P 5 4 1	0	0
3	J	1	Total O P 5 4 1	0	0
3	K	1	Total O P 5 4 1	0	0
3	L	1	Total O P 5 4 1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	5	Total O 5 5	0	0
4	B	5	Total O 5 5	0	0
4	C	3	Total O 3 3	0	0
4	D	3	Total O 3 3	0	0
4	E	5	Total O 5 5	0	0
4	F	6	Total O 6 6	0	0
4	G	3	Total O 3 3	0	0
4	H	2	Total O 2 2	0	0
4	I	5	Total O 5 5	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	J	4	Total O 4 4	0	0
4	K	4	Total O 4 4	0	0
4	L	1	Total O 1 1	0	0
4	M	2	Total O 2 2	0	0
4	O	1	Total O 1 1	0	0
4	Q	5	Total O 5 5	0	0
4	W	1	Total O 1 1	0	0
4	X	2	Total O 2 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F



- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F





- Molecule 1: RIM-binding protein, isoform F



- Molecule 1: RIM-binding protein, isoform F




- Molecule 1: RIM-binding protein, isoform F



- Molecule 2: JNK-interacting protein 1

Chain M:  47% 24% 29%



- Molecule 2: JNK-interacting protein 1

Chain N:  29% 71%



- Molecule 2: JNK-interacting protein 1

Chain O:  65% 35%



- Molecule 2: JNK-interacting protein 1

Chain P:  24% 18% 6% 53%




- Molecule 2: JNK-interacting protein 1

Chain Q:  76% 6% 18%



- Molecule 2: JNK-interacting protein 1

Chain R:  29% 6% 6% 59%




- Molecule 2: JNK-interacting protein 1

Chain S:  65% 18% 18%



- Molecule 2: JNK-interacting protein 1

Chain T:  18% 12% 71%



- Molecule 2: JNK-interacting protein 1




- Molecule 2: JNK-interacting protein 1



- Molecule 2: JNK-interacting protein 1



- Molecule 2: JNK-interacting protein 1



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	108.28Å 62.42Å 163.64Å 90.00° 90.27° 90.00°	Depositor
Resolution (Å)	45.25 – 2.09 45.25 – 2.09	Depositor EDS
% Data completeness (in resolution range)	98.5 (45.25-2.09) 98.9 (45.25-2.09)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 2.08Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.209 , 0.236 0.222 , 0.246	Depositor DCC
R_{free} test set	3030 reflections (4.92%)	DCC
Wilson B-factor (Å ²)	35.1	Xtriage
Anisotropy	0.333	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 36.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.178 for -1/2*h-3/2*k,-1/2*h+1/2*k,-l 0.187 for -1/2*h+3/2*k,1/2*h+1/2*k,-l 0.099 for 1/2*h-3/2*k,-1/2*h-1/2*k,-l 0.115 for 1/2*h+3/2*k,1/2*h-1/2*k,-l 0.078 for -h,-k,l	Xtriage
Reported twinning fraction	0.135 for H, K, L 0.126 for -1/2H-3/2K, -1/2H+1/2K, -L 0.146 for -1/2H+3/2K, 1/2H+1/2K, -L 0.193 for 1/2H-3/2K, -1/2H-1/2K, -L 0.182 for 1/2H+3/2K, 1/2H-1/2K, -L 0.218 for -H, -K, L	Depositor
Outliers	1 of 64777 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7564	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, NH2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/551	0.62	0/744
1	B	0.50	0/555	0.98	4/749 (0.5%)
1	C	0.48	0/545	0.63	0/737
1	D	0.37	0/582	0.61	0/786
1	E	0.38	0/522	0.62	0/707
1	F	0.44	0/561	0.68	0/759
1	G	0.44	0/554	0.74	1/749 (0.1%)
1	H	0.48	0/582	0.90	4/786 (0.5%)
1	I	0.42	0/555	0.59	0/749
1	J	0.40	0/568	0.62	0/769
1	K	0.45	0/554	0.69	1/749 (0.1%)
1	L	0.40	0/568	0.58	0/769
2	M	0.47	0/95	0.83	0/124
2	N	0.36	0/40	0.43	0/55
2	O	0.42	0/84	0.57	0/110
2	P	0.40	0/71	0.85	0/94
2	Q	0.37	0/117	0.67	0/152
2	R	0.33	0/60	0.51	0/80
2	S	0.47	0/117	0.69	0/152
2	T	0.37	0/46	0.63	0/59
2	U	0.50	0/106	0.80	0/138
2	V	0.39	0/63	0.83	0/82
2	W	0.42	0/106	0.68	0/138
2	X	0.34	0/63	0.58	0/82
All	All	0.43	0/7665	0.70	10/10319 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	J	0	1
All	All	0	2

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1369	ARG	NE-CZ-NH2	14.39	127.50	120.30
1	H	1369	ARG	NE-CZ-NH2	11.05	125.83	120.30
1	B	1369	ARG	NE-CZ-NH1	-10.06	115.27	120.30
1	H	1369	ARG	NE-CZ-NH1	-9.02	115.79	120.30
1	H	1369	ARG	CG-CD-NE	6.95	126.40	111.80
1	G	1317	PHE	N-CA-CB	6.67	122.60	110.60
1	K	1317	PHE	CB-CG-CD1	-6.50	116.25	120.80
1	B	1380	GLU	N-CA-C	6.43	128.36	111.00
1	H	1369	ARG	CD-NE-CZ	5.71	131.59	123.60
1	B	1369	ARG	CD-NE-CZ	5.57	131.40	123.60

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1381	VAL	Peptide
1	J	1380	GLU	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	532	0	471	8	0
1	B	538	0	476	12	0
1	C	528	0	470	1	0
1	D	564	0	497	2	0
1	E	506	0	448	5	0
1	F	543	0	479	4	0
1	G	537	0	477	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	564	0	497	4	0
1	I	538	0	476	2	0
1	J	550	0	488	10	0
1	K	537	0	476	7	0
1	L	550	0	488	0	0
2	M	95	0	112	1	0
2	N	39	0	41	0	0
2	O	84	0	99	0	0
2	P	70	0	80	8	0
2	Q	117	0	138	2	0
2	R	59	0	67	3	0
2	S	117	0	138	3	0
2	T	46	0	56	2	0
2	U	106	0	125	0	0
2	V	63	0	73	2	0
2	W	106	0	125	1	0
2	X	63	0	73	0	0
3	A	5	0	0	1	0
3	B	5	0	0	1	0
3	C	5	0	0	0	0
3	E	5	0	0	0	0
3	F	5	0	0	1	0
3	G	5	0	0	0	0
3	H	5	0	0	1	0
3	I	5	0	0	1	0
3	J	5	0	0	0	0
3	K	5	0	0	0	0
3	L	5	0	0	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	3	0	0	0	0
4	D	3	0	0	0	0
4	E	5	0	0	0	0
4	F	6	0	0	0	0
4	G	3	0	0	0	0
4	H	2	0	0	0	0
4	I	5	0	0	0	0
4	J	4	0	0	0	0
4	K	4	0	0	0	0
4	L	1	0	0	0	0
4	M	2	0	0	0	0
4	O	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	Q	5	0	0	0	0
4	W	1	0	0	0	0
4	X	2	0	0	0	0
All	All	7564	0	6870	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1380:GLU:O	1:B:1380:GLU:HG2	1.66	0.93
1:G:1361:PHE:CE1	2:S:153:ARG:HG2	2.11	0.85
1:J:1380:GLU:O	1:J:1381:VAL:HG23	1.79	0.81
1:J:1317:PHE:HE1	1:J:1319:TYR:CE1	2.00	0.79
2:P:158:ILE:HG22	2:P:159:PRO:CD	2.13	0.78
2:P:158:ILE:HG22	2:P:159:PRO:HD3	1.65	0.78
1:B:1380:GLU:CG	1:B:1380:GLU:O	2.34	0.74
1:A:1320:PHE:CZ	1:A:1380:GLU:HG3	2.21	0.74
1:A:1318:ARG:HB3	1:A:1352:VAL:O	1.89	0.73
2:P:152:ARG:HB2	2:P:153:ARG:HA	1.72	0.72
1:J:1318:ARG:NH2	1:J:1354:GLY:O	2.25	0.69
1:K:1317:PHE:CE1	1:K:1353:PHE:CE1	2.81	0.68
1:D:1376:ASN:ND2	2:P:158:ILE:HD11	2.12	0.64
1:B:1356:LYS:HG2	1:B:1362:TYR:CZ	2.33	0.64
1:G:1320:PHE:CZ	1:G:1380:GLU:HG3	2.35	0.62
1:E:1320:PHE:CZ	1:E:1380:GLU:HG3	2.35	0.62
1:A:1362:TYR:OH	3:A:1401:PO4:O3	2.12	0.61
1:K:1317:PHE:CE1	1:K:1353:PHE:HE1	2.18	0.61
1:B:1374:PRO:HG2	1:B:1377:MET:HG3	1.83	0.61
1:E:1336:ASP:OD2	2:Q:153:ARG:NH2	2.35	0.59
1:B:1318:ARG:NH2	3:B:1401:PO4:O2	2.36	0.58
1:K:1361:PHE:CE1	2:W:153:ARG:HG2	2.40	0.57
1:J:1380:GLU:HG2	1:J:1381:VAL:N	2.20	0.56
1:J:1317:PHE:CE1	1:J:1319:TYR:CE1	2.90	0.55
1:K:1317:PHE:CE1	1:K:1353:PHE:CD1	2.95	0.55
1:J:1340:GLU:HG3	2:V:153:ARG:HH11	1.71	0.53
1:H:1318:ARG:NH1	3:H:1401:PO4:O1	2.41	0.53
1:G:1316:GLU:HB2	2:R:159:PRO:HG3	1.90	0.52
2:M:163:LYS:HG2	2:M:164:NH2:N	2.25	0.52
2:P:152:ARG:CB	2:P:153:ARG:HA	2.39	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:1334:ASN:OD1	2:V:153:ARG:HA	2.11	0.51
1:B:1356:LYS:HG2	1:B:1362:TYR:CE1	2.45	0.50
1:G:1361:PHE:CZ	2:S:153:ARG:HG2	2.46	0.50
1:E:1320:PHE:CE2	1:E:1380:GLU:HG3	2.47	0.50
1:F:1336:ASP:OD2	2:R:153:ARG:NH2	2.44	0.50
1:F:1324:PHE:CD1	2:R:159:PRO:HG2	2.47	0.50
1:I:1345:GLN:HE22	1:J:1367:ARG:HG2	1.78	0.49
1:G:1320:PHE:CE2	1:G:1380:GLU:HG3	2.48	0.49
1:K:1317:PHE:CD1	1:K:1353:PHE:CE1	3.02	0.48
1:G:1325:ASP:OD1	1:G:1345:GLN:HG2	2.15	0.47
1:A:1345:GLN:OE1	1:B:1367:ARG:HG2	2.15	0.46
1:I:1318:ARG:NH2	3:I:1401:PO4:O1	2.35	0.46
1:K:1317:PHE:CD1	1:K:1353:PHE:CD1	3.03	0.45
1:E:1338:CYS:SG	1:F:1338:CYS:C	2.95	0.45
1:E:1334:ASN:ND2	2:Q:153:ARG:HG3	2.32	0.45
2:P:158:ILE:HG22	2:P:159:PRO:HD2	1.96	0.45
1:J:1380:GLU:O	1:J:1381:VAL:CG2	2.59	0.44
2:P:152:ARG:HB2	2:P:153:ARG:CA	2.45	0.44
1:B:1356:LYS:HE3	1:B:1362:TYR:OH	2.17	0.44
1:J:1317:PHE:HE1	1:J:1319:TYR:HE1	1.58	0.44
2:P:152:ARG:CB	2:P:153:ARG:CA	2.95	0.44
1:A:1327:ASP:CG	1:B:1369:ARG:HD3	2.39	0.44
1:A:1338:CYS:SG	1:B:1338:CYS:C	2.96	0.43
1:C:1338:CYS:SG	1:D:1338:CYS:C	2.96	0.43
1:A:1345:GLN:OE1	1:B:1367:ARG:CG	2.66	0.43
1:F:1318:ARG:NH1	3:F:1401:PO4:O3	2.50	0.43
1:A:1320:PHE:CE1	1:A:1380:GLU:HG3	2.53	0.41
1:H:1381:VAL:O	1:K:1380:GLU:O	2.39	0.41
1:H:1333:PRO:HG2	2:T:154:LYS:HB2	2.02	0.41
1:H:1359:ASP:OD2	2:T:152:ARG:HA	2.21	0.41
1:B:1356:LYS:CG	1:B:1362:TYR:CE1	3.04	0.41
2:S:158:ILE:N	2:S:158:ILE:HD12	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	64/73 (88%)	64 (100%)	0	0	100	100
1	B	64/73 (88%)	62 (97%)	2 (3%)	0	100	100
1	C	63/73 (86%)	63 (100%)	0	0	100	100
1	D	68/73 (93%)	67 (98%)	1 (2%)	0	100	100
1	E	61/73 (84%)	61 (100%)	0	0	100	100
1	F	65/73 (89%)	64 (98%)	1 (2%)	0	100	100
1	G	65/73 (89%)	65 (100%)	0	0	100	100
1	H	68/73 (93%)	66 (97%)	1 (2%)	1 (2%)	12	6
1	I	64/73 (88%)	64 (100%)	0	0	100	100
1	J	66/73 (90%)	65 (98%)	1 (2%)	0	100	100
1	K	64/73 (88%)	63 (98%)	1 (2%)	0	100	100
1	L	66/73 (90%)	65 (98%)	1 (2%)	0	100	100
2	M	10/17 (59%)	9 (90%)	1 (10%)	0	100	100
2	N	3/17 (18%)	3 (100%)	0	0	100	100
2	O	9/17 (53%)	8 (89%)	1 (11%)	0	100	100
2	P	6/17 (35%)	6 (100%)	0	0	100	100
2	Q	12/17 (71%)	12 (100%)	0	0	100	100
2	R	5/17 (29%)	5 (100%)	0	0	100	100
2	S	12/17 (71%)	12 (100%)	0	0	100	100
2	T	3/17 (18%)	3 (100%)	0	0	100	100
2	U	11/17 (65%)	11 (100%)	0	0	100	100
2	V	5/17 (29%)	5 (100%)	0	0	100	100
2	W	11/17 (65%)	11 (100%)	0	0	100	100
2	X	5/17 (29%)	5 (100%)	0	0	100	100
All	All	870/1080 (81%)	859 (99%)	10 (1%)	1 (0%)	55	57

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	1314	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	57/62 (92%)	53 (93%)	4 (7%)	18	14
1	B	57/62 (92%)	54 (95%)	3 (5%)	26	24
1	C	56/62 (90%)	52 (93%)	4 (7%)	17	13
1	D	60/62 (97%)	57 (95%)	3 (5%)	28	26
1	E	54/62 (87%)	51 (94%)	3 (6%)	25	21
1	F	58/62 (94%)	54 (93%)	4 (7%)	18	14
1	G	57/62 (92%)	53 (93%)	4 (7%)	18	14
1	H	60/62 (97%)	57 (95%)	3 (5%)	28	26
1	I	57/62 (92%)	54 (95%)	3 (5%)	26	24
1	J	59/62 (95%)	56 (95%)	3 (5%)	28	25
1	K	57/62 (92%)	53 (93%)	4 (7%)	18	14
1	L	59/62 (95%)	55 (93%)	4 (7%)	18	15
2	M	11/15 (73%)	9 (82%)	2 (18%)	2	1
2	N	5/15 (33%)	5 (100%)	0	100	100
2	O	10/15 (67%)	10 (100%)	0	100	100
2	P	8/15 (53%)	7 (88%)	1 (12%)	5	3
2	Q	13/15 (87%)	13 (100%)	0	100	100
2	R	7/15 (47%)	6 (86%)	1 (14%)	4	2
2	S	13/15 (87%)	12 (92%)	1 (8%)	15	11
2	T	5/15 (33%)	5 (100%)	0	100	100
2	U	12/15 (80%)	10 (83%)	2 (17%)	2	1
2	V	7/15 (47%)	7 (100%)	0	100	100
2	W	12/15 (80%)	11 (92%)	1 (8%)	13	9
2	X	7/15 (47%)	7 (100%)	0	100	100
All	All	801/924 (87%)	751 (94%)	50 (6%)	21	18

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1318	ARG
1	A	1356	LYS
1	A	1369	ARG
1	A	1379	SER
1	B	1318	ARG
1	B	1356	LYS
1	B	1379	SER
1	C	1317	PHE
1	C	1356	LYS
1	C	1369	ARG
1	C	1379	SER
1	D	1356	LYS
1	D	1369	ARG
1	D	1379	SER
1	E	1356	LYS
1	E	1369	ARG
1	E	1379	SER
1	F	1314	SER
1	F	1356	LYS
1	F	1369	ARG
1	F	1379	SER
1	G	1316	GLU
1	G	1356	LYS
1	G	1369	ARG
1	G	1379	SER
1	H	1356	LYS
1	H	1369	ARG
1	H	1379	SER
1	I	1356	LYS
1	I	1369	ARG
1	I	1379	SER
1	J	1356	LYS
1	J	1369	ARG
1	J	1379	SER
1	K	1316	GLU
1	K	1356	LYS
1	K	1369	ARG
1	K	1379	SER
1	L	1314	SER
1	L	1356	LYS
1	L	1369	ARG
1	L	1379	SER
2	M	153	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	M	160	LYS
2	P	152	ARG
2	R	153	ARG
2	S	160	LYS
2	U	153	ARG
2	U	162	LYS
2	W	160	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	1334	ASN
1	F	1375	HIS
1	I	1345	GLN
1	K	1345	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The *Z* score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all *Z* scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	A	1401	-	4,4,4	0.86	0	6,6,6	0.42	0
3	PO4	B	1401	-	4,4,4	0.79	0	6,6,6	0.31	0
3	PO4	C	1401	-	4,4,4	0.71	0	6,6,6	0.44	0
3	PO4	E	1401	-	4,4,4	0.74	0	6,6,6	0.38	0
3	PO4	F	1401	-	4,4,4	0.84	0	6,6,6	0.42	0
3	PO4	G	1401	-	4,4,4	0.71	0	6,6,6	0.36	0
3	PO4	H	1401	-	4,4,4	0.74	0	6,6,6	0.64	0
3	PO4	I	1401	-	4,4,4	0.73	0	6,6,6	0.42	0
3	PO4	J	1401	-	4,4,4	0.82	0	6,6,6	0.47	0
3	PO4	K	1401	-	4,4,4	0.70	0	6,6,6	0.39	0
3	PO4	L	1401	-	4,4,4	0.78	0	6,6,6	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PO4	A	1401	-	-	0/0/0/0	0/0/0/0
3	PO4	B	1401	-	-	0/0/0/0	0/0/0/0
3	PO4	C	1401	-	-	0/0/0/0	0/0/0/0
3	PO4	E	1401	-	-	0/0/0/0	0/0/0/0
3	PO4	F	1401	-	-	0/0/0/0	0/0/0/0
3	PO4	G	1401	-	-	0/0/0/0	0/0/0/0
3	PO4	H	1401	-	-	0/0/0/0	0/0/0/0
3	PO4	I	1401	-	-	0/0/0/0	0/0/0/0
3	PO4	J	1401	-	-	0/0/0/0	0/0/0/0
3	PO4	K	1401	-	-	0/0/0/0	0/0/0/0
3	PO4	L	1401	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1401	PO4	1	0
3	B	1401	PO4	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	1401	PO4	1	0
3	H	1401	PO4	1	0
3	I	1401	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	65/73 (89%)	0.61	7 (10%) 6 8	30, 44, 63, 68	0
1	B	66/73 (90%)	0.32	0 100 100	26, 36, 53, 61	0
1	C	65/73 (89%)	0.13	0 100 100	25, 35, 46, 50	0
1	D	70/73 (95%)	0.20	0 100 100	26, 34, 43, 46	0
1	E	63/73 (86%)	0.52	5 (7%) 13 17	32, 44, 60, 64	0
1	F	67/73 (91%)	0.70	4 (5%) 23 28	37, 49, 60, 72	0
1	G	67/73 (91%)	0.72	8 (11%) 5 6	27, 47, 64, 70	0
1	H	70/73 (95%)	0.26	0 100 100	30, 40, 51, 58	0
1	I	66/73 (90%)	0.15	1 (1%) 74 77	24, 34, 43, 48	0
1	J	68/73 (93%)	0.17	0 100 100	26, 36, 44, 52	0
1	K	66/73 (90%)	0.37	3 (4%) 34 40	26, 38, 57, 61	0
1	L	68/73 (93%)	0.58	1 (1%) 74 77	32, 40, 56, 67	0
2	M	11/17 (64%)	0.06	0 100 100	36, 39, 41, 42	0
2	N	5/17 (29%)	0.05	0 100 100	42, 43, 44, 45	0
2	O	10/17 (58%)	-0.05	0 100 100	37, 38, 40, 41	0
2	P	8/17 (47%)	0.18	0 100 100	37, 39, 48, 50	0
2	Q	13/17 (76%)	0.34	0 100 100	37, 43, 48, 48	0
2	R	7/17 (41%)	0.10	0 100 100	44, 47, 50, 54	0
2	S	13/17 (76%)	0.00	0 100 100	40, 42, 45, 46	0
2	T	5/17 (29%)	0.17	0 100 100	46, 47, 52, 54	0
2	U	12/17 (70%)	0.56	1 (8%) 12 15	39, 45, 52, 63	0
2	V	7/17 (41%)	0.17	0 100 100	30, 31, 37, 40	0
2	W	12/17 (70%)	0.02	0 100 100	32, 40, 43, 48	0
2	X	7/17 (41%)	0.09	0 100 100	37, 46, 47, 51	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
All	All	911/1080 (84%)	0.36	30 (3%) 47 54	24, 40, 58, 72	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	U	152	ARG	4.5
1	F	1358	ALA	4.5
1	A	1319	TYR	4.4
1	G	1335	PRO	4.0
1	A	1353	PHE	3.7
1	K	1358	ALA	3.4
1	E	1353	PHE	3.1
1	G	1381	VAL	3.1
1	E	1342	LEU	3.0
1	E	1358	ALA	2.8
1	K	1354	GLY	2.6
1	G	1359	ASP	2.5
1	A	1355	ASP	2.5
1	K	1356	LYS	2.4
1	A	1320	PHE	2.4
1	E	1359	ASP	2.2
1	G	1362	TYR	2.2
1	I	1319	TYR	2.2
1	G	1337	GLY	2.2
1	A	1354	GLY	2.2
1	G	1353	PHE	2.2
1	A	1369	ARG	2.2
1	G	1358	ALA	2.1
1	F	1362	TYR	2.1
1	A	1335	PRO	2.1
1	E	1355	ASP	2.1
1	F	1314	SER	2.0
1	G	1356	LYS	2.0
1	F	1330	THR	2.0
1	L	1358	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	PO4	J	1401	5/5	0.95	0.09	-1.75	43,44,45,45	0
3	PO4	H	1401	5/5	0.97	0.08	-1.90	31,32,33,33	0
3	PO4	F	1401	5/5	0.97	0.09	-2.06	35,36,36,38	0
3	PO4	L	1401	5/5	0.99	0.09	-2.84	42,44,45,46	0
3	PO4	G	1401	5/5	0.97	0.10	-	39,41,41,43	0
3	PO4	A	1401	5/5	0.96	0.18	-	40,40,42,42	0
3	PO4	E	1401	5/5	0.87	0.18	-	46,47,49,50	0
3	PO4	C	1401	5/5	0.96	0.14	-	36,37,38,39	0
3	PO4	I	1401	5/5	0.96	0.11	-	34,34,35,36	0
3	PO4	K	1401	5/5	0.94	0.13	-	39,40,42,42	0
3	PO4	B	1401	5/5	0.98	0.07	-	36,36,37,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.