



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2018 – 10:54 AM EST

PDB ID : 5Z9S
Title : Functional and Structural Characterization of a beta-Glucosidase Involved in Saponin Metabolism from Intestinal Bacteria
Authors : Yan, S.; Wei, P.C.; Li, J.R.
Deposited on : 2018-02-05
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030736
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030736


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4130 (2.30-2.30)
Clashscore	112137	4751 (2.30-2.30)
Ramachandran outliers	110173	4705 (2.30-2.30)
Sidechain outliers	110143	4704 (2.30-2.30)
RSRZ outliers	101464	4156 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	796	<div> <div>5%</div> <div> <div></div> <div>82%</div> <div>14%</div> <div>••</div> </div> </div>
1	B	796	<div> <div>6%</div> <div> <div></div> <div>81%</div> <div>13%</div> <div>••</div> </div> </div>

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 12098 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called beta-Glucosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	765	Total	C	N	O	S	0	0	0
			5804	3656	999	1129	20			
1	B	763	Total	C	N	O	S	0	0	0
			5794	3652	997	1125	20			

- Molecule 2 is BETA-D-GLUCOSE (three-letter code: BGC) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	6	6		
2	B	1	Total	C	O	0	0
			12	6	6		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	236	Total 236	O 236	0	0
3	B	240	Total 240	O 240	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: beta-Glucosidase



• Molecule 1: beta-Glucosidase



1789
GLU
HIS
HIS
HIS
HIS
HIS
HIS

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.95Å 134.42Å 90.28Å 90.00° 98.82° 90.00°	Depositor
Resolution (Å)	47.85 – 2.30 47.85 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.2 (47.85-2.30) 93.3 (47.85-2.30)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.25 (at 2.29Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155)	Depositor
R, R_{free}	0.224 , 0.242 0.221 , 0.241	Depositor DCC
R_{free} test set	1907 reflections (2.83%)	DCC
Wilson B-factor (Å ²)	29.2	Xtriage
Anisotropy	0.092	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 24.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	12098	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BGC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/5923	0.49	1/8062 (0.0%)
1	B	0.30	0/5913	0.52	2/8049 (0.0%)
All	All	0.28	0/11836	0.51	3/16111 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	4
All	All	0	5

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	37	LEU	CB-CG-CD1	5.53	120.40	111.00
1	A	37	LEU	CA-CB-CG	5.37	127.66	115.30
1	B	477	PHE	N-CA-C	-5.14	97.12	111.00

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	440	MET	Peptide
1	B	34	ARG	Peptide
1	B	38	GLU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	41	VAL	Peptide
1	B	455	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5804	0	5718	80	0
1	B	5794	0	5715	107	0
2	A	12	0	11	1	0
2	B	12	0	11	0	0
3	A	236	0	0	11	0
3	B	240	0	0	17	0
All	All	12098	0	11455	186	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:479:PRO:HG3	1:B:484:ARG:HG2	1.20	1.12
1:B:477:PHE:HA	1:B:479:PRO:HD3	1.02	1.02
1:B:479:PRO:HG3	1:B:484:ARG:CG	1.88	1.02
1:B:477:PHE:HA	1:B:479:PRO:CD	1.90	1.01
1:B:478:TYR:CZ	1:B:480:ASP:HB3	1.96	1.00
1:B:477:PHE:CA	1:B:479:PRO:HD3	1.94	0.98
1:B:519:VAL:O	3:B:901:HOH:O	1.81	0.96
1:B:188:ALA:HA	1:B:190:GLU:HB3	1.48	0.96
1:B:478:TYR:C	1:B:480:ASP:HA	1.94	0.88
1:B:478:TYR:CE2	1:B:480:ASP:HB3	2.10	0.87
1:B:30:ASP:O	3:B:902:HOH:O	1.94	0.85
1:B:27:ARG:NH1	3:B:905:HOH:O	2.09	0.83
1:B:50:ARG:NH1	3:B:906:HOH:O	2.11	0.83
1:B:478:TYR:CE1	1:B:480:ASP:HB3	2.17	0.79
1:A:449:THR:H	1:A:458:VAL:HG21	1.48	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:479:PRO:CG	1:B:484:ARG:HG2	2.09	0.78
1:B:211:GLN:OE1	3:B:903:HOH:O	2.01	0.77
1:B:779:ASP:OD2	3:B:904:HOH:O	2.08	0.72
1:A:468:ASP:OD1	3:A:901:HOH:O	2.09	0.70
1:B:405:ILE:HG12	1:B:510:LEU:HB3	1.74	0.70
1:B:408:VAL:HG12	1:B:461:SER:HB2	1.73	0.70
1:A:408:VAL:HG12	1:A:461:SER:HB2	1.73	0.69
1:B:478:TYR:HA	1:B:480:ASP:O	1.93	0.69
1:A:150:CYS:HB3	1:A:208:SER:HB3	1.76	0.68
1:B:27:ARG:HG2	1:B:28:ILE:H	1.58	0.68
1:A:211:GLN:NE2	3:A:910:HOH:O	2.27	0.68
1:B:34:ARG:O	3:B:907:HOH:O	2.12	0.67
1:A:215:ASP:O	3:A:902:HOH:O	2.13	0.67
1:A:194:LYS:NZ	3:A:913:HOH:O	2.28	0.66
1:B:479:PRO:HD2	1:B:482:GLN:O	1.95	0.66
1:B:41:VAL:HG12	1:B:44:MET:HG2	1.76	0.66
1:A:50:ARG:NE	1:A:51:GLY:O	2.24	0.65
1:A:120:TRP:HB2	1:A:707:ILE:HD13	1.79	0.64
1:B:120:TRP:HB2	1:B:707:ILE:HD13	1.78	0.64
1:B:162:GLU:OE1	3:B:908:HOH:O	2.15	0.64
1:B:39:GLU:HG2	1:B:86:ARG:HH21	1.60	0.64
1:A:507:GLN:NE2	3:A:903:HOH:O	2.19	0.63
1:B:44:MET:HE3	1:B:323:ALA:HB3	1.79	0.63
1:B:150:CYS:HB3	1:B:208:SER:HB3	1.80	0.62
1:A:44:MET:HB3	1:A:47:LEU:HD13	1.82	0.62
1:B:34:ARG:O	3:B:909:HOH:O	2.15	0.62
1:B:155:THR:HG21	1:B:625:PRO:HG3	1.82	0.62
1:B:43:GLN:HB3	1:B:341:VAL:HG21	1.83	0.61
1:A:153:ARG:NH2	3:A:909:HOH:O	2.26	0.60
1:A:147:PRO:HB3	1:A:178:MET:SD	2.41	0.60
1:A:39:GLU:HG3	1:A:42:GLY:H	1.67	0.58
1:A:161:ASP:HB3	1:A:562:SER:HB2	1.85	0.58
1:B:479:PRO:N	1:B:480:ASP:HA	2.14	0.58
1:B:190:GLU:HG2	1:B:350:ARG:HE	1.69	0.58
1:B:62:HIS:O	3:B:910:HOH:O	2.17	0.58
1:B:38:GLU:HA	1:B:39:GLU:HG3	1.85	0.57
1:B:44:MET:HB3	1:B:47:LEU:HD13	1.86	0.57
1:B:452:THR:OG1	1:B:456:CYS:SG	2.60	0.57
1:A:40:LYS:HZ3	1:A:324:ILE:HG23	1.69	0.57
1:B:425:ASN:N	3:B:915:HOH:O	2.37	0.56
1:A:34:ARG:NH1	1:A:37:LEU:HD11	2.21	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:398:ALA:H	1:A:401:LYS:NZ	2.04	0.56
1:A:388:LEU:HA	1:A:593:LEU:HD23	1.87	0.56
1:B:41:VAL:HG11	1:B:44:MET:HE2	1.87	0.56
1:B:31:LEU:HA	1:B:34:ARG:HH12	1.71	0.55
1:B:476:GLU:N	1:B:476:GLU:OE2	2.39	0.55
1:B:388:LEU:HA	1:B:593:LEU:HD23	1.89	0.55
1:A:57:LEU:O	1:A:60:ASN:OD1	2.25	0.54
1:B:39:GLU:HG2	1:B:86:ARG:NH2	2.23	0.54
1:B:478:TYR:CD2	1:B:480:ASP:HB3	2.42	0.54
1:A:40:LYS:HA	1:A:43:GLN:HG3	1.90	0.54
1:A:153:ARG:HD3	1:A:209:GLU:OE2	2.08	0.53
1:B:403:LYS:HA	1:B:456:CYS:HB2	1.91	0.53
1:B:466:VAL:HG12	1:B:467:ILE:HG23	1.91	0.53
1:B:251:SER:HA	1:B:256:PRO:HA	1.91	0.53
1:B:405:ILE:HD12	1:B:451:LEU:HD23	1.92	0.52
1:B:479:PRO:N	1:B:480:ASP:CA	2.73	0.52
1:A:681:ASP:HB2	1:A:683:THR:HA	1.91	0.52
1:B:448:LEU:HA	1:B:451:LEU:HD13	1.91	0.52
1:B:54:LEU:HG	1:B:57:LEU:HB3	1.91	0.52
1:A:270:GLY:O	1:A:273:LYS:HE2	2.11	0.51
1:B:479:PRO:HG3	1:B:484:ARG:HG3	1.86	0.51
1:A:398:ALA:HB3	1:A:401:LYS:HD3	1.93	0.51
1:A:457:GLU:OE1	3:A:904:HOH:O	2.20	0.50
1:B:164:PHE:HB2	1:B:171:ILE:HG12	1.92	0.50
1:A:448:LEU:HD11	1:A:512:VAL:HG21	1.93	0.50
1:A:45:MET:HE2	3:A:905:HOH:O	2.10	0.50
1:B:39:GLU:H	1:B:42:GLY:H	1.60	0.50
1:A:62:HIS:O	3:A:905:HOH:O	2.20	0.49
1:A:311:ASP:OD1	1:A:343:ARG:NH1	2.43	0.49
1:A:413:ASP:OD1	1:A:443:THR:HG21	2.13	0.49
1:B:31:LEU:CA	1:B:34:ARG:HH22	2.25	0.49
1:B:35:MET:HA	3:B:907:HOH:O	2.11	0.49
1:B:288:SER:HA	1:B:292:GLN:HE21	1.78	0.49
1:A:506:ARG:NH2	1:A:550:GLU:OE2	2.36	0.49
1:A:251:SER:HA	1:A:256:PRO:HA	1.94	0.48
1:A:86:ARG:HH21	1:A:87:LEU:HD11	1.77	0.48
1:A:75:SER:O	1:A:79:LYS:HG2	2.13	0.48
1:A:204:PHE:O	1:A:257:VAL:HG11	2.13	0.48
1:B:285:ILE:O	1:B:288:SER:OG	2.29	0.48
1:A:115:GLY:HA2	1:A:596:PRO:HG2	1.95	0.48
1:B:33:SER:O	1:B:35:MET:HB2	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:28:ILE:HG12	1:A:31:LEU:HD13	1.94	0.47
1:A:443:THR:CG2	1:A:446:ASP:H	2.27	0.47
1:A:194:LYS:HA	1:A:194:LYS:HD3	1.69	0.47
1:B:399:ALA:O	1:B:452:THR:HG21	2.14	0.47
1:B:424:GLY:C	3:B:915:HOH:O	2.53	0.47
1:B:392:ASP:OD2	3:B:911:HOH:O	2.20	0.47
1:B:204:PHE:O	1:B:257:VAL:HG11	2.15	0.47
1:B:45:MET:HG2	3:B:910:HOH:O	2.14	0.47
1:B:452:THR:HB	1:B:456:CYS:HB3	1.96	0.47
1:A:34:ARG:CZ	1:A:37:LEU:HD11	2.46	0.46
1:B:631:LEU:HD23	1:B:633:VAL:HG13	1.98	0.46
1:B:39:GLU:HG2	1:B:86:ARG:HE	1.81	0.46
1:B:478:TYR:CD1	1:B:480:ASP:HB3	2.50	0.46
1:A:314:MET:HE3	2:A:801:BGC:H6C2	1.98	0.46
1:B:478:TYR:CD1	1:B:478:TYR:O	2.69	0.46
1:B:246:MET:HA	1:B:279:ILE:O	2.15	0.46
1:B:161:ASP:HB3	1:B:562:SER:HB2	1.99	0.45
1:A:449:THR:HG22	1:A:458:VAL:CG2	2.46	0.45
1:A:449:THR:HG21	1:A:453:ALA:HB3	1.99	0.45
1:A:224:ARG:HD2	1:A:756:PRO:HA	1.98	0.45
1:B:31:LEU:C	1:B:34:ARG:HH22	2.20	0.45
1:B:451:LEU:HA	1:B:452:THR:HA	1.47	0.45
1:B:145:PHE:HA	1:B:200:CYS:HB3	1.99	0.45
1:B:30:ASP:OD1	1:B:30:ASP:N	2.43	0.45
1:A:246:MET:HA	1:A:279:ILE:O	2.17	0.45
1:A:398:ALA:H	1:A:401:LYS:HZ2	1.63	0.45
1:B:446:ASP:C	1:B:448:LEU:H	2.20	0.45
1:B:52:GLY:HA2	1:B:53:ASP:HA	1.68	0.45
1:A:292:GLN:HG3	3:A:1095:HOH:O	2.17	0.44
1:B:451:LEU:HB2	1:B:452:THR:OG1	2.18	0.44
1:B:34:ARG:NH1	3:B:902:HOH:O	2.49	0.44
1:B:502:VAL:O	1:B:506:ARG:HG3	2.17	0.44
1:B:75:SER:O	1:B:79:LYS:HG3	2.17	0.44
1:A:71:PRO:HB3	1:A:104:TRP:CZ3	2.52	0.44
1:B:398:ALA:HB3	1:B:401:LYS:HD3	1.99	0.44
1:B:292:GLN:HB2	1:B:292:GLN:HE21	1.64	0.44
1:A:273:LYS:HD3	1:A:273:LYS:HA	1.87	0.44
1:B:619:ARG:HG2	1:B:707:ILE:HD12	1.98	0.44
1:A:216:ALA:HB3	1:B:642:HIS:CD2	2.53	0.44
1:B:187:LYS:O	1:B:241:GLY:HA3	2.18	0.44
1:A:403:LYS:HG3	1:A:509:ASP:OD2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:VAL:HA	1:B:43:GLN:HG3	2.00	0.43
1:A:448:LEU:HB2	1:A:607:ALA:HB2	2.00	0.43
1:A:454:ASP:O	1:A:456:CYS:N	2.45	0.43
1:A:677:ALA:HB1	1:A:683:THR:O	2.18	0.43
1:A:425:ASN:ND2	1:A:433:PRO:O	2.38	0.43
1:A:443:THR:HG23	1:A:446:ASP:H	1.83	0.43
1:A:475:GLY:O	1:A:484:ARG:HD2	2.19	0.43
1:A:54:LEU:HG	1:A:57:LEU:HB3	2.00	0.43
1:A:773:HIS:HB3	1:A:779:ASP:HB3	2.00	0.43
1:B:116:MET:HG2	1:B:381:LEU:HD21	2.01	0.43
1:B:318:GLN:H	1:B:318:GLN:CD	2.21	0.43
1:B:27:ARG:HG2	1:B:28:ILE:N	2.31	0.42
1:A:677:ALA:CB	1:A:683:THR:HG22	2.49	0.42
1:B:35:MET:HG3	1:B:37:LEU:HD13	2.00	0.42
1:A:34:ARG:HH12	1:A:37:LEU:HD21	1.84	0.42
1:A:707:ILE:HG12	1:A:731:ARG:HG2	2.02	0.42
1:B:269:ARG:NH2	1:B:278:LEU:HG	2.34	0.42
1:A:448:LEU:HA	1:A:449:THR:HA	1.59	0.42
1:A:682:GLY:HA3	1:A:683:THR:HA	1.54	0.42
1:B:696:LEU:HD21	1:B:706:GLU:HB3	2.02	0.42
1:A:164:PHE:HB2	1:A:171:ILE:HG12	2.01	0.42
1:A:40:LYS:NZ	1:A:324:ILE:HG23	2.32	0.42
1:A:619:ARG:HG2	1:A:707:ILE:HD12	2.02	0.42
1:A:151:ILE:HG23	1:A:153:ARG:HG3	2.02	0.41
1:B:478:TYR:CE1	1:B:480:ASP:CB	2.96	0.41
1:B:484:ARG:HH21	1:B:484:ARG:HD2	1.74	0.41
1:B:71:PRO:HB3	1:B:104:TRP:CZ3	2.56	0.41
1:A:407:VAL:O	1:A:460:TYR:HA	2.20	0.41
1:A:422:TRP:CZ3	1:A:428:GLN:HG2	2.56	0.41
1:B:448:LEU:HA	1:B:451:LEU:CD1	2.50	0.41
1:B:473:PRO:HA	1:B:474:ALA:HA	1.44	0.41
1:B:478:TYR:CZ	1:B:480:ASP:CB	2.85	0.41
1:A:397:PHE:CD2	1:A:510:LEU:HD13	2.56	0.41
1:B:365:ILE:HG23	1:B:369:ILE:HD12	2.03	0.41
1:B:407:VAL:O	1:B:460:TYR:HA	2.21	0.41
1:A:408:VAL:HA	1:A:461:SER:O	2.21	0.41
1:B:189:GLY:HA3	1:B:190:GLU:HA	1.79	0.41
1:A:445:LEU:O	1:A:450:GLN:HG3	2.21	0.41
1:A:404:ARG:HA	1:A:457:GLU:O	2.21	0.41
1:A:617:SER:HA	3:A:935:HOH:O	2.20	0.40
1:B:149:LEU:HD23	1:B:233:PRO:HB2	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:319:PHE:O	1:B:323:ALA:N	2.48	0.40
1:B:478:TYR:O	1:B:480:ASP:HA	2.20	0.40
1:A:269:ARG:NH2	1:A:278:LEU:HG	2.37	0.40
1:A:681:ASP:HB2	1:A:682:GLY:HA3	2.03	0.40
1:A:443:THR:HG23	1:A:445:LEU:N	2.36	0.40
1:A:466:VAL:HG12	1:A:467:ILE:HG23	2.01	0.40
1:B:194:LYS:NZ	3:B:949:HOH:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	763/796 (96%)	727 (95%)	34 (4%)	2 (0%)	44 55
1	B	761/796 (96%)	727 (96%)	31 (4%)	3 (0%)	38 47
All	All	1524/1592 (96%)	1454 (95%)	65 (4%)	5 (0%)	44 55

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	320	TYR
1	B	188	ALA
1	B	320	TYR
1	B	479	PRO
1	A	596	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	610/637 (96%)	602 (99%)	8 (1%)	73	86
1	B	610/637 (96%)	598 (98%)	12 (2%)	60	77
All	All	1220/1274 (96%)	1200 (98%)	20 (2%)	68	82

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	LEU
1	A	101	TYR
1	A	403	LYS
1	A	423	THR
1	A	432	MET
1	A	439	ASP
1	A	445	LEU
1	A	456	CYS
1	B	27	ARG
1	B	34	ARG
1	B	37	LEU
1	B	39	GLU
1	B	56	ASP
1	B	101	TYR
1	B	155	THR
1	B	432	MET
1	B	439	ASP
1	B	451	LEU
1	B	456	CYS
1	B	522	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	211	GLN
1	A	416	GLN
1	B	292	GLN
1	B	450	GLN
1	B	482	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BGC	A	801	-	12,12,12	1.40	1 (8%)	17,17,17	1.05	1 (5%)
2	BGC	B	801	-	12,12,12	1.38	1 (8%)	17,17,17	0.90	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	A	801	-	-	0/2/22/22	0/1/1/1
2	BGC	B	801	-	-	0/2/22/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	BGC	O5-C1	3.99	1.50	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	BGC	O5-C1	3.99	1.50	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	BGC	C1-C2-C3	2.05	114.36	110.65

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	BGC	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	765/796 (96%)	0.28	39 (5%)	29 36	22, 31, 43, 55	0
1	B	763/796 (95%)	0.27	46 (6%)	23 29	22, 32, 45, 56	0
All	All	1528/1592 (95%)	0.28	85 (5%)	25 32	22, 32, 44, 56	0

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	453	ALA	9.0
1	B	452	THR	8.9
1	B	479	PRO	8.1
1	A	449	THR	6.7
1	B	480	ASP	6.3
1	B	478	TYR	6.2
1	B	454	ASP	5.9
1	B	31	LEU	5.7
1	B	40	LYS	5.5
1	A	680	ALA	4.9
1	B	451	LEU	4.9
1	A	53	ASP	4.7
1	A	682	GLY	4.7
1	A	448	LEU	4.6
1	B	189	GLY	4.4
1	A	439	ASP	4.1
1	B	30	ASP	4.0
1	A	440	MET	4.0
1	B	474	ALA	4.0
1	B	28	ILE	3.9
1	B	477	PHE	3.7
1	B	482	GLN	3.7
1	B	455	ASP	3.6
1	B	36	THR	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	30	ASP	3.5
1	B	52	GLY	3.4
1	A	28	ILE	3.4
1	A	399	ALA	3.2
1	A	452	THR	3.2
1	A	188	ALA	3.2
1	B	401	LYS	3.0
1	A	60	ASN	3.0
1	B	789	LEU	3.0
1	B	469	LEU	2.9
1	A	785	PHE	2.8
1	A	474	ALA	2.8
1	B	56	ASP	2.8
1	A	61	LYS	2.8
1	A	681	ASP	2.8
1	B	402	VAL	2.8
1	A	35	MET	2.8
1	B	475	GLY	2.7
1	A	31	LEU	2.7
1	A	62	HIS	2.7
1	B	398	ALA	2.7
1	B	37	LEU	2.7
1	B	473	PRO	2.7
1	A	72	GLU	2.6
1	B	397	PHE	2.6
1	A	44	MET	2.6
1	B	550	GLU	2.6
1	B	680	ALA	2.6
1	A	476	GLU	2.6
1	A	450	GLN	2.5
1	A	424	GLY	2.5
1	B	187	LYS	2.5
1	B	34	ARG	2.4
1	B	476	GLU	2.4
1	B	456	CYS	2.4
1	B	44	MET	2.4
1	B	481	GLY	2.4
1	B	53	ASP	2.4
1	A	51	GLY	2.4
1	A	455	ASP	2.4
1	A	24	ALA	2.4
1	B	400	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	322	GLY	2.3
1	A	320	TYR	2.3
1	A	475	GLY	2.3
1	A	76	ARG	2.3
1	B	485	PRO	2.3
1	A	328	LYS	2.2
1	A	454	ASP	2.2
1	A	37	LEU	2.2
1	A	482	GLN	2.2
1	B	79	LYS	2.2
1	A	479	PRO	2.2
1	A	453	ALA	2.2
1	B	364	ARG	2.1
1	A	398	ALA	2.1
1	B	424	GLY	2.1
1	B	449	THR	2.1
1	B	82	ASN	2.1
1	B	84	LYS	2.1
1	B	55	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	BGC	A	801	12/12	0.91	0.15	-0.01	25,26,27,27	0
2	BGC	B	801	12/12	0.94	0.11	-1.34	26,27,29,29	0

6.5 Other polymers

There are no such residues in this entry.