



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 2, 2017 – 10:07 AM EDT

PDB ID : 2ZVO
Title : NEMO CoZi domain in complex with diubiquitin in C2 space group
Authors : Rahighi, S.; Ikeda, F.; Kawasaki, M.; Akutsu, M.; Suzuki, N.; Kato, R.; Kensch, T.; Uejima, T.; Bloor, S.; Komander, D.; Randow, F.; Wakatsuki, S.; Dikic, I.
Deposited on : unknown
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20030345
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1586 (2.90-2.90)
Clashscore	112137	1807 (2.90-2.90)
Ramachandran outliers	110173	1768 (2.90-2.90)
Sidechain outliers	110143	1770 (2.90-2.90)
RSRZ outliers	101464	1596 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	154	
1	G	154	
2	B	92	
2	D	92	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3965 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UBC protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	149	Total	C	N	O	S	0	0	0
			1181	743	204	232	2			
1	G	146	Total	C	N	O	S	0	0	0
			1156	728	198	228	2			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	EXPRESSION TAG	UNP Q96C32
A	0	SER	-	EXPRESSION TAG	UNP Q96C32
G	-1	GLY	-	EXPRESSION TAG	UNP Q96C32
G	0	SER	-	EXPRESSION TAG	UNP Q96C32

- Molecule 2 is a protein called NF-kappa-B essential modulator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	88	Total	C	N	O	S	0	0	0
			727	456	128	141	2			
2	D	88	Total	C	N	O	S	0	0	0
			727	456	128	141	2			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	248	GLY	-	EXPRESSION TAG	UNP O88522
B	249	SER	-	EXPRESSION TAG	UNP O88522
B	282	ALA	GLU	ENGINEERED	UNP O88522
B	285	ALA	LYS	ENGINEERED	UNP O88522
D	248	GLY	-	EXPRESSION TAG	UNP O88522
D	249	SER	-	EXPRESSION TAG	UNP O88522
D	282	ALA	GLU	ENGINEERED	UNP O88522
D	285	ALA	LYS	ENGINEERED	UNP O88522


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	42	Total 42	O 42	0	0
3	G	47	Total 47	O 47	0	0
3	B	43	Total 43	O 43	0	0
3	D	42	Total 42	O 42	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: UBC protein




• Molecule 1: UBC protein



• Molecule 2: NF-kappa-B essential modulator



• Molecule 2: NF-kappa-B essential modulator



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	130.86Å 98.37Å 50.62Å 90.00° 101.96° 90.00°	Depositor
Resolution (Å)	49.20 – 2.90 49.19 – 2.90	Depositor EDS
% Data completeness (in resolution range)	89.8 (49.20-2.90) 89.8 (49.19-2.90)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.85 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.237 , 0.277 0.235 , 0.273	Depositor DCC
R_{free} test set	644 reflections (5.39%)	DCC
Wilson B-factor (Å ²)	43.3	Xtriage
Anisotropy	0.421	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 41.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	3965	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	0/1194	0.66	0/1608
1	G	0.52	0/1169	0.65	0/1575
2	B	0.52	0/733	0.59	0/979
2	D	0.50	0/733	0.60	0/979
All	All	0.51	0/3829	0.64	0/5141

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1181	0	1231	46	0
1	G	1156	0	1202	39	0
2	B	727	0	741	28	0
2	D	727	0	741	34	0
3	A	42	0	0	8	0
3	B	43	0	0	11	0
3	D	42	0	0	6	0
3	G	47	0	0	1	0
All	All	3965	0	3915	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:315:LEU:HB2	3:B:246:HOH:O	1.67	0.95
2:B:271:GLN:HA	2:B:271:GLN:HE21	1.36	0.90
1:A:72:ARG:HG2	2:D:300:ILE:HD11	1.54	0.88
1:A:77:MET:HE3	1:A:95:PRO:HD3	1.57	0.84
1:G:90:THR:HG22	2:D:313:GLU:OE2	1.80	0.82
1:A:118:ARG:HE	1:A:125:GLN:HE21	1.30	0.80
1:G:102:VAL:HG21	1:G:132:LEU:HD21	1.63	0.79
2:D:282:ALA:O	2:D:286:ILE:HG23	1.81	0.79
2:B:309:ARG:NH2	2:D:308:GLU:OE2	2.15	0.77
1:A:90:THR:HG21	3:B:244:HOH:O	1.84	0.77
1:G:78:GLN:HE21	2:D:312:ARG:HH12	1.31	0.75
2:B:251:MET:HA	2:B:254:GLU:HG2	1.67	0.75
2:D:296:ALA:O	2:D:300:ILE:HG22	1.87	0.74
1:A:74:ARG:HH11	2:D:308:GLU:HG2	1.51	0.74
2:B:270:LYS:HE3	3:B:236:HOH:O	1.89	0.72
1:A:77:MET:CE	1:A:95:PRO:HD3	2.18	0.72
1:A:70:VAL:HG13	2:D:297:GLN:HG3	1.72	0.70
1:A:60:ASN:HA	3:A:215:HOH:O	1.90	0.70
1:G:23:ILE:HG22	1:G:52:ASP:HA	1.74	0.69
2:D:327:GLU:HA	3:D:353:HOH:O	1.93	0.68
1:G:130:ARG:HG2	1:G:130:ARG:HH11	1.59	0.68
1:A:24:GLU:HB3	1:A:52:ASP:HB3	1.77	0.67
2:B:312:ARG:HG2	3:B:245:HOH:O	1.94	0.67
1:G:102:VAL:O	1:G:106:ILE:HG13	1.95	0.66
1:G:118:ARG:HD3	1:G:125:GLN:NE2	2.10	0.66
1:A:22:THR:H	1:A:25:ASN:HD22	1.44	0.66
1:G:118:ARG:HA	3:G:191:HOH:O	1.96	0.65
1:G:78:GLN:HB2	1:G:91:LEU:O	1.96	0.65
2:B:270:LYS:HA	3:B:237:HOH:O	1.96	0.65
2:B:291:VAL:N	2:B:292:PRO:HD2	2.12	0.64
1:A:18:GLU:O	1:A:56:LEU:HD12	1.98	0.64
2:B:314:LYS:HG2	3:B:241:HOH:O	1.97	0.64
2:D:282:ALA:O	2:D:286:ILE:CG2	2.47	0.63
1:A:81:VAL:HG22	1:A:143:LEU:HB2	1.82	0.61
1:A:30:ILE:O	1:A:34:GLU:HB2	2.01	0.60
2:B:271:GLN:HA	2:B:271:GLN:NE2	2.13	0.60
2:D:270:LYS:HG2	3:D:239:HOH:O	2.01	0.59
2:D:262:GLN:HB2	3:D:234:HOH:O	2.01	0.59
1:A:7:THR:OG1	1:A:9:THR:HG22	2.02	0.59
1:G:130:ARG:HG2	1:G:130:ARG:NH1	2.18	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:ARG:HG3	2:D:300:ILE:HD12	1.86	0.57
1:A:72:ARG:HG2	2:D:300:ILE:CD1	2.31	0.56
3:A:271:HOH:O	2:D:290:THR:HG21	2.04	0.56
1:A:90:THR:CG2	3:B:244:HOH:O	2.48	0.56
1:G:78:GLN:NE2	2:D:312:ARG:HH12	2.03	0.56
1:A:75:GLY:O	3:A:153:HOH:O	2.19	0.54
1:G:74:ARG:HH11	1:G:74:ARG:HG3	1.72	0.54
1:A:104:ALA:HB3	3:A:226:HOH:O	2.06	0.54
1:G:74:ARG:HD2	2:D:305:PHE:HE1	1.72	0.54
1:A:18:GLU:HB3	3:A:195:HOH:O	2.08	0.54
1:G:121:PHE:HB2	1:G:143:LEU:HD22	1.91	0.53
2:D:310:HIS:HA	2:D:313:GLU:OE1	2.10	0.52
1:G:15:LEU:HD11	1:G:29:LYS:HD3	1.92	0.51
1:G:8:LEU:HD21	2:B:293:VAL:HG11	1.92	0.51
1:A:8:LEU:HD13	2:D:294:LEU:HD23	1.92	0.50
1:G:74:ARG:NH2	1:G:78:GLN:HE22	2.09	0.50
2:D:287:VAL:O	2:D:290:THR:HB	2.12	0.49
1:A:48:LYS:HE2	3:A:213:HOH:O	2.12	0.49
1:A:22:THR:OG1	1:A:25:ASN:ND2	2.46	0.49
2:B:336:LEU:HG	2:B:336:LEU:O	2.12	0.49
1:G:45:PHE:CD2	1:G:61:ILE:HG12	2.48	0.49
1:G:44:ILE:HB	1:G:68:HIS:HB2	1.95	0.49
2:B:271:GLN:HE21	2:B:271:GLN:CA	2.18	0.48
1:A:74:ARG:HB2	2:B:305:PHE:CE2	2.49	0.48
2:D:321:TYR:HA	3:D:205:HOH:O	2.11	0.48
2:B:255:ASP:O	2:B:259:GLN:HB2	2.14	0.47
2:D:321:TYR:O	2:D:325:GLN:HG2	2.13	0.47
2:B:310:HIS:HB2	3:B:1:HOH:O	2.13	0.47
1:A:25:ASN:O	1:A:28:ALA:HB3	2.14	0.47
2:B:330:GLN:HB3	2:B:330:GLN:HE21	1.51	0.47
2:B:305:PHE:CE2	2:D:308:GLU:HG3	2.50	0.47
1:A:118:ARG:HB2	1:A:148:ARG:HG3	1.95	0.47
1:G:81:VAL:HG12	1:G:143:LEU:HB2	1.97	0.47
1:G:81:VAL:HG23	1:G:89:ILE:HG12	1.96	0.47
1:G:118:ARG:HH11	1:G:125:GLN:NE2	2.12	0.47
2:B:284:HIS:CE1	2:B:288:MET:HG2	2.50	0.47
1:G:8:LEU:HD21	2:B:293:VAL:CG1	2.45	0.46
1:A:4:PHE:HE1	1:A:64:GLU:OE2	1.98	0.46
2:B:284:HIS:CE1	2:B:288:MET:CG	2.98	0.46
2:D:328:GLN:HA	2:D:331:ARG:HD3	1.97	0.46
1:G:89:ILE:HG21	1:G:110:GLU:OE2	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:THR:HG22	2:B:313:GLU:OE2	2.16	0.46
1:A:137:ILE:HD13	1:A:143:LEU:HD21	1.98	0.46
1:A:97:ASP:HB2	1:A:132:LEU:HD12	1.98	0.46
1:G:126:LEU:HB3	1:G:135:TYR:CE1	2.51	0.46
1:G:84:LEU:HD21	1:G:146:VAL:HA	1.98	0.46
1:G:78:GLN:NE2	2:D:312:ARG:NH1	2.63	0.46
2:B:291:VAL:N	2:B:292:PRO:CD	2.79	0.45
2:D:289:GLU:HA	3:D:202:HOH:O	2.17	0.45
2:D:252:GLN:HE21	2:D:256:LEU:HG	1.81	0.45
2:D:324:GLU:O	2:D:327:GLU:HB2	2.16	0.45
2:B:325:GLN:O	2:B:328:GLN:HB2	2.17	0.45
2:D:313:GLU:O	2:D:316:VAL:N	2.49	0.45
1:A:74:ARG:NH1	2:D:308:GLU:HG2	2.25	0.45
1:G:78:GLN:OE1	1:G:92:GLU:OE1	2.35	0.45
1:A:43:LEU:HA	1:A:68:HIS:O	2.17	0.44
1:A:72:ARG:NH2	1:A:75:GLY:HA2	2.31	0.44
2:D:330:GLN:HB3	3:D:106:HOH:O	2.16	0.44
1:G:77:MET:CE	1:G:95:PRO:HG3	2.47	0.44
1:A:26:VAL:O	1:A:30:ILE:HG13	2.18	0.44
3:B:246:HOH:O	2:D:315:LEU:CB	2.65	0.44
3:B:246:HOH:O	2:D:315:LEU:HB3	2.17	0.44
1:A:138:GLN:O	1:A:141:SER:HB3	2.18	0.43
1:A:4:PHE:HD2	1:A:12:THR:HG21	1.82	0.43
1:A:5:VAL:HB	1:A:13:ILE:CD1	2.49	0.43
1:G:30:ILE:O	1:G:34:GLU:HB2	2.18	0.43
1:A:95:PRO:HD2	3:A:249:HOH:O	2.19	0.43
1:A:107:GLN:HA	1:A:112:ILE:H	1.83	0.43
1:A:132:LEU:HD23	1:A:137:ILE:HD12	2.00	0.43
1:A:102:VAL:O	1:A:106:ILE:HG12	2.19	0.42
1:A:43:LEU:HD21	1:A:69:LEU:HD12	1.99	0.42
1:G:5:VAL:HG22	1:G:67:LEU:HB2	2.00	0.42
2:B:274:ILE:HD11	2:D:274:ILE:HG13	2.02	0.42
2:B:273:LEU:O	2:B:277:LEU:HB2	2.19	0.41
2:B:284:HIS:CD2	3:B:220:HOH:O	2.73	0.41
1:G:132:LEU:HA	1:G:137:ILE:HD12	2.02	0.41
1:G:74:ARG:HG3	1:G:74:ARG:NH1	2.33	0.41
1:A:22:THR:O	1:A:25:ASN:HB2	2.21	0.41
1:G:126:LEU:HD22	1:G:135:TYR:CD1	2.56	0.41
1:A:61:ILE:HD13	1:A:67:LEU:HD21	2.03	0.41
1:G:16:GLU:N	1:G:16:GLU:OE1	2.53	0.41
1:G:23:ILE:CG2	1:G:52:ASP:HA	2.45	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:THR:CG2	2:B:309:ARG:HD3	2.50	0.41
1:G:119:LEU:O	1:G:126:LEU:HG	2.21	0.40
1:G:39:ASP:OD1	1:G:39:ASP:N	2.48	0.40
1:G:78:GLN:CB	1:G:91:LEU:O	2.66	0.40
1:A:64:GLU:C	3:A:278:HOH:O	2.60	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	147/154 (96%)	133 (90%)	9 (6%)	5 (3%)	4	18
1	G	144/154 (94%)	131 (91%)	13 (9%)	0	100	100
2	B	86/92 (94%)	84 (98%)	1 (1%)	1 (1%)	15	46
2	D	86/92 (94%)	78 (91%)	7 (8%)	1 (1%)	15	46
All	All	463/492 (94%)	426 (92%)	30 (6%)	7 (2%)	12	39

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1	MET
2	D	328	GLN
1	A	84	LEU
1	A	136	ASN
2	B	251	MET
1	A	11	LYS
1	A	76	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	135/137 (98%)	129 (96%)	6 (4%)	33	67
1	G	132/137 (96%)	121 (92%)	11 (8%)	13	36
2	B	76/78 (97%)	66 (87%)	10 (13%)	5	14
2	D	76/78 (97%)	66 (87%)	10 (13%)	5	14
All	All	419/430 (97%)	382 (91%)	37 (9%)	12	34

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLN
1	A	11	LYS
1	A	66	THR
1	A	69	LEU
1	A	97	ASP
1	A	138	GLN
1	G	1	MET
1	G	3	ILE
1	G	7	THR
1	G	42	ARG
1	G	58	ASP
1	G	62	GLN
1	G	71	LEU
1	G	130	ARG
1	G	138	GLN
1	G	139	LYS
1	G	140	GLU
2	B	270	LYS
2	B	271	GLN
2	B	277	LEU
2	B	289	GLU
2	B	305	PHE
2	B	310	HIS
2	B	319	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	320	GLU
2	B	330	GLN
2	B	335	LYS
2	D	261	GLN
2	D	277	LEU
2	D	286	ILE
2	D	290	THR
2	D	300	ILE
2	D	305	PHE
2	D	312	ARG
2	D	315	LEU
2	D	332	GLU
2	D	337	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	ASN
1	A	40	GLN
1	A	62	GLN
1	A	101	ASN
1	A	125	GLN
1	G	25	ASN
1	G	40	GLN
1	G	60	ASN
1	G	78	GLN
1	G	116	GLN
1	G	125	GLN
1	G	138	GLN
2	B	258	GLN
2	B	271	GLN
2	B	284	HIS
2	B	297	GLN
2	B	330	GLN
2	D	252	GLN
2	D	306	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	149/154 (96%)	-0.41	0 100 100	27, 43, 62, 65	0
1	G	146/154 (94%)	-0.35	0 100 100	25, 48, 69, 71	0
2	B	88/92 (95%)	-0.12	4 (4%) 34 29	22, 47, 101, 104	0
2	D	88/92 (95%)	-0.12	4 (4%) 34 29	20, 46, 87, 91	1 (1%)
All	All	471/492 (95%)	-0.28	8 (1%) 70 68	20, 47, 84, 104	1 (0%)

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	333	PHE	3.5
2	B	257	ARG	2.2
2	B	331	ARG	2.2
2	D	273	LEU	2.1
2	D	336	LEU	2.1
2	B	328	GLN	2.1
2	B	333	PHE	2.1
2	D	331	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.