



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2018 – 10:23 am GMT

PDB ID : 5A06
Title : Crystal structure of aldose-aldose oxidoreductase from *Caulobacter crescentus* complexed with sorbitol
Authors : Taberman, H.; Rouvinen, J.; Parkkinen, T.
Deposited on : 2015-04-17
Resolution : 1.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	3313 (1.86-1.82)
Clashscore	122126	3530 (1.86-1.82)
Ramachandran outliers	120053	3495 (1.86-1.82)
Sidechain outliers	120020	3496 (1.86-1.82)
RSRZ outliers	108989	3265 (1.86-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	339	<div> <div>%</div> <div> <div></div> <div>95%</div> <div>5%</div> <div>• •</div> </div> </div>
1	B	339	<div> <div></div> <div>94%</div> <div>5%</div> <div>•</div> </div>
1	C	339	<div> <div>2%</div> <div> <div></div> <div>92%</div> <div>7%</div> <div>•</div> </div> </div>
1	D	339	<div> <div>2%</div> <div> <div></div> <div>94%</div> <div>5%</div> <div>•</div> </div> </div>
1	E	339	<div> <div>2%</div> <div> <div></div> <div>94%</div> <div>• •</div> </div> </div>
1	F	339	<div> <div>%</div> <div> <div></div> <div>94%</div> <div>5%</div> <div>•</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SOR	D	1342	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 18236 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALDOSE-ALDOSE OXIDOREDUCTASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	336	Total	C	N	O	S	0	0	0
			2597	1628	472	483	14			
1	B	335	Total	C	N	O	S	0	2	0
			2610	1635	476	485	14			
1	C	336	Total	C	N	O	S	0	1	0
			2605	1633	475	483	14			
1	D	335	Total	C	N	O	S	0	0	0
			2593	1626	471	482	14			
1	E	335	Total	C	N	O	S	0	0	0
			2593	1626	471	482	14			
1	F	335	Total	C	N	O	S	0	1	0
			2601	1631	474	482	14			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	E	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	F	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is D-SORBITOL (three-letter code: SOR) (formula: $C_6H_{14}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			12	6	6		
3	A	1	Total	C	O	0	0
			12	6	6		
3	A	1	Total	C	O	0	0
			12	6	6		
3	A	1	Total	C	O	0	0
			12	6	6		
3	B	1	Total	C	O	0	0
			12	6	6		
3	B	1	Total	C	O	0	0
			12	6	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			12	6	6		
3	C	1	Total	C	O	0	0
			12	6	6		
3	C	1	Total	C	O	0	0
			12	6	6		
3	D	1	Total	C	O	0	0
			12	6	6		
3	D	1	Total	C	O	0	0
			12	6	6		
3	D	1	Total	C	O	0	0
			12	6	6		
3	D	1	Total	C	O	0	0
			12	6	6		
3	E	1	Total	C	O	0	0
			12	6	6		
3	E	1	Total	C	O	0	0
			12	6	6		
3	F	1	Total	C	O	0	0
			12	6	6		
3	F	1	Total	C	O	0	0
			12	6	6		
3	F	1	Total	C	O	0	0
			12	6	6		
3	F	1	Total	C	O	0	0
			12	6	6		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	428	Total	O	0	0
			428	428		
5	B	371	Total	O	0	0
			371	371		
5	C	348	Total	O	0	0
			348	348		
5	D	305	Total	O	0	0
			305	305		
5	E	303	Total	O	0	0
			303	303		
5	F	336	Total	O	0	0
			336	336		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ALDOSE-ALDOSE OXIDOREDUCTASE

Chain A: 




- Molecule 1: ALDOSE-ALDOSE OXIDOREDUCTASE

Chain B: 



- Molecule 1: ALDOSE-ALDOSE OXIDOREDUCTASE

Chain C: 



- Molecule 1: ALDOSE-ALDOSE OXIDOREDUCTASE

Chain D: 



- Molecule 1: ALDOSE-ALDOSE OXIDOREDUCTASE

Chain E: 



- Molecule 1: ALDOSE-ALDOSE OXIDOREDUCTASE

Chain F: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	101.19Å 154.09Å 107.78Å 90.00° 110.02° 90.00°	Depositor
Resolution (Å)	48.10 – 1.84 48.10 – 1.84	Depositor EDS
% Data completeness (in resolution range)	98.7 (48.10-1.84) 98.7 (48.10-1.84)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.01 (at 1.84Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.159 , 0.187 0.166 , 0.191	Depositor DCC
R_{free} test set	13202 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	22.2	Xtriage
Anisotropy	0.152	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 51.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	18236	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, SOR, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/2652	0.53	0/3591
1	B	0.39	0/2665	0.51	0/3608
1	C	0.38	0/2663	0.52	0/3605
1	D	0.36	0/2648	0.51	0/3586
1	E	0.37	0/2648	0.51	0/3586
1	F	0.41	0/2659	0.52	0/3600
All	All	0.39	0/15935	0.52	0/21576

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2597	0	2583	10	0
1	B	2610	0	2596	13	0
1	C	2605	0	2596	18	0
1	D	2593	0	2580	15	0
1	E	2593	0	2580	9	0
1	F	2601	0	2593	13	0
2	A	48	0	26	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	48	0	26	5	0
2	C	48	0	26	4	0
2	D	48	0	26	5	0
2	E	48	0	26	2	0
2	F	48	0	26	4	0
3	A	48	0	56	3	0
3	B	36	0	42	5	0
3	C	24	0	28	1	0
3	D	48	0	56	9	0
3	E	24	0	28	0	0
3	F	48	0	56	2	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	10	0	0	0	0
4	D	5	0	0	0	0
4	E	5	0	0	0	0
5	A	428	0	0	3	2
5	B	371	0	0	4	0
5	C	348	0	0	11	0
5	D	305	0	0	4	0
5	E	303	0	0	2	0
5	F	336	0	0	5	2
All	All	18236	0	15950	87	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1340:NDP:H42N	3:B:1341:SOR:H5	1.41	1.02
2:A:1340:NDP:H42N	3:A:1341:SOR:H5	1.43	0.98
1:C:147:ARG:NH2	5:C:2164:HOH:O	2.09	0.84
2:D:1340:NDP:H42N	3:D:1342:SOR:H5	1.59	0.82
1:F:147:ARG:NH2	5:F:2175:HOH:O	2.15	0.78
1:E:147:ARG:NH2	5:E:2155:HOH:O	2.18	0.74
1:E:329:ARG:NH1	5:E:2279:HOH:O	2.21	0.70
1:C:338:LYS:NZ	5:C:2335:HOH:O	2.31	0.64
1:A:161:HIS:HB3	1:A:186:ILE:HG13	1.80	0.64
2:F:1340:NDP:H42N	3:F:1343:SOR:C1	2.30	0.62
1:A:5:ARG:NH2	5:A:2001:HOH:O	2.33	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:175:ARG:NH2	5:C:2204:HOH:O	2.33	0.62
2:F:1340:NDP:H42N	3:F:1343:SOR:H11	1.82	0.61
1:D:17:TYR:CD1	2:D:1340:NDP:H41N	2.35	0.61
1:A:17:TYR:CD1	2:A:1340:NDP:H41N	2.36	0.61
1:D:189:TYR:CE1	3:D:1342:SOR:H61	2.36	0.60
1:C:43:GLU:OE1	1:C:43:GLU:N	2.28	0.60
1:B:17:TYR:CD1	2:B:1340:NDP:H41N	2.35	0.60
1:B:84[A]:SER:OG	1:B:108:ASN:ND2	2.35	0.57
1:C:290:LYS:NZ	5:C:2311:HOH:O	2.38	0.57
1:C:273[A]:ARG:NH1	5:C:2290:HOH:O	2.22	0.57
1:F:17:TYR:CD1	2:F:1340:NDP:H41N	2.39	0.57
1:B:273[B]:ARG:NH1	5:B:2309:HOH:O	2.24	0.56
1:E:17:TYR:CD1	2:E:1340:NDP:H41N	2.40	0.56
2:A:1340:NDP:C4N	3:A:1341:SOR:H5	2.27	0.56
1:D:104:LYS:HZ2	3:D:1342:SOR:HO5	1.52	0.55
1:B:161:HIS:HB3	1:B:186:ILE:HG13	1.87	0.55
1:C:333:GLU:OE1	1:C:335:ARG:NE	2.39	0.54
5:C:2302:HOH:O	1:D:284:GLU:OE2	2.18	0.53
1:C:17:TYR:CD1	2:C:1340:NDP:H41N	2.43	0.53
1:D:309:GLU:HG3	5:D:2275:HOH:O	2.09	0.53
1:C:161:HIS:HB3	1:C:186:ILE:HG13	1.90	0.53
3:D:1342:SOR:H12	5:D:2303:HOH:O	2.08	0.52
1:A:15:GLY:HA3	2:A:1340:NDP:O5B	2.10	0.52
1:D:104:LYS:NZ	3:D:1342:SOR:O5	2.25	0.51
2:D:1340:NDP:C4N	3:D:1342:SOR:H5	2.35	0.51
1:C:15:GLY:HA3	2:C:1340:NDP:O5B	2.10	0.51
1:C:95:ARG:NH1	5:C:2099:HOH:O	2.46	0.49
1:B:15:GLY:HA3	2:B:1340:NDP:O5B	2.12	0.49
1:B:335:ARG:HA	1:D:335:ARG:HA	1.94	0.49
2:C:1340:NDP:H42N	3:C:1341:SOR:H3	1.94	0.49
1:F:161:HIS:HB3	1:F:186:ILE:HG13	1.95	0.48
1:D:248:ASN:O	1:D:263:PRO:HA	2.14	0.47
1:E:161:HIS:HB3	1:E:186:ILE:HG13	1.96	0.47
1:D:189:TYR:CZ	3:D:1342:SOR:H61	2.49	0.47
1:A:248:ASN:O	1:A:263:PRO:HA	2.14	0.47
1:F:332:ARG:NH1	5:F:2319:HOH:O	2.44	0.47
1:B:213:ARG:NH2	5:B:2231:HOH:O	2.32	0.47
1:E:15:GLY:HA3	2:E:1340:NDP:O5B	2.13	0.47
1:D:161:HIS:HB3	1:D:186:ILE:HG13	1.97	0.46
1:C:5:ARG:NH2	5:C:2001:HOH:O	2.43	0.46
1:B:103:GLU:OE1	2:B:1340:NDP:H2N	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:1342:SOR:H11	5:D:2304:HOH:O	2.16	0.46
1:C:248:ASN:O	1:C:263:PRO:HA	2.16	0.46
1:A:335:ARG:HA	1:E:335:ARG:HA	1.99	0.45
1:B:189:TYR:CE1	3:B:1341:SOR:H61	2.51	0.45
1:B:99:HIS:HE2	3:B:1343:SOR:H4	1.81	0.45
1:F:15:GLY:HA3	2:F:1340:NDP:O5B	2.17	0.44
1:C:335:ARG:HA	1:F:335:ARG:HA	1.99	0.44
1:A:103:GLU:OE1	2:A:1340:NDP:H2N	2.18	0.44
1:A:247:CYS:HB3	5:A:2323:HOH:O	2.18	0.44
1:A:189:TYR:CE2	3:A:1341:SOR:H61	2.53	0.43
1:C:92:ARG:NH1	5:C:2066:HOH:O	2.25	0.43
1:D:103:GLU:OE1	2:D:1340:NDP:H2N	2.17	0.43
5:B:2281:HOH:O	1:D:247:CYS:HB3	2.18	0.43
1:B:5:ARG:N	5:B:2001:HOH:O	2.51	0.43
1:F:332:ARG:NH2	5:F:2318:HOH:O	2.46	0.43
1:D:143:ILE:O	1:D:147:ARG:HG2	2.18	0.42
1:D:17:TYR:CE1	2:D:1340:NDP:H41N	2.53	0.42
1:E:248:ASN:O	1:E:263:PRO:HA	2.18	0.42
1:F:248:ASN:O	1:F:263:PRO:HA	2.19	0.42
1:E:58:HIS:CD2	1:E:71:ASN:HD21	2.38	0.42
1:A:17:TYR:CE1	2:A:1340:NDP:H41N	2.55	0.42
5:A:2336:HOH:O	1:E:247:CYS:HB3	2.19	0.42
2:B:1340:NDP:C4N	3:B:1341:SOR:H5	2.31	0.41
1:B:248:ASN:O	1:B:263:PRO:HA	2.20	0.41
1:B:99:HIS:NE2	3:B:1343:SOR:H4	2.35	0.41
1:F:143:ILE:O	1:F:147:ARG:HG2	2.21	0.41
5:C:2265:HOH:O	1:F:247:CYS:HB3	2.20	0.41
1:C:332:ARG:NH1	5:C:2329:HOH:O	2.45	0.41
3:D:1341:SOR:H11	5:D:2126:HOH:O	2.20	0.40
1:D:278:GLY:HA3	1:D:279:PRO:HD2	1.90	0.40
1:F:332:ARG:NE	5:F:2318:HOH:O	2.37	0.40
1:C:103:GLU:OE1	2:C:1340:NDP:H2N	2.21	0.40
1:C:58:HIS:CD2	1:C:71:ASN:HD21	2.40	0.40
1:F:174:ASN:ND2	5:F:2211:HOH:O	2.41	0.40
1:F:326:ALA:HB2	1:F:339:LEU:HD21	2.03	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:2407:HOH:O	5:F:2103:HOH:O[2_856]	2.16	0.04

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:2196:HOH:O	5:F:2042:HOH:O[2_856]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	334/339 (98%)	324 (97%)	10 (3%)	0	100	100
1	B	335/339 (99%)	326 (97%)	9 (3%)	0	100	100
1	C	335/339 (99%)	328 (98%)	7 (2%)	0	100	100
1	D	333/339 (98%)	324 (97%)	9 (3%)	0	100	100
1	E	333/339 (98%)	324 (97%)	9 (3%)	0	100	100
1	F	334/339 (98%)	328 (98%)	6 (2%)	0	100	100
All	All	2004/2034 (98%)	1954 (98%)	50 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/272 (99%)	267 (99%)	3 (1%)	76	67
1	B	272/272 (100%)	269 (99%)	3 (1%)	76	67
1	C	271/272 (100%)	268 (99%)	3 (1%)	76	67

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	270/272 (99%)	267 (99%)	3 (1%)	76	67
1	E	270/272 (99%)	267 (99%)	3 (1%)	76	67
1	F	271/272 (100%)	268 (99%)	3 (1%)	76	67
All	All	1624/1632 (100%)	1606 (99%)	18 (1%)	76	67

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	78	TYR
1	A	104	LYS
1	A	243	TYR
1	B	78	TYR
1	B	104	LYS
1	B	243	TYR
1	C	78	TYR
1	C	104	LYS
1	C	243	TYR
1	D	78	TYR
1	D	104	LYS
1	D	243	TYR
1	E	78	TYR
1	E	104	LYS
1	E	243	TYR
1	F	78	TYR
1	F	104	LYS
1	F	243	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

31 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NDP	A	1340	-	45,52,52	2.01	4 (8%)	54,80,80	1.36	7 (12%)
3	SOR	A	1341	-	11,11,11	0.81	0	14,14,14	1.63	4 (28%)
3	SOR	A	1342	-	11,11,11	0.74	0	14,14,14	0.83	0
3	SOR	A	1343	-	11,11,11	0.68	0	14,14,14	1.19	1 (7%)
3	SOR	A	1344	-	11,11,11	0.65	0	14,14,14	0.90	1 (7%)
4	SO4	A	1345	-	4,4,4	0.19	0	6,6,6	0.12	0
2	NDP	B	1340	-	45,52,52	2.08	9 (20%)	54,80,80	1.42	7 (12%)
3	SOR	B	1341	-	11,11,11	0.75	0	14,14,14	1.38	3 (21%)
3	SOR	B	1342	-	11,11,11	0.72	0	14,14,14	0.83	0
3	SOR	B	1343	-	11,11,11	0.76	0	14,14,14	0.89	1 (7%)
4	SO4	B	1344	-	4,4,4	0.22	0	6,6,6	0.13	0
2	NDP	C	1340	-	45,52,52	2.26	8 (17%)	54,80,80	1.45	8 (14%)
3	SOR	C	1341	-	11,11,11	0.69	0	14,14,14	0.57	0
3	SOR	C	1342	-	11,11,11	0.72	0	14,14,14	1.12	1 (7%)
4	SO4	C	1343	-	4,4,4	0.16	0	6,6,6	0.13	0
4	SO4	C	1344	-	4,4,4	0.27	0	6,6,6	0.17	0
2	NDP	D	1340	-	45,52,52	2.36	6 (13%)	54,80,80	1.50	9 (16%)
3	SOR	D	1341	-	11,11,11	0.72	0	14,14,14	1.01	1 (7%)
3	SOR	D	1342	-	11,11,11	0.76	0	14,14,14	1.41	2 (14%)
3	SOR	D	1343	-	11,11,11	0.72	0	14,14,14	1.68	1 (7%)
3	SOR	D	1344	-	11,11,11	0.77	0	14,14,14	0.58	0
4	SO4	D	1345	-	4,4,4	0.16	0	6,6,6	0.09	0
2	NDP	E	1340	-	45,52,52	2.24	6 (13%)	54,80,80	1.54	12 (22%)
3	SOR	E	1341	-	11,11,11	0.72	0	14,14,14	0.81	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SOR	E	1342	-	11,11,11	0.75	0	14,14,14	0.47	0
4	SO4	E	1343	-	4,4,4	0.24	0	6,6,6	0.12	0
2	NDP	F	1340	-	45,52,52	2.12	5 (11%)	54,80,80	1.43	9 (16%)
3	SOR	F	1341	-	11,11,11	0.67	0	14,14,14	0.85	0
3	SOR	F	1342	-	11,11,11	0.64	0	14,14,14	0.99	0
3	SOR	F	1343	-	11,11,11	0.73	0	14,14,14	0.77	0
3	SOR	F	1344	-	11,11,11	0.70	0	14,14,14	0.84	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	A	1340	-	-	0/30/77/77	0/5/5/5
3	SOR	A	1341	-	-	0/16/16/16	0/0/0/0
3	SOR	A	1342	-	-	0/16/16/16	0/0/0/0
3	SOR	A	1343	-	-	0/16/16/16	0/0/0/0
3	SOR	A	1344	-	-	0/16/16/16	0/0/0/0
4	SO4	A	1345	-	-	0/0/0/0	0/0/0/0
2	NDP	B	1340	-	-	0/30/77/77	0/5/5/5
3	SOR	B	1341	-	-	0/16/16/16	0/0/0/0
3	SOR	B	1342	-	-	0/16/16/16	0/0/0/0
3	SOR	B	1343	-	-	0/16/16/16	0/0/0/0
4	SO4	B	1344	-	-	0/0/0/0	0/0/0/0
2	NDP	C	1340	-	-	0/30/77/77	0/5/5/5
3	SOR	C	1341	-	-	0/16/16/16	0/0/0/0
3	SOR	C	1342	-	-	0/16/16/16	0/0/0/0
4	SO4	C	1343	-	-	0/0/0/0	0/0/0/0
4	SO4	C	1344	-	-	0/0/0/0	0/0/0/0
2	NDP	D	1340	-	-	0/30/77/77	0/5/5/5
3	SOR	D	1341	-	-	0/16/16/16	0/0/0/0
3	SOR	D	1342	-	-	0/16/16/16	0/0/0/0
3	SOR	D	1343	-	-	0/16/16/16	0/0/0/0
3	SOR	D	1344	-	-	0/16/16/16	0/0/0/0
4	SO4	D	1345	-	-	0/0/0/0	0/0/0/0
2	NDP	E	1340	-	-	0/30/77/77	0/5/5/5
3	SOR	E	1341	-	-	0/16/16/16	0/0/0/0
3	SOR	E	1342	-	-	0/16/16/16	0/0/0/0
4	SO4	E	1343	-	-	0/0/0/0	0/0/0/0
2	NDP	F	1340	-	-	0/30/77/77	0/5/5/5
3	SOR	F	1341	-	-	0/16/16/16	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SOR	F	1342	-	-	0/16/16/16	0/0/0/0
3	SOR	F	1343	-	-	0/16/16/16	0/0/0/0
3	SOR	F	1344	-	-	0/16/16/16	0/0/0/0

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1340	NDP	O2B-C2B	-3.34	1.31	1.44
2	C	1340	NDP	O2B-C2B	-3.18	1.32	1.44
2	E	1340	NDP	O2B-C2B	-3.05	1.32	1.44
2	F	1340	NDP	O2B-C2B	-2.85	1.33	1.44
2	A	1340	NDP	O2B-C2B	-2.80	1.33	1.44
2	B	1340	NDP	O2B-C2B	-2.63	1.34	1.44
2	B	1340	NDP	C3D-C4D	2.03	1.58	1.53
2	E	1340	NDP	C2A-N1A	2.07	1.37	1.33
2	C	1340	NDP	C7N-N7N	2.11	1.39	1.33
2	F	1340	NDP	C7N-N7N	2.25	1.39	1.33
2	E	1340	NDP	C3D-C4D	2.25	1.58	1.53
2	B	1340	NDP	C4A-N3A	2.31	1.38	1.35
2	C	1340	NDP	C2A-N1A	2.32	1.38	1.33
2	D	1340	NDP	C7N-N7N	2.38	1.39	1.33
2	C	1340	NDP	C4A-N3A	2.39	1.39	1.35
2	B	1340	NDP	C7N-N7N	2.42	1.40	1.33
2	D	1340	NDP	O4B-C1B	2.46	1.44	1.41
2	B	1340	NDP	O4B-C1B	2.59	1.44	1.41
2	C	1340	NDP	O4B-C1B	2.59	1.44	1.41
2	B	1340	NDP	C2A-N1A	2.67	1.38	1.33
2	E	1340	NDP	C8A-N9A	2.87	1.40	1.36
2	B	1340	NDP	C8A-N9A	2.89	1.40	1.36
2	D	1340	NDP	C8A-N9A	3.02	1.40	1.36
2	A	1340	NDP	C8A-N9A	3.28	1.40	1.36
2	B	1340	NDP	PN-O5D	3.45	1.73	1.59
2	C	1340	NDP	PN-O5D	3.46	1.73	1.59
2	F	1340	NDP	C8A-N9A	3.61	1.41	1.36
2	A	1340	NDP	PN-O5D	3.64	1.74	1.59
2	F	1340	NDP	PN-O5D	3.70	1.74	1.59
2	E	1340	NDP	PN-O5D	3.78	1.74	1.59
2	C	1340	NDP	C8A-N9A	3.89	1.41	1.36
2	D	1340	NDP	PN-O5D	3.96	1.75	1.59
2	A	1340	NDP	P2B-O2B	10.07	1.78	1.59
2	B	1340	NDP	P2B-O2B	10.53	1.79	1.59
2	F	1340	NDP	P2B-O2B	11.42	1.80	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1340	NDP	P2B-O2B	11.84	1.81	1.59
2	E	1340	NDP	P2B-O2B	12.25	1.82	1.59
2	D	1340	NDP	P2B-O2B	13.05	1.84	1.59

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	1340	NDP	PN-O3-PA	-5.34	114.68	132.63
3	D	1343	SOR	C5-C4-C3	-5.20	104.09	112.45
2	D	1340	NDP	PN-O3-PA	-5.06	115.63	132.63
2	F	1340	NDP	PN-O3-PA	-4.61	117.12	132.63
2	B	1340	NDP	PN-O3-PA	-4.59	117.21	132.63
2	C	1340	NDP	PN-O3-PA	-4.56	117.30	132.63
2	A	1340	NDP	PN-O3-PA	-4.54	117.37	132.63
3	A	1343	SOR	C5-C4-C3	-3.66	106.57	112.45
2	F	1340	NDP	O2B-P2B-O1X	-3.26	96.80	109.39
3	A	1341	SOR	O6-C6-C5	-3.20	104.09	111.10
2	C	1340	NDP	C4B-O4B-C1B	-3.15	106.54	109.83
3	C	1342	SOR	C5-C4-C3	-3.14	107.40	112.45
3	B	1341	SOR	O6-C6-C5	-2.97	104.59	111.10
2	B	1340	NDP	O2B-P2B-O1X	-2.95	98.00	109.39
2	B	1340	NDP	C4B-O4B-C1B	-2.84	106.87	109.83
3	D	1341	SOR	C5-C4-C3	-2.78	107.98	112.45
2	E	1340	NDP	C4B-O4B-C1B	-2.69	107.03	109.83
2	D	1340	NDP	C4B-O4B-C1B	-2.58	107.14	109.83
2	D	1340	NDP	PA-O5B-C5B	-2.57	106.61	121.68
2	C	1340	NDP	O2B-P2B-O1X	-2.53	99.61	109.39
2	E	1340	NDP	C2A-N1A-C6A	-2.53	114.46	118.75
2	D	1340	NDP	O2B-P2B-O1X	-2.47	99.87	109.39
2	E	1340	NDP	PA-O5B-C5B	-2.44	107.37	121.68
2	B	1340	NDP	C3N-C2N-N1N	-2.40	119.64	123.09
3	A	1344	SOR	C2-C3-C4	-2.38	108.62	112.45
2	B	1340	NDP	C2A-N1A-C6A	-2.38	114.72	118.75
2	C	1340	NDP	PA-O5B-C5B	-2.37	107.77	121.68
2	A	1340	NDP	O2B-P2B-O1X	-2.35	100.33	109.39
2	E	1340	NDP	O2B-P2B-O1X	-2.35	100.33	109.39
2	A	1340	NDP	C3N-C2N-N1N	-2.34	119.72	123.09
2	D	1340	NDP	C2A-N1A-C6A	-2.29	114.87	118.75
2	B	1340	NDP	PA-O5B-C5B	-2.27	108.34	121.68
2	F	1340	NDP	C2A-N1A-C6A	-2.26	114.91	118.75
2	D	1340	NDP	C3N-C2N-N1N	-2.24	119.86	123.09
2	C	1340	NDP	O7N-C7N-N7N	-2.20	117.68	122.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	1340	NDP	O7N-C7N-N7N	-2.20	117.68	122.92
2	F	1340	NDP	PA-O5B-C5B	-2.20	108.77	121.68
2	E	1340	NDP	O7N-C7N-N7N	-2.19	117.72	122.92
2	C	1340	NDP	C3N-C2N-N1N	-2.16	119.98	123.09
3	D	1342	SOR	O6-C6-C5	-2.14	106.40	111.10
2	E	1340	NDP	C3N-C2N-N1N	-2.13	120.02	123.09
2	D	1340	NDP	O7N-C7N-N7N	-2.13	117.85	122.92
2	E	1340	NDP	C5B-C4B-C3B	-2.11	107.33	115.29
2	A	1340	NDP	C2A-N1A-C6A	-2.10	115.19	118.75
2	A	1340	NDP	PA-O5B-C5B	-2.08	109.47	121.68
2	F	1340	NDP	C4B-O4B-C1B	-2.07	107.67	109.83
2	E	1340	NDP	O2X-P2B-O2B	-2.06	96.77	105.99
2	C	1340	NDP	C2A-N1A-C6A	-2.03	115.32	118.75
2	E	1340	NDP	O2N-PN-O1N	2.03	122.43	112.14
2	F	1340	NDP	O2N-PN-O1N	2.03	122.46	112.14
3	B	1341	SOR	C5-C4-C3	2.05	115.76	112.45
2	D	1340	NDP	O2N-PN-O1N	2.06	122.61	112.14
3	A	1341	SOR	O5-C5-C4	2.11	114.32	109.10
2	A	1340	NDP	O2N-PN-O1N	2.11	122.87	112.14
2	F	1340	NDP	N3A-C2A-N1A	2.16	130.72	128.86
2	B	1340	NDP	O3X-P2B-O2X	2.18	116.19	107.59
3	B	1343	SOR	O4-C4-C3	2.20	114.70	109.46
2	A	1340	NDP	O3X-P2B-O2X	2.25	116.49	107.59
2	E	1340	NDP	N3A-C2A-N1A	2.35	130.88	128.86
3	A	1341	SOR	C6-C5-C4	2.36	117.65	112.40
2	F	1340	NDP	O3X-P2B-O2X	2.37	116.94	107.59
3	B	1341	SOR	C6-C5-C4	2.43	117.80	112.40
2	C	1340	NDP	O3X-P2B-O2X	2.63	117.99	107.59
2	D	1340	NDP	O3X-P2B-O2X	2.64	118.01	107.59
2	E	1340	NDP	O3X-P2B-O2X	2.83	118.78	107.59
3	A	1341	SOR	C5-C4-C3	3.08	117.41	112.45
3	D	1342	SOR	C5-C4-C3	3.20	117.61	112.45

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

13 monomers are involved in 37 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1340	NDP	6	0
3	A	1341	SOR	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1340	NDP	5	0
3	B	1341	SOR	3	0
3	B	1343	SOR	2	0
2	C	1340	NDP	4	0
3	C	1341	SOR	1	0
2	D	1340	NDP	5	0
3	D	1341	SOR	1	0
3	D	1342	SOR	8	0
2	E	1340	NDP	2	0
2	F	1340	NDP	4	0
3	F	1343	SOR	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	336/339 (99%)	-0.67	2 (0%) 89 89	13, 18, 30, 47	0
1	B	335/339 (98%)	-0.53	1 (0%) 93 93	14, 21, 35, 50	0
1	C	336/339 (99%)	-0.40	6 (1%) 68 67	14, 22, 37, 57	0
1	D	335/339 (98%)	-0.33	8 (2%) 59 56	14, 23, 38, 59	0
1	E	335/339 (98%)	-0.33	8 (2%) 59 56	14, 23, 38, 53	0
1	F	335/339 (98%)	-0.40	3 (0%) 84 84	12, 19, 33, 47	0
All	All	2012/2034 (98%)	-0.44	28 (1%) 75 75	12, 21, 36, 59	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	4	GLY	5.2
1	A	4	GLY	3.5
1	C	5	ARG	3.3
1	D	5	ARG	3.2
1	E	5	ARG	2.8
1	D	43	GLU	2.7
1	D	46	LYS	2.7
1	D	50	GLU	2.7
1	E	43	GLU	2.7
1	A	5	ARG	2.7
1	E	46	LYS	2.6
1	E	308	ARG	2.5
1	C	43	GLU	2.3
1	D	57	THR	2.3
1	B	5	ARG	2.3
1	F	46	LYS	2.3
1	C	46	LYS	2.2
1	F	5	ARG	2.2
1	E	52	TYR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	42	PRO	2.1
1	E	50	GLU	2.1
1	C	42	PRO	2.1
1	D	47	THR	2.1
1	C	307	GLY	2.1
1	D	53	GLY	2.1
1	E	53	GLY	2.1
1	F	43	GLU	2.1
1	E	47	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SOR	B	1343	12/12	0.76	0.38	39,43,51,52	0
3	SOR	D	1344	12/12	0.77	0.33	42,49,52,56	0
3	SOR	B	1341	12/12	0.80	0.19	27,37,49,49	0
3	SOR	D	1342	12/12	0.81	0.23	30,38,46,48	0
3	SOR	A	1343	12/12	0.81	0.31	31,42,50,50	0
3	SOR	D	1341	12/12	0.81	0.24	30,36,41,42	0
3	SOR	F	1344	12/12	0.82	0.30	39,47,52,54	0
3	SOR	F	1343	12/12	0.83	0.16	28,32,49,50	0
3	SOR	A	1341	12/12	0.83	0.16	24,31,44,45	0
3	SOR	E	1341	12/12	0.84	0.20	28,35,43,44	0
3	SOR	D	1343	12/12	0.85	0.19	29,41,45,45	0
3	SOR	E	1342	12/12	0.85	0.17	32,35,45,46	0
3	SOR	A	1344	12/12	0.85	0.21	28,37,49,50	0
3	SOR	C	1341	12/12	0.86	0.22	29,35,46,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SOR	C	1342	12/12	0.86	0.26	27,35,41,43	0
3	SOR	F	1341	12/12	0.87	0.18	23,32,36,37	0
3	SOR	F	1342	12/12	0.90	0.15	19,34,39,40	0
4	SO4	C	1344	5/5	0.90	0.23	39,39,46,48	0
3	SOR	B	1342	12/12	0.91	0.20	26,33,38,40	0
4	SO4	B	1344	5/5	0.91	0.15	28,44,51,56	0
4	SO4	E	1343	5/5	0.92	0.16	32,37,51,51	0
3	SOR	A	1342	12/12	0.93	0.17	22,29,34,35	0
4	SO4	A	1345	5/5	0.93	0.18	28,38,43,52	0
4	SO4	D	1345	5/5	0.96	0.14	33,42,50,54	0
2	NDP	D	1340	48/48	0.97	0.07	20,24,29,32	0
2	NDP	C	1340	48/48	0.97	0.07	15,22,24,25	0
2	NDP	E	1340	48/48	0.97	0.08	19,25,30,36	0
4	SO4	C	1343	5/5	0.97	0.17	29,41,44,48	0
2	NDP	F	1340	48/48	0.98	0.07	16,20,25,28	0
2	NDP	B	1340	48/48	0.98	0.09	15,19,23,25	0
2	NDP	A	1340	48/48	0.98	0.06	13,16,21,24	0

6.5 Other polymers [i](#)

There are no such residues in this entry.