



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2018 – 05:33 pm GMT

PDB ID : 2AEY
Title : Crystal structure of fructan 1-exohydrolase IIa from Cichorium intybus in complex with 2,5 dideoxy-2,5-immino-D-mannitol
Authors : Verhaest, M.; Le Roy, K.; De Ranter, C.J.; Van Laere, A.; Van den Ende, W.; Rabijns, A.
Deposited on : 2005-07-25
Resolution : 3.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix)	:	1.13
EDS	:	trunk30967
Percentile statistics	:	20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac	:	5.8.0158
CCP4	:	7.0 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	1138 (3.34-3.22)
Clashscore	122126	1055 (3.32-3.24)
Ramachandran outliers	120053	1037 (3.32-3.24)
Sidechain outliers	120020	1036 (3.32-3.24)
RSRZ outliers	108989	1104 (3.34-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	543	 63% 33% . .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	650	X	-	-	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4362 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called fructan 1-exohydrolase IIa.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	537	Total	C	N	O	S	0	0	0
			4274	2717	726	816	15			

- Molecule 2 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is ALPHA-D-MANNOSE (three-letter code: MAN) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			11	6	5		

- Molecule 4 is 2,5-DIDEOXY-2,5-IMINO-D-MANNITOL (three-letter code: DQQ) (formula: $C_6H_{13}NO_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			11	6	1	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	10	Total	O	0	0
			10	10		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: fructan 1-exohydrolase IIa



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	138.86Å 138.86Å 182.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.70 – 3.27 30.15 – 3.27	Depositor EDS
% Data completeness (in resolution range)	92.7 (29.70-3.27) 92.8 (30.15-3.27)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.26 (at 3.24Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.217 , 0.257 0.213 , 0.253	Depositor DCC
R_{free} test set	1353 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	31.9	Xtriage
Anisotropy	0.711	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 9.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	4362	wwPDB-VP
Average B, all atoms (Å ²)	8.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, DQQ, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/4397	0.68	0/5988

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4274	0	4062	149	0
2	A	56	0	49	2	0
3	A	11	0	10	0	0
4	A	11	0	13	1	0
5	A	10	0	0	0	0
All	All	4362	0	4134	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:HIS:CD2	1:A:130:LYS:H	1.97	0.82
1:A:111:LEU:H	1:A:131:ASN:HD21	1.29	0.80
1:A:111:LEU:HD22	1:A:112:ALA:N	1.99	0.78
1:A:22:ASP:OD2	4:A:801:DQQ:H51	1.84	0.77
1:A:128:HIS:HD2	1:A:130:LYS:H	1.33	0.76
1:A:416:ASP:OD2	1:A:418:LYS:HB2	1.85	0.76
1:A:109:GLN:NE2	1:A:109:GLN:HA	2.06	0.70
1:A:496:ILE:H	1:A:496:ILE:HD13	1.56	0.69
1:A:262:SER:C	1:A:264:LEU:H	1.97	0.68
1:A:111:LEU:HD22	1:A:112:ALA:H	1.58	0.67
1:A:269:ASP:OD2	1:A:492:ILE:HA	1.93	0.67
1:A:276:SER:HB2	1:A:289:LEU:HD11	1.77	0.66
1:A:209:PRO:HB3	1:A:216:LEU:HD21	1.76	0.66
1:A:361:ALA:O	1:A:363:SER:N	2.29	0.66
1:A:305:LYS:HE3	1:A:307:TRP:O	1.96	0.65
1:A:255:ASN:OD1	1:A:257:LEU:HG	1.96	0.65
1:A:357:ILE:HD12	1:A:523:MET:HE2	1.78	0.65
1:A:356:GLU:HB2	1:A:509:PHE:CE1	2.33	0.64
1:A:423:ILE:N	1:A:423:ILE:HD12	2.14	0.63
1:A:147:ASP:O	1:A:203:PRO:HD2	1.99	0.62
1:A:422:ALA:C	1:A:423:ILE:HD12	2.20	0.62
1:A:214:ASN:HB3	1:A:285:ASN:O	2.00	0.61
1:A:21:ASN:OD1	1:A:38:GLN:HB2	2.01	0.59
1:A:147:ASP:HB3	1:A:202:CYS:HA	1.83	0.59
1:A:88:ILE:O	1:A:88:ILE:HG13	2.03	0.59
1:A:279:PHE:CE2	1:A:288:VAL:HB	2.38	0.59
1:A:79:LYS:HB2	1:A:101:SER:HB3	1.84	0.59
1:A:313:PHE:O	1:A:315:ARG:HG2	2.04	0.57
1:A:72:PRO:HB3	1:A:77:ASP:O	2.04	0.57
1:A:109:GLN:CA	1:A:109:GLN:NE2	2.67	0.57
1:A:496:ILE:N	1:A:496:ILE:HD13	2.20	0.57
1:A:206:TYR:OH	1:A:317:LEU:HD21	2.04	0.57
1:A:109:GLN:HE21	1:A:109:GLN:HA	1.69	0.56
1:A:360:ILE:CG2	1:A:361:ALA:N	2.69	0.56
1:A:450:SER:O	1:A:451:ASN:HB2	2.06	0.55
1:A:146:ARG:HH11	1:A:146:ARG:HG2	1.72	0.55
1:A:75:GLU:OE2	1:A:102:ASP:HB2	2.07	0.54
1:A:195:ASP:O	1:A:197:THR:HG23	2.08	0.54
1:A:423:ILE:N	1:A:423:ILE:CD1	2.70	0.54
1:A:244:TYR:CE2	1:A:246:PRO:HG3	2.44	0.53
1:A:116:ASN:O	1:A:118:SER:N	2.42	0.53
1:A:146:ARG:HG2	1:A:146:ARG:NH1	2.24	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:274:TYR:O	1:A:292:TRP:HB3	2.09	0.52
1:A:94:PRO:HG2	1:A:114:PRO:HG3	1.91	0.52
1:A:17:SER:O	1:A:18:ASN:HB2	2.09	0.52
1:A:106:ARG:CB	1:A:142:ASP:HB3	2.40	0.52
1:A:402:GLY:O	1:A:515:THR:HG23	2.10	0.52
1:A:396:ARG:HG2	1:A:400:SER:OG	2.10	0.52
1:A:356:GLU:HB2	1:A:509:PHE:CD1	2.44	0.52
1:A:302:ASP:HA	1:A:305:LYS:HE2	1.91	0.52
1:A:252:LEU:HD23	1:A:253:PRO:HD2	1.91	0.51
1:A:128:HIS:HD2	1:A:130:LYS:N	2.04	0.51
1:A:410:LEU:HG	1:A:511:PHE:CD2	2.46	0.51
1:A:344:LEU:HB2	1:A:523:MET:HB3	1.91	0.51
1:A:102:ASP:O	1:A:105:SER:N	2.38	0.50
1:A:40:ASN:ND2	1:A:45:THR:O	2.44	0.50
1:A:180:ASP:O	1:A:181:PHE:CB	2.58	0.50
1:A:171:GLY:HA3	1:A:200:TRP:CD1	2.46	0.50
1:A:512:ASN:ND2	1:A:518:VAL:HG22	2.27	0.50
1:A:133:LEU:HD23	1:A:184:TRP:HE1	1.77	0.50
1:A:71:TYR:O	1:A:73:THR:HG23	2.12	0.50
1:A:360:ILE:HG22	1:A:361:ALA:N	2.26	0.49
1:A:443:LEU:HD21	1:A:494:SER:HB3	1.92	0.49
1:A:441:SER:O	1:A:443:LEU:HD13	2.13	0.49
1:A:57:SER:HB2	1:A:63:TRP:CD2	2.47	0.49
1:A:20:MET:CE	1:A:311:GLN:HG2	2.42	0.49
1:A:162:VAL:HA	1:A:174:PHE:O	2.12	0.48
1:A:410:LEU:HB2	1:A:509:PHE:HB2	1.94	0.48
1:A:512:ASN:HD22	1:A:518:VAL:HG22	1.78	0.48
1:A:209:PRO:HD3	1:A:216:LEU:HG	1.95	0.48
1:A:262:SER:C	1:A:264:LEU:N	2.66	0.48
1:A:215:GLY:O	1:A:216:LEU:HD23	2.13	0.48
1:A:389:PRO:HD3	1:A:460:PHE:CE1	2.49	0.48
1:A:389:PRO:HD3	1:A:460:PHE:HE1	1.78	0.47
1:A:330:PRO:HG2	1:A:473:ARG:NH1	2.29	0.47
1:A:15:PRO:HD3	1:A:20:MET:SD	2.54	0.46
1:A:500:PHE:CD1	1:A:500:PHE:C	2.88	0.46
1:A:233:PHE:HD1	1:A:234:GLU:HG3	1.80	0.46
1:A:107:GLN:HG3	1:A:143:ASP:HA	1.97	0.46
1:A:399:SER:O	2:A:650:NAG:H62	2.15	0.46
1:A:416:ASP:OD2	1:A:418:LYS:HE3	2.14	0.46
1:A:296:THR:OG1	1:A:497:TYR:HE2	1.99	0.46
1:A:315:ARG:HE	1:A:328:GLN:NE2	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:GLY:HA2	1:A:199:THR:HG22	1.98	0.46
1:A:75:GLU:O	1:A:77:ASP:N	2.49	0.45
1:A:86:ALA:HB2	1:A:96:MET:SD	2.56	0.45
1:A:344:LEU:HD12	1:A:523:MET:HE2	1.98	0.45
1:A:238:TRP:N	1:A:238:TRP:CD1	2.83	0.45
1:A:315:ARG:HE	1:A:328:GLN:HE21	1.64	0.45
1:A:113:TRP:HB2	1:A:114:PRO:HD2	1.98	0.45
1:A:225:VAL:HG12	1:A:226:ARG:N	2.31	0.45
1:A:357:ILE:HD12	1:A:523:MET:CE	2.46	0.45
1:A:496:ILE:N	1:A:496:ILE:CD1	2.80	0.45
1:A:145:PHE:HZ	1:A:176:TYR:HH	1.64	0.45
1:A:510:VAL:HG11	1:A:520:ILE:HD11	1.98	0.44
1:A:114:PRO:HD3	1:A:125:TRP:CZ3	2.53	0.44
1:A:15:PRO:HA	1:A:16:PRO:HD3	1.89	0.44
1:A:321:ARG:HG3	1:A:321:ARG:H	1.56	0.44
1:A:220:VAL:HG12	1:A:221:TYR:N	2.32	0.43
1:A:136:PRO:HA	1:A:137:PRO:HD3	1.77	0.43
1:A:269:ASP:HB3	1:A:273:PHE:CG	2.54	0.43
1:A:151:ALA:HB2	1:A:161:ILE:CG2	2.48	0.43
1:A:209:PRO:HG2	1:A:209:PRO:O	2.19	0.43
1:A:443:LEU:N	1:A:443:LEU:CD1	2.81	0.43
1:A:364:GLN:HA	1:A:476:ILE:O	2.19	0.43
1:A:406:PRO:HG2	1:A:513:ASN:HB3	2.01	0.43
1:A:19:TRP:CD1	1:A:19:TRP:C	2.90	0.43
1:A:57:SER:HB2	1:A:63:TRP:CE3	2.53	0.43
1:A:99:THR:HA	1:A:108:VAL:O	2.18	0.43
1:A:320:ASP:OD2	1:A:322:ASN:ND2	2.51	0.43
1:A:349:LEU:HD11	1:A:510:VAL:HG12	2.01	0.43
1:A:180:ASP:O	1:A:181:PHE:HB2	2.18	0.43
2:A:650:NAG:H4	2:A:660:NAG:H2	1.89	0.43
1:A:313:PHE:CZ	1:A:334:ILE:HB	2.53	0.42
1:A:220:VAL:CG1	1:A:221:TYR:N	2.81	0.42
1:A:102:ASP:OD1	1:A:106:ARG:HG2	2.20	0.42
1:A:269:ASP:OD1	1:A:493:THR:OG1	2.27	0.42
1:A:498:PRO:HG2	1:A:501:VAL:HG13	2.02	0.42
1:A:221:TYR:N	1:A:221:TYR:CD2	2.87	0.42
1:A:345:GLN:HB3	1:A:345:GLN:HE21	1.68	0.42
1:A:108:VAL:HG21	1:A:132:PRO:HB3	2.01	0.42
1:A:390:GLN:HB3	1:A:390:GLN:HE21	1.50	0.42
1:A:166:ASP:OD2	1:A:199:THR:HG23	2.20	0.42
1:A:116:ASN:C	1:A:118:SER:H	2.22	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:388:ASP:HA	1:A:389:PRO:HD2	1.83	0.42
1:A:5:GLN:HA	1:A:5:GLN:OE1	2.20	0.42
1:A:278:SER:HA	1:A:288:VAL:O	2.19	0.42
1:A:167:ARG:O	1:A:168:ASP:HB2	2.20	0.42
1:A:376:LEU:C	1:A:378:GLU:N	2.73	0.42
1:A:133:LEU:HD23	1:A:184:TRP:NE1	2.34	0.41
1:A:24:ASN:O	1:A:25:GLY:C	2.59	0.41
1:A:121:PHE:O	1:A:122:LEU:C	2.58	0.41
1:A:151:ALA:HB2	1:A:161:ILE:HG22	2.03	0.41
1:A:262:SER:OG	1:A:264:LEU:HB2	2.21	0.41
1:A:94:PRO:CG	1:A:114:PRO:HG3	2.51	0.41
1:A:111:LEU:N	1:A:131:ASN:HD21	2.08	0.41
1:A:393:CYS:SG	1:A:458:GLY:HA3	2.61	0.41
1:A:94:PRO:HG2	1:A:114:PRO:CD	2.51	0.41
1:A:313:PHE:CE2	1:A:334:ILE:HB	2.56	0.41
1:A:315:ARG:HH21	1:A:328:GLN:HE22	1.69	0.41
1:A:5:GLN:N	1:A:6:PRO:CD	2.84	0.41
1:A:170:ASN:O	1:A:172:MET:HG3	2.21	0.40
1:A:360:ILE:HG22	1:A:362:ALA:N	2.36	0.40
1:A:97:LEU:HD23	1:A:97:LEU:HA	1.82	0.40
1:A:357:ILE:HD11	1:A:510:VAL:HG23	2.02	0.40
1:A:504:GLU:H	1:A:504:GLU:HG2	1.63	0.40
1:A:94:PRO:HG2	1:A:114:PRO:CG	2.51	0.40
1:A:262:SER:O	1:A:264:LEU:N	2.53	0.40
1:A:36:PHE:CE1	1:A:54:HIS:ND1	2.90	0.40
1:A:185:LYS:HB3	1:A:185:LYS:HE3	1.98	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	535/543 (98%)	476 (89%)	49 (9%)	10 (2%)	9 39

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	138	GLU
1	A	142	ASP
1	A	362	ALA
1	A	25	GLY
1	A	76	ALA
1	A	117	LEU
1	A	478	HIS
1	A	18	ASN
1	A	263	THR
1	A	181	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	463/467 (99%)	441 (95%)	22 (5%)	28 61

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLN
1	A	22	ASP
1	A	56	VAL
1	A	60	LEU
1	A	93	ILE
1	A	111	LEU
1	A	142	ASP
1	A	199	THR
1	A	219	SER
1	A	240	THR
1	A	248	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	252	LEU
1	A	260	THR
1	A	304	GLU
1	A	315	ARG
1	A	343	ASN
1	A	374	GLU
1	A	390	GLN
1	A	418	LYS
1	A	443	LEU
1	A	494	SER
1	A	496	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	109	GLN
1	A	128	HIS
1	A	131	ASN
1	A	236	HIS
1	A	328	GLN
1	A	345	GLN
1	A	390	GLN
1	A	537	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	650	1,2	14,14,15	0.71	0	17,19,21	1.06	2 (11%)
2	NAG	A	660	3,2	14,14,15	0.94	1 (7%)	17,19,21	1.44	3 (17%)
3	MAN	A	670	2	11,11,12	0.82	0	15,15,17	0.61	0
2	NAG	A	680	1,2	14,14,15	0.66	0	17,19,21	0.79	1 (5%)
2	NAG	A	690	2	14,14,15	0.70	0	17,19,21	0.84	1 (5%)
4	DQQ	A	801	-	11,11,11	0.52	0	12,15,15	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	650	1,2	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	A	660	3,2	-	0/6/23/26	0/1/1/1
3	MAN	A	670	2	-	0/2/19/22	0/1/1/1
2	NAG	A	680	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	690	2	-	0/6/23/26	0/1/1/1
4	DQQ	A	801	-	-	0/4/20/20	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	660	NAG	C1-C2	2.02	1.55	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	650	NAG	C2-N2-C7	-2.89	118.73	122.94
2	A	680	NAG	C2-N2-C7	-2.32	119.56	122.94
2	A	690	NAG	C2-N2-C7	-2.23	119.69	122.94
2	A	660	NAG	C3-C4-C5	2.11	114.01	110.24
2	A	650	NAG	C1-O5-C5	2.17	115.18	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	660	NAG	C1-O5-C5	2.71	115.92	112.19
2	A	660	NAG	C4-C3-C2	3.37	115.96	111.02

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	650	NAG	C1

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	650	NAG	2	0
2	A	660	NAG	1	0
4	A	801	DQQ	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	537/543 (98%)	-0.62	2 (0%) 92 92	1, 6, 21, 39	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	247	ASP	2.9
1	A	104	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MAN	A	670	11/12	0.86	0.37	34,36,37,37	0
2	NAG	A	660	14/15	0.88	0.38	18,25,31,31	0
2	NAG	A	690	14/15	0.90	0.30	34,41,44,44	0
4	DQQ	A	801	11/11	0.94	0.17	0,1,3,4	0
2	NAG	A	650	14/15	0.95	0.22	7,10,16,17	0
2	NAG	A	680	14/15	0.95	0.23	25,26,31,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.