



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 07:23 pm GMT

PDB ID : 4B5K
Title : Probing the active center of catalase-phenol oxidase from *Scytalidium thermophilum*
Authors : Yuzugullu, Y.; Trinh, C.H.; Pearson, A.R.; Ogel, Z.B.; McPherson, M.J.
Deposited on : 2012-08-03
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	3793 (1.70-1.70)
Clashscore	122126	4167 (1.70-1.70)
Ramachandran outliers	120053	4100 (1.70-1.70)
Sidechain outliers	120020	4100 (1.70-1.70)
RSRZ outliers	108989	3718 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.


Mol	Chain	Length	Quality of chain
1	A	719	<div> <div>88%</div> <div>5% 6%</div> </div>
1	B	719	<div> <div>89%</div> <div>• • 6%</div> </div>
1	C	719	<div> <div>3%</div> <div>88%</div> <div>5% 7%</div> </div>
1	D	719	<div> <div>3%</div> <div>89%</div> <div>• • 7%</div> </div>

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CATALASE-PHENOL OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	674	Total 5580	C 3520	N 976	O 1071	S 13	0	46	0
1	B	673	Total 5559	C 3507	N 975	O 1065	S 12	0	43	0
1	C	672	Total 5538	C 3495	N 970	O 1059	S 14	0	43	0
1	D	671	Total 5504	C 3476	N 964	O 1050	S 14	0	38	0

- Molecule 2 is CIS-HEME D HYDROXYCHLORIN GAMMA-SPIROLACTONE (three-letter code: HDD) (formula: $C_{34}H_{32}FeN_4O_5$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 44	C 34	Fe 1	N 4	O 5	0	0
2	B	1	Total 44	C 34	Fe 1	N 4	O 5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total 44	C 34	Fe 1	N 4	O 5	0	0
2	D	1	Total 44	C 34	Fe 1	N 4	O 5	0	0

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total 3	Ca 3	0	0
3	A	2	Total 2	Ca 2	0	0
3	D	2	Total 2	Ca 2	0	0
3	C	2	Total 2	Ca 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	648	Total 648	O 648	0	0
4	B	564	Total 564	O 564	0	0
4	C	423	Total 423	O 423	0	0
4	D	384	Total 384	O 384	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CATALASE-PHENOL OXIDASE




• Molecule 1: CATALASE-PHENOL OXIDASE





• Molecule 1: CATALASE-PHENOL OXIDASE





● Molecule 1: CATALASE-PHENOL OXIDASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	201.39Å 122.00Å 125.67Å 90.00° 115.48° 90.00°	Depositor
Resolution (Å)	28.92 – 1.70 29.26 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.0 (28.92-1.70) 99.1 (29.26-1.70)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 1.70Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.153 , 0.180 0.155 , 0.181	Depositor DCC
R_{free} test set	14885 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	17.3	Xtrriage
Anisotropy	0.070	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 42.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	24385	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 31.63 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.0725e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, HDD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	4/5784 (0.1%)	0.76	2/7847 (0.0%)
1	B	0.70	1/5751 (0.0%)	0.73	0/7804
1	C	0.74	3/5744 (0.1%)	0.77	1/7793 (0.0%)
1	D	0.71	0/5692	0.74	1/7724 (0.0%)
All	All	0.72	8/22971 (0.0%)	0.75	4/31168 (0.0%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	258	TRP	CD2-CE2	5.56	1.48	1.41
1	C	288	TRP	CD2-CE2	5.52	1.48	1.41
1	A	245	TRP	CD2-CE2	5.40	1.47	1.41
1	A	194	TRP	CD2-CE2	5.34	1.47	1.41
1	C	209	TRP	CD2-CE2	5.29	1.47	1.41
1	A	641	TRP	CD2-CE2	5.28	1.47	1.41
1	B	459	TRP	CD2-CE2	5.13	1.47	1.41
1	A	277	TRP	CD2-CE2	5.03	1.47	1.41

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	75	ARG	NE-CZ-NH2	-5.43	117.58	120.30
1	C	449	ARG	NE-CZ-NH2	-5.28	117.66	120.30
1	D	482	ARG	NE-CZ-NH1	5.26	122.93	120.30
1	A	221	ARG	NE-CZ-NH2	-5.21	117.69	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5580	0	5391	29	0
1	B	5559	0	5370	33	0
1	C	5538	0	5357	26	0
1	D	5504	0	5320	30	0
2	A	44	0	31	2	0
2	B	44	0	31	1	0
2	C	44	0	31	0	0
2	D	44	0	31	2	0
3	A	2	0	0	0	0
3	B	3	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	648	0	0	14	0
4	B	564	0	0	17	0
4	C	423	0	0	5	0
4	D	384	0	0	4	0
All	All	24385	0	21562	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:2095:HOH:O	1:C:127[B]:ARG:NH2	1.87	1.06
1:A:127[A]:ARG:NH2	4:A:2164:HOH:O	1.88	1.05
4:A:2095:HOH:O	1:C:127[B]:ARG:NH1	1.90	1.04
1:A:259[A]:GLU:HG3	4:A:2300:HOH:O	1.54	1.04
4:B:2089:HOH:O	1:D:127[B]:ARG:NH1	1.84	0.99
1:A:127[A]:ARG:NH1	4:A:2164:HOH:O	1.96	0.97
1:B:127[A]:ARG:NH2	4:B:2144:HOH:O	1.88	0.94
1:D:313:ILE:H	1:D:461:GLN:HE22	1.15	0.94
1:B:313:ILE:H	1:B:461:GLN:HE22	1.15	0.93
1:C:313:ILE:H	1:C:461:GLN:HE22	1.16	0.92
1:A:127[A]:ARG:CZ	4:A:2164:HOH:O	2.13	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:91[B]:THR:HG22	4:D:2042:HOH:O	1.72	0.90
1:A:313:ILE:H	1:A:461:GLN:HE22	1.22	0.88
4:B:2089:HOH:O	1:D:127[B]:ARG:NH2	2.09	0.85
4:B:2142:HOH:O	1:D:127[A]:ARG:NH1	2.10	0.84
4:B:2089:HOH:O	1:D:127[B]:ARG:CZ	2.21	0.84
4:A:2095:HOH:O	1:C:127[B]:ARG:CZ	2.13	0.82
1:B:70:HIS:CE1	4:B:2067:HOH:O	2.33	0.81
1:A:656:LEU:HD12	1:A:663[A]:GLU:HG3	1.65	0.78
1:D:264:LEU:HG	1:D:602:THR:HB	1.64	0.78
1:B:127[A]:ARG:NH1	4:B:2144:HOH:O	2.15	0.78
1:C:281[B]:GLU:O	1:C:281[B]:GLU:HG3	1.82	0.78
1:B:127[A]:ARG:CZ	4:B:2144:HOH:O	2.28	0.76
1:C:264:LEU:HG	1:C:602:THR:HB	1.66	0.76
1:B:70:HIS:HE1	4:B:2067:HOH:O	1.70	0.75
1:A:425[B]:ARG:CZ	4:A:2457:HOH:O	2.34	0.75
1:A:656:LEU:CD1	1:A:663[A]:GLU:HG3	2.19	0.71
1:B:425[B]:ARG:CZ	4:B:2401:HOH:O	2.38	0.71
1:B:264:LEU:HG	1:B:602:THR:HB	1.72	0.70
1:A:264:LEU:HG	1:A:602:THR:HB	1.74	0.69
1:C:573[A]:ARG:HG3	1:C:678:VAL:HG11	1.74	0.68
1:C:576:LYS:HG3	4:C:2386:HOH:O	1.93	0.67
1:D:373:GLN:HA	1:D:373:GLN:HE21	1.60	0.66
1:A:32:THR:HG22	4:A:2011:HOH:O	1.96	0.64
1:B:640[B]:ARG:HG2	4:B:2263:HOH:O	1.96	0.64
1:D:391[B]:ARG:NE	4:D:2246:HOH:O	2.30	0.64
1:B:127[B]:ARG:NH1	4:B:2147:HOH:O	2.31	0.64
1:B:313:ILE:N	1:B:461:GLN:HE22	1.93	0.59
1:C:301:GLN:HE22	1:C:454:THR:HG21	1.67	0.59
1:B:425[B]:ARG:NE	4:B:2401:HOH:O	2.35	0.59
1:B:373:GLN:HA	1:B:373:GLN:HE21	1.68	0.59
1:B:472[B]:VAL:HG23	4:B:2450:HOH:O	2.03	0.59
1:D:472[A]:VAL:HG11	1:D:691:THR:HB	1.85	0.58
1:D:22:PRO:O	1:D:26:TYR:HD2	1.86	0.58
1:D:108:ASN:HD22	1:D:108:ASN:C	2.08	0.57
1:D:313:ILE:N	1:D:461:GLN:HE22	1.96	0.57
1:A:373:GLN:HE21	1:A:373:GLN:HA	1.70	0.56
1:C:246[A]:HIS:CE1	4:C:2173:HOH:O	2.57	0.56
1:A:155:ASN:CG	2:A:900:HDD:HMB2	2.26	0.55
1:C:697:ASP:O	1:C:698:SER:HB2	2.06	0.55
1:A:391[A]:ARG:HH11	1:A:391[A]:ARG:HG3	1.72	0.55
1:B:132:THR:HG21	1:B:264:LEU:HD13	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:640[B]:ARG:CG	4:B:2263:HOH:O	2.53	0.54
1:D:472[B]:VAL:HG23	4:D:2308:HOH:O	2.07	0.54
4:A:2162:HOH:O	1:C:127[A]:ARG:NH1	2.41	0.54
1:B:301:GLN:HE22	1:B:454:THR:HG21	1.75	0.52
1:A:503[B]:ARG:HH21	1:A:527:TYR:HE2	1.58	0.52
1:A:423:TYR:CE1	1:A:425[A]:ARG:HD2	2.45	0.51
1:D:246[A]:HIS:CE1	1:D:293:GLN:OE1	2.64	0.51
1:A:127[B]:ARG:NH1	4:A:2166:HOH:O	2.43	0.51
1:B:250:ARG:HD3	4:B:2295:HOH:O	2.09	0.51
1:B:108:ASN:HD22	1:B:108:ASN:C	2.14	0.50
1:C:22:PRO:O	1:C:26:TYR:HD2	1.94	0.50
1:A:492[B]:GLU:HG2	4:A:2523:HOH:O	2.12	0.50
1:C:373:GLN:HE21	1:C:373:GLN:HA	1.77	0.49
1:D:469:LEU:HB3	1:D:473:GLU:HB3	1.94	0.49
1:A:89:HIS:HB2	1:A:331:ARG:HB3	1.93	0.49
1:B:181:ASN:HB3	1:D:277:TRP:CE3	2.47	0.49
1:D:274[B]:GLN:CD	4:D:2187:HOH:O	2.51	0.49
1:C:568:ALA:O	1:C:572:THR:HG23	2.13	0.48
1:D:573:ARG:HH11	1:D:573:ARG:HG3	1.77	0.48
1:A:640[A]:ARG:HG2	4:A:2304:HOH:O	2.13	0.48
1:A:248[A]:LYS:HG2	4:A:2288:HOH:O	2.13	0.48
1:D:132:THR:HG21	1:D:264:LEU:HD13	1.96	0.47
1:D:573:ARG:HE	1:D:674:VAL:HB	1.79	0.47
1:B:472[A]:VAL:HG11	1:B:691:THR:HB	1.95	0.47
1:C:108:ASN:HD22	1:C:108:ASN:C	2.18	0.47
1:B:301:GLN:NE2	1:B:454:THR:HG21	2.30	0.47
1:A:155:ASN:ND2	2:A:900:HDD:HMB2	2.29	0.47
1:A:108:ASN:HD22	1:A:108:ASN:C	2.18	0.46
1:B:391[B]:ARG:C	1:B:392[B]:VAL:HG23	2.35	0.46
1:D:472[B]:VAL:HG11	1:D:691:THR:HB	1.98	0.46
1:A:130:ALA:CB	1:A:265[B]:SER:HB2	2.45	0.46
1:A:594[A]:GLN:HG3	1:A:598:THR:OG1	2.16	0.45
1:C:305:PHE:CE1	1:C:307:LEU:HD23	2.53	0.44
1:D:155:ASN:CG	2:D:900:HDD:HMB2	2.37	0.44
1:B:181:ASN:HB3	1:D:277:TRP:CZ3	2.52	0.44
1:C:492[A]:GLU:HG2	4:C:2341:HOH:O	2.17	0.44
1:C:313:ILE:N	1:C:461:GLN:HE22	1.98	0.44
1:B:155:ASN:CG	2:B:900:HDD:HMB2	2.38	0.43
1:A:246[B]:HIS:CE1	1:A:248[B]:LYS:HD3	2.54	0.43
1:D:277:TRP:CH2	1:D:332:ASN:HB3	2.53	0.43
1:A:277:TRP:CZ3	1:A:332:ASN:HB3	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:392[B]:VAL:CG1	1:B:393:PRO:HD2	2.50	0.42
1:C:477:LEU:C	1:C:477:LEU:HD23	2.40	0.42
1:B:35:LEU:HD21	1:B:45:ASP:HB3	2.01	0.42
1:D:108:ASN:ND2	1:D:108:ASN:C	2.72	0.42
1:D:138:GLY:HA3	2:D:900:HDD:HMA2	2.01	0.42
1:B:425[A]:ARG:NH2	4:B:2405:HOH:O	2.53	0.42
1:C:594[A]:GLN:HG3	1:C:598:THR:OG1	2.20	0.41
1:C:469:LEU:HB3	1:C:473:GLU:HB3	2.03	0.41
1:D:82:HIS:HA	1:D:122:THR:O	2.19	0.41
1:A:472[A]:VAL:HG11	1:A:691:THR:HB	2.02	0.41
1:B:51:ALA:O	1:B:55:GLY:HA3	2.20	0.41
1:C:525:ASP:HA	1:C:528:TYR:CD2	2.56	0.41
1:D:313:ILE:H	1:D:461:GLN:NE2	1.98	0.41
1:B:373:GLN:NE2	1:B:376:ARG:HD3	2.36	0.41
1:C:299[A]:GLN:OE1	4:C:2213:HOH:O	2.22	0.41
1:B:373:GLN:CA	1:B:373:GLN:HE21	2.34	0.41
1:B:373:GLN:HA	1:B:373:GLN:NE2	2.34	0.40
1:A:391[A]:ARG:HH11	1:A:391[A]:ARG:CG	2.34	0.40
1:C:301:GLN:NE2	1:C:454:THR:HG21	2.36	0.40
1:C:492[A]:GLU:CG	4:C:2341:HOH:O	2.69	0.40
1:B:277:TRP:CZ3	1:D:181:ASN:HB3	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	716/719 (100%)	701 (98%)	15 (2%)	0	100	100
1	B	712/719 (99%)	696 (98%)	16 (2%)	0	100	100
1	C	709/719 (99%)	693 (98%)	16 (2%)	0	100	100
1	D	703/719 (98%)	688 (98%)	15 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	2840/2876 (99%)	2778 (98%)	62 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	605/596 (102%)	597 (99%)	8 (1%)	71	58
1	B	601/596 (101%)	591 (98%)	10 (2%)	63	48
1	C	600/596 (101%)	594 (99%)	6 (1%)	78	69
1	D	594/596 (100%)	584 (98%)	10 (2%)	63	48
All	All	2400/2384 (101%)	2366 (99%)	34 (1%)	69	55

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	108	ASN
1	A	139	PHE
1	A	191	ASP
1	A	275	ASP
1	A	373	GLN
1	A	562	SER
1	A	676[A]	MET
1	A	676[B]	MET
1	B	70	HIS
1	B	108	ASN
1	B	139	PHE
1	B	191	ASP
1	B	264	LEU
1	B	296	ASP
1	B	373	GLN
1	B	590[A]	GLU
1	B	590[B]	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	660	ASP
1	C	108	ASN
1	C	139	PHE
1	C	191	ASP
1	C	373	GLN
1	C	660	ASP
1	C	698	SER
1	D	108	ASN
1	D	139	PHE
1	D	191	ASP
1	D	264	LEU
1	D	275	ASP
1	D	373	GLN
1	D	576	LYS
1	D	590[A]	GLU
1	D	590[B]	GLU
1	D	674	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	108	ASN
1	A	167	GLN
1	A	373	GLN
1	A	375	ASN
1	A	461	GLN
1	B	108	ASN
1	B	301	GLN
1	B	373	GLN
1	B	375	ASN
1	B	430	ASN
1	B	461	GLN
1	C	108	ASN
1	C	167	GLN
1	C	301	GLN
1	C	373	GLN
1	C	375	ASN
1	C	461	GLN
1	D	108	ASN
1	D	301	GLN
1	D	373	GLN
1	D	375	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	461	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 9 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HDD	A	900	1,4	38,52,52	1.68	10 (26%)	26,89,89	2.53	10 (38%)
2	HDD	B	900	1	38,52,52	1.74	9 (23%)	26,89,89	2.22	9 (34%)
2	HDD	C	900	1	38,52,52	1.63	8 (21%)	26,89,89	2.20	7 (26%)
2	HDD	D	900	1	38,52,52	1.63	9 (23%)	26,89,89	2.12	8 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HDD	A	900	1,4	-	0/3/89/89	0/1/9/9
2	HDD	B	900	1	-	0/3/89/89	0/1/9/9
2	HDD	C	900	1	-	0/3/89/89	0/1/9/9
2	HDD	D	900	1	-	0/3/89/89	0/1/9/9

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	900	HDD	C1B-C2B	2.10	1.47	1.42
2	C	900	HDD	C1C-CHC	2.11	1.45	1.40
2	C	900	HDD	C4A-CHB	2.12	1.45	1.40
2	B	900	HDD	C1C-CHC	2.18	1.45	1.40
2	A	900	HDD	C4A-CHB	2.19	1.46	1.40
2	D	900	HDD	C1B-C2B	2.21	1.47	1.42
2	D	900	HDD	C1C-CHC	2.22	1.46	1.40
2	A	900	HDD	C2A-C3A	2.24	1.44	1.37
2	B	900	HDD	C4C-CHD	2.27	1.46	1.40
2	D	900	HDD	C4A-CHB	2.29	1.46	1.40
2	A	900	HDD	C4C-CHD	2.43	1.46	1.40
2	A	900	HDD	OND-C2D	2.44	1.47	1.42
2	B	900	HDD	C4A-CHB	2.44	1.46	1.40
2	C	900	HDD	C1B-C2B	2.53	1.48	1.42
2	A	900	HDD	C1A-CHA	2.58	1.47	1.40
2	A	900	HDD	C1C-CHC	2.60	1.47	1.40
2	B	900	HDD	C1B-C2B	2.65	1.48	1.42
2	B	900	HDD	C1A-CHA	2.66	1.47	1.40
2	D	900	HDD	C2A-C3A	2.66	1.45	1.37
2	C	900	HDD	C2A-C3A	2.76	1.45	1.37
2	D	900	HDD	C4C-CHD	2.81	1.47	1.40
2	D	900	HDD	C3C-C2C	2.95	1.44	1.40
2	B	900	HDD	C2A-C3A	2.95	1.46	1.37
2	C	900	HDD	C1A-CHA	3.06	1.48	1.40
2	A	900	HDD	C3C-C2C	3.20	1.44	1.40
2	D	900	HDD	C1A-CHA	3.35	1.49	1.40
2	A	900	HDD	O1D-CGD	3.56	1.41	1.35
2	D	900	HDD	O1D-CGD	3.74	1.41	1.35
2	C	900	HDD	C3C-C2C	3.96	1.45	1.40
2	C	900	HDD	O1D-CGD	4.02	1.42	1.35
2	B	900	HDD	C3C-C2C	4.03	1.45	1.40
2	D	900	HDD	C3B-C2B	4.42	1.46	1.40
2	B	900	HDD	O1D-CGD	4.51	1.43	1.35
2	C	900	HDD	C3B-C2B	4.53	1.46	1.40
2	B	900	HDD	C3B-C2B	5.03	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	900	HDD	C3B-C2B	5.35	1.47	1.40

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	HDD	C4A-C3A-C2A	-6.96	102.16	107.00
2	B	900	HDD	C4A-C3A-C2A	-6.60	102.40	107.00
2	D	900	HDD	CAA-CBA-CGA	-5.46	103.34	112.66
2	C	900	HDD	C4A-C3A-C2A	-4.87	103.61	107.00
2	A	900	HDD	CAA-CBA-CGA	-4.55	104.89	112.66
2	C	900	HDD	CAA-CBA-CGA	-4.28	105.35	112.66
2	D	900	HDD	C4C-CHD-C1D	-3.75	122.70	130.12
2	D	900	HDD	C4A-C3A-C2A	-3.71	104.42	107.00
2	C	900	HDD	C1A-CHA-C4D	-3.70	122.79	130.12
2	B	900	HDD	CAA-CBA-CGA	-3.68	106.37	112.66
2	A	900	HDD	C4C-CHD-C1D	-3.26	123.65	130.12
2	A	900	HDD	OND-C2D-CMD	-3.21	103.60	109.60
2	C	900	HDD	OND-C2D-CMD	-3.06	103.87	109.60
2	B	900	HDD	OND-C2D-CMD	-2.72	104.52	109.60
2	A	900	HDD	C1A-CHA-C4D	-2.68	124.82	130.12
2	C	900	HDD	C4C-CHD-C1D	-2.60	124.97	130.12
2	A	900	HDD	CBA-CAA-C2A	-2.40	107.89	112.48
2	B	900	HDD	C4C-CHD-C1D	-2.19	125.79	130.12
2	B	900	HDD	C1A-CHA-C4D	-2.09	125.98	130.12
2	D	900	HDD	C1A-CHA-C4D	-2.09	125.98	130.12
2	D	900	HDD	OND-C2D-CMD	-2.05	105.76	109.60
2	D	900	HDD	C3C-C4C-NC	2.12	111.96	109.21
2	B	900	HDD	O1D-CGD-O2D	2.47	123.02	120.83
2	A	900	HDD	C3C-C4C-NC	2.50	112.44	109.21
2	A	900	HDD	CMA-C3A-C2A	2.61	129.87	124.94
2	B	900	HDD	CMA-C3A-C2A	2.81	130.24	124.94
2	A	900	HDD	CMC-C2C-C3C	2.94	130.24	124.88
2	B	900	HDD	CMB-C2B-C3B	3.16	130.63	124.88
2	C	900	HDD	CMB-C2B-C3B	3.22	130.74	124.88
2	D	900	HDD	CMC-C2C-C3C	3.26	130.81	124.88
2	D	900	HDD	CMB-C2B-C3B	3.31	130.92	124.88
2	C	900	HDD	CMC-C2C-C3C	3.62	131.48	124.88
2	B	900	HDD	CMC-C2C-C3C	4.03	132.22	124.88
2	A	900	HDD	CMB-C2B-C3B	4.53	133.13	124.88

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	900	HDD	2	0
2	B	900	HDD	1	0
2	D	900	HDD	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	674/719 (93%)	-0.42	5 (0%) 87 90	9, 16, 27, 42	0
1	B	673/719 (93%)	-0.31	9 (1%) 77 81	10, 18, 32, 46	0
1	C	672/719 (93%)	-0.32	20 (2%) 50 55	9, 17, 37, 71	0
1	D	671/719 (93%)	-0.24	24 (3%) 42 48	10, 18, 41, 76	0
All	All	2690/2876 (93%)	-0.33	58 (2%) 62 67	9, 17, 34, 76	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	672	GLU	5.9
1	D	672	GLU	5.2
1	C	698	SER	4.7
1	D	654	GLU	4.6
1	D	618	ALA	4.3
1	B	517	GLY	4.1
1	C	654	GLU	4.0
1	C	618	ALA	3.9
1	D	576	LYS	3.9
1	A	698	SER	3.8
1	D	561	SER	3.7
1	D	674	VAL	3.7
1	D	657	ASP	3.7
1	D	649	GLY	3.7
1	A	622	SER	3.6
1	D	565	ASP	3.4
1	D	590[A]	GLU	3.4
1	D	660	ASP	3.4
1	C	649	GLY	3.3
1	D	673	SER	3.2
1	D	659	ALA	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	590[A]	GLU	3.1
1	D	22	PRO	3.0
1	A	561	SER	2.9
1	A	318	TYR	2.9
1	C	21	SER	2.8
1	D	671	GLU	2.8
1	D	676[A]	MET	2.8
1	B	698	SER	2.7
1	D	658	ALA	2.7
1	C	561	SER	2.7
1	D	611	ASP	2.7
1	B	576[A]	LYS	2.7
1	B	657	ASP	2.6
1	C	657	ASP	2.6
1	C	676[A]	MET	2.5
1	C	611	ASP	2.5
1	C	660	ASP	2.5
1	A	590[A]	GLU	2.4
1	D	698	SER	2.4
1	B	664	ASP	2.4
1	C	674	VAL	2.4
1	B	561	SER	2.4
1	D	562	SER	2.3
1	C	318	TYR	2.3
1	D	664	ASP	2.3
1	B	24	ALA	2.2
1	D	560	GLU	2.2
1	D	318	TYR	2.2
1	C	658	ALA	2.2
1	D	573	ARG	2.2
1	B	658	ALA	2.1
1	C	517	GLY	2.1
1	C	670[A]	SER	2.1
1	C	576	LYS	2.0
1	C	653	SER	2.0
1	B	590[A]	GLU	2.0
1	C	671	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	CA	B	1699	1/1	0.89	0.10	15,15,15,15	1
3	CA	B	1700	1/1	0.89	0.07	27,27,27,27	1
3	CA	D	1699	1/1	0.91	0.11	15,15,15,15	1
3	CA	B	1701	1/1	0.92	0.08	22,22,22,22	1
3	CA	C	1699	1/1	0.95	0.10	11,11,11,11	1
3	CA	D	1700	1/1	0.97	0.06	26,26,26,26	1
2	HDD	B	900	44/44	0.97	0.08	12,15,16,18	0
3	CA	A	1699	1/1	0.97	0.07	14,14,14,14	1
2	HDD	C	900	44/44	0.98	0.08	11,13,17,19	0
2	HDD	D	900	44/44	0.98	0.08	12,14,16,19	0
2	HDD	A	900	44/44	0.98	0.07	10,13,15,16	0
3	CA	A	1700	1/1	0.99	0.09	17,17,17,17	1
3	CA	C	1700	1/1	0.99	0.07	21,21,21,21	1

6.5 Other polymers [i](#)

There are no such residues in this entry.