



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2018 – 10:45 am GMT

PDB ID : 4C01
Title : Complete crystal structure of carboxylesterase Cest-2923 (lp_2923) from *Lactobacillus plantarum* WCFS1
Authors : Benavente, R.; Esteban-Torres, M.; Acebron, I.; de las Rivas, B.; Munoz, R.; Alvarez, Y.; Mancheno, J.M.
Deposited on : 2013-07-30
Resolution : 2.30 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	4477 (2.30-2.30)
Clashscore	122126	5072 (2.30-2.30)
Ramachandran outliers	120053	5022 (2.30-2.30)
Sidechain outliers	120020	5021 (2.30-2.30)
RSRZ outliers	108989	4374 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	282	<div> <div>12%</div> <div>71%</div> <div>25%</div> <div>..</div> </div>
1	B	282	<div> <div>14%</div> <div>78%</div> <div>19%</div> <div>..</div> </div>
1	C	282	<div> <div>12%</div> <div>78%</div> <div>19%</div> <div>..</div> </div>
1	D	282	<div> <div>10%</div> <div>74%</div> <div>22%</div> <div>..</div> </div>
1	E	282	<div> <div>13%</div> <div>76%</div> <div>20%</div> <div>..</div> </div>
1	F	282	<div> <div>12%</div> <div>71%</div> <div>25%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	1277	-	-	X	-
5	CCN	B	1280	-	-	X	-
5	CCN	D	1279	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 14061 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CEST-2923.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	2	1
			2155	1373	381	393	8			
1	B	276	Total	C	N	O	S	0	1	1
			2144	1367	377	392	8			
1	C	276	Total	C	N	O	S	0	1	1
			2144	1367	377	392	8			
1	D	276	Total	C	N	O	S	0	1	1
			2144	1367	377	392	8			
1	E	276	Total	C	N	O	S	0	2	1
			2155	1373	381	393	8			
1	F	276	Total	C	N	O	S	0	2	1
			2155	1373	381	393	8			

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	277	HIS	-	expression tag	UNP F9US10
A	278	HIS	-	expression tag	UNP F9US10
A	279	HIS	-	expression tag	UNP F9US10
A	280	HIS	-	expression tag	UNP F9US10
A	281	HIS	-	expression tag	UNP F9US10
A	282	HIS	-	expression tag	UNP F9US10
B	277	HIS	-	expression tag	UNP F9US10
B	278	HIS	-	expression tag	UNP F9US10
B	279	HIS	-	expression tag	UNP F9US10
B	280	HIS	-	expression tag	UNP F9US10
B	281	HIS	-	expression tag	UNP F9US10
B	282	HIS	-	expression tag	UNP F9US10
C	277	HIS	-	expression tag	UNP F9US10
C	278	HIS	-	expression tag	UNP F9US10
C	279	HIS	-	expression tag	UNP F9US10
C	280	HIS	-	expression tag	UNP F9US10
C	281	HIS	-	expression tag	UNP F9US10

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	282	HIS	-	expression tag	UNP F9US10
D	277	HIS	-	expression tag	UNP F9US10
D	278	HIS	-	expression tag	UNP F9US10
D	279	HIS	-	expression tag	UNP F9US10
D	280	HIS	-	expression tag	UNP F9US10
D	281	HIS	-	expression tag	UNP F9US10
D	282	HIS	-	expression tag	UNP F9US10
E	277	HIS	-	expression tag	UNP F9US10
E	278	HIS	-	expression tag	UNP F9US10
E	279	HIS	-	expression tag	UNP F9US10
E	280	HIS	-	expression tag	UNP F9US10
E	281	HIS	-	expression tag	UNP F9US10
E	282	HIS	-	expression tag	UNP F9US10
F	277	HIS	-	expression tag	UNP F9US10
F	278	HIS	-	expression tag	UNP F9US10
F	279	HIS	-	expression tag	UNP F9US10
F	280	HIS	-	expression tag	UNP F9US10
F	281	HIS	-	expression tag	UNP F9US10
F	282	HIS	-	expression tag	UNP F9US10

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	E	1	Total	C	O	0	0
			4	2	2		
2	F	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	E	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is phenyl acetate (three-letter code: QY9) (formula: $C_8H_8O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	8	2		
4	B	1	Total	C	O	0	0
			10	8	2		
4	C	1	Total	C	O	0	0
			10	8	2		
4	E	1	Total	C	O	0	0
			10	8	2		
4	F	1	Total	C	O	0	0
			10	8	2		

- Molecule 5 is ACETONITRILE (three-letter code: CCN) (formula: C_2H_3N).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	N	0	0
			3	2	1		
5	A	1	Total	C	N	0	0
			3	2	1		
5	A	1	Total	C	N	0	0
			3	2	1		
5	B	1	Total	C	N	0	0
			3	2	1		
5	B	1	Total	C	N	0	0
			3	2	1		
5	C	1	Total	C	N	0	0
			3	2	1		
5	D	1	Total	C	N	0	0
			3	2	1		
5	D	1	Total	C	N	0	0
			3	2	1		
5	E	1	Total	C	N	0	0
			3	2	1		
5	F	1	Total	C	N	0	0
			3	2	1		
5	F	1	Total	C	N	0	0
			3	2	1		
5	F	1	Total	C	N	0	0
			3	2	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	193	Total 193	O 193	0	0
6	B	182	Total 182	O 182	0	0
6	C	191	Total 191	O 191	0	0
6	D	137	Total 137	O 137	0	0
6	E	152	Total 152	O 152	0	0
6	F	159	Total 159	O 159	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CEST-2923



• Molecule 1: CEST-2923





• Molecule 1: CEST-2923




HIS
HIS
HIS
HIS


● Molecule 1: CEST-2923

Chain D:  10% 74% 22% ..




● Molecule 1: CEST-2923

Chain E:  13% 76% 20% ..



● Molecule 1: CEST-2923

Chain F:  12% 71% 25% ..



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	244.89Å 141.38Å 82.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.20 – 2.30 49.20 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.7 (49.20-2.30) 95.8 (49.20-2.30)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	42.72 (at 2.29Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.225 , 0.279 0.225 , 0.279	Depositor DCC
R_{free} test set	6266 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	20.3	Xtriage
Anisotropy	0.401	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 49.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.458 for -1/2*h-3/2*k,-1/2*h+1/2*k,-l 0.448 for -1/2*h+3/2*k,1/2*h+1/2*k,-l 0.449 for 1/2*h-3/2*k,-1/2*h-1/2*k,-l 0.438 for 1/2*h+3/2*k,1/2*h-1/2*k,-l 0.440 for -h,-k,l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	14061	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CCN, QY9, SO4, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/2214	0.59	0/3030
1	B	0.43	0/2203	0.58	0/3016
1	C	0.42	0/2203	0.59	0/3016
1	D	0.43	0/2203	0.57	0/3016
1	E	0.43	0/2214	0.58	0/3030
1	F	0.43	0/2214	0.60	0/3030
All	All	0.43	0/13251	0.59	0/18138

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2155	0	2103	51	0
1	B	2144	0	2091	39	0
1	C	2144	0	2091	38	0
1	D	2144	0	2091	43	0
1	E	2155	0	2103	49	0
1	F	2155	0	2103	61	0
2	A	4	0	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	4	0	3	0	0
2	C	4	0	3	1	0
2	D	4	0	3	0	0
2	E	4	0	3	0	0
2	F	4	0	3	0	0
3	A	5	0	0	3	0
3	B	5	0	0	0	0
3	C	10	0	0	0	0
3	D	10	0	0	2	0
3	E	10	0	0	1	0
4	A	10	0	8	0	0
4	B	10	0	8	3	0
4	C	10	0	8	0	0
4	E	10	0	8	0	0
4	F	10	0	8	0	0
5	A	9	0	9	1	0
5	B	6	0	6	2	0
5	C	3	0	3	0	0
5	D	6	0	6	3	0
5	E	3	0	3	0	0
5	F	9	0	9	2	0
6	A	193	0	0	11	0
6	B	182	0	0	10	0
6	C	191	0	0	13	0
6	D	137	0	0	9	0
6	E	152	0	0	11	0
6	F	159	0	0	18	0
All	All	14061	0	12676	271	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 271 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:ARG:NH1	1:A:171:ASN:OD1	2.03	0.90
1:D:178:ARG:HH12	1:D:185:LEU:HD21	1.39	0.88
1:C:167:SER:HA	1:C:170:ARG:HD3	1.57	0.86
1:F:208:ASN:ND2	6:F:2103:HOH:O	2.08	0.85
1:B:78:ASP:OD2	1:C:139:HIS:ND1	2.11	0.81

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	276/282 (98%)	255 (92%)	20 (7%)	1 (0%)	36	45
1	B	275/282 (98%)	254 (92%)	21 (8%)	0	100	100
1	C	275/282 (98%)	251 (91%)	23 (8%)	1 (0%)	36	45
1	D	275/282 (98%)	254 (92%)	19 (7%)	2 (1%)	24	29
1	E	276/282 (98%)	256 (93%)	20 (7%)	0	100	100
1	F	276/282 (98%)	255 (92%)	20 (7%)	1 (0%)	36	45
All	All	1653/1692 (98%)	1525 (92%)	123 (7%)	5 (0%)	43	53

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	218	GLN
1	D	165	THR
1	C	165	THR
1	D	218	GLN
1	F	165	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	221/226 (98%)	205 (93%)	16 (7%)	16	20

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	220/226 (97%)	207 (94%)	13 (6%)	21	29
1	C	220/226 (97%)	204 (93%)	16 (7%)	15	19
1	D	220/226 (97%)	205 (93%)	15 (7%)	17	22
1	E	221/226 (98%)	207 (94%)	14 (6%)	20	26
1	F	221/226 (98%)	209 (95%)	12 (5%)	24	33
All	All	1323/1356 (98%)	1237 (94%)	86 (6%)	19	25

5 of 86 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	179	LEU
1	D	32	VAL
1	F	167	SER
1	C	207	ILE
1	C	264	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	99	GLN
1	E	226	HIS
1	E	240	HIS
1	F	275	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

31 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ACT	A	1276	-	1,3,3	1.30	0	0,3,3	0.00	-
3	SO4	A	1277	-	4,4,4	0.15	0	6,6,6	0.14	0
4	QY9	A	1278	-	10,10,10	0.72	0	12,12,12	1.61	1 (8%)
5	CCN	A	1279	-	2,2,2	0.66	0	1,1,1	0.62	0
5	CCN	A	1280	-	2,2,2	0.74	0	1,1,1	0.58	0
5	CCN	A	1281	-	2,2,2	0.69	0	1,1,1	0.62	0
2	ACT	B	1276	-	1,3,3	1.54	0	0,3,3	0.00	-
3	SO4	B	1277	-	4,4,4	0.18	0	6,6,6	0.15	0
4	QY9	B	1278	-	10,10,10	0.67	0	12,12,12	1.45	2 (16%)
5	CCN	B	1279	-	2,2,2	0.63	0	1,1,1	0.60	0
5	CCN	B	1280	-	2,2,2	0.67	0	1,1,1	0.61	0
2	ACT	C	1276	-	1,3,3	0.85	0	0,3,3	0.00	-
3	SO4	C	1277	-	4,4,4	0.25	0	6,6,6	0.27	0
3	SO4	C	1278	-	4,4,4	0.15	0	6,6,6	0.14	0
4	QY9	C	1279	-	10,10,10	0.68	0	12,12,12	1.45	1 (8%)
5	CCN	C	1280	-	2,2,2	0.71	0	1,1,1	0.60	0
2	ACT	D	1276	-	1,3,3	0.87	0	0,3,3	0.00	-
3	SO4	D	1277	-	4,4,4	0.11	0	6,6,6	0.16	0
3	SO4	D	1278	-	4,4,4	0.17	0	6,6,6	0.13	0
5	CCN	D	1279	-	2,2,2	0.68	0	1,1,1	0.61	0
5	CCN	D	1280	-	2,2,2	0.68	0	1,1,1	0.55	0
2	ACT	E	1276	-	1,3,3	1.37	0	0,3,3	0.00	-
3	SO4	E	1277	-	4,4,4	0.18	0	6,6,6	0.32	0
3	SO4	E	1278	-	4,4,4	0.18	0	6,6,6	0.15	0
4	QY9	E	1279	-	10,10,10	0.71	0	12,12,12	1.41	1 (8%)
5	CCN	E	1280	-	2,2,2	0.61	0	1,1,1	0.56	0
2	ACT	F	1276	-	1,3,3	1.31	0	0,3,3	0.00	-
4	QY9	F	1277	-	10,10,10	0.68	0	12,12,12	1.50	1 (8%)
5	CCN	F	1278	-	2,2,2	0.64	0	1,1,1	0.57	0
5	CCN	F	1279	-	2,2,2	0.74	0	1,1,1	0.57	0
5	CCN	F	1280	-	2,2,2	0.78	0	1,1,1	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACT	A	1276	-	-	0/0/0/0	0/0/0/0
3	SO4	A	1277	-	-	0/0/0/0	0/0/0/0
4	QY9	A	1278	-	-	0/4/4/4	0/1/1/1
5	CCN	A	1279	-	-	0/0/0/0	0/0/0/0
5	CCN	A	1280	-	-	0/0/0/0	0/0/0/0
5	CCN	A	1281	-	-	0/0/0/0	0/0/0/0
2	ACT	B	1276	-	-	0/0/0/0	0/0/0/0
3	SO4	B	1277	-	-	0/0/0/0	0/0/0/0
4	QY9	B	1278	-	-	0/4/4/4	0/1/1/1
5	CCN	B	1279	-	-	0/0/0/0	0/0/0/0
5	CCN	B	1280	-	-	0/0/0/0	0/0/0/0
2	ACT	C	1276	-	-	0/0/0/0	0/0/0/0
3	SO4	C	1277	-	-	0/0/0/0	0/0/0/0
3	SO4	C	1278	-	-	0/0/0/0	0/0/0/0
4	QY9	C	1279	-	-	0/4/4/4	0/1/1/1
5	CCN	C	1280	-	-	0/0/0/0	0/0/0/0
2	ACT	D	1276	-	-	0/0/0/0	0/0/0/0
3	SO4	D	1277	-	-	0/0/0/0	0/0/0/0
3	SO4	D	1278	-	-	0/0/0/0	0/0/0/0
5	CCN	D	1279	-	-	0/0/0/0	0/0/0/0
5	CCN	D	1280	-	-	0/0/0/0	0/0/0/0
2	ACT	E	1276	-	-	0/0/0/0	0/0/0/0
3	SO4	E	1277	-	-	0/0/0/0	0/0/0/0
3	SO4	E	1278	-	-	0/0/0/0	0/0/0/0
4	QY9	E	1279	-	-	0/4/4/4	0/1/1/1
5	CCN	E	1280	-	-	0/0/0/0	0/0/0/0
2	ACT	F	1276	-	-	0/0/0/0	0/0/0/0
4	QY9	F	1277	-	-	0/4/4/4	0/1/1/1
5	CCN	F	1278	-	-	0/0/0/0	0/0/0/0
5	CCN	F	1279	-	-	0/0/0/0	0/0/0/0
5	CCN	F	1280	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1278	QY9	CAJ-OAH-CAI	-2.19	113.09	118.69
4	B	1278	QY9	OAH-CAI-CAA	3.87	118.74	110.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	1279	QY9	OAH-CAI-CAA	4.05	119.10	110.88
4	C	1279	QY9	OAH-CAI-CAA	4.37	119.74	110.88
4	F	1277	QY9	OAH-CAI-CAA	4.40	119.81	110.88

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

12 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1277	SO4	3	0
5	A	1281	CCN	1	0
4	B	1278	QY9	3	0
5	B	1280	CCN	2	0
2	C	1276	ACT	1	0
3	D	1277	SO4	1	0
3	D	1278	SO4	1	0
5	D	1279	CCN	2	0
5	D	1280	CCN	1	0
3	E	1278	SO4	1	0
5	F	1279	CCN	1	0
5	F	1280	CCN	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/282 (97%)	0.91	35 (12%) 3 5	14, 37, 72, 95	0
1	B	276/282 (97%)	0.96	40 (14%) 2 3	13, 37, 74, 104	0
1	C	276/282 (97%)	0.85	34 (12%) 4 6	13, 38, 73, 101	0
1	D	276/282 (97%)	0.81	27 (9%) 7 10	14, 36, 73, 105	0
1	E	276/282 (97%)	0.90	38 (13%) 3 4	14, 38, 75, 91	0
1	F	276/282 (97%)	0.83	34 (12%) 4 6	15, 37, 71, 87	0
All	All	1656/1692 (97%)	0.88	208 (12%) 3 5	13, 37, 73, 105	0

The worst 5 of 208 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	276	TYR	9.4
1	A	175	THR	6.1
1	B	161	ALA	5.7
1	F	168	ALA	5.3
1	E	172	GLN	4.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	QY9	A	1278	10/10	0.59	0.33	59,64,71,73	0
3	SO4	C	1278	5/5	0.60	0.27	111,111,113,114	0
3	SO4	B	1277	5/5	0.66	0.24	111,111,112,114	0
4	QY9	B	1278	10/10	0.67	0.37	73,77,85,85	0
4	QY9	F	1277	10/10	0.68	0.30	70,74,81,84	0
4	QY9	C	1279	10/10	0.70	0.33	75,78,87,90	0
5	CCN	F	1280	3/3	0.73	0.21	19,19,30,34	0
4	QY9	E	1279	10/10	0.76	0.29	67,72,73,74	0
3	SO4	D	1277	5/5	0.77	0.19	110,110,112,112	0
3	SO4	A	1277	5/5	0.77	0.22	105,106,107,108	0
2	ACT	D	1276	4/4	0.78	0.26	19,27,33,47	0
5	CCN	E	1280	3/3	0.80	0.25	34,34,34,37	0
3	SO4	D	1278	5/5	0.80	0.15	108,109,110,110	0
2	ACT	F	1276	4/4	0.82	0.19	32,35,40,51	0
3	SO4	E	1278	5/5	0.83	0.29	116,119,120,120	0
5	CCN	F	1278	3/3	0.83	0.19	34,34,36,38	0
5	CCN	A	1281	3/3	0.84	0.19	26,26,27,28	0
2	ACT	C	1276	4/4	0.85	0.17	31,39,41,55	0
5	CCN	D	1279	3/3	0.85	0.24	30,30,33,36	0
2	ACT	B	1276	4/4	0.85	0.15	38,39,45,53	0
5	CCN	A	1279	3/3	0.86	0.20	35,35,37,40	0
5	CCN	D	1280	3/3	0.86	0.15	34,34,37,38	0
5	CCN	C	1280	3/3	0.86	0.19	38,38,39,42	0
5	CCN	B	1279	3/3	0.86	0.16	34,34,35,39	0
5	CCN	B	1280	3/3	0.88	0.18	34,34,34,35	0
2	ACT	E	1276	4/4	0.88	0.20	28,31,37,50	0
2	ACT	A	1276	4/4	0.93	0.16	31,32,40,54	0
5	CCN	A	1280	3/3	0.94	0.10	32,32,36,36	0
5	CCN	F	1279	3/3	0.95	0.12	13,13,26,28	0
3	SO4	C	1277	5/5	0.95	0.14	39,40,46,59	0
3	SO4	E	1277	5/5	0.96	0.15	37,44,47,66	0

6.5 Other polymers [i](#)

There are no such residues in this entry.