



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2018 – 11:19 pm GMT

PDB ID : 3C25  
Title : Crystal Structure of NotI Restriction Endonuclease Bound to Cognate DNA  
Authors : Lambert, A.R.; Sussman, D.; Shen, B.; Stoddard, B.L.  
Deposited on : 2008-01-24  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	4155 (2.50-2.50)
Clashscore	122126	4827 (2.50-2.50)
Ramachandran outliers	120053	4735 (2.50-2.50)
Sidechain outliers	120020	4737 (2.50-2.50)
RSRZ outliers	108989	4058 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	22	<div> <div>18%</div> <div>64% 36%</div> </div>
2	D	22	<div> <div>23%</div> <div>77% 23%</div> </div>
3	A	383	<div> <div>19%</div> <div>77% 13% 8%</div> </div>
3	B	383	<div> <div>20%</div> <div>74% 17% 8%</div> </div>



In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(\*DCP\*DGP\*DGP\*DAP\*DGP\*DGP\*DCP\*DGP\*DCP\*DGP\*DGP\*DCP\*DCP\*DGP\*DCP\*DCP\*DCP\*DGP\*DCP\*DCP\*DG)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	22	Total	C	N	O	P	0	0	0
			450	210	90	129	21			

- Molecule 2 is a DNA chain called DNA (5'-D(\*DCP\*DGP\*DGP\*DCP\*DGP\*DGP\*DCP\*DGP\*DCP\*DGP\*DGP\*DCP\*DCP\*DGP\*DCP\*DGP\*DCP\*DCP\*DTP\*DCP\*DCP\*DG)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	22	Total 446	C 209	N 85	O 131	P 21	0	0	0

- Molecule 3 is a protein called NotI restriction endonuclease.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	354	Total 2720	C 1743	N 469	O 498	S 10	0	0	0
3	B	353	Total 2718	C 1740	N 467	O 501	S 10	0	0	0

- Molecule 4 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Fe 1 1	0	0
4	A	1	Total Fe 1 1	0	0


- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	2	Total	Ca	0	0
			2	2		
5	A	2	Total	Ca	0	0
			2	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	25	Total	O	0	0
			25	25		
6	D	27	Total	O	0	0
			27	27		
6	A	56	Total	O	0	0
			56	56		
6	B	60	Total	O	0	0
			60	60		





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.89Å 81.71Å 73.58Å 90.00° 99.51° 90.00°	Depositor
Resolution (Å)	50.00 – 2.50 47.64 – 2.49	Depositor EDS
% Data completeness (in resolution range)	97.7 (50.00-2.50) 97.3 (47.64-2.49)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.68 (at 2.48Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.223 , 0.277 0.224 , 0.278	Depositor DCC
$R_{free}$ test set	1488 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	55.3	Xtriage
Anisotropy	0.349	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.26 , 54.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.017 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6508	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.46 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.3178e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	C	0.62	0/505	1.27	5/778 (0.6%)
2	D	0.63	0/499	1.16	3/768 (0.4%)
3	A	0.39	2/2795 (0.1%)	0.51	0/3812
3	B	0.37	0/2793	0.51	0/3809
All	All	0.43	2/6592 (0.0%)	0.68	8/9167 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	42	CYS	CB-SG	5.73	1.92	1.82
3	A	65	CYS	CB-SG	5.56	1.91	1.82

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	1	DC	O3'-P-O5'	-11.24	82.64	104.00
1	C	1	DC	OP2-P-O3'	-8.04	87.51	105.20
1	C	1	DC	OP1-P-O3'	-7.88	87.86	105.20
1	C	10	DG	O4'-C1'-N9	7.45	113.22	108.00
2	D	10	DG	O4'-C1'-N9	6.64	112.65	108.00
2	D	1	DC	O4'-C1'-N1	6.38	112.47	108.00
2	D	3	DG	P-O3'-C3'	6.36	127.33	119.70
1	C	2	DG	OP1-P-OP2	5.17	127.35	119.60

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	450	0	244	3	0
2	D	446	0	245	3	0
3	A	2720	0	2615	42	0
3	B	2718	0	2614	38	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
6	A	56	0	0	0	0
6	B	60	0	0	1	0
6	C	25	0	0	0	0
6	D	27	0	0	0	0
All	All	6508	0	5718	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:29:SER:CB	3:A:210:HIS:CE1	1.91	1.53
3:A:29:SER:CB	3:A:210:HIS:ND1	1.97	1.24
3:A:283:ASP:OD1	3:A:285:THR:HG22	1.40	1.16
3:A:283:ASP:CG	3:A:285:THR:HG22	1.76	1.05
3:A:29:SER:CB	3:A:210:HIS:HE1	1.61	0.91
3:A:312:SER:HB2	3:A:313:PRO:HD3	1.53	0.89
3:B:180:VAL:HB	3:B:257:THR:HG22	1.60	0.83
3:A:283:ASP:OD1	3:A:285:THR:CG2	2.26	0.82
3:A:27:VAL:O	3:A:27:VAL:HG12	1.83	0.77
2:D:8:DG:N7	3:B:189:HIS:HE1	1.84	0.76
3:A:79:LEU:HD13	3:A:84:ARG:HG3	1.70	0.73
3:B:212:TRP:O	3:B:215:THR:HG22	1.95	0.67
3:B:16:ALA:HB3	3:B:66:VAL:HG12	1.78	0.66
3:B:167:GLU:HB3	3:B:176:LYS:HG3	1.78	0.65
3:B:80:VAL:HG12	3:B:80:VAL:O	1.96	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:212:TRP:O	3:A:215:THR:HG22	1.97	0.64
3:A:283:ASP:OD2	3:A:285:THR:HG22	2.02	0.60
1:C:8:DG:N7	3:A:189:HIS:HE1	1.99	0.60
3:B:332:LEU:HA	3:B:336:GLU:HB2	1.84	0.60
3:A:309:THR:HG21	3:A:315:PRO:HD2	1.83	0.59
3:B:138:PHE:HB2	3:B:162:THR:HG23	1.84	0.59
3:A:117:ASP:HB3	3:A:120:VAL:HG22	1.85	0.58
3:B:24:TYR:HB3	3:B:25:PRO:HD3	1.86	0.58
3:A:283:ASP:CG	3:A:285:THR:CG2	2.64	0.57
3:B:161:TRP:HB2	3:B:181:LEU:HB2	1.86	0.56
3:B:215:THR:HG23	3:B:218:GLY:H	1.72	0.55
3:B:41:THR:HA	3:B:54:SER:HA	1.89	0.54
3:A:24:TYR:HB3	3:A:25:PRO:HD3	1.90	0.54
3:B:312:SER:OG	3:B:313:PRO:HD3	2.07	0.54
3:A:283:ASP:OD2	3:A:285:THR:CG2	2.55	0.54
3:A:161:TRP:HB2	3:A:181:LEU:HB2	1.89	0.54
3:A:170:TYR:CB	3:A:171:PRO:HD3	2.39	0.53
3:B:56:VAL:HG11	3:B:141:LYS:HE2	1.92	0.52
3:A:281:ASN:HD22	3:A:285:THR:HG23	1.75	0.52
3:A:34:ARG:HH12	3:A:209:PHE:H	1.56	0.52
3:A:332:LEU:HA	3:A:336:GLU:HB2	1.91	0.51
3:B:17:GLU:HG2	3:B:66:VAL:HB	1.92	0.51
3:A:281:ASN:HD21	3:A:287:SER:HB2	1.74	0.51
3:B:138:PHE:HB2	3:B:162:THR:CG2	2.41	0.51
3:B:21:HIS:CE1	3:B:312:SER:HB2	2.46	0.50
3:A:312:SER:CB	3:A:313:PRO:HD3	2.35	0.50
3:B:162:THR:HG22	6:B:929:HOH:O	2.10	0.50
3:A:312:SER:HB2	3:A:313:PRO:CD	2.35	0.50
3:B:16:ALA:HB2	3:B:68:ASN:HB2	1.92	0.49
3:B:17:GLU:HA	3:B:23:VAL:HG22	1.94	0.49
3:A:22:ARG:HD2	3:A:25:PRO:HD2	1.95	0.49
3:A:114:THR:HG22	3:A:120:VAL:HG21	1.95	0.49
3:B:164:ALA:HB1	3:B:175:ILE:HG21	1.95	0.48
3:A:97:LYS:HG3	3:A:299:TRP:CZ2	2.49	0.48
3:A:70:ALA:HB2	3:A:75:ARG:HE	1.78	0.48
3:A:41:THR:HA	3:A:54:SER:HA	1.96	0.47
3:B:159:PHE:HA	3:B:182:GLU:OE2	2.15	0.47
3:B:337:SER:HB3	3:B:338:PRO:HD3	1.96	0.47
3:B:302:VAL:HB	3:B:320:LEU:HB3	1.96	0.46
2:D:8:DG:N7	3:B:189:HIS:CE1	2.74	0.46
3:A:79:LEU:HD13	3:A:84:ARG:CG	2.42	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:13:DC:H2'	1:C:14:DG:C8	2.52	0.45
3:A:215:THR:OG1	3:A:216:PRO:HD2	2.17	0.44
3:A:38:ALA:HA	3:A:203:LEU:HD21	1.99	0.44
3:B:189:HIS:HD2	3:B:228:GLY:O	2.01	0.44
3:A:151:THR:HG22	3:A:152:ASP:H	1.82	0.44
3:A:80:VAL:O	3:A:80:VAL:CG1	2.64	0.44
3:B:281:ASN:HB2	3:B:285:THR:HG23	1.98	0.44
2:D:11:DG:N7	3:A:237:ARG:NH2	2.62	0.44
3:A:302:VAL:HB	3:A:320:LEU:HB3	1.99	0.43
3:B:15:ILE:HB	3:B:222:LEU:HD12	1.99	0.43
3:B:261:ILE:HB	3:B:265:VAL:CG2	2.48	0.43
3:A:189:HIS:HD2	3:A:228:GLY:O	2.02	0.43
3:B:117:ASP:HB2	3:B:120:VAL:HG22	2.00	0.43
3:A:27:VAL:O	3:A:27:VAL:CG1	2.56	0.42
1:C:18:DC:H2''	1:C:19:DG:C8	2.54	0.42
3:B:155:PRO:HG2	3:B:157:PHE:CE2	2.55	0.42
3:B:38:ALA:HA	3:B:203:LEU:HD21	2.01	0.42
3:B:304:GLU:HG3	3:B:319:HIS:HB2	2.01	0.42
3:A:110:ILE:H	3:A:110:ILE:HD13	1.85	0.41
3:B:69:THR:HB	3:B:78:TRP:HE1	1.85	0.41
3:B:135:VAL:HG12	3:B:165:GLU:HA	2.02	0.41
3:A:304:GLU:HG3	3:A:319:HIS:HB2	2.02	0.41
3:B:41:THR:HG23	3:B:53:THR:O	2.21	0.41
3:B:146:LEU:HB2	3:B:162:THR:HG21	2.02	0.41
3:A:337:SER:HB3	3:A:338:PRO:HD3	2.02	0.41
3:B:170:TYR:CB	3:B:171:PRO:HD3	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	352/383 (92%)	329 (94%)	20 (6%)	3 (1%)	19	34
3	B	351/383 (92%)	328 (93%)	20 (6%)	3 (1%)	19	34
All	All	703/766 (92%)	657 (94%)	40 (6%)	6 (1%)	19	34

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	28	VAL
3	B	294	ASP
3	A	171	PRO
3	A	24	TYR
3	B	171	PRO
3	B	24	TYR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	278/317 (88%)	264 (95%)	14 (5%)	27	49
3	B	280/317 (88%)	270 (96%)	10 (4%)	38	65
All	All	558/634 (88%)	534 (96%)	24 (4%)	32	56

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	22	ARG
3	A	42	CYS
3	A	55	CYS
3	A	62	ARG
3	A	75	ARG
3	A	79	LEU
3	A	97	LYS
3	A	110	ILE
3	A	118	GLN
3	A	151	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	A	177	ARG
3	A	193	LYS
3	A	234	VAL
3	A	287	SER
3	B	42	CYS
3	B	55	CYS
3	B	71	VAL
3	B	75	ARG
3	B	107	LEU
3	B	118	GLN
3	B	175	ILE
3	B	296	GLU
3	B	310	ASP
3	B	327	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	184	GLN
3	A	189	HIS
3	A	281	ASN
3	B	118	GLN
3	B	189	HIS
3	B	281	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	C	22/22 (100%)	1.16	4 (18%) <b>1</b> <b>1</b>	56, 61, 72, 76	0
2	D	22/22 (100%)	1.26	5 (22%) <b>0</b> <b>0</b>	57, 63, 76, 78	0
3	A	354/383 (92%)	1.23	72 (20%) <b>1</b> <b>1</b>	26, 67, 72, 77	0
3	B	353/383 (92%)	1.30	77 (21%) <b>0</b> <b>0</b>	58, 67, 72, 76	0
All	All	751/810 (92%)	1.26	158 (21%) <b>1</b> <b>0</b>	26, 67, 72, 78	0

All (158) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	B	204	VAL	9.3
3	A	166	VAL	8.8
3	B	124	ILE	8.3
3	A	207	ILE	7.7
3	B	32	ALA	7.1
3	A	312	SER	7.0
3	B	199	ILE	6.9
3	A	120	VAL	6.7
3	A	127	TRP	6.4
3	A	284	GLY	6.3
3	A	172	VAL	6.3
3	A	104	THR	6.0
3	A	122	ASP	5.6
3	B	294	ASP	5.5
3	B	172	VAL	5.5
3	A	24	TYR	5.3
3	B	203	LEU	5.3
3	B	100	GLY	5.1
3	A	119	ALA	5.1
3	B	104	THR	5.0
3	B	129	ASP	4.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	B	115	LEU	4.8
3	A	205	GLU	4.8
3	B	106	PRO	4.8
3	A	132	VAL	4.8
3	B	213	LEU	4.7
3	A	123	GLY	4.7
3	A	364	PRO	4.7
3	B	170	TYR	4.7
3	B	363	TRP	4.6
3	A	65	CYS	4.5
3	B	25	PRO	4.5
3	A	169	ILE	4.5
3	B	234	VAL	4.5
2	D	1	DC	4.4
3	B	312	SER	4.4
3	A	282	GLY	4.4
3	A	363	TRP	4.3
3	B	55	CYS	4.3
3	B	281	ASN	4.2
3	B	280	ASP	4.1
3	B	128	LEU	4.0
3	B	238	THR	4.0
3	B	29	SER	3.9
3	B	20	GLY	3.9
3	A	204	VAL	3.9
3	A	283	ASP	3.8
3	A	293	ASN	3.8
3	A	201	ILE	3.8
3	B	279	ILE	3.6
3	A	55	CYS	3.6
3	A	344	PRO	3.6
3	B	120	VAL	3.6
3	B	362	PHE	3.5
3	B	235	PHE	3.5
3	A	134	VAL	3.5
3	B	121	ARG	3.4
3	B	33	ALA	3.4
3	B	364	PRO	3.4
3	A	345	SER	3.4
3	B	209	PHE	3.4
3	B	292	ARG	3.4
3	A	237	ARG	3.3

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	A	234	VAL	3.3
3	B	360	LEU	3.3
3	B	80	VAL	3.3
3	A	279	ILE	3.2
3	B	231	LEU	3.2
3	B	65	CYS	3.2
3	B	278	LEU	3.2
3	B	237	ARG	3.2
3	A	124	ILE	3.1
3	B	24	TYR	3.1
3	B	42	CYS	3.1
3	B	112	ALA	3.1
3	A	110	ILE	3.0
3	A	235	PHE	3.0
3	B	205	GLU	3.0
3	A	311	ALA	3.0
3	B	296	GLU	3.0
3	B	286	PHE	3.0
3	A	236	LYS	3.0
1	C	11	DG	3.0
3	B	81	CYS	3.0
3	A	35	ASN	3.0
3	A	125	ARG	3.0
3	A	42	CYS	2.9
3	B	48	ALA	2.9
3	B	127	TRP	2.9
3	B	14	PHE	2.8
1	C	1	DC	2.8
3	A	285	THR	2.8
2	D	11	DG	2.8
3	B	132	VAL	2.7
3	B	122	ASP	2.7
1	C	10	DG	2.6
2	D	22	DG	2.6
3	B	342	LEU	2.6
3	B	107	LEU	2.6
3	A	171	PRO	2.6
3	A	27	VAL	2.6
3	B	287	SER	2.6
3	B	74	GLU	2.6
2	D	10	DG	2.6
3	A	129	ASP	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	B	114	THR	2.6
3	B	109	PHE	2.6
3	A	278	LEU	2.5
3	A	81	CYS	2.5
3	B	277	THR	2.5
3	B	290	ASP	2.5
3	A	259	PHE	2.5
3	A	208	ASP	2.5
3	A	212	TRP	2.5
3	A	80	VAL	2.5
3	A	240	TYR	2.5
3	A	365	LYS	2.5
1	C	22	DG	2.4
3	B	185	THR	2.4
3	A	89	LEU	2.4
3	B	288	LEU	2.4
3	A	186	MET	2.4
3	B	183	ILE	2.4
3	B	212	TRP	2.4
3	A	173	PRO	2.4
3	A	231	LEU	2.3
3	B	186	MET	2.3
3	A	239	PHE	2.3
3	A	238	THR	2.3
3	A	126	GLU	2.3
3	A	118	GLN	2.3
3	A	38	ALA	2.3
3	B	207	ILE	2.3
3	A	116	ALA	2.3
3	A	29	SER	2.2
3	A	310	ASP	2.2
3	A	99	PHE	2.2
3	A	233	ASN	2.2
3	B	233	ASN	2.2
3	B	357	ALA	2.2
2	D	21	DC	2.2
3	B	359	MET	2.1
3	B	73	ASN	2.1
3	A	232	SER	2.1
3	A	295	SER	2.1
3	A	241	GLN	2.1
3	B	116	ALA	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	B	311	ALA	2.1
3	B	236	LYS	2.1
3	B	320	LEU	2.1
3	A	107	LEU	2.0
3	B	258	GLY	2.0
3	B	269	TRP	2.0
3	A	294	ASP	2.0
3	B	16	ALA	2.0
3	A	360	LEU	2.0
3	A	23	VAL	2.0
3	A	26	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	CA	B	803	1/1	0.63	0.25	115,115,115,115	0
5	CA	A	801	1/1	0.65	0.26	103,103,103,103	0
5	CA	A	802	1/1	0.86	0.37	97,97,97,97	0
4	FE	B	902	1/1	0.88	0.20	64,64,64,64	0
4	FE	A	901	1/1	0.92	0.21	64,64,64,64	0
5	CA	B	804	1/1	0.96	0.33	89,89,89,89	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.