



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2018 – 06:11 am GMT

PDB ID : 1C7E
Title : D95E HYDROQUINONE FLAVODOXIN MUTANT FROM D. VULGARIS
Authors : McCarthy, A.; Walsh, M.; Higgins, T.; D'Arcy, D.
Deposited on : 2000-02-16
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	1178 (2.26-2.26)
Clashscore	122126	1286 (2.26-2.26)
Ramachandran outliers	120053	1253 (2.26-2.26)
Sidechain outliers	120020	1254 (2.26-2.26)
RSRZ outliers	108989	1158 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	147	
1	B	147	

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called FLAVODOXIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	147	Total 1105	C 687	N 181	O 233	S 4	0	0	0
1	B	147	Total 1105	C 687	N 181	O 233	S 4	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	95	GLU	ASP	ENGINEERED	UNP P00323
B	95	GLU	ASP	ENGINEERED	UNP P00323

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $C_{17}H_{21}N_4O_9P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	31	Total	O	0	0
			31	31		
3	B	47	Total	O	0	0
			47	47		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: FLAVODOXIN



• Molecule 1: FLAVODOXIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	93.04Å 61.51Å 75.56Å 90.00° 127.06° 90.00°	Depositor
Resolution (Å)	19.76 – 2.25 19.76 – 2.25	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.76-2.25) 95.4 (19.76-2.25)	Depositor EDS
R_{merge}	0.66	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.73 (at 2.26Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.227 , 0.297 0.200 , 0.250	Depositor DCC
R_{free} test set	484 reflections (3.12%)	wwPDB-VP
Wilson B-factor (Å ²)	37.0	Xtriage
Anisotropy	0.196	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 52.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.017 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2350	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.96	1/1123 (0.1%)	2.16	39/1519 (2.6%)
1	B	0.89	0/1123	2.00	29/1519 (1.9%)
All	All	0.92	1/2246 (0.0%)	2.08	68/3038 (2.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	7
1	B	0	14
All	All	0	21

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	57	CYS	CB-SG	-7.18	1.70	1.82

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	98	TYR	CB-CG-CD2	20.06	133.03	121.00
1	A	24	ARG	CD-NE-CZ	19.54	150.95	123.60
1	A	98	TYR	CB-CG-CD1	-16.59	111.05	121.00
1	A	145	ARG	NE-CZ-NH1	12.84	126.72	120.30
1	B	145	ARG	NE-CZ-NH2	-12.15	114.22	120.30
1	B	95	GLU	CA-CB-CG	11.80	139.37	113.40
1	B	127	ASP	CB-CG-OD1	11.34	128.51	118.30
1	B	145	ARG	CD-NE-CZ	11.04	139.05	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	145	ARG	NE-CZ-NH1	10.95	125.78	120.30
1	A	8	TYR	CB-CG-CD2	-8.79	115.72	121.00
1	A	3	LYS	CA-CB-CG	8.45	131.99	113.40
1	A	8	TYR	CB-CG-CD1	8.19	125.92	121.00
1	A	24	ARG	NE-CZ-NH1	8.12	124.36	120.30
1	B	37	ASP	CB-CG-OD1	8.12	125.61	118.30
1	B	101	PHE	CB-CG-CD1	-8.02	115.19	120.80
1	A	26	LEU	CA-CB-CG	7.95	133.59	115.30
1	B	60	TRP	CA-CB-CG	-7.71	99.04	113.70
1	B	34	ASP	N-CA-CB	7.54	124.16	110.60
1	A	4	ALA	C-N-CA	7.39	140.17	121.70
1	B	86	ARG	NE-CZ-NH1	-7.38	116.61	120.30
1	A	60	TRP	CA-CB-CG	-7.28	99.87	113.70
1	A	24	ARG	CG-CD-NE	7.21	126.94	111.80
1	A	50	PHE	CA-C-O	-6.91	105.58	120.10
1	B	30	GLY	CA-C-O	-6.83	108.31	120.60
1	A	67	LEU	CA-CB-CG	6.82	130.99	115.30
1	B	57	CYS	CA-CB-SG	6.76	126.16	114.00
1	A	143	ASP	CB-CG-OD2	-6.70	112.27	118.30
1	A	91	PHE	CB-CG-CD1	6.68	125.48	120.80
1	A	86	ARG	NE-CZ-NH2	-6.54	117.03	120.30
1	B	66	GLU	N-CA-CB	6.53	122.36	110.60
1	A	48	GLU	C-N-CA	6.24	135.40	122.30
1	B	127	ASP	C-N-CA	-6.17	109.34	122.30
1	A	143	ASP	CB-CG-OD1	6.16	123.84	118.30
1	B	36	ARG	NE-CZ-NH1	-6.06	117.27	120.30
1	B	37	ASP	CB-CG-OD2	-6.03	112.88	118.30
1	A	9	GLY	N-CA-C	-6.00	98.11	113.10
1	B	101	PHE	CD1-CE1-CZ	-5.98	112.92	120.10
1	A	13	GLY	CA-C-O	5.92	131.25	120.60
1	B	64	SER	N-CA-CB	-5.87	101.69	110.50
1	B	19	ALA	CB-CA-C	5.75	118.73	110.10
1	A	52	LEU	CA-C-N	5.65	129.64	117.20
1	A	11	THR	CA-CB-CG2	-5.62	104.53	112.40
1	B	59	THR	CA-CB-CG2	-5.56	104.62	112.40
1	A	31	TYR	CB-CG-CD2	-5.55	117.67	121.00
1	A	125	ARG	NE-CZ-NH2	5.54	123.07	120.30
1	A	5	LEU	N-CA-CB	5.54	121.48	110.40
1	A	99	GLU	N-CA-CB	-5.51	100.69	110.60
1	B	97	SER	N-CA-CB	5.44	118.66	110.50
1	A	50	PHE	CA-C-N	5.41	129.10	117.20
1	B	8	TYR	CB-CG-CD1	5.39	124.24	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	13	GLY	N-CA-C	5.36	126.51	113.10
1	A	50	PHE	N-CA-CB	-5.36	100.95	110.60
1	A	13	GLY	O-C-N	-5.29	114.23	122.70
1	A	100	TYR	CB-CG-CD1	5.29	124.17	121.00
1	A	70	ASP	CB-CG-OD2	5.27	123.05	118.30
1	A	36	ARG	NE-CZ-NH1	5.27	122.94	120.30
1	B	32	GLU	N-CA-CB	5.24	120.03	110.60
1	B	95	GLU	OE1-CD-OE2	5.23	129.57	123.30
1	A	14	ASN	CA-C-O	5.17	130.96	120.10
1	A	45	GLY	O-C-N	-5.16	114.44	122.70
1	B	47	PHE	CB-CG-CD2	-5.14	117.20	120.80
1	B	9	GLY	N-CA-C	-5.12	100.30	113.10
1	A	20	GLU	OE1-CD-OE2	-5.10	117.18	123.30
1	A	60	TRP	CA-C-N	5.08	126.37	116.20
1	B	101	PHE	CG-CD2-CE2	-5.08	115.21	120.80
1	A	3	LYS	N-CA-CB	-5.08	101.45	110.60
1	B	69	ASP	CA-C-N	5.08	128.37	117.20
1	B	29	ALA	N-CA-CB	-5.05	103.03	110.10

There are no chirality outliers.

All (21) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	112	LEU	Mainchain
1	A	37	ASP	Mainchain
1	A	50	PHE	Mainchain
1	A	55	LEU	Mainchain
1	A	86	ARG	Mainchain
1	A	90	CYS	Mainchain
1	A	92	GLY	Mainchain
1	B	10	SER	Mainchain
1	B	101	PHE	Mainchain
1	B	117	ALA	Mainchain
1	B	121	GLN	Mainchain
1	B	126	ILE	Mainchain
1	B	129	ASP	Mainchain
1	B	13	GLY	Mainchain
1	B	131	ARG	Mainchain
1	B	141	ALA	Mainchain
1	B	20	GLU	Mainchain
1	B	30	GLY	Mainchain
1	B	49	GLY	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	6	ILE	Mainchain
1	B	66	GLU	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1105	0	1033	43	0
1	B	1105	0	1034	28	0
2	A	31	0	19	8	0
2	B	31	0	19	3	0
3	A	31	0	0	3	0
3	B	47	0	0	1	0
All	All	2350	0	2105	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:ASN:HB2	2:A:1149:FMN:P	1.99	1.02
1:A:113:LYS:HE2	1:A:119:ILE:HG13	1.55	0.89
1:A:120:VAL:HG11	1:A:148:ILE:HG22	1.56	0.86
1:B:88:VAL:HG11	1:B:112:LEU:HD13	1.61	0.83
1:B:114:ASN:HB3	3:B:2167:HOH:O	1.80	0.80
1:B:68:GLN:NE2	1:B:70:ASP:H	1.80	0.79
1:A:14:ASN:HB2	2:A:1149:FMN:O3P	1.85	0.76
1:A:88:VAL:HG11	1:A:112:LEU:HD13	1.68	0.75
1:A:88:VAL:HG12	1:A:119:ILE:HD13	1.68	0.74
1:B:3:LYS:HG2	1:B:32:GLU:HG3	1.68	0.74
1:B:95:GLU:HG2	2:B:2149:FMN:H1'1	1.69	0.73
1:A:15:THR:N	2:A:1149:FMN:O2P	2.21	0.71
1:B:144:VAL:O	1:B:148:ILE:HG23	1.92	0.69
1:A:79:GLU:HG3	1:A:115:LEU:HD21	1.75	0.67
1:A:68:GLN:NE2	1:A:70:ASP:H	1.94	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:52:LEU:HD13	1:B:148:ILE:HG21	1.76	0.66
1:B:68:GLN:HE22	1:B:70:ASP:H	1.46	0.64
1:A:31:TYR:OH	1:A:148:ILE:HD11	1.97	0.64
1:A:88:VAL:CG1	1:A:112:LEU:HD13	2.29	0.63
1:B:95:GLU:HG2	2:B:2149:FMN:C1'	2.28	0.62
1:A:8:TYR:HA	1:A:56:GLY:O	2.02	0.60
1:B:142:HIS:HA	1:B:145:ARG:NH2	2.17	0.59
1:B:17:TYR:CZ	1:B:131:ARG:HG2	2.37	0.59
1:B:95:GLU:HG3	1:B:98:TYR:HE1	1.68	0.59
1:A:14:ASN:HB2	2:A:1149:FMN:O2P	2.02	0.58
1:A:14:ASN:CB	2:A:1149:FMN:O3P	2.54	0.55
1:A:94:GLY:HA2	2:A:1149:FMN:H4'	1.90	0.53
1:B:88:VAL:CG1	1:B:112:LEU:HD13	2.37	0.53
1:A:96:SER:OG	1:A:127:ASP:OD2	2.26	0.52
1:B:124:LEU:HD21	1:B:137:ILE:HG12	1.92	0.52
1:A:68:GLN:HE22	1:A:70:ASP:HB2	1.74	0.52
1:A:79:GLU:HB2	3:A:1157:HOH:O	2.10	0.52
1:B:65:ILE:HD12	1:B:103:GLY:HA3	1.91	0.52
1:A:87:LYS:HZ2	1:A:118:GLU:CD	2.13	0.51
1:A:106:ASP:O	1:A:110:GLU:HB2	2.11	0.51
1:A:79:GLU:HG3	1:A:115:LEU:CD2	2.42	0.50
1:A:106:ASP:OD1	1:A:125:ARG:NH2	2.35	0.49
1:A:26:LEU:HD12	1:A:145:ARG:HG3	1.94	0.49
1:B:7:VAL:HA	1:B:36:ARG:O	2.12	0.49
1:A:142:HIS:ND1	1:A:145:ARG:NH2	2.61	0.49
1:B:2:PRO:HG2	1:B:31:TYR:CD2	2.48	0.48
1:A:121:GLN:NE2	1:A:143:ASP:HB3	2.28	0.48
1:A:68:GLN:HE22	1:A:70:ASP:H	1.62	0.48
1:A:88:VAL:CG1	1:A:119:ILE:HD13	2.42	0.48
1:A:68:GLN:NE2	1:A:70:ASP:N	2.63	0.47
1:A:7:VAL:HA	1:A:36:ARG:O	2.15	0.47
1:A:120:VAL:HG21	1:A:148:ILE:CG2	2.44	0.46
1:A:11:THR:O	1:A:11:THR:HG22	2.16	0.45
1:A:68:GLN:HE22	1:A:70:ASP:CB	2.30	0.45
1:A:12:THR:OG1	2:A:1149:FMN:O3P	2.29	0.45
1:A:131:ARG:HD3	3:A:1156:HOH:O	2.16	0.45
1:B:17:TYR:CE1	1:B:131:ARG:HG2	2.51	0.45
1:B:56:GLY:HA2	1:B:91:PHE:O	2.16	0.45
1:B:3:LYS:HG2	1:B:32:GLU:CG	2.43	0.44
1:A:52:LEU:HB2	1:A:148:ILE:CD1	2.47	0.44
1:B:95:GLU:HB2	1:B:98:TYR:HD1	1.83	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:LEU:HD12	1:A:111:LYS:HG2	1.99	0.44
1:B:129:ASP:HA	1:B:130:PRO:HD2	1.59	0.43
1:A:120:VAL:HG21	1:A:148:ILE:HG23	2.00	0.43
1:A:84:GLN:NE2	3:A:1160:HOH:O	2.51	0.43
1:B:3:LYS:CG	1:B:32:GLU:HG3	2.44	0.43
1:A:129:ASP:HA	1:A:130:PRO:HD2	1.84	0.43
1:A:59:THR:HG22	2:A:1149:FMN:C4	2.49	0.42
1:B:55:LEU:HD12	1:B:112:LEU:HD11	2.00	0.42
1:B:95:GLU:HG3	1:B:98:TYR:CE1	2.53	0.42
1:A:3:LYS:N	1:A:51:ASP:OD2	2.44	0.42
1:A:87:LYS:NZ	1:A:118:GLU:OE1	2.53	0.42
1:B:68:GLN:NE2	1:B:70:ASP:N	2.59	0.42
1:B:58:SER:HB2	2:B:2149:FMN:H5'2	2.02	0.41
1:A:8:TYR:CE1	1:A:16:GLU:HB2	2.57	0.40
1:B:3:LYS:HB3	1:B:3:LYS:HE2	1.91	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	145/147 (99%)	138 (95%)	7 (5%)	0	100	100
1	B	145/147 (99%)	138 (95%)	7 (5%)	0	100	100
All	All	290/294 (99%)	276 (95%)	14 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	112/112 (100%)	105 (94%)	7 (6%)	20	19
1	B	112/112 (100%)	106 (95%)	6 (5%)	24	25
All	All	224/224 (100%)	211 (94%)	13 (6%)	22	22

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	ARG
1	A	26	LEU
1	A	51	ASP
1	A	67	LEU
1	A	68	GLN
1	A	96	SER
1	A	110	GLU
1	B	32	GLU
1	B	62	ASP
1	B	67	LEU
1	B	68	GLN
1	B	69	ASP
1	B	110	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	GLN
1	A	121	GLN
1	B	68	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	FMN	A	1149	-	31,33,33	3.27	14 (45%)	39,50,50	4.65	19 (48%)
2	FMN	B	2149	-	31,33,33	3.11	15 (48%)	39,50,50	4.25	16 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	A	1149	-	-	0/16/18/18	0/3/3/3
2	FMN	B	2149	-	-	0/16/18/18	0/3/3/3

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1149	FMN	C1'-N10	-9.63	1.38	1.48
2	B	2149	FMN	C1'-N10	-6.48	1.41	1.48
2	B	2149	FMN	C5'-C4'	-5.63	1.43	1.51
2	B	2149	FMN	C4'-C3'	-4.49	1.44	1.53
2	A	1149	FMN	C4'-C3'	-3.85	1.45	1.53
2	B	2149	FMN	C8M-C8	-3.67	1.43	1.51
2	A	1149	FMN	C4A-C10	-3.64	1.35	1.41
2	A	1149	FMN	C7M-C7	-3.28	1.44	1.51
2	B	2149	FMN	C7M-C7	-3.20	1.44	1.51
2	A	1149	FMN	C5'-C4'	-3.01	1.47	1.51
2	A	1149	FMN	C8M-C8	-2.89	1.45	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2149	FMN	C9A-C5A	-2.27	1.38	1.42
2	B	2149	FMN	P-O3P	2.43	1.64	1.54
2	A	1149	FMN	C10-N1	2.46	1.36	1.33
2	B	2149	FMN	P-O1P	2.62	1.59	1.50
2	B	2149	FMN	C4-N3	2.71	1.37	1.33
2	A	1149	FMN	P-O2P	3.18	1.67	1.54
2	B	2149	FMN	C5A-N5	3.27	1.40	1.35
2	B	2149	FMN	C4A-N5	3.62	1.38	1.33
2	A	1149	FMN	P-O1P	3.76	1.63	1.50
2	A	1149	FMN	C4A-N5	3.87	1.39	1.33
2	A	1149	FMN	C4-C4A	4.14	1.48	1.41
2	A	1149	FMN	C5A-N5	4.88	1.42	1.35
2	B	2149	FMN	P-O5'	4.90	1.76	1.60
2	B	2149	FMN	O4-C4	5.25	1.37	1.24
2	B	2149	FMN	P-O2P	5.35	1.76	1.54
2	B	2149	FMN	C10-N1	5.68	1.40	1.33
2	A	1149	FMN	P-O3P	5.99	1.79	1.54
2	A	1149	FMN	O4-C4	6.53	1.41	1.24

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1149	FMN	C4-C4A-C10	-8.58	113.54	119.95
2	A	1149	FMN	O4'-C4'-C5'	-7.19	93.98	110.02
2	A	1149	FMN	C1'-N10-C10	-7.18	111.28	118.46
2	B	2149	FMN	C9A-N10-C10	-6.98	112.47	121.77
2	B	2149	FMN	C4A-C4-N3	-6.72	113.92	123.47
2	B	2149	FMN	C7-C6-C5A	-5.89	112.38	121.17
2	B	2149	FMN	C4-C4A-N5	-5.54	112.49	118.70
2	A	1149	FMN	O5'-C5'-C4'	-5.48	94.73	109.36
2	B	2149	FMN	C6-C5A-N5	-5.22	112.96	118.95
2	A	1149	FMN	C9A-N10-C10	-4.54	115.72	121.77
2	A	1149	FMN	C9-C9A-C5A	-4.22	112.94	119.89
2	A	1149	FMN	C6-C5A-N5	-4.10	114.25	118.95
2	B	2149	FMN	C4A-N5-C5A	-3.71	112.88	116.76
2	A	1149	FMN	C8M-C8-C7	-3.64	113.11	120.72
2	B	2149	FMN	O2P-P-O5'	-3.49	97.45	106.73
2	A	1149	FMN	O3P-P-O1P	-3.20	98.11	110.60
2	A	1149	FMN	C4A-N5-C5A	-2.45	114.20	116.76
2	B	2149	FMN	O3P-P-O5'	-2.38	100.39	106.73
2	A	1149	FMN	C8M-C8-C9	2.44	126.37	120.36
2	A	1149	FMN	O4'-C4'-C3'	2.97	116.43	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2149	FMN	C4-C4A-C10	3.36	122.46	119.95
2	A	1149	FMN	O5'-P-O1P	3.44	116.12	106.47
2	B	2149	FMN	C10-C4A-N5	3.86	125.04	120.59
2	A	1149	FMN	C6-C5A-C9A	4.22	124.68	119.01
2	A	1149	FMN	O3P-P-O5'	5.29	120.82	106.73
2	B	2149	FMN	C4'-C3'-C2'	5.63	125.27	113.40
2	B	2149	FMN	C6-C5A-C9A	5.88	126.91	119.01
2	A	1149	FMN	C10-C4A-N5	6.09	127.59	120.59
2	A	1149	FMN	C5A-C9A-N10	6.14	122.40	117.71
2	B	2149	FMN	O3P-P-O1P	7.12	138.39	110.60
2	B	2149	FMN	C4-N3-C2	8.69	122.54	115.14
2	A	1149	FMN	C4-N3-C2	10.70	124.25	115.14
2	B	2149	FMN	C5A-C9A-N10	10.76	125.92	117.71
2	B	2149	FMN	C1'-N10-C9A	11.23	128.29	118.31
2	A	1149	FMN	C1'-N10-C9A	16.34	132.83	118.31

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1149	FMN	8	0
2	B	2149	FMN	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	147/147 (100%)	-0.10	3 (2%) 65 69	32, 45, 71, 94	0
1	B	147/147 (100%)	-0.14	4 (2%) 54 59	31, 43, 71, 100	0
All	All	294/294 (100%)	-0.12	7 (2%) 59 63	31, 44, 71, 100	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	148	ILE	3.1
1	B	64	SER	2.5
1	B	55	LEU	2.2
1	A	100	TYR	2.1
1	A	64	SER	2.1
1	A	32	GLU	2.1
1	B	63	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	FMN	A	1149	31/31	0.83	0.17	23,42,62,70	0
2	FMN	B	2149	31/31	0.96	0.11	24,40,53,59	0

6.5 Other polymers [i](#)

There are no such residues in this entry.