



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 6, 2019 – 01:41 PM EDT

PDB ID : 6C9F  
Title : AMP-activated protein kinase bound to pharmacological activator R734  
Authors : Yan, Y.; Zhou, X.E.; Novick, S.; Shaw, S.J.; Li, Y.; Hitoshi, Y.; Brunzelle, J.S.; Griffin, P.R.; Xu, H.E.; Melcher, K.  
Deposited on : 2018-01-26  
Resolution : 2.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.0 (224370), CSD as540be (2019)  
Xtriage (Phenix) : 1.13  
EDS : rb-20031633  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20031633


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1983 (2.94-2.90)
Clashscore	122126	2200 (2.94-2.90)
Ramachandran outliers	120053	2150 (2.94-2.90)
Sidechain outliers	120020	2152 (2.94-2.90)
RSRZ outliers	108989	1928 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	494	<div> <div>3%</div> <div>63%</div> <div>13%</div> <div>24%</div> </div>
2	B	204	<div> <div>12%</div> <div>74%</div> <div>12%</div> <div>14%</div> </div>
3	C	331	<div> <div>4%</div> <div>76%</div> <div>15%</div> <div>9%</div> </div>

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6991 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-AMP-activated protein kinase catalytic subunit alpha-1,5'-AMP-activated protein kinase catalytic subunit alpha-1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	373	Total	C	N	O	P	S	0	0	0
			3025	1939	526	541	1	18			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	3	MET	-	expression tag	UNP Q13131
A	4	GLY	-	expression tag	UNP Q13131
A	5	HIS	-	expression tag	UNP Q13131
A	6	HIS	-	expression tag	UNP Q13131
A	7	HIS	-	expression tag	UNP Q13131
A	8	HIS	-	expression tag	UNP Q13131
A	9	HIS	-	expression tag	UNP Q13131
A	10	HIS	-	expression tag	UNP Q13131
A	11	GLY	-	expression tag	UNP Q13131
A	12	SER	-	expression tag	UNP Q13131

- Molecule 2 is a protein called 5'-AMP-activated protein kinase subunit beta-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	176	Total	C	N	O	S	0	0	0
			1410	912	239	254	5			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	67	MET	-	expression tag	UNP Q9Y478
B	108	ASP	SER	conflict	UNP Q9Y478

- Molecule 3 is a protein called 5'-AMP-activated protein kinase subunit gamma-1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	300	Total	C	N	O	S	0	0	0
			2420	1572	402	439	7			

- Molecule 4 is 5-{{6-chloro-5-(1-methyl-1H-indol-5-yl)-1H-benzimidazol-2-yl}oxy}-N-hydroxy-2-methylbenzamide (three-letter code: R34) (formula: C<sub>24</sub>H<sub>19</sub>ClN<sub>4</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Cl	N	O	0	0
			32	24	1	4	3		

- Molecule 5 is STAUROSPORINE (three-letter code: STU) (formula: C<sub>28</sub>H<sub>26</sub>N<sub>4</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			35	28	4	3		

- Molecule 6 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: C<sub>10</sub>H<sub>14</sub>N<sub>5</sub>O<sub>7</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
6	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
6	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	123.29Å 123.29Å 406.59Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.67 – 2.92 49.67 – 2.92	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.67-2.92) 100.0 (49.67-2.92)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.58 (at 2.91Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.228 , 0.245 0.232 , 0.248	Depositor DCC
$R_{free}$ test set	2918 reflections (7.18%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	54.9	Xtriage
Anisotropy	0.585	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 55.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	6991	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.43% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, STU, R34, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.22	0/3083	0.39	0/4160
2	B	0.23	0/1450	0.41	0/1975
3	C	0.23	0/2471	0.40	0/3355
All	All	0.22	0/7004	0.40	0/9490

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3025	0	3059	43	0
2	B	1410	0	1405	20	0
3	C	2420	0	2489	37	0
4	A	32	0	0	1	0
5	A	35	0	26	2	0
6	C	69	0	36	2	0
All	All	6991	0	7015	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:430:ASN:HB3	1:A:433:TYR:HB3	1.61	0.81
3:C:268:ARG:NH1	6:C:1102:AMP:O2'	2.23	0.72
1:A:69:ASN:ND2	1:A:165:MET:SD	2.64	0.71
1:A:440:ASN:ND2	1:A:443:THR:OG1	2.27	0.67
3:C:188:MET:HB3	3:C:285:GLU:HB3	1.77	0.67
3:C:238:ASP:OD1	3:C:268:ARG:NH2	2.28	0.66
1:A:30:GLY:H	4:A:601:R34:C18	2.09	0.65
3:C:73:LEU:HD21	3:C:85:LEU:HB2	1.81	0.63
1:A:398:TRP:HB2	2:B:213:VAL:HG11	1.80	0.61
1:A:470:ASP:HB2	1:A:526:LEU:HD23	1.83	0.61
1:A:534:THR:OG1	3:C:161:ASN:ND2	2.33	0.61
1:A:430:ASN:HD21	2:B:201:ARG:NH2	2.00	0.59
1:A:415:VAL:O	1:A:419:ILE:HG13	2.03	0.59
1:A:98:VAL:HG11	1:A:156:LYS:HG3	1.85	0.58
3:C:303:ASP:OD2	3:C:307:VAL:HB	2.02	0.58
1:A:414:GLU:OE2	1:A:417:ARG:NH1	2.36	0.58
3:C:192:LEU:HD21	3:C:312:VAL:HG21	1.86	0.58
1:A:439:LYS:HB2	1:A:446:TYR:CE2	2.39	0.58
3:C:277:LYS:NZ	3:C:306:ASP:OD1	2.37	0.57
3:C:225:SER:OG	3:C:298:ARG:HD3	2.04	0.57
1:A:30:GLY:HA3	1:A:48:ILE:O	2.05	0.56
1:A:29:PHE:CE1	1:A:49:LEU:HD22	2.41	0.56
3:C:233:LYS:HD2	3:C:235:ARG:CZ	2.35	0.56
1:A:130:ASP:OD2	1:A:134:ARG:NH1	2.40	0.55
1:A:416:CYS:SG	2:B:195:LYS:HD3	2.47	0.55
1:A:275:PRO:HD2	1:A:278:LEU:HD12	1.88	0.54
1:A:415:VAL:HG12	1:A:419:ILE:HD11	1.89	0.54
2:B:78:ARG:HB3	2:B:160:PHE:CZ	2.43	0.54
1:A:404:SER:HG	1:A:406:SER:HG	1.53	0.54
3:C:32:MET:SD	3:C:175:LEU:HD11	2.48	0.53
2:B:145:GLN:N	2:B:145:GLN:OE1	2.38	0.53
2:B:107:ARG:NH2	2:B:109:HIS:O	2.42	0.53
2:B:224:ASP:HB3	2:B:227:LEU:HG	1.91	0.52
3:C:305:ASN:O	3:C:306:ASP:HB2	2.10	0.51
1:A:51:ARG:NH1	1:A:87:THR:O	2.40	0.51
2:B:226:ALA:O	3:C:46:LYS:N	2.43	0.51
1:A:174:TPO:O	1:A:192:TYR:OH	2.21	0.51
3:C:150:HIS:NE2	6:C:1103:AMP:O1P	2.36	0.51
3:C:29:THR:O	3:C:33:LYS:HG3	2.12	0.50
1:A:426:TRP:CZ3	2:B:192:TYR:HB2	2.48	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:465:PHE:HB2	2:B:239:LEU:HB3	1.93	0.49
1:A:139:HIS:NE2	1:A:159:ASP:O	2.46	0.49
1:A:139:HIS:CE1	1:A:141:ASP:HB3	2.49	0.48
3:C:288:ILE:HG12	3:C:317:ILE:HD13	1.96	0.48
1:A:465:PHE:HE2	1:A:544:LEU:HD23	1.79	0.48
3:C:91:ILE:HG23	3:C:216:LEU:HD22	1.95	0.47
1:A:430:ASN:HD21	2:B:201:ARG:HH22	1.63	0.47
2:B:161:GLU:HB3	2:B:164:ASP:HB2	1.96	0.46
3:C:291:LEU:HD21	3:C:299:LEU:HG	1.98	0.46
1:A:158:ALA:HB3	5:A:602:STU:H271	1.98	0.46
3:C:26:SER:HB3	3:C:324:THR:HG22	1.96	0.46
5:A:602:STU:H261	5:A:602:STU:H16	1.98	0.46
1:A:408:PRO:O	1:A:412:MET:HB2	2.15	0.46
1:A:52:GLN:OE1	1:A:55:ARG:NH1	2.49	0.46
3:C:32:MET:SD	3:C:175:LEU:HD21	2.56	0.46
3:C:188:MET:HE1	3:C:288:ILE:HD12	1.97	0.46
1:A:29:PHE:HE1	1:A:49:LEU:HD22	1.82	0.45
2:B:79:PRO:O	2:B:160:PHE:HE1	2.00	0.45
2:B:206:LEU:HD12	2:B:207:PRO:HD2	1.99	0.45
2:B:78:ARG:HB3	2:B:160:PHE:CE1	2.52	0.45
2:B:207:PRO:HA	2:B:208:PRO:HD3	1.78	0.44
3:C:174:PHE:HD2	3:C:175:LEU:HD12	1.81	0.44
1:A:242:SER:O	1:A:245:SER:OG	2.31	0.44
1:A:144:PRO:HD3	1:A:205:ILE:HG12	2.00	0.44
3:C:28:TYR:CE2	3:C:179:ILE:HG12	2.53	0.43
1:A:249:HIS:CG	1:A:259:ALA:HB2	2.53	0.43
1:A:262:LYS:HE2	1:A:266:GLU:OE2	2.18	0.43
3:C:186:GLU:O	3:C:190:LYS:HG2	2.18	0.43
1:A:529:ARG:NH2	1:A:536:GLU:OE2	2.51	0.43
1:A:419:ILE:HG22	1:A:424:TYR:HB2	1.99	0.43
1:A:529:ARG:HH12	1:A:533:HIS:HA	1.83	0.43
3:C:28:TYR:HE2	3:C:179:ILE:HG12	1.84	0.43
3:C:207:ARG:NH1	3:C:231:ASP:O	2.53	0.42
3:C:42:PRO:HG2	3:C:45:SER:HB3	2.02	0.42
2:B:78:ARG:CZ	2:B:120:GLU:HG3	2.49	0.42
3:C:233:LYS:HD2	3:C:235:ARG:NH2	2.34	0.42
3:C:73:LEU:HD22	3:C:113:ILE:HG21	2.01	0.42
2:B:75:ALA:HB1	2:B:78:ARG:HH21	1.84	0.42
3:C:172:LEU:HD22	3:C:314:LEU:HD22	2.01	0.42
1:A:162:LEU:HD13	1:A:176:CYS:HB3	2.01	0.42
3:C:186:GLU:O	3:C:189:SER:OG	2.35	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:TPO:O2P	1:A:174:TPO:HG21	2.20	0.41
2:B:203:PRO:HA	2:B:204:PRO:HD3	1.97	0.41
1:A:26:VAL:HG12	1:A:27:GLY:N	2.36	0.41
3:C:291:LEU:HD13	3:C:314:LEU:HD23	2.03	0.41
1:A:260:THR:O	1:A:264:ILE:HG13	2.20	0.41
2:B:92:TYR:HB2	2:B:128:PHE:HB3	2.03	0.41
3:C:175:LEU:O	3:C:179:ILE:HG13	2.21	0.41
3:C:297:HIS:HB2	3:C:298:ARG:NH2	2.36	0.41
3:C:173:LYS:HG3	3:C:292:VAL:HG13	2.03	0.41
3:C:303:ASP:OD1	3:C:305:ASN:N	2.54	0.40
1:A:49:LEU:HB2	1:A:91:ILE:HB	2.04	0.40
3:C:184:LYS:H	3:C:184:LYS:HG3	1.75	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	368/494 (74%)	363 (99%)	5 (1%)	0	100	100
2	B	170/204 (83%)	167 (98%)	3 (2%)	0	100	100
3	C	298/331 (90%)	292 (98%)	6 (2%)	0	100	100
All	All	836/1029 (81%)	822 (98%)	14 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	335/447 (75%)	335 (100%)	0	100	100
2	B	159/185 (86%)	159 (100%)	0	100	100
3	C	276/304 (91%)	274 (99%)	2 (1%)	85	96
All	All	770/936 (82%)	768 (100%)	2 (0%)	93	98

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	C	298	ARG
3	C	323	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	440	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	TPO	A	174	1	9,10,11	1.50	1 (11%)	11,14,16	1.52	3 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	174	1	-	0/9/11/13	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	174	TPO	P-O1P	3.17	1.61	1.50

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	174	TPO	P-OG1-CB	-3.13	113.76	123.21
1	A	174	TPO	CG2-CB-CA	-2.27	108.64	113.10
1	A	174	TPO	O-C-CA	-2.05	120.42	125.11

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	174	TPO	2	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	R34	A	601	-	35,36,36	1.77	4 (11%)	42,53,53	1.26	4 (9%)
5	STU	A	602	-	31,42,42	3.13	6 (19%)	31,68,68	1.50	6 (19%)
6	AMP	C	1101	-	21,25,25	0.98	1 (4%)	23,38,38	1.20	2 (8%)
6	AMP	C	1102	-	21,25,25	1.00	1 (4%)	23,38,38	1.22	2 (8%)
6	AMP	C	1103	-	21,25,25	0.99	1 (4%)	23,38,38	1.25	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	R34	A	601	-	-	2/12/14/14	0/5/5/5
5	STU	A	602	-	-	0/4/42/42	0/0/8/8
6	AMP	C	1101	-	-	0/6/26/26	0/3/3/3
6	AMP	C	1102	-	-	0/6/26/26	0/3/3/3
6	AMP	C	1103	-	-	0/6/26/26	0/3/3/3

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	602	STU	C22-C23	-3.82	1.49	1.52
4	A	601	R34	C9-N7	-2.89	1.32	1.37
5	A	602	STU	C26-C21	2.27	1.54	1.51
4	A	601	R34	C11-C10	2.49	1.40	1.36
6	C	1101	AMP	C5-C4	3.15	1.47	1.40
6	C	1103	AMP	C5-C4	3.15	1.47	1.40
6	C	1102	AMP	C5-C4	3.15	1.47	1.40
4	A	601	R34	C7-C2	3.17	1.55	1.49
5	A	602	STU	C24-C25	3.19	1.56	1.51
5	A	602	STU	C9-C10	4.12	1.53	1.50
4	A	601	R34	C18-N8	7.76	1.42	1.32
5	A	602	STU	O5-C8	8.85	1.41	1.23
5	A	602	STU	C8-N1	12.24	1.45	1.35

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	602	STU	C9-N1-C8	-5.31	108.74	113.85
4	A	601	R34	O21-N8-C18	-4.00	109.39	119.67
6	C	1103	AMP	N3-C2-N1	-3.16	123.59	128.68

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	1101	AMP	N3-C2-N1	-3.04	123.78	128.68
6	C	1102	AMP	N3-C2-N1	-3.01	123.83	128.68
5	A	602	STU	O5-C8-C7	-2.78	126.02	129.32
4	A	601	R34	C11-C10-C7	-2.71	119.99	121.90
6	C	1103	AMP	C4-C5-N7	-2.67	106.62	109.40
6	C	1101	AMP	C4-C5-N7	-2.63	106.66	109.40
6	C	1102	AMP	C4-C5-N7	-2.61	106.68	109.40
5	A	602	STU	C26-C21-C22	-2.39	107.92	112.66
4	A	601	R34	C29-C30-C18	-2.18	119.01	120.61
5	A	602	STU	C1-C20-N3	-2.15	129.68	132.25
5	A	602	STU	C7-C10-C11	-2.03	119.68	122.42
5	A	602	STU	C7-C8-N1	2.04	108.44	106.37
4	A	601	R34	C30-C18-N8	2.91	120.57	114.90

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	601	R34	C30-C18-N8-O21
4	A	601	R34	O20-C18-N8-O21

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	601	R34	1	0
5	A	602	STU	2	0
6	C	1102	AMP	1	0
6	C	1103	AMP	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	372/494 (75%)	0.19	15 (4%) 38 34	25, 53, 115, 219	0
2	B	176/204 (86%)	0.70	24 (13%) 3 2	31, 67, 142, 178	0
3	C	300/331 (90%)	0.27	13 (4%) 35 31	43, 78, 121, 146	0
All	All	848/1029 (82%)	0.33	52 (6%) 21 17	25, 67, 125, 219	0

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	222	SER	11.3
2	B	194	CYS	8.6
2	B	219	THR	7.5
2	B	76	GLN	6.8
2	B	223	CYS	5.5
2	B	220	GLY	4.9
2	B	74	PRO	4.8
2	B	217	LYS	4.6
2	B	192	TYR	4.3
2	B	188	HIS	4.2
1	A	411	ILE	4.1
2	B	221	ILE	4.0
2	B	270	ILE	3.9
2	B	75	ALA	3.7
3	C	269	SER	3.6
1	A	527	THR	3.5
3	C	124	SER	3.5
2	B	218	ASP	3.5
1	A	424	TYR	3.4
1	A	11	GLY	3.3
2	B	77	ALA	3.3
2	B	195	LYS	3.2
2	B	213	VAL	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	224	ASP	3.0
2	B	189	GLN	3.0
1	A	421	GLN	3.0
1	A	415	VAL	2.9
1	A	396	ALA	2.9
3	C	194	GLU	2.8
3	C	308	VAL	2.8
3	C	200	TYR	2.8
1	A	426	TRP	2.7
1	A	443	THR	2.6
3	C	25	ASN	2.5
2	B	215	LEU	2.5
3	C	270	HIS	2.5
3	C	178	PHE	2.5
1	A	442	VAL	2.4
3	C	123	ASP	2.4
2	B	78	ARG	2.4
1	A	414	GLU	2.4
2	B	203	PRO	2.4
3	C	32	MET	2.4
1	A	406	SER	2.2
3	C	307	VAL	2.2
1	A	440	ASN	2.2
1	A	418	ALA	2.1
1	A	173	ARG	2.1
3	C	201	ALA	2.1
2	B	214	ILE	2.1
2	B	117	ASP	2.0
3	C	28	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	TPO	A	174	11/12	0.92	0.17	31,44,63,72	0

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	AMP	C	1101	23/23	0.91	0.17	40,54,67,77	0
6	AMP	C	1103	23/23	0.92	0.17	42,52,62,70	0
6	AMP	C	1102	23/23	0.93	0.17	34,47,70,83	0
4	R34	A	601	32/32	0.95	0.21	20,34,82,92	0
5	STU	A	602	35/35	0.97	0.20	11,24,32,37	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.