



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2018 – 06:17 am GMT

PDB ID : 2D2S
Title : Crystal Structure of the Exo84p C-terminal Domains
Authors : Dong, G.; Hutagalung, A.H.; Fu, C.; Novick, P.; Reinisch, K.M.
Deposited on : 2005-09-16
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	122126	2976 (2.90-2.82)
Ramachandran outliers	120053	2913 (2.90-2.82)
Sidechain outliers	120020	2916 (2.90-2.82)
RSRZ outliers	108989	2654 (2.90-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	235	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 1742 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Exocyst complex component EXO84.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	217	Total	C	N	O	S	0	0	0
			1742	1106	290	342	4			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	519	GLY	-	CLONING ARTIFACT	UNP P38261
A	520	SER	-	CLONING ARTIFACT	UNP P38261
A	521	HIS	-	CLONING ARTIFACT	UNP P38261
A	522	MET	-	CLONING ARTIFACT	UNP P38261

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Exocyst complex component EXO84



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	54.85Å 54.85Å 209.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.85 37.84 – 2.75	Depositor EDS
% Data completeness (in resolution range)	(Not available) (15.00-2.85) 82.5 (37.84-2.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.51 (at 2.77Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.269 , 0.306 0.306 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	66.5	Xtriage
Anisotropy	0.738	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 59.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	1742	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/1757	0.73	1/2356 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	653	PRO	CA-N-CD	-8.04	100.24	111.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1742	0	1796	88	0
All	All	1742	0	1796	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:715:LEU:HD22	1:A:716:SER:H	1.31	0.93
1:A:657:LEU:HD11	1:A:705:ILE:HG12	1.60	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:707:LYS:O	1:A:710:LEU:HB2	1.85	0.77
1:A:535:PHE:HA	1:A:538:GLU:HG3	1.66	0.76
1:A:566:LEU:HD22	1:A:588:ILE:HD12	1.68	0.75
1:A:657:LEU:HD23	1:A:719:SER:HB3	1.70	0.74
1:A:660:LEU:HD21	1:A:704:LEU:HD23	1.71	0.72
1:A:559:LEU:HD22	1:A:595:ILE:HD12	1.70	0.72
1:A:715:LEU:HD12	1:A:752:ILE:HG12	1.72	0.71
1:A:623:GLY:C	1:A:624:LEU:HD12	2.12	0.69
1:A:603:ILE:HD11	1:A:616:THR:HA	1.75	0.69
1:A:629:LEU:HD22	1:A:686:ILE:HG23	1.74	0.69
1:A:741:LEU:O	1:A:745:ILE:HG13	1.94	0.68
1:A:533:LEU:HD22	1:A:584:ILE:HD12	1.74	0.67
1:A:636:ARG:HH22	1:A:670:LYS:HD2	1.59	0.66
1:A:599:LEU:HD23	1:A:619:MET:HA	1.78	0.66
1:A:741:LEU:CD2	1:A:745:ILE:HD11	2.26	0.65
1:A:709:LEU:HD11	1:A:715:LEU:HB2	1.77	0.65
1:A:715:LEU:HD22	1:A:716:SER:N	2.09	0.64
1:A:620:ILE:O	1:A:623:GLY:N	2.27	0.63
1:A:623:GLY:O	1:A:624:LEU:HD12	1.99	0.63
1:A:546:GLU:OE2	1:A:551:ARG:HG3	1.99	0.62
1:A:724:ARG:HA	1:A:741:LEU:CD1	2.29	0.62
1:A:619:MET:CG	1:A:628:ALA:HB2	2.29	0.62
1:A:570:SER:HB3	1:A:581:LEU:HD21	1.81	0.61
1:A:545:ILE:N	1:A:545:ILE:HD13	2.16	0.61
1:A:600:SER:HA	1:A:631:LEU:HD13	1.84	0.59
1:A:705:ILE:HG22	1:A:709:LEU:HD13	1.84	0.59
1:A:669:LYS:O	1:A:673:GLU:HG3	2.04	0.58
1:A:652:ASN:HD22	1:A:655:ASN:HD22	1.52	0.57
1:A:724:ARG:HA	1:A:741:LEU:HD11	1.86	0.57
1:A:636:ARG:HG3	1:A:671:THR:OG1	2.03	0.57
1:A:545:ILE:O	1:A:548:ALA:HB3	2.05	0.56
1:A:672:VAL:O	1:A:676:GLN:HG3	2.06	0.56
1:A:613:LYS:O	1:A:617:GLU:HG3	2.06	0.55
1:A:745:ILE:HG23	1:A:752:ILE:HD13	1.87	0.55
1:A:717:PRO:HD3	1:A:752:ILE:O	2.07	0.54
1:A:664:ARG:HG3	1:A:668:ILE:HD11	1.90	0.54
1:A:619:MET:HG3	1:A:628:ALA:HB2	1.88	0.54
1:A:664:ARG:NH1	1:A:697:GLU:OE1	2.42	0.52
1:A:644:ILE:HG13	1:A:663:ILE:HG21	1.90	0.52
1:A:584:ILE:O	1:A:588:ILE:HG13	2.10	0.52
1:A:578:LEU:HG	1:A:582:ASN:ND2	2.25	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:556:VAL:HG22	1:A:622:LEU:HG	1.92	0.51
1:A:675:PHE:CD2	1:A:690:LEU:HD22	2.46	0.51
1:A:629:LEU:HB2	1:A:679:PHE:CE2	2.46	0.51
1:A:562:ILE:O	1:A:566:LEU:HB2	2.10	0.51
1:A:736:ASP:OD1	1:A:738:VAL:HG23	2.11	0.50
1:A:745:ILE:HG23	1:A:752:ILE:CD1	2.41	0.50
1:A:672:VAL:HG11	1:A:733:VAL:HB	1.94	0.50
1:A:662:VAL:O	1:A:663:ILE:C	2.50	0.50
1:A:741:LEU:HD21	1:A:745:ILE:HD11	1.93	0.50
1:A:694:CYS:SG	1:A:735:LEU:HD21	2.52	0.49
1:A:699:ASP:OD1	1:A:740:LYS:HE2	2.13	0.48
1:A:663:ILE:HG22	1:A:664:ARG:N	2.28	0.48
1:A:643:LEU:HD12	1:A:663:ILE:HD11	1.95	0.48
1:A:704:LEU:O	1:A:708:GLN:HG2	2.14	0.48
1:A:528:SER:O	1:A:531:GLN:HB3	2.13	0.47
1:A:637:SER:O	1:A:640:ILE:HB	2.14	0.47
1:A:661:ALA:O	1:A:662:VAL:C	2.52	0.47
1:A:540:VAL:HG12	1:A:541:GLU:N	2.30	0.47
1:A:566:LEU:HD22	1:A:588:ILE:CD1	2.43	0.45
1:A:592:ARG:NH2	1:A:622:LEU:O	2.50	0.45
1:A:626:GLU:HG3	1:A:686:ILE:HD11	1.98	0.45
1:A:672:VAL:CG1	1:A:733:VAL:HB	2.47	0.45
1:A:559:LEU:O	1:A:563:GLU:HG3	2.17	0.45
1:A:734:GLY:O	1:A:735:LEU:HD12	2.16	0.45
1:A:724:ARG:CA	1:A:741:LEU:HD11	2.47	0.45
1:A:617:GLU:O	1:A:620:ILE:HB	2.17	0.44
1:A:640:ILE:HD11	1:A:667:THR:HB	1.98	0.44
1:A:644:ILE:HA	1:A:647:ILE:HD11	2.00	0.43
1:A:680:LYS:O	1:A:682:LEU:HD23	2.19	0.43
1:A:724:ARG:HA	1:A:741:LEU:HD12	1.99	0.42
1:A:533:LEU:HD21	1:A:581:LEU:HD12	2.02	0.42
1:A:613:LYS:HD2	1:A:678:ILE:CD1	2.50	0.41
1:A:562:ILE:HG22	1:A:588:ILE:CD1	2.50	0.41
1:A:561:ASP:O	1:A:565:GLN:HB2	2.20	0.41
1:A:734:GLY:C	1:A:735:LEU:HD12	2.41	0.41
1:A:679:PHE:O	1:A:682:LEU:HB2	2.20	0.41
1:A:643:LEU:HB3	1:A:663:ILE:HD12	2.03	0.41
1:A:641:GLN:CA	1:A:641:GLN:HE21	2.33	0.41
1:A:613:LYS:HD2	1:A:678:ILE:HG12	2.03	0.40
1:A:662:VAL:O	1:A:666:GLN:HB2	2.21	0.40
1:A:629:LEU:HA	1:A:679:PHE:CZ	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:547:LEU:HA	1:A:547:LEU:HD23	1.86	0.40
1:A:650:VAL:HA	1:A:656:TYR:CD1	2.57	0.40
1:A:708:GLN:NE2	1:A:708:GLN:HA	2.37	0.40
1:A:604:LEU:HD12	1:A:604:LEU:HA	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	209/235 (89%)	188 (90%)	17 (8%)	4 (2%)	9	27

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	646	GLN
1	A	662	VAL
1	A	663	ILE
1	A	664	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/218 (93%)	184 (91%)	18 (9%)	11	28

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	525	ASP
1	A	532	ARG
1	A	540	VAL
1	A	541	GLU
1	A	545	ILE
1	A	549	ARG
1	A	551	ARG
1	A	564	SER
1	A	579	MET
1	A	583	LEU
1	A	599	LEU
1	A	604	LEU
1	A	641	GLN
1	A	652	ASN
1	A	653	PRO
1	A	654	THR
1	A	715	LEU
1	A	733	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	582	ASN
1	A	601	GLN
1	A	611	HIS
1	A	627	GLN
1	A	641	GLN
1	A	655	ASN
1	A	659	GLN
1	A	700	ASN
1	A	708	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	217/235 (92%)	0.60	14 (6%) 19 14	56, 83, 100, 100	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	677	ASP	5.2
1	A	678	ILE	3.9
1	A	666	GLN	3.0
1	A	719	SER	3.0
1	A	611	HIS	2.8
1	A	659	GLN	2.7
1	A	708	GLN	2.6
1	A	661	ALA	2.4
1	A	627	GLN	2.3
1	A	632	PHE	2.3
1	A	655	ASN	2.1
1	A	679	PHE	2.1
1	A	744	PHE	2.1
1	A	603	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.