



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2018 – 03:03 pm GMT

PDB ID : 3DDN
Title : Crystal structure of hydroxypyruvic acid phosphate bound D-3-phosphoglycerate dehydrogenase in mycobacterium tuberculosis
Authors : Dey, S.; Sacchettini, J.C.
Deposited on : 2008-06-05
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	3481 (2.40-2.40)
Clashscore	122126	3956 (2.40-2.40)
Ramachandran outliers	120053	3897 (2.40-2.40)
Sidechain outliers	120020	3898 (2.40-2.40)
RSRZ outliers	108989	3386 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	528	<div> <div>2%</div> <div> <div></div> <div>73%</div> <div>21%</div> <div>6%</div> </div> </div>
1	B	528	<div> <div>%</div> <div> <div></div> <div>76%</div> <div>20%</div> <div>• •</div> </div> </div>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7889 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called D-3-phosphoglycerate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	527	Total	C	N	O	S	0	4	0
			3860	2432	677	749	2			
1	B	525	Total	C	N	O	S	0	0	0
			3823	2409	671	741	2			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	VAL	-	EXPRESSION TAG	UNP P0A544
B	2	VAL	-	EXPRESSION TAG	UNP P0A544

- Molecule 2 is L(+)-TARTARIC ACID (three-letter code: TLA) (formula: C₄H₆O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			10	4	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			10	4	6		
2	B	1	Total	C	O	0	0
			10	4	6		

- Molecule 3 is 2-oxo-3-(phosphonoxy)propanoic acid (three-letter code: HPV) (formula: $C_3H_5O_7P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	O	P	0	0
			11	3	7	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	93	Total	O	0	0
			93	93		
4	B	72	Total	O	0	0
			72	72		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: D-3-phosphoglycerate dehydrogenase



• Molecule 1: D-3-phosphoglycerate dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	165.60Å 165.60Å 218.30Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.79 – 2.40 48.55 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.79-2.40) 100.0 (48.55-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.51 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.204 , 0.244 0.199 , 0.238	Depositor DCC
R_{free} test set	3485 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	40.5	Xtriage
Anisotropy	0.593	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 38.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7889	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TLA, HPV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.55	0/3932	0.71	3/5372 (0.1%)
1	B	0.53	0/3876	0.71	2/5295 (0.0%)
All	All	0.54	0/7808	0.71	5/10667 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	501	ARG	NE-CZ-NH2	-7.27	116.66	120.30
1	B	431	LEU	CA-CB-CG	5.68	128.36	115.30
1	A	345	LEU	CA-CB-CG	5.27	127.42	115.30
1	A	430	THR	CB-CA-C	-5.25	97.43	111.60
1	B	332	ARG	NE-CZ-NH2	-5.05	117.77	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	99	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3860	0	3941	105	0
1	B	3823	0	3911	98	0
2	A	10	0	4	0	0
2	B	20	0	8	1	0
3	B	11	0	2	3	0
4	A	93	0	0	2	0
4	B	72	0	0	0	0
All	All	7889	0	7866	200	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (200) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274:GLN:H	1:B:274:GLN:NE2	1.40	1.17
1:B:274:GLN:N	1:B:274:GLN:HE21	1.44	1.15
1:A:285:THR:HG22	1:A:288:ALA:H	1.20	1.06
1:B:285:THR:HG22	1:B:288:ALA:H	1.37	0.90
1:A:352[A]:GLN:HE22	1:A:416:ARG:HD3	1.36	0.89
1:A:205:PRO:O	1:A:210:THR:HG21	1.73	0.88
1:B:72:ARG:HH12	3:B:600:HPV:H3	1.41	0.86
1:A:352[A]:GLN:HE22	1:A:416:ARG:CD	1.88	0.85
1:B:11:ASP:OD1	1:B:54:THR:HG22	1.79	0.83
1:A:50:VAL:HG22	1:A:54:THR:HB	1.61	0.82
1:A:129:THR:HB	1:A:131:LYS:NZ	1.94	0.82
1:A:411:SER:O	1:A:430:THR:CG2	2.30	0.79
1:A:411:SER:O	1:A:430:THR:HG23	1.82	0.78
1:B:216:LYS:HD2	1:B:217:GLU:N	1.98	0.77
1:A:230:ASN:ND2	1:A:232:ALA:H	1.81	0.77
1:A:274:GLN:NE2	1:A:274:GLN:H	1.82	0.76
1:B:285:THR:CG2	1:B:288:ALA:H	1.99	0.75
1:A:352[A]:GLN:NE2	1:A:416:ARG:HD3	2.00	0.75
1:B:155:GLN:HE22	1:B:179:ARG:HH11	1.34	0.74
1:B:345:LEU:HD12	1:B:346:PRO:HD2	1.69	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:102:SER:OG	1:B:285:THR:HG21	1.88	0.73
1:A:129:THR:HB	1:A:131:LYS:CE	2.19	0.72
1:B:42:VAL:HG13	1:B:64:ALA:HB2	1.71	0.72
1:A:129:THR:HB	1:A:131:LYS:HE2	1.73	0.71
1:B:11:ASP:OD2	1:B:54:THR:HG23	1.92	0.70
1:B:210:THR:HG22	1:B:210:THR:O	1.91	0.70
1:B:362:VAL:CG2	1:B:402:LYS:HD3	2.23	0.69
1:B:117:GLN:HE22	1:B:136:SER:H	1.39	0.68
1:A:459:ILE:HG12	1:A:523:LEU:HD22	1.77	0.67
1:B:488:SER:HB3	2:B:530:TLA:H3	1.75	0.67
1:A:460:HIS:HB3	1:A:521:TYR:CZ	2.30	0.66
1:A:210:THR:CG2	1:A:236:LEU:HD11	2.25	0.66
1:B:440:ILE:HD11	1:B:452:ALA:HA	1.77	0.66
1:B:362:VAL:HG22	1:B:402:LYS:HD3	1.76	0.66
1:B:440:ILE:CD1	1:B:452:ALA:HA	2.26	0.65
1:B:42:VAL:N	1:B:43:PRO:HD2	2.12	0.65
1:B:52:SER:HB3	1:B:72:ARG:NH2	2.12	0.65
1:A:499:LEU:HD23	1:A:499:LEU:C	2.18	0.64
1:B:205:PRO:HG3	1:B:211:ALA:HB2	1.80	0.63
1:A:122:ASP:CG	1:A:126:ARG:HH21	2.02	0.63
1:A:50:VAL:CG2	1:A:54:THR:HB	2.27	0.63
1:A:274:GLN:H	1:A:274:GLN:HE21	1.45	0.62
1:A:279:PRO:HD2	1:A:281:LEU:HD22	1.81	0.61
1:A:318:GLY:O	1:A:320:VAL:N	2.35	0.60
1:A:316:GLY:N	1:A:319:VAL:HG21	2.17	0.60
1:A:333:LYS:HZ1	1:A:438:GLN:HE22	1.50	0.59
1:A:333:LYS:NZ	1:A:438:GLN:HE22	2.00	0.59
1:A:448:PHE:CG	1:A:486:GLN:HG3	2.38	0.59
1:A:223:LYS:O	1:A:226:VAL:HG22	2.03	0.58
1:A:483:GLN:OE1	1:A:501:ARG:HD2	2.03	0.58
1:B:345:LEU:CD1	1:B:346:PRO:HD2	2.34	0.58
1:A:262:GLU:OE2	1:A:280:HIS:ND1	2.26	0.57
1:B:356:GLU:OE1	1:B:410:ARG:HD2	2.04	0.57
1:B:11:ASP:OD1	1:B:54:THR:CG2	2.50	0.57
1:B:222:THR:O	1:B:250:HIS:NE2	2.35	0.57
1:B:464:ARG:HH22	1:B:519:ASP:HB2	1.70	0.57
1:A:12:LYS:HD3	1:A:12:LYS:N	2.20	0.56
1:A:354:ARG:NH1	1:A:414:ASP:OD1	2.38	0.56
1:A:387:ALA:HB3	1:A:388:PRO:HD3	1.87	0.56
1:B:72:ARG:NH1	3:B:600:HPV:H3	2.14	0.56
1:A:245:ALA:HB1	1:A:251:VAL:HG13	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:445:GLY:O	1:B:446:ARG:NH2	2.38	0.56
1:B:72:ARG:HH12	3:B:600:HPV:C3	2.17	0.56
1:B:245:ALA:HB1	1:B:251:VAL:HG23	1.88	0.56
1:B:190:LEU:O	1:B:194:LEU:HD22	2.05	0.56
1:B:451:ARG:HB3	1:B:453:GLN:HG2	1.88	0.55
1:A:230:ASN:HB3	1:A:256:LEU:HD22	1.89	0.55
1:B:152:ARG:HH11	1:B:155:GLN:NE2	2.04	0.55
1:B:11:ASP:CG	1:B:54:THR:CG2	2.75	0.54
1:B:42:VAL:HG12	1:B:43:PRO:HD3	1.90	0.54
1:A:101:HIS:HE1	4:A:754:HOH:O	1.90	0.54
1:B:366:ARG:HB3	1:B:366:ARG:HH11	1.73	0.54
1:A:275:VAL:O	1:B:126:ARG:NH2	2.40	0.54
1:A:204:LEU:HD11	1:A:213:LEU:HD12	1.89	0.53
1:A:313:VAL:HG13	1:A:382:VAL:HA	1.90	0.53
1:B:118:ILE:HB	1:B:119:PRO:HD3	1.90	0.53
1:B:94:ASN:H	1:B:94:ASN:HD22	1.57	0.53
1:A:226:VAL:HG23	1:A:251:VAL:HB	1.89	0.53
1:B:152:ARG:HH11	1:B:155:GLN:HE21	1.57	0.53
1:A:111:LEU:HD23	1:A:111:LEU:C	2.29	0.53
1:B:208:PRO:HB3	1:B:209:GLU:OE1	2.09	0.53
1:A:32:GLY:HA3	1:A:54:THR:OG1	2.10	0.52
1:B:52:SER:HB3	1:B:72:ARG:HH21	1.74	0.52
1:A:69:ILE:HD13	1:A:303:ALA:CB	2.39	0.52
1:A:352[B]:GLN:HG2	1:A:354:ARG:HD3	1.92	0.52
1:A:499:LEU:HD23	1:A:500:LEU:N	2.25	0.52
1:A:262:GLU:HA	1:A:263:PRO:C	2.30	0.52
1:A:464:ARG:NH2	1:A:495:GLY:O	2.41	0.52
1:B:155:GLN:HE22	1:B:179:ARG:NH1	2.06	0.51
1:B:209:GLU:C	1:B:211:ALA:H	2.14	0.51
1:A:42:VAL:N	1:A:43:PRO:CD	2.73	0.51
1:B:34:ASP:OD2	1:B:37:LYS:HD2	2.10	0.51
1:A:321:ASN:OD1	1:A:322:GLU:N	2.43	0.51
1:A:72:ARG:HH11	1:A:74:GLY:HA3	1.75	0.51
1:B:42:VAL:N	1:B:43:PRO:CD	2.73	0.51
1:A:382:VAL:HG12	1:A:384:PHE:O	2.10	0.51
1:B:117:GLN:NE2	1:B:136:SER:H	2.08	0.51
1:A:116:ARG:HB2	1:A:118:ILE:CD1	2.41	0.50
1:B:440:ILE:CD1	1:B:452:ALA:CA	2.89	0.50
1:A:230:ASN:HD22	1:A:232:ALA:H	1.57	0.50
1:A:129:THR:HB	1:A:131:LYS:HZ3	1.75	0.50
1:B:487:LEU:HD11	1:B:496:ALA:HB1	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:ALA:O	1:A:65:PRO:HD3	2.13	0.49
1:B:209:GLU:O	1:B:211:ALA:N	2.45	0.49
1:A:442:GLN:HG2	1:A:443:ILE:N	2.28	0.48
1:B:210:THR:CG2	1:B:210:THR:O	2.61	0.48
1:B:366:ARG:CG	1:B:366:ARG:HH11	2.26	0.48
1:B:216:LYS:HD2	1:B:217:GLU:H	1.77	0.48
1:B:119:PRO:HG2	1:B:276:VAL:HG13	1.95	0.48
1:A:232:ALA:O	1:A:233:ARG:HD2	2.14	0.48
1:B:440:ILE:HD11	1:B:452:ALA:CA	2.44	0.48
1:A:257:ASP:O	1:A:280:HIS:HA	2.12	0.47
1:A:102:SER:OG	1:A:285:THR:HG21	2.14	0.47
1:A:354:ARG:CZ	1:A:414:ASP:OD1	2.62	0.47
1:A:255:GLY:O	1:A:256:LEU:HD23	2.13	0.47
1:B:11:ASP:OD2	1:B:54:THR:CG2	2.62	0.47
1:B:440:ILE:N	1:B:440:ILE:HD12	2.29	0.47
1:A:116:ARG:HB2	1:A:118:ILE:HD11	1.96	0.47
1:A:69:ILE:HD13	1:A:303:ALA:HB3	1.95	0.47
1:B:72:ARG:HD3	1:B:76:GLY:O	2.14	0.46
1:A:316:GLY:H	1:A:319:VAL:HG21	1.80	0.46
1:B:440:ILE:HD11	1:B:452:ALA:CB	2.46	0.46
1:A:71:ALA:HA	1:A:93:VAL:HG12	1.96	0.46
1:A:131:LYS:HB2	1:A:131:LYS:HE3	1.68	0.46
1:A:509:ASP:N	1:A:509:ASP:OD1	2.46	0.46
1:A:366:ARG:HB2	1:A:400:ILE:HG12	1.97	0.46
1:A:333:LYS:NZ	1:A:438:GLN:NE2	2.64	0.46
1:A:106:HIS:CD2	1:A:110:LEU:HD22	2.51	0.46
1:B:46:ASP:OD1	1:B:68:LYS:NZ	2.45	0.46
1:B:72:ARG:CD	1:B:76:GLY:O	2.64	0.46
1:A:386:ASN:OD1	1:A:388:PRO:HD2	2.16	0.45
1:A:210:THR:HG23	1:A:236:LEU:HD11	1.98	0.45
1:A:130:TRP:CH2	1:B:262:GLU:HG2	2.51	0.45
1:A:255:GLY:HA2	1:A:276:VAL:O	2.15	0.45
1:A:507:PRO:O	1:A:510:VAL:HG13	2.16	0.45
1:B:203:HIS:HA	1:B:232:ALA:HB2	1.99	0.45
1:B:209:GLU:C	1:B:211:ALA:N	2.70	0.45
1:B:464:ARG:NH2	1:B:519:ASP:OD2	2.49	0.45
1:B:257:ASP:O	1:B:280:HIS:HA	2.17	0.45
1:A:285:THR:HG22	1:A:288:ALA:N	2.05	0.44
1:A:352[A]:GLN:HE22	1:A:416:ARG:HD2	1.77	0.44
1:B:88:ARG:H	1:B:88:ARG:HG2	1.61	0.44
1:B:315:VAL:HG13	1:B:316:GLY:N	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:ILE:HG23	1:A:274:GLN:CG	2.48	0.44
1:A:439:LYS:NZ	1:A:449:ASP:OD1	2.38	0.44
1:A:42:VAL:HG22	1:A:64:ALA:HB2	2.00	0.44
1:B:390:LEU:O	1:B:394:ARG:HD2	2.18	0.44
1:B:475:LEU:HD13	1:B:514:ILE:HD11	1.99	0.44
1:A:507:PRO:O	1:A:511:ARG:HG3	2.17	0.44
1:A:4:LEU:HA	1:A:5:PRO:HD3	1.84	0.44
1:B:208:PRO:HA	1:B:209:GLU:HA	1.41	0.44
1:B:464:ARG:NH2	1:B:519:ASP:HB2	2.33	0.44
1:A:18:VAL:HG23	1:A:297:ALA:HB2	2.00	0.44
1:A:352[A]:GLN:CD	1:A:416:ARG:HD3	2.38	0.44
1:B:203:HIS:HA	1:B:232:ALA:CB	2.48	0.44
1:B:49:LEU:N	1:B:49:LEU:HD23	2.32	0.44
1:A:129:THR:CB	1:A:131:LYS:NZ	2.73	0.43
1:B:304:LEU:HA	1:B:304:LEU:HD23	1.87	0.43
1:A:160:ARG:HG3	1:A:160:ARG:NH2	2.34	0.43
1:B:155:GLN:NE2	1:B:179:ARG:HH11	2.08	0.43
1:A:505:ASP:OD2	1:A:506:VAL:N	2.49	0.43
1:B:440:ILE:CD1	1:B:452:ALA:HB2	2.48	0.43
1:A:152:ARG:HA	1:A:152:ARG:HD2	1.74	0.43
1:A:204:LEU:CD1	1:A:213:LEU:HD12	2.48	0.43
1:A:118:ILE:HD13	1:A:118:ILE:N	2.34	0.42
1:B:176:SER:HB3	1:B:179:ARG:HB3	2.01	0.42
1:A:308:PHE:O	1:A:310:PRO:HD3	2.20	0.42
1:B:64:ALA:HA	1:B:65:PRO:HD2	1.89	0.42
1:A:210:THR:HG23	1:A:236:LEU:CD1	2.49	0.42
1:B:236:LEU:HA	1:B:236:LEU:HD23	1.77	0.42
1:A:158:ALA:HB1	1:A:168:VAL:HG11	2.02	0.42
1:A:210:THR:CG2	1:A:236:LEU:CD1	2.95	0.42
1:B:366:ARG:CB	1:B:366:ARG:HH11	2.32	0.42
1:A:67:LEU:HD23	1:A:67:LEU:HA	1.91	0.41
1:B:274:GLN:H	1:B:274:GLN:HE21	0.61	0.41
1:B:49:LEU:HD21	1:B:300:VAL:HG21	2.01	0.41
1:B:440:ILE:HD12	1:B:452:ALA:HB2	2.01	0.41
1:A:315:VAL:HG13	1:A:319:VAL:CG2	2.50	0.41
1:A:96:PRO:HD2	4:A:703:HOH:O	2.19	0.41
1:B:113:ALA:HA	1:B:118:ILE:HG12	2.01	0.41
1:B:228:ILE:O	1:B:254:ALA:HA	2.20	0.41
1:B:7:VAL:CG2	1:B:25:VAL:HG11	2.50	0.41
1:A:122:ASP:OD2	1:A:126:ARG:NH2	2.50	0.41
1:A:20:ALA:O	1:A:301:ARG:HD3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:121:ALA:HA	1:B:135:PHE:CZ	2.55	0.41
1:B:21:LEU:HA	1:B:21:LEU:HD12	1.94	0.41
1:A:337:LEU:HD13	1:A:528:LEU:HD21	2.01	0.41
1:A:313:VAL:CG1	1:A:313:VAL:O	2.69	0.41
1:B:48:LEU:C	1:B:49:LEU:HD23	2.40	0.41
1:A:371:ARG:HH21	1:A:375:SER:HB3	1.86	0.41
1:A:352[A]:GLN:OE1	1:A:416:ARG:HD3	2.20	0.41
1:A:122:ASP:HA	1:B:277:VAL:O	2.21	0.41
1:B:285:THR:HG23	1:B:287:GLU:H	1.86	0.41
1:B:42:VAL:HG12	1:B:43:PRO:CD	2.51	0.41
1:B:374:PHE:CZ	1:B:391:ALA:HA	2.56	0.40
1:A:354:ARG:HH11	1:A:354:ARG:HD3	1.72	0.40
1:B:84:ALA:O	1:B:88:ARG:HG2	2.22	0.40
1:A:285:THR:CG2	1:A:288:ALA:H	2.09	0.40
1:B:464:ARG:HH11	1:B:464:ARG:HB2	1.86	0.40
1:B:346:PRO:O	1:B:396:VAL:HG22	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	529/528 (100%)	507 (96%)	20 (4%)	2 (0%)	36 51
1	B	521/528 (99%)	503 (96%)	15 (3%)	3 (1%)	27 39
All	All	1050/1056 (99%)	1010 (96%)	35 (3%)	5 (0%)	31 44

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	316	GLY
1	A	319	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	210	THR
1	A	321	ASN
1	B	377	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	401/398 (101%)	347 (86%)	54 (14%)	4	5
1	B	396/398 (100%)	350 (88%)	46 (12%)	6	8
All	All	797/796 (100%)	697 (88%)	100 (12%)	5	6

All (100) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LEU
1	A	8	LEU
1	A	9	ILE
1	A	12	LYS
1	A	38	LEU
1	A	39	LEU
1	A	49	LEU
1	A	50	VAL
1	A	51	ARG
1	A	55	THR
1	A	66	LYS
1	A	67	LEU
1	A	69	ILE
1	A	88	ARG
1	A	93	VAL
1	A	110	LEU
1	A	118	ILE
1	A	129	THR
1	A	131	LYS
1	A	152	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	194	LEU
1	A	202	VAL
1	A	210	THR
1	A	213	LEU
1	A	219	LEU
1	A	226	VAL
1	A	236	LEU
1	A	242	LEU
1	A	256	LEU
1	A	261	THR
1	A	274	GLN
1	A	281	LEU
1	A	285	THR
1	A	296	VAL
1	A	337	LEU
1	A	344	GLU
1	A	345	LEU
1	A	352[A]	GLN
1	A	352[B]	GLN
1	A	371	ARG
1	A	375	SER
1	A	384	PHE
1	A	385	VAL
1	A	418	VAL
1	A	430	THR
1	A	437	SER
1	A	450	LEU
1	A	475	LEU
1	A	487	LEU
1	A	509	ASP
1	A	510	VAL
1	A	523	LEU
1	A	524	GLU
1	A	529	SER
1	B	8	LEU
1	B	18	VAL
1	B	21	LEU
1	B	35	ARG
1	B	42	VAL
1	B	54	THR
1	B	67	LEU
1	B	88	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	93	VAL
1	B	94	ASN
1	B	99	ASN
1	B	125	LEU
1	B	127	GLU
1	B	194	LEU
1	B	213	LEU
1	B	216	LYS
1	B	219	LEU
1	B	233	ARG
1	B	269	LEU
1	B	274	GLN
1	B	285	THR
1	B	315	VAL
1	B	322	GLU
1	B	330	LEU
1	B	337	LEU
1	B	341	LEU
1	B	342	SER
1	B	343	ASP
1	B	344	GLU
1	B	352	GLN
1	B	357	LEU
1	B	366	ARG
1	B	370	LEU
1	B	373	LEU
1	B	384	PHE
1	B	394	ARG
1	B	399	GLU
1	B	408	ASN
1	B	446	ARG
1	B	464	ARG
1	B	475	LEU
1	B	488	SER
1	B	497	THR
1	B	502	LEU
1	B	522	LYS
1	B	528	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	230	ASN
1	A	274	GLN
1	A	435	GLN
1	A	438	GLN
1	B	24	GLN
1	B	94	ASN
1	B	99	ASN
1	B	117	GLN
1	B	155	GLN
1	B	274	GLN
1	B	321	ASN
1	B	352	GLN
1	B	408	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	TLA	A	530	-	3,9,9	0.20	0	6,12,12	1.31	1 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TLA	B	530	-	3,9,9	0.33	0	6,12,12	1.57	2 (33%)
2	TLA	B	531	-	3,9,9	0.18	0	6,12,12	1.44	1 (16%)
3	HPV	B	600	-	7,10,10	0.61	0	8,14,14	1.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TLA	A	530	-	-	0/4/12/12	0/0/0/0
2	TLA	B	530	-	-	0/4/12/12	0/0/0/0
2	TLA	B	531	-	-	0/4/12/12	0/0/0/0
3	HPV	B	600	-	-	0/6/10/10	0/0/0/0

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	531	TLA	C4-C3-C2	-2.94	106.78	113.11
2	B	530	TLA	C4-C3-C2	-2.85	106.98	113.11
2	A	530	TLA	C1-C2-C3	-2.57	107.58	113.11
2	B	530	TLA	C1-C2-C3	-2.37	108.02	113.11

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	530	TLA	1	0
3	B	600	HPV	3	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	527/528 (99%)	-0.36	8 (1%) 73 71	26, 40, 65, 85	2 (0%)
1	B	525/528 (99%)	-0.43	4 (0%) 86 84	26, 40, 66, 95	22 (4%)
All	All	1052/1056 (99%)	-0.39	12 (1%) 80 78	26, 40, 65, 95	24 (2%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	319	VAL	5.4
1	B	379	GLU	3.8
1	B	378	ILE	3.3
1	A	318	GLY	3.1
1	B	377	VAL	3.0
1	B	317	GLY	2.7
1	A	494	PRO	2.4
1	A	25	VAL	2.3
1	A	381	ALA	2.3
1	A	4	LEU	2.2
1	A	306	GLY	2.1
1	A	384	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	HPV	B	600	11/11	0.79	0.29	28,43,61,63	11
2	TLA	B	531	10/10	0.97	0.12	22,33,36,40	10
2	TLA	A	530	10/10	0.97	0.11	36,42,49,54	0
2	TLA	B	530	10/10	0.97	0.13	30,36,41,41	0

6.5 Other polymers [i](#)

There are no such residues in this entry.