



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2018 – 03:52 am GMT

PDB ID : 1E5X  
Title : Structure of threonine synthase from Arabidopsis thaliana  
Authors : Thomazeau, K.; Curien, G.; Dumas, R.; Biou, V.  
Deposited on : 2000-08-04  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1178 (2.26-2.26)
Clashscore	122126	1286 (2.26-2.26)
Ramachandran outliers	120053	1253 (2.26-2.26)
Sidechain outliers	120020	1254 (2.26-2.26)
RSRZ outliers	108989	1158 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	486	<div> <div>10%</div> <div>68%</div> <div>23%</div> <div>7%</div> </div>
1	B	486	<div> <div>8%</div> <div>67%</div> <div>20%</div> <div>11%</div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7289 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THREONINE SYNTHASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	451	Total	C	N	O	S	Se	0	2	0
			3514	2236	592	664	9	13			
1	B	433	Total	C	N	O	S	Se	0	3	0
			3387	2158	569	638	9	13			

There are 26 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	309	MSO	MET	modified residue	UNP Q39144
B	309	MSO	MET	modified residue	UNP Q39144
A	77	MSE	MET	modified residue	UNP Q39144
A	146	MSE	MET	modified residue	UNP Q39144
A	167	MSE	MET	modified residue	UNP Q39144
A	180	MSE	MET	modified residue	UNP Q39144
A	221	MSE	MET	modified residue	UNP Q39144
A	245	MSE	MET	modified residue	UNP Q39144
A	322	MSE	MET	modified residue	UNP Q39144
A	388	MSE	MET	modified residue	UNP Q39144
A	391	MSE	MET	modified residue	UNP Q39144
A	399	MSE	MET	modified residue	UNP Q39144
A	453	MSE	MET	modified residue	UNP Q39144
A	472	MSE	MET	modified residue	UNP Q39144
B	77	MSE	MET	modified residue	UNP Q39144
B	146	MSE	MET	modified residue	UNP Q39144
B	167	MSE	MET	modified residue	UNP Q39144
B	180	MSE	MET	modified residue	UNP Q39144
B	221	MSE	MET	modified residue	UNP Q39144
B	245	MSE	MET	modified residue	UNP Q39144
B	322	MSE	MET	modified residue	UNP Q39144
B	388	MSE	MET	modified residue	UNP Q39144
B	391	MSE	MET	modified residue	UNP Q39144
B	399	MSE	MET	modified residue	UNP Q39144
B	453	MSE	MET	modified residue	UNP Q39144

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	472	MSE	MET	modified residue	UNP Q39144


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	203	Total 203	O 203	0	0
2	B	185	Total 185	O 185	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: THREONINE SYNTHASE



K476	
L479	
GLY	
SER	
ASN	
THR	
LEU	
THR	
SER	

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.76Å 62.14Å 76.59Å 109.48° 97.61° 112.74°	Depositor
Resolution (Å)	29.81 – 2.25 29.81 – 2.25	Depositor EDS
% Data completeness (in resolution range)	97.9 (29.81-2.25) 98.0 (29.81-2.25)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.03	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.38 (at 2.24Å)	Xtriage
Refinement program	CNS 0.9	Depositor
R, $R_{free}$	0.222 , 0.243 0.227 , 0.223	Depositor DCC
$R_{free}$ test set	4136 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	33.3	Xtriage
Anisotropy	0.537	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 46.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7289	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.23% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MSO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.37	0/3571	0.62	1/4822 (0.0%)
1	B	0.37	0/3442	0.62	2/4646 (0.0%)
All	All	0.37	0/7013	0.62	3/9468 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	387	LEU	CA-CB-CG	7.06	131.54	115.30
1	B	387	LEU	CA-CB-CG	7.01	131.43	115.30
1	B	51	GLY	N-CA-C	5.25	126.22	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3514	0	3445	121	0
1	B	3387	0	3314	95	0
2	A	203	0	0	7	0
2	B	185	0	0	4	0
All	All	7289	0	6759	209	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:TYR:OH	1:A:73:VAL:HG13	1.49	1.12
1:B:56:TYR:OH	1:B:73:VAL:HG13	1.53	1.09
1:A:62:VAL:HG12	1:A:64:ARG:HH12	1.41	0.85
1:B:294:GLY:HA3	1:B:326:GLN:HE22	1.44	0.81
1:A:391:MSE:HA	1:A:401:ILE:HD11	1.65	0.79
1:A:178:ARG:HD3	2:A:2102:HOH:O	1.83	0.78
1:B:24:ILE:HD13	1:B:101:TRP:O	1.84	0.78
1:B:391:MSE:HA	1:B:401:ILE:HD11	1.66	0.77
1:B:173:GLN:HG2	1:B:266:LEU:HD21	1.67	0.77
1:B:22:ASP:HA	1:B:25:ARG:HH12	1.49	0.77
1:A:57:SER:HA	1:A:177:LEU:HD21	1.67	0.75
1:A:294:GLY:HA3	1:A:326:GLN:HE22	1.50	0.74
1:B:22:ASP:HA	1:B:25:ARG:NH1	2.01	0.74
1:A:185:VAL:HG12	1:B:479:LEU:HD22	1.70	0.73
1:A:54:GLU:HG3	1:A:60:GLU:HG3	1.69	0.73
1:B:304:TYR:HB2	1:B:322:MSE:HE1	1.70	0.73
1:B:54:GLU:HB3	1:B:60:GLU:HG3	1.72	0.72
1:A:173:GLN:HG2	1:A:266:LEU:HD21	1.72	0.71
1:A:63:TYR:CD1	1:A:64:ARG:HG3	2.25	0.71
1:A:41:ALA:HB3	1:A:56:TYR:HE2	1.53	0.71
1:B:294:GLY:HA3	1:B:326:GLN:NE2	2.05	0.71
1:B:54:GLU:CB	1:B:60:GLU:HG3	2.22	0.69
1:A:19:ARG:HG2	1:A:22:ASP:OD2	1.93	0.69
1:A:24:ILE:HD13	1:A:101:TRP:O	1.93	0.68
1:B:264:ASN:O	1:B:267:ARG:HG2	1.93	0.68
1:B:294:GLY:CA	1:B:326:GLN:HE22	2.06	0.68
1:B:21:GLU:OE2	2:B:2003:HOH:O	2.12	0.68
1:A:345:LYS:HA	1:A:345:LYS:HE3	1.76	0.67
1:A:24:ILE:HD11	1:A:101:TRP:HD1	1.59	0.67
1:A:331:ASN:HB2	1:A:332:PRO:HD2	1.74	0.67
1:A:19:ARG:HD2	2:A:2009:HOH:O	1.94	0.67
1:A:294:GLY:CA	1:A:326:GLN:HE22	2.08	0.67
1:A:15:LYS:HB3	1:A:17:PRO:HD2	1.77	0.66
1:A:64:ARG:HD2	1:A:64:ARG:O	1.94	0.66
1:B:345:LYS:HA	1:B:345:LYS:HE3	1.76	0.66
1:B:331:ASN:HB2	1:B:332:PRO:HD2	1.75	0.66
1:A:63:TYR:HD1	1:A:64:ARG:H	1.40	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:62:VAL:HG13	1:A:69:GLY:O	1.96	0.66
1:A:294:GLY:HA3	1:A:326:GLN:NE2	2.11	0.65
1:A:304:TYR:HB2	1:A:322:MSE:HE1	1.78	0.65
1:A:54:GLU:CG	1:A:60:GLU:HG3	2.27	0.65
1:B:56:TYR:HH	1:B:73:VAL:HG13	1.59	0.65
1:B:78:GLU:HG2	1:B:82:ARG:HH12	1.62	0.64
1:A:78:GLU:HG2	1:A:82:ARG:HH12	1.62	0.64
1:B:267:ARG:HH11	1:B:267:ARG:HG3	1.63	0.63
1:B:416:ARG:NH2	1:B:423:PRO:HD3	2.14	0.63
1:B:41:ALA:HB3	1:B:56:TYR:HE2	1.63	0.63
1:A:187:VAL:HG11	1:A:199:LEU:HD11	1.80	0.62
1:A:128:GLU:CD	1:A:128:GLU:H	2.03	0.62
1:B:128:GLU:CD	1:B:128:GLU:H	2.03	0.61
1:A:63:TYR:HD1	1:A:64:ARG:HG3	1.65	0.60
1:A:161:SER:HB3	2:A:2097:HOH:O	2.01	0.60
1:B:387:LEU:HD22	1:B:388:MSE:HG2	1.83	0.60
1:B:187:VAL:HG11	1:B:199:LEU:HD11	1.84	0.59
1:A:179:LYS:C	1:A:181:LYS:H	2.04	0.59
1:B:181:LYS:O	1:B:183:PRO:HD3	2.01	0.59
1:B:49:ALA:HB1	1:B:50:PRO:CD	2.33	0.59
1:A:54:GLU:CB	1:A:60:GLU:HG3	2.33	0.59
1:B:179:LYS:C	1:B:181:LYS:H	2.05	0.59
1:A:63:TYR:HD1	1:A:64:ARG:N	2.01	0.59
1:A:24:ILE:HG21	1:A:101:TRP:O	2.03	0.58
1:A:365:ILE:O	1:A:369:VAL:HG23	2.02	0.58
1:A:259:LEU:O	1:A:262:SER:HB3	2.04	0.58
1:A:16:PRO:N	1:A:17:PRO:HD2	2.19	0.58
1:A:293:PRO:HG3	1:A:408:ALA:HB2	1.84	0.58
1:B:287:PRO:O	1:B:320:PRO:HB3	2.04	0.58
1:A:416:ARG:NH2	1:A:423:PRO:HD3	2.19	0.58
1:A:62:VAL:HG12	1:A:63:TYR:H	1.69	0.58
1:A:287:PRO:O	1:A:320:PRO:HB3	2.04	0.57
1:A:479:LEU:HD22	1:B:185:VAL:HG12	1.86	0.57
1:B:170:LEU:HD23	1:B:170:LEU:C	2.25	0.57
1:B:365:ILE:O	1:B:369:VAL:HG23	2.04	0.57
1:A:64:ARG:NH2	1:A:69:GLY:HA3	2.19	0.57
1:A:170:LEU:C	1:A:170:LEU:HD23	2.26	0.56
1:A:62:VAL:CG1	1:A:64:ARG:HH22	2.18	0.56
1:A:76:ASP:OD1	1:A:78:GLU:HB3	2.05	0.56
1:A:64:ARG:HD2	1:A:64:ARG:C	2.25	0.56
1:A:24:ILE:HD12	1:A:120:ASP:OD2	2.04	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:LEU:HD22	1:A:260:ALA:HB2	1.88	0.56
1:B:76:ASP:OD1	1:B:78:GLU:HB3	2.06	0.56
1:B:24:ILE:HG23	2:B:2044:HOH:O	2.04	0.56
1:B:58:LEU:HD23	1:B:60:GLU:OE2	2.06	0.56
1:B:41:ALA:HB1	1:B:56:TYR:OH	2.06	0.55
1:A:16:PRO:HG2	1:A:17:PRO:HD3	1.88	0.55
1:B:49:ALA:HB1	1:B:50:PRO:HD2	1.88	0.55
1:A:185:VAL:HG11	1:B:479:LEU:HD13	1.87	0.55
1:A:181:LYS:O	1:A:183:PRO:HD3	2.07	0.55
1:B:24:ILE:HD11	1:B:101:TRP:HD1	1.71	0.55
1:A:60:GLU:O	1:A:61:ILE:HD13	2.07	0.55
1:B:62:VAL:HG13	1:B:69:GLY:O	2.07	0.55
1:B:199:LEU:HD22	1:B:260:ALA:HB2	1.89	0.54
1:A:297:LEU:CD1	1:A:365:ILE:HG22	2.38	0.54
1:B:42:LYS:HD2	1:B:53:THR:OG1	2.07	0.54
1:A:88:TRP:CB	1:A:315:LEU:HD11	2.37	0.54
1:B:57:SER:HA	1:B:177:LEU:HD21	1.90	0.54
1:A:308:LYS:HE3	1:A:312:GLU:OE2	2.08	0.54
1:A:41:ALA:HB3	1:A:56:TYR:CE2	2.39	0.54
1:B:88:TRP:CB	1:B:315:LEU:HD11	2.38	0.54
1:A:24:ILE:CD1	1:A:101:TRP:HD1	2.20	0.54
1:A:78:GLU:HG2	1:A:82:ARG:NH1	2.23	0.53
1:A:192:THR:HG22	1:A:214:LEU:HD11	1.89	0.53
1:B:78:GLU:HG2	1:B:82:ARG:NH1	2.24	0.53
1:A:49:ALA:HB1	1:A:50:PRO:HD2	1.91	0.53
1:A:62:VAL:HG11	1:A:64:ARG:HH22	1.73	0.53
1:B:259:LEU:O	1:B:262:SER:HB3	2.09	0.52
1:A:63:TYR:HH	1:A:69:GLY:N	2.08	0.52
1:B:263:LEU:HD12	1:B:263:LEU:N	2.25	0.52
1:B:279:LEU:HD13	1:B:307:PHE:HE1	1.74	0.52
1:A:387:LEU:HD22	1:A:388:MSE:HG2	1.91	0.51
1:B:308:LYS:HE3	1:B:312:GLU:OE2	2.11	0.51
1:B:325:ALA:HB1	1:B:407:VAL:HG12	1.93	0.51
1:B:41:ALA:HB3	1:B:56:TYR:CE2	2.45	0.51
1:A:279:LEU:HD13	1:A:307:PHE:HE1	1.75	0.51
1:B:55:SER:HB3	1:B:58:LEU:HD13	1.93	0.51
1:A:49:ALA:HB1	1:A:50:PRO:CD	2.42	0.51
1:A:167:MSE:CE	1:A:195:THR:HG23	2.41	0.50
1:A:383:THR:OG1	1:A:386:GLU:HG3	2.12	0.50
1:A:41:ALA:HB1	1:A:56:TYR:OH	2.10	0.50
1:A:24:ILE:HG23	2:A:2007:HOH:O	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:24:ILE:HG21	1:B:101:TRP:O	2.12	0.50
1:A:21:GLU:OE2	2:A:2008:HOH:O	2.20	0.49
1:A:479:LEU:HD13	1:B:185:VAL:HG11	1.94	0.49
1:A:16:PRO:N	1:A:17:PRO:CD	2.75	0.49
1:A:472:MSE:CE	1:A:476:LYS:HE2	2.43	0.49
1:A:62:VAL:HG12	1:A:63:TYR:N	2.27	0.49
1:A:63:TYR:CD1	1:A:64:ARG:N	2.77	0.49
1:A:258:TYR:HB3	1:A:263:LEU:HD11	1.94	0.49
1:B:267:ARG:HG3	1:B:267:ARG:NH1	2.28	0.49
1:A:63:TYR:HE2	1:A:70:LEU:O	1.96	0.48
1:B:304:TYR:HB2	1:B:322:MSE:CE	2.41	0.48
1:B:416:ARG:HH22	1:B:423:PRO:HD3	1.78	0.48
1:A:182:ARG:O	1:A:184:VAL:HG23	2.13	0.48
1:A:416:ARG:HH22	1:A:423:PRO:HD3	1.79	0.48
1:A:167:MSE:SE	1:A:267:ARG:HD3	2.63	0.48
1:A:263:LEU:HD12	1:A:263:LEU:N	2.29	0.48
1:A:63:TYR:CE2	1:A:70:LEU:O	2.67	0.48
1:B:182:ARG:O	1:B:184:VAL:HG23	2.14	0.48
1:A:45:PRO:HA	1:A:63:TYR:CD2	2.49	0.47
1:A:88:TRP:HB3	1:A:315:LEU:HD11	1.96	0.47
1:B:258:TYR:HB3	1:B:263:LEU:HD11	1.96	0.47
1:B:363:VAL:O	1:B:363:VAL:HG12	2.15	0.47
1:A:249:ARG:HG2	1:A:249:ARG:HH11	1.80	0.46
1:A:24:ILE:CG2	2:A:2007:HOH:O	2.63	0.46
1:B:294:GLY:CA	1:B:326:GLN:NE2	2.73	0.46
1:B:293:PRO:HG3	1:B:408:ALA:HB2	1.97	0.46
1:B:19:ARG:HG2	1:B:22:ASP:OD2	2.16	0.46
1:A:192:THR:HG22	1:A:214:LEU:CD1	2.45	0.46
1:B:192:THR:HG22	1:B:214:LEU:HD11	1.96	0.46
1:A:22:ASP:OD1	1:A:25:ARG:NH2	2.49	0.46
1:A:42:LYS:HD2	1:A:53:THR:HG21	1.98	0.46
1:A:71:LEU:O	1:A:367:ARG:NH2	2.49	0.46
1:A:211:ILE:HD13	1:B:475:LEU:HD22	1.97	0.45
1:B:88:TRP:HB2	1:B:315:LEU:HD11	1.97	0.45
1:A:19:ARG:HB2	1:B:135:TRP:CZ2	2.51	0.45
1:B:49:ALA:O	1:B:51:GLY:N	2.49	0.45
1:A:146:MSE:SE	1:A:416:ARG:HD2	2.65	0.45
1:A:363:VAL:O	1:A:364:SER:HB3	2.16	0.45
1:A:326:GLN:O	1:A:381:GLU:HA	2.16	0.45
1:B:122:ASP:OD1	1:B:179:LYS:HD2	2.17	0.45
1:A:315:LEU:N	1:A:315:LEU:CD2	2.80	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:279:LEU:HD13	1:B:307:PHE:CE1	2.52	0.45
1:A:24:ILE:C	1:A:26:ASP:N	2.71	0.44
1:B:50:PRO:O	1:B:51:GLY:O	2.36	0.44
1:B:89:ARG:HD2	1:B:284:TRP:CD1	2.52	0.44
1:A:56:TYR:CE1	1:A:73:VAL:HG22	2.52	0.44
1:B:297:LEU:CD1	1:B:365:ILE:HG22	2.47	0.44
1:B:299:ASN:ND2	2:B:2120:HOH:O	2.51	0.44
1:A:153:HIS:HB3	1:A:156:ILE:HG13	1.99	0.43
1:B:44:VAL:HG13	1:B:45:PRO:HD2	2.00	0.43
1:A:325:ALA:HB1	1:A:407:VAL:HG12	1.99	0.43
1:A:56:TYR:HH	1:A:73:VAL:HG13	1.74	0.43
1:B:200:SER:HB2	2:B:2101:HOH:O	2.18	0.43
1:A:64:ARG:O	1:A:64:ARG:NH1	2.52	0.43
1:B:333:LEU:HD13	1:B:365:ILE:HB	2.00	0.43
1:A:10:ILE:O	1:A:10:ILE:HG12	2.19	0.43
1:A:294:GLY:CA	1:A:326:GLN:NE2	2.77	0.43
1:A:42:LYS:HD2	1:A:53:THR:CG2	2.49	0.43
1:B:472:MSE:O	1:B:476:LYS:HG2	2.19	0.43
1:A:279:LEU:HD13	1:A:307:PHE:CE1	2.53	0.43
1:B:315:LEU:CD2	1:B:315:LEU:N	2.82	0.42
1:B:378:ILE:HG22	1:B:379:VAL:N	2.34	0.42
1:A:89:ARG:HG3	1:A:315:LEU:HD13	2.00	0.42
1:A:261:ASN:OD1	1:A:267:ARG:NH2	2.52	0.42
1:B:89:ARG:HG3	1:B:315:LEU:HD13	2.01	0.42
1:A:224:LEU:O	1:A:227:PRO:HD2	2.20	0.42
1:A:88:TRP:HB2	1:A:315:LEU:HD11	2.00	0.42
1:B:383:THR:OG1	1:B:386:GLU:HG3	2.20	0.42
1:A:244:CYS:O	1:A:248:ILE:HG13	2.20	0.42
1:A:89:ARG:HD2	1:A:284:TRP:CD1	2.55	0.42
1:B:56:TYR:CE1	1:B:73:VAL:HG22	2.55	0.42
1:A:472:MSE:O	1:A:476:LYS:HG2	2.20	0.42
1:B:88:TRP:HB3	1:B:315:LEU:HD11	2.02	0.42
1:A:180:MSE:HB2	1:A:182:ARG:HG2	2.02	0.41
1:A:387:LEU:HD23	1:A:387:LEU:C	2.40	0.41
1:A:460:PRO:HA	1:A:461:PRO:HD3	1.96	0.41
1:B:179:LYS:C	1:B:181:LYS:N	2.73	0.41
1:B:167:MSE:CE	1:B:195:THR:HG23	2.49	0.41
1:A:267:ARG:HD2	2:A:2140:HOH:O	2.20	0.41
1:B:263:LEU:HD12	1:B:263:LEU:H	1.84	0.41
1:B:192:THR:HG22	1:B:214:LEU:CD1	2.51	0.41
1:B:226:GLN:HB2	1:B:227:PRO:HD3	2.01	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:180:MSE:HB2	1:B:182:ARG:HG2	2.02	0.41
1:A:185:VAL:CG1	1:B:479:LEU:HD13	2.50	0.41
1:B:49:ALA:C	1:B:51:GLY:H	2.24	0.41
1:A:378:ILE:HG22	1:A:379:VAL:N	2.36	0.41
1:B:131:SER:OG	1:B:152:LYS:HE3	2.21	0.41
1:B:247:LEU:O	1:B:251:ILE:HG12	2.20	0.40
1:B:54:GLU:CG	1:B:60:GLU:HG3	2.51	0.40
1:A:255:LEU:HA	1:A:256:PRO:HD3	1.89	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	444/486 (91%)	410 (92%)	33 (7%)	1 (0%)	49	57
1	B	427/486 (88%)	396 (93%)	27 (6%)	4 (1%)	19	16
All	All	871/972 (90%)	806 (92%)	60 (7%)	5 (1%)	27	27

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	51	GLY
1	B	49	ALA
1	B	50	PRO
1	B	47	ASN
1	A	184	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	378/389 (97%)	365 (97%)	13 (3%)	40	49
1	B	364/389 (94%)	350 (96%)	14 (4%)	36	43
All	All	742/778 (95%)	715 (96%)	27 (4%)	37	45

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	THR
1	A	26	ASP
1	A	44	VAL
1	A	54	GLU
1	A	64	ARG
1	A	102	PRO
1	A	128	GLU
1	A	247	LEU
1	A	279	LEU
1	A	315	LEU
1	A	345	LYS
1	A	380	GLU
1	A	387	LEU
1	B	18	HIS
1	B	23	ASN
1	B	50	PRO
1	B	53	THR
1	B	54	GLU
1	B	128	GLU
1	B	244	CYS
1	B	247	LEU
1	B	279	LEU
1	B	315	LEU
1	B	345	LYS
1	B	376	ASN
1	B	380	GLU
1	B	387	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	153	HIS
1	A	230	ASN
1	A	299	ASN
1	A	326	GLN
1	A	376	ASN
1	B	153	HIS
1	B	271	GLN
1	B	299	ASN
1	B	326	GLN
1	B	376	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	MSO	A	309	1	5,8,9	1.25	1 (20%)	3,9,11	1.01	0
1	MSO	B	309	1	5,8,9	1.36	1 (20%)	3,9,11	1.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MSO	A	309	1	-	0/3/7/9	0/0/0/0
1	MSO	B	309	1	-	0/3/7/9	0/0/0/0



All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	309	MSO	CA-C	2.56	1.53	1.50
1	A	309	MSO	CA-C	2.60	1.53	1.50

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	438/486 (90%)	0.56	49 (11%) 5 5	25, 43, 79, 93	1 (0%)
1	B	420/486 (86%)	0.45	39 (9%) 8 9	26, 43, 75, 89	1 (0%)
All	All	858/972 (88%)	0.50	88 (10%) 6 6	25, 43, 77, 93	2 (0%)

All (88) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	363	VAL	7.1
1	A	63	TYR	6.7
1	B	241	PHE	6.5
1	A	483	THR	6.1
1	A	24	ILE	5.4
1	A	486	SER	5.3
1	B	24	ILE	5.0
1	A	182	ARG	4.8
1	A	27	GLU	4.7
1	A	258	TYR	4.6
1	B	364	SER	4.6
1	B	181	LYS	4.6
1	A	451	PRO	4.4
1	A	69	GLY	4.3
1	A	452	ASP	4.2
1	A	49	ALA	4.1
1	B	36	VAL	4.1
1	A	48	ALA	4.0
1	B	182	ARG	4.0
1	A	10	ILE	3.9
1	A	481	SER	3.9
1	A	364	SER	3.8
1	B	242	ASP	3.7
1	B	317[A]	ASP	3.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	363	VAL	3.7
1	B	217	ASN	3.7
1	A	34	ASN	3.6
1	B	60	GLU	3.6
1	A	35	ALA	3.6
1	A	484	LEU	3.6
1	B	18	HIS	3.5
1	A	262	SER	3.5
1	A	482	ASN	3.5
1	B	258	TYR	3.5
1	A	56	TYR	3.5
1	A	60	GLU	3.5
1	B	345	LYS	3.4
1	B	183	PRO	3.3
1	B	49	ALA	3.3
1	A	14	VAL	3.3
1	B	26	ASP	3.2
1	A	12	THR	3.2
1	A	11	GLU	3.2
1	B	476	LYS	3.2
1	B	344	PHE	3.1
1	B	294	GLY	3.0
1	B	82	ARG	3.0
1	B	218	LYS	3.0
1	B	244	CYS	2.9
1	A	256	PRO	2.9
1	B	58	LEU	2.9
1	A	181	LYS	2.9
1	A	342	LYS	2.9
1	A	185	VAL	2.8
1	B	56	TYR	2.8
1	A	70	LEU	2.8
1	B	70	LEU	2.7
1	A	292	VAL	2.7
1	A	291	ILE	2.6
1	B	192	THR	2.6
1	B	52	SER	2.6
1	A	332	PRO	2.6
1	B	452	ASP	2.6
1	A	183	PRO	2.6
1	B	62	VAL	2.5
1	B	239	THR	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	36	VAL	2.4
1	B	22	ASP	2.4
1	B	332	PRO	2.3
1	A	187	VAL	2.3
1	A	480	GLY	2.3
1	B	335	LEU	2.3
1	A	260	ALA	2.3
1	A	345	LYS	2.3
1	B	254	GLU	2.3
1	A	259	LEU	2.2
1	B	336	HIS	2.2
1	A	485	THR	2.2
1	A	18	HIS	2.2
1	A	303	PHE	2.2
1	B	53	THR	2.2
1	B	451	PRO	2.1
1	A	273	THR	2.1
1	A	254	GLU	2.1
1	A	323	VAL	2.1
1	B	78	GLU	2.1
1	A	335	LEU	2.0
1	A	454	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	MSO	A	309	9/10	0.95	0.16	41,41,43,44	0
1	MSO	B	309	9/10	0.96	0.13	41,42,44,44	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.