



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 10:27 pm GMT

PDB ID : 2EX0  
Title : Crystal structure of multifunctional sialyltransferase from *Pasteurella Multocida*  
Authors : Ni, L.; Sun, M.; Chen, X.; Fisher, A.J.  
Deposited on : 2005-11-07  
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1521 (1.66-1.66)
Clashscore	122126	1616 (1.66-1.66)
Ramachandran outliers	120053	1584 (1.66-1.66)
Sidechain outliers	120020	1584 (1.66-1.66)
RSRZ outliers	108989	1487 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	399	<div> <div>2%</div> <div> <div></div> <div>79%</div> <div>19%</div> <div>••</div> </div> </div>
1	B	399	<div> <div>3%</div> <div> <div></div> <div>80%</div> <div>18%</div> <div>•</div> </div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7212 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called a2,3-sialyltransferase, a2,6-sialyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	392	Total	C	N	O	S	0	0	0
			3190	2059	527	597	7			
1	B	390	Total	C	N	O	S	0	0	0
			3181	2052	526	596	7			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	428	Total	O	0	0
			428	428		
2	B	413	Total	O	0	0
			413	413		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: a2,3-sialyltransferase, a2,6-sialyltransferase



- Molecule 1: a2,3-sialyltransferase, a2,6-sialyltransferase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	63.72Å 61.28Å 96.65Å 90.00° 101.56° 90.00°	Depositor
Resolution (Å)	43.73 – 1.65 43.73 – 1.65	Depositor EDS
% Data completeness (in resolution range)	97.9 (43.73-1.65) 98.1 (43.73-1.65)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.33 (at 1.65Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.193 , 0.218 0.193 , 0.217	Depositor DCC
$R_{free}$ test set	4349 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	18.1	Xtriage
Anisotropy	0.374	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 48.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7212	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 73.80 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.7206e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.30	0/3267	0.58	0/4432
1	B	0.31	0/3258	0.57	0/4420
All	All	0.31	0/6525	0.58	0/8852

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3190	0	3127	69	0
1	B	3181	0	3113	55	0
2	A	428	0	0	6	0
2	B	413	0	0	2	0
All	All	7212	0	6240	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:286:ASN:HD21	1:B:412:LEU:H	1.22	0.87

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:176:LYS:H	1:B:176:LYS:HD2	1.39	0.87
1:A:286:ASN:HD21	1:A:412:LEU:H	1.25	0.84
1:B:399:ASP:H	1:B:402:GLN:HE21	1.26	0.83
1:A:399:ASP:H	1:A:402:GLN:HE21	1.25	0.82
1:A:251:VAL:HG11	1:A:335:ILE:HD12	1.63	0.79
1:B:263:ILE:HG13	1:B:347:PRO:HG2	1.64	0.79
1:B:25:MET:SD	1:B:103:GLU:HG3	2.24	0.78
1:A:153:GLU:O	1:A:154:ASN:HB2	1.87	0.74
1:B:176:LYS:N	1:B:176:LYS:HD2	2.02	0.73
1:A:267:THR:H	1:A:284:GLN:HE22	1.37	0.72
1:A:263:ILE:HD11	1:A:347:PRO:HG2	1.71	0.71
1:A:134:GLN:HE21	1:A:135:GLN:HE21	1.37	0.70
1:A:263:ILE:CD1	1:A:347:PRO:HG2	2.22	0.70
1:A:286:ASN:ND2	1:A:412:LEU:H	1.89	0.69
1:A:267:THR:H	1:A:284:GLN:NE2	1.92	0.68
1:B:399:ASP:H	1:B:402:GLN:NE2	1.92	0.68
1:A:375:LYS:HB3	1:A:376:GLN:NE2	2.10	0.67
1:A:399:ASP:H	1:A:402:GLN:NE2	1.93	0.67
1:B:134:GLN:HE21	1:B:135:GLN:HE21	1.43	0.66
1:B:286:ASN:ND2	1:B:412:LEU:H	1.90	0.66
1:A:248:ASN:C	1:A:248:ASN:HD22	1.96	0.66
1:A:263:ILE:CG1	1:A:347:PRO:HG2	2.25	0.66
1:A:118:ARG:HB3	1:A:119:PRO:HD3	1.77	0.66
1:A:263:ILE:HG13	1:A:347:PRO:HG2	1.80	0.63
1:B:308:PHE:HB2	1:B:328:ILE:HD11	1.79	0.63
1:A:364:GLU:CD	1:A:364:GLU:H	2.00	0.63
1:B:78:HIS:HE1	1:B:98:TYR:OH	1.83	0.61
1:B:107:HIS:HD2	1:B:139:TYR:OH	1.84	0.61
1:B:263:ILE:CG1	1:B:347:PRO:HG2	2.31	0.60
1:A:251:VAL:HG11	1:A:335:ILE:CD1	2.32	0.59
1:B:364:GLU:H	1:B:364:GLU:CD	2.06	0.58
1:A:107:HIS:HD2	1:A:139:TYR:OH	1.88	0.57
1:B:118:ARG:HB3	1:B:119:PRO:HD3	1.87	0.57
1:A:394:ARG:HG3	1:A:394:ARG:HH11	1.70	0.56
1:B:267:THR:H	1:B:284:GLN:HE22	1.53	0.56
1:B:375:LYS:HB2	1:B:375:LYS:NZ	2.21	0.56
1:A:322:LEU:HD11	1:A:330:ASN:ND2	2.22	0.55
1:B:308:PHE:HB2	1:B:328:ILE:CD1	2.36	0.55
1:A:309:LYS:HD2	2:A:824:HOH:O	2.06	0.55
1:B:263:ILE:CD1	1:B:347:PRO:HG2	2.37	0.55
1:B:176:LYS:H	1:B:176:LYS:CD	2.17	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:150:GLU:HG3	1:B:391:VAL:HG22	1.88	0.54
1:B:249:ASP:OD2	1:B:253:GLN:NE2	2.41	0.54
1:A:212:GLN:HG2	1:A:216:GLU:OE2	2.09	0.53
1:B:249:ASP:O	1:B:253:GLN:HG3	2.09	0.53
1:A:357:LEU:HD12	1:A:357:LEU:C	2.29	0.53
1:B:357:LEU:HD12	1:B:357:LEU:C	2.28	0.53
1:B:252:LYS:O	1:B:256:GLU:HG3	2.08	0.53
1:A:136:LEU:HB2	1:A:195:VAL:HG12	1.91	0.53
1:B:29:THR:OG1	1:B:55:HIS:HE1	1.91	0.53
1:A:248:ASN:HD21	1:A:251:VAL:HG23	1.74	0.53
1:B:381:GLU:CD	1:B:381:GLU:H	2.12	0.53
1:A:286:ASN:HD21	1:A:412:LEU:N	2.01	0.52
1:A:78:HIS:HE1	1:A:98:TYR:OH	1.92	0.52
1:B:309:LYS:HE2	1:B:335:ILE:O	2.09	0.51
1:A:416:LEU:HD22	1:A:416:LEU:N	2.26	0.51
1:A:335:ILE:HA	2:A:795:HOH:O	2.11	0.51
1:A:375:LYS:HB3	1:A:376:GLN:HE22	1.76	0.50
1:A:336:SER:O	1:A:339:VAL:HG12	2.11	0.50
1:A:206:GLU:HA	1:A:215:LYS:HD3	1.92	0.50
1:A:125:PHE:HA	1:A:128:LEU:HD21	1.93	0.50
1:B:267:THR:H	1:B:284:GLN:NE2	2.10	0.49
1:A:380:LYS:HE3	1:A:403:VAL:O	2.13	0.49
1:B:25:MET:HB2	1:B:101:ASN:O	2.13	0.48
1:A:410:LYS:HE3	1:A:412:LEU:HD21	1.96	0.48
1:B:37:LEU:HB3	1:B:38:PRO:HD3	1.95	0.48
1:A:359:PHE:HB3	2:A:817:HOH:O	2.13	0.47
1:A:267:THR:HB	1:A:353:VAL:HG11	1.96	0.47
1:A:332:PRO:C	1:A:334:ASN:N	2.67	0.47
1:B:78:HIS:HD2	2:B:505:HOH:O	1.99	0.46
1:A:103:GLU:HB3	1:A:134:GLN:HB2	1.97	0.46
1:B:293:GLN:HB3	1:B:295:GLU:OE2	2.15	0.46
1:A:248:ASN:ND2	1:A:251:VAL:H	2.14	0.45
1:A:248:ASN:C	1:A:248:ASN:ND2	2.67	0.45
1:A:296:GLY:HA2	1:A:412:LEU:HD11	1.97	0.45
1:B:295:GLU:H	1:B:295:GLU:CD	2.19	0.45
1:A:233:LEU:HB3	1:A:237:GLN:HB2	1.99	0.45
1:A:286:ASN:HD21	1:A:411:GLN:HA	1.81	0.45
1:A:166:LYS:HE2	1:B:72:THR:O	2.17	0.44
1:B:322:LEU:HD21	1:B:330:ASN:HD22	1.82	0.44
1:A:196:LYS:HG2	1:A:198:HIS:CE1	2.52	0.44
1:A:332:PRO:C	1:A:334:ASN:H	2.20	0.44

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:309:LYS:NZ	2:B:834:HOH:O	2.51	0.44
1:B:375:LYS:HB2	1:B:375:LYS:HZ2	1.82	0.44
1:A:110:ILE:HG12	1:A:138:LEU:HB3	1.99	0.44
1:A:153:GLU:O	1:A:154:ASN:CB	2.63	0.44
1:A:341:MET:HG2	1:A:346:LEU:HD22	2.00	0.44
1:A:322:LEU:HD11	1:A:330:ASN:CG	2.38	0.44
1:B:103:GLU:HB3	1:B:134:GLN:HB2	2.00	0.43
1:B:325:ALA:HB3	1:B:328:ILE:HG21	1.99	0.43
1:A:270:TRP:CG	1:A:372:THR:HB	2.54	0.43
1:A:252:LYS:O	1:A:256:GLU:HG3	2.18	0.43
1:A:331:ILE:O	1:A:332:PRO:C	2.57	0.43
1:A:341:MET:CG	1:A:346:LEU:HD22	2.49	0.43
1:A:50:ASN:HB2	1:A:74:TYR:OH	2.18	0.43
1:B:280:TYR:O	1:B:284:GLN:HG3	2.17	0.43
1:A:137:ASN:OD1	1:A:198:HIS:HE1	2.02	0.43
1:B:341:MET:HG2	1:B:346:LEU:CD1	2.48	0.42
1:B:381:GLU:N	1:B:381:GLU:CD	2.72	0.42
1:A:369:ILE:HD11	1:A:403:VAL:HG22	2.02	0.42
1:A:37:LEU:HB3	1:A:38:PRO:HD3	2.00	0.42
1:B:50:ASN:HB2	1:B:74:TYR:OH	2.19	0.42
1:A:263:ILE:HD11	1:A:347:PRO:CG	2.46	0.42
1:B:137:ASN:OD1	1:B:198:HIS:HE1	2.02	0.42
1:B:369:ILE:O	1:B:369:ILE:HG13	2.19	0.42
1:A:172:LEU:HD13	1:A:193:PHE:HZ	1.85	0.42
1:A:215:LYS:HE2	2:A:791:HOH:O	2.18	0.42
1:A:411:GLN:HG2	2:A:524:HOH:O	2.19	0.42
1:B:215:LYS:HD3	1:B:215:LYS:C	2.40	0.42
1:A:332:PRO:O	1:A:334:ASN:N	2.53	0.42
1:A:248:ASN:ND2	1:A:251:VAL:HG23	2.35	0.41
1:A:318:ASN:HB3	2:A:847:HOH:O	2.19	0.41
1:B:168:LEU:O	1:B:172:LEU:HG	2.21	0.41
1:B:204:TYR:HA	1:B:395:LEU:HD21	2.02	0.41
1:A:381:GLU:CD	1:A:381:GLU:H	2.24	0.41
1:B:311:HIS:CG	1:B:312:PRO:HD2	2.56	0.41
1:B:264:PHE:HA	1:B:351:GLY:O	2.21	0.41
1:B:361:LEU:HA	1:B:362:PRO:HD3	1.95	0.40
1:A:394:ARG:HG3	1:A:394:ARG:NH1	2.35	0.40
1:B:337:PHE:CD2	1:B:357:LEU:HD13	2.56	0.40
1:B:379:SER:HB2	1:B:381:GLU:OE1	2.22	0.40
1:B:234:THR:O	1:B:238:GLN:HG3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/399 (98%)	379 (97%)	10 (3%)	1 (0%)	43	22
1	B	388/399 (97%)	375 (97%)	13 (3%)	0	100	100
All	All	778/798 (98%)	754 (97%)	23 (3%)	1 (0%)	53	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	332	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	347/360 (96%)	342 (99%)	5 (1%)	69	48
1	B	346/360 (96%)	343 (99%)	3 (1%)	81	67
All	All	693/720 (96%)	685 (99%)	8 (1%)	74	55

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	MET
1	A	247	PHE
1	A	248	ASN
1	A	394	ARG
1	A	400	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	68	ASP
1	B	247	PHE
1	B	302	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	HIS
1	A	107	HIS
1	A	127	HIS
1	A	135	GLN
1	A	154	ASN
1	A	198	HIS
1	A	248	ASN
1	A	273	ASN
1	A	284	GLN
1	A	286	ASN
1	A	330	ASN
1	A	376	GLN
1	A	402	GLN
1	B	49	ASN
1	B	55	HIS
1	B	78	HIS
1	B	107	HIS
1	B	127	HIS
1	B	134	GLN
1	B	154	ASN
1	B	198	HIS
1	B	223	GLN
1	B	284	GLN
1	B	286	ASN
1	B	330	ASN
1	B	376	GLN
1	B	402	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	392/399 (98%)	-0.03	9 (2%) 60 61	11, 19, 31, 44	0
1	B	390/399 (97%)	-0.05	13 (3%) 46 47	11, 18, 34, 43	0
All	All	782/798 (97%)	-0.04	22 (2%) 53 53	11, 18, 33, 44	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	327	ASN	3.8
1	A	334	ASN	3.8
1	B	25	MET	3.7
1	B	333	ALA	3.7
1	A	335	ILE	3.2
1	B	176	LYS	3.1
1	B	327	ASN	2.8
1	B	414	GLY	2.7
1	A	416	LEU	2.7
1	B	320	TYR	2.5
1	A	175	GLY	2.4
1	A	173	LEU	2.4
1	B	175	GLY	2.4
1	B	375	LYS	2.3
1	B	334	ASN	2.3
1	A	333	ALA	2.3
1	B	271	GLU	2.3
1	B	273	ASN	2.2
1	B	325	ALA	2.1
1	A	219	ALA	2.1
1	B	313	ARG	2.1
1	A	99	PRO	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.