



Full wwPDB NMR Structure Validation Report ⓘ

Feb 20, 2018 – 08:39 pm GMT

PDB ID : 2EXN
Title : Solution structure for the protein coded by gene locus BB0938 of Bordetella bronchiseptica. Northeast Structural Genomics target BoR11.
Authors : Rossi, P.; Ramelot, T.; Xiao, R.; Ho, C.K.; Ma, L.-C.; Acton, T.B.; Kennedy, M.A.; Montelione, G.T.; Northeast Structural Genomics Consortium (NESG)
Deposited on : 2005-11-08

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbity	:	4.02b-467
Percentile statistics	:	20171227.v01 (using entries in the PDB archive December 27th 2017)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	trunk30686
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk30686


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	136279	12091
Ramachandran outliers	132675	10835
Sidechain outliers	132484	10811

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	136	 63% 20% • 11% •

2 Ensemble composition and analysis

This entry contains 10 models. Model 5 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest target function*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:5-A:71, A:80-A:127 (115)	0.49	5

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 4 single-model clusters were found.

Cluster number	Models
1	2, 5, 7
2	1, 6, 8
Single-model clusters	3; 4; 9; 10

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2010 atoms, of which 999 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Hypothetical protein BoR11.

Mol	Chain	Residues	Atoms						Trace
1	A	130	Total	C	H	N	O	S	0
			2010	635	999	174	194	8	


There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	121	MET	-	EXPRESSION TAG	UNP Q7WNU7
A	122	ALA	-	EXPRESSION TAG	UNP Q7WNU7
A	123	GLU	-	EXPRESSION TAG	UNP Q7WNU7
A	124	VAL	-	EXPRESSION TAG	UNP Q7WNU7
A	125	ARG	-	EXPRESSION TAG	UNP Q7WNU7
A	126	TRP	-	EXPRESSION TAG	UNP Q7WNU7
A	127	PRO	-	EXPRESSION TAG	UNP Q7WNU7
A	128	SER	-	EXPRESSION TAG	UNP Q7WNU7
A	129	LEU	-	EXPRESSION TAG	UNP Q7WNU7
A	130	GLU	-	EXPRESSION TAG	UNP Q7WNU7
A	131	HIS	-	EXPRESSION TAG	UNP Q7WNU7
A	132	HIS	-	EXPRESSION TAG	UNP Q7WNU7
A	133	HIS	-	EXPRESSION TAG	UNP Q7WNU7
A	134	HIS	-	EXPRESSION TAG	UNP Q7WNU7
A	135	HIS	-	EXPRESSION TAG	UNP Q7WNU7
A	136	HIS	-	EXPRESSION TAG	UNP Q7WNU7




4.2.3 Score per residue for model 3

- Molecule 1: Hypothetical protein BoR11




4.2.4 Score per residue for model 4

- Molecule 1: Hypothetical protein BoR11




4.2.5 Score per residue for model 5 (medoid)

- Molecule 1: Hypothetical protein BoR11




4.2.6 Score per residue for model 6

- Molecule 1: Hypothetical protein BoR11




4.2.7 Score per residue for model 7

- Molecule 1: Hypothetical protein BoR11




4.2.8 Score per residue for model 8

- Molecule 1: Hypothetical protein BoR11




4.2.9 Score per residue for model 9

- Molecule 1: Hypothetical protein BoR11



4.2.10 Score per residue for model 10

● Molecule 1: Hypothetical protein BoR11



5 Refinement protocol and experimental data overview

The models were refined using the following method: *CS assignment: Backbone AutoAssign, manual sidechain HcCH-COSY and TOCSYs. AutoStructure for noesy assign. Hyper Dihedral, Dyana, Xplor(nih), and CNS force-field for simulated annealing (Dyana,xplor run within AutoStructure GUI).*

Of the 56 calculated structures, 10 were deposited, based on the following criterion: *target function.*

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
AutoStructure	structure solution	2.1.1
CNS	refinement	1.1
xplor(nih)	structure solution	2.0.6
DYANA	structure solution	1.5

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality [i](#)

6.1 Standard geometry [i](#)

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	898	900	898	20±3
All	All	8980	9000	8980	201

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:9:ILE:HB	1:A:12:CYS:SG	0.71	2.24	3	4
1:A:9:ILE:HD11	1:A:57:LEU:HD21	0.71	1.62	5	2
1:A:11:GLU:HG2	1:A:29:VAL:HG23	0.69	1.63	1	3
1:A:8:PRO:HG3	1:A:20:ALA:HB1	0.68	1.63	9	4
1:A:12:CYS:HA	1:A:48:VAL:HB	0.68	1.62	4	7
1:A:29:VAL:HG22	1:A:114:ILE:HD13	0.67	1.67	3	1
1:A:85:LEU:HG	1:A:88:GLU:HA	0.67	1.64	2	1
1:A:11:GLU:HB2	1:A:45:LEU:HB3	0.65	1.68	9	1
1:A:8:PRO:HA	1:A:24:GLN:CB	0.65	2.22	7	5
1:A:11:GLU:HB2	1:A:45:LEU:HG	0.65	1.69	8	2
1:A:44:ARG:O	1:A:47:GLU:HG2	0.63	1.94	9	1
1:A:31:ASN:HD21	1:A:35:GLN:HB3	0.62	1.52	2	2
1:A:29:VAL:HG23	1:A:37:LEU:HB3	0.62	1.71	8	1
1:A:65:LEU:H	1:A:65:LEU:HD12	0.61	1.54	3	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:11:GLU:OE2	1:A:28:LEU:HA	0.61	1.96	10	2
1:A:36:TRP:CZ2	1:A:124:VAL:HG21	0.61	2.30	9	1
1:A:6:TYR:O	1:A:8:PRO:HD3	0.60	1.96	7	6
1:A:37:LEU:HG	1:A:42:CYS:SG	0.59	2.37	8	2
1:A:126:TRP:CG	1:A:127:PRO:HD2	0.59	2.32	2	7
1:A:47:GLU:O	1:A:62:PRO:HD2	0.58	1.98	2	1
1:A:11:GLU:O	1:A:46:ALA:HA	0.58	1.97	10	4
1:A:61:ALA:HB3	1:A:64:MET:HB2	0.57	1.74	10	7
1:A:36:TRP:CH2	1:A:124:VAL:HB	0.57	2.34	1	2
1:A:11:GLU:HB3	1:A:45:LEU:HG	0.57	1.76	7	3
1:A:86:VAL:HG21	1:A:124:VAL:HB	0.57	1.75	9	1
1:A:118:HIS:CD2	1:A:119:PRO:HD2	0.57	2.34	10	3
1:A:99:LEU:H	1:A:99:LEU:HD23	0.57	1.59	1	3
1:A:95:ASP:HA	1:A:115:LEU:HD23	0.57	1.76	9	2
1:A:110:VAL:HG23	1:A:112:CYS:SG	0.57	2.40	10	8
1:A:5:ALA:HB1	1:A:14:ALA:HB1	0.56	1.77	1	3
1:A:9:ILE:HG23	1:A:27:TRP:HB3	0.56	1.76	5	1
1:A:30:ALA:HB3	1:A:115:LEU:HD12	0.56	1.76	3	2
1:A:95:ASP:OD2	1:A:113:ARG:HD3	0.56	2.01	2	1
1:A:42:CYS:SG	1:A:45:LEU:HD22	0.55	2.40	9	2
1:A:9:ILE:HD11	1:A:57:LEU:HD11	0.55	1.78	1	1
1:A:45:LEU:O	1:A:48:VAL:HG23	0.55	2.02	9	3
1:A:84:MET:HA	1:A:84:MET:CE	0.55	2.32	7	1
1:A:9:ILE:HB	1:A:12:CYS:HB2	0.54	1.79	1	3
1:A:26:ARG:NH1	1:A:123:GLU:HA	0.54	2.18	2	1
1:A:86:VAL:HG12	1:A:127:PRO:HD3	0.54	1.78	10	3
1:A:36:TRP:CD1	1:A:86:VAL:HG22	0.54	2.38	4	1
1:A:95:ASP:OD1	1:A:113:ARG:HD3	0.53	2.04	7	2
1:A:9:ILE:HD11	1:A:57:LEU:CD2	0.53	2.33	5	1
1:A:92:ASP:O	1:A:118:HIS:HB2	0.53	2.04	8	1
1:A:84:MET:O	1:A:90:THR:HA	0.52	2.04	6	2
1:A:125:ARG:O	1:A:126:TRP:HB2	0.52	2.02	10	1
1:A:39:ARG:O	1:A:43:PRO:HA	0.52	2.04	5	1
1:A:12:CYS:HB3	1:A:50:VAL:HG22	0.52	1.81	10	4
1:A:9:ILE:HB	1:A:12:CYS:HG	0.52	1.63	5	1
1:A:37:LEU:HD22	1:A:112:CYS:SG	0.51	2.46	7	1
1:A:8:PRO:HA	1:A:24:GLN:HB3	0.51	1.81	7	2
1:A:11:GLU:CD	1:A:11:GLU:H	0.50	2.09	6	2
1:A:12:CYS:HB3	1:A:50:VAL:HB	0.50	1.81	6	1
1:A:12:CYS:HB2	1:A:50:VAL:HG22	0.50	1.82	2	1
1:A:89:GLN:HE21	1:A:124:VAL:HG13	0.50	1.66	10	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:8:PRO:HA	1:A:24:GLN:HA	0.50	1.84	9	4
1:A:91:VAL:HG21	1:A:124:VAL:HG21	0.49	1.83	6	1
1:A:86:VAL:HG21	1:A:124:VAL:CG1	0.49	2.37	4	2
1:A:81:ARG:HB2	1:A:92:ASP:HB2	0.49	1.83	9	1
1:A:84:MET:HE2	1:A:115:LEU:HD12	0.49	1.83	8	1
1:A:12:CYS:SG	1:A:50:VAL:HG22	0.49	2.48	2	1
1:A:85:LEU:CG	1:A:88:GLU:HA	0.49	2.37	2	1
1:A:59:LEU:O	1:A:66:ARG:HA	0.48	2.08	10	3
1:A:49:SER:HB2	1:A:60:LYS:HG3	0.48	1.85	4	1
1:A:9:ILE:HA	1:A:27:TRP:HB3	0.48	1.85	7	3
1:A:38:ASN:OD1	1:A:41:LEU:HG	0.47	2.09	9	1
1:A:42:CYS:HB2	1:A:45:LEU:HD13	0.46	1.86	9	1
1:A:11:GLU:HG2	1:A:29:VAL:CG2	0.46	2.38	1	2
1:A:36:TRP:HB2	1:A:126:TRP:CD1	0.46	2.46	1	1
1:A:20:ALA:HA	1:A:52:LEU:HD22	0.45	1.86	1	3
1:A:11:GLU:H	1:A:11:GLU:CD	0.45	2.15	10	3
1:A:9:ILE:HG22	1:A:11:GLU:OE2	0.44	2.13	1	2
1:A:95:ASP:HA	1:A:115:LEU:CD2	0.44	2.42	8	1
1:A:93:VAL:HG21	1:A:115:LEU:HD13	0.44	1.89	5	2
1:A:59:LEU:HB2	1:A:67:LEU:HB3	0.44	1.89	6	1
1:A:30:ALA:HB3	1:A:115:LEU:CD1	0.43	2.43	3	1
1:A:31:ASN:ND2	1:A:33:ALA:H	0.43	2.10	5	1
1:A:89:GLN:HE21	1:A:124:VAL:HG22	0.43	1.73	6	1
1:A:121:MET:SD	1:A:122:ALA:N	0.43	2.91	5	1
1:A:11:GLU:OE1	1:A:29:VAL:HG23	0.43	2.14	10	1
1:A:51:GLU:HB3	1:A:58:VAL:HB	0.43	1.91	4	1
1:A:110:VAL:HG23	1:A:112:CYS:HG	0.43	1.71	8	1
1:A:86:VAL:HG12	1:A:127:PRO:CD	0.42	2.43	10	1
1:A:9:ILE:HD13	1:A:50:VAL:HG11	0.42	1.90	4	1
1:A:104:ILE:HD12	1:A:107:HIS:HB3	0.42	1.92	9	1
1:A:84:MET:SD	1:A:93:VAL:HG11	0.42	2.54	8	1
1:A:82:TYR:O	1:A:93:VAL:HG22	0.42	2.14	7	2
1:A:104:ILE:HG22	1:A:112:CYS:HB2	0.42	1.91	3	1
1:A:36:TRP:NE1	1:A:84:MET:SD	0.42	2.93	10	2
1:A:80:VAL:HB	1:A:95:ASP:HB3	0.42	1.91	5	1
1:A:84:MET:HA	1:A:84:MET:HE2	0.42	1.89	7	1
1:A:37:LEU:HD23	1:A:45:LEU:HD22	0.42	1.90	3	1
1:A:31:ASN:HA	1:A:112:CYS:SG	0.42	2.55	9	1
1:A:12:CYS:CB	1:A:50:VAL:HG22	0.41	2.45	2	1
1:A:29:VAL:HG22	1:A:114:ILE:HG12	0.41	1.92	1	1
1:A:116:LYS:HB3	1:A:116:LYS:HZ3	0.41	1.76	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:53:ARG:HB3	1:A:56:TYR:HB2	0.41	1.93	8	1
1:A:5:ALA:HB1	1:A:14:ALA:CB	0.41	2.46	7	1
1:A:110:VAL:HB	1:A:111:PRO:HD2	0.41	1.92	2	1
1:A:101:ALA:HA	1:A:113:ARG:HA	0.41	1.92	10	1
1:A:102:ALA:HA	1:A:105:SER:OG	0.41	2.15	6	1
1:A:47:GLU:HB3	1:A:62:PRO:HG2	0.41	1.92	2	1
1:A:24:GLN:O	1:A:25:LYS:HG3	0.40	2.15	5	1
1:A:104:ILE:O	1:A:108:ALA:N	0.40	2.54	10	1
1:A:121:MET:N	1:A:121:MET:SD	0.40	2.94	10	1
1:A:11:GLU:CG	1:A:29:VAL:HG23	0.40	2.42	1	1
1:A:39:ARG:H	1:A:39:ARG:CD	0.40	2.29	1	1
1:A:9:ILE:HA	1:A:27:TRP:CB	0.40	2.46	10	1
1:A:26:ARG:HD2	1:A:122:ALA:O	0.40	2.17	8	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	115/136 (85%)	101±1 (88±1%)	10±1 (9±1%)	4±1 (3±1%)	8	40
All	All	1150/1360 (85%)	1011 (88%)	103 (9%)	36 (3%)	8	40

All 12 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	65	LEU	9
1	A	8	PRO	7
1	A	124	VAL	4
1	A	111	PRO	3
1	A	54	MET	3
1	A	125	ARG	2
1	A	126	TRP	2
1	A	122	ALA	2
1	A	119	PRO	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	123	GLU	1
1	A	127	PRO	1
1	A	71	LEU	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	93/114 (82%)	86±2 (93±2%)	7±2 (7±2%)	19	66
All	All	930/1140 (82%)	861 (93%)	69 (7%)	19	66

All 30 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	27	TRP	8
1	A	11	GLU	7
1	A	31	ASN	4
1	A	88	GLU	4
1	A	24	GLN	4
1	A	118	HIS	4
1	A	84	MET	3
1	A	7	GLN	3
1	A	9	ILE	3
1	A	50	VAL	3
1	A	121	MET	2
1	A	81	ARG	2
1	A	90	THR	2
1	A	54	MET	2
1	A	92	ASP	2
1	A	28	LEU	2
1	A	68	ASP	1
1	A	106	ASN	1
1	A	17	GLN	1
1	A	29	VAL	1
1	A	19	GLU	1
1	A	96	GLU	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	25	LYS	1
1	A	16	THR	1
1	A	53	ARG	1
1	A	35	GLN	1
1	A	26	ARG	1
1	A	116	LYS	1
1	A	39	ARG	1
1	A	86	VAL	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided