



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 9, 2019 – 11:22 AM EDT

PDB ID : 6H0G
Title : Structure of the DDB1-CRBN-pomalidomide complex bound to ZNF692(ZF4)
Authors : Bunker, R.D.; Petzold, G.; Thoma, N.H.
Deposited on : 2018-07-09
Resolution : 4.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.0 (224370), CSD as540be (2019)
Xtriage (Phenix) : 1.13
EDS : rb-20031633
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20031633


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	1027 (4.80-3.70)
Clashscore	122126	1097 (4.80-3.70)
Ramachandran outliers	120053	1047 (4.80-3.70)
Sidechain outliers	120020	1031 (4.80-3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	856	
1	D	856	
2	B	426	
2	E	426	
3	C	31	
3	F	31	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 39696 atoms, of which 19764 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA damage-binding protein 1,DNA damage-binding protein 1,DNA damage-binding protein 1,DDB1 (DNA damage binding protein 1),DNA damage-binding protein 1,DNA damage-binding protein 1,DNA damage-binding protein 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	825	Total	C	H	N	O	S	6443	0	0
			12920	4100	6443	1092	1249	36			
1	D	825	Total	C	H	N	O	S	6443	0	0
			12920	4100	6443	1092	1249	36			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP Q16531
A	-18	HIS	-	expression tag	UNP Q16531
A	-17	HIS	-	expression tag	UNP Q16531
A	-16	HIS	-	expression tag	UNP Q16531
A	-15	HIS	-	expression tag	UNP Q16531
A	-14	HIS	-	expression tag	UNP Q16531
A	-13	HIS	-	expression tag	UNP Q16531
A	-12	VAL	-	expression tag	UNP Q16531
A	-11	ASP	-	expression tag	UNP Q16531
A	-10	GLU	-	expression tag	UNP Q16531
A	-9	GLU	-	expression tag	UNP Q16531
A	-8	ASN	-	expression tag	UNP Q16531
A	-7	LEU	-	expression tag	UNP Q16531
A	-6	TYR	-	expression tag	UNP Q16531
A	-5	PHE	-	expression tag	UNP Q16531
A	-4	GLN	-	expression tag	UNP Q16531
A	-3	GLY	-	expression tag	UNP Q16531
A	-2	GLY	-	expression tag	UNP Q16531
A	-1	GLY	-	expression tag	UNP Q16531
A	0	ARG	-	expression tag	UNP Q16531
D	-19	MET	-	initiating methionine	UNP Q16531
D	-18	HIS	-	expression tag	UNP Q16531
D	-17	HIS	-	expression tag	UNP Q16531

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	HIS	-	expression tag	UNP Q16531
D	-15	HIS	-	expression tag	UNP Q16531
D	-14	HIS	-	expression tag	UNP Q16531
D	-13	HIS	-	expression tag	UNP Q16531
D	-12	VAL	-	expression tag	UNP Q16531
D	-11	ASP	-	expression tag	UNP Q16531
D	-10	GLU	-	expression tag	UNP Q16531
D	-9	GLU	-	expression tag	UNP Q16531
D	-8	ASN	-	expression tag	UNP Q16531
D	-7	LEU	-	expression tag	UNP Q16531
D	-6	TYR	-	expression tag	UNP Q16531
D	-5	PHE	-	expression tag	UNP Q16531
D	-4	GLN	-	expression tag	UNP Q16531
D	-3	GLY	-	expression tag	UNP Q16531
D	-2	GLY	-	expression tag	UNP Q16531
D	-1	GLY	-	expression tag	UNP Q16531
D	0	ARG	-	expression tag	UNP Q16531

- Molecule 2 is a protein called Protein cereblon.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	401	Total	C	H	N	O	S	3225	0	0
			6457	2058	3225	551	598	25			
2	E	401	Total	C	H	N	O	S	3226	0	0
			6458	2058	3226	551	598	25			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	17	MET	-	initiating methionine	UNP Q96SW2
B	18	ASP	-	expression tag	UNP Q96SW2
B	19	TRP	-	expression tag	UNP Q96SW2
B	20	SER	-	expression tag	UNP Q96SW2
B	21	HIS	-	expression tag	UNP Q96SW2
B	22	PRO	-	expression tag	UNP Q96SW2
B	23	GLN	-	expression tag	UNP Q96SW2
B	24	PHE	-	expression tag	UNP Q96SW2
B	25	GLU	-	expression tag	UNP Q96SW2
B	26	LYS	-	expression tag	UNP Q96SW2
B	27	SER	-	expression tag	UNP Q96SW2
B	28	ALA	-	expression tag	UNP Q96SW2
B	29	VAL	-	expression tag	UNP Q96SW2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	30	ASP	-	expression tag	UNP Q96SW2
B	31	GLU	-	expression tag	UNP Q96SW2
B	32	ASN	-	expression tag	UNP Q96SW2
B	33	LEU	-	expression tag	UNP Q96SW2
B	34	TYR	-	expression tag	UNP Q96SW2
B	35	PHE	-	expression tag	UNP Q96SW2
B	36	GLN	-	expression tag	UNP Q96SW2
B	37	GLY	-	expression tag	UNP Q96SW2
B	38	GLY	-	expression tag	UNP Q96SW2
B	39	GLY	-	expression tag	UNP Q96SW2
B	40	ARG	-	expression tag	UNP Q96SW2
E	17	MET	-	initiating methionine	UNP Q96SW2
E	18	ASP	-	expression tag	UNP Q96SW2
E	19	TRP	-	expression tag	UNP Q96SW2
E	20	SER	-	expression tag	UNP Q96SW2
E	21	HIS	-	expression tag	UNP Q96SW2
E	22	PRO	-	expression tag	UNP Q96SW2
E	23	GLN	-	expression tag	UNP Q96SW2
E	24	PHE	-	expression tag	UNP Q96SW2
E	25	GLU	-	expression tag	UNP Q96SW2
E	26	LYS	-	expression tag	UNP Q96SW2
E	27	SER	-	expression tag	UNP Q96SW2
E	28	ALA	-	expression tag	UNP Q96SW2
E	29	VAL	-	expression tag	UNP Q96SW2
E	30	ASP	-	expression tag	UNP Q96SW2
E	31	GLU	-	expression tag	UNP Q96SW2
E	32	ASN	-	expression tag	UNP Q96SW2
E	33	LEU	-	expression tag	UNP Q96SW2
E	34	TYR	-	expression tag	UNP Q96SW2
E	35	PHE	-	expression tag	UNP Q96SW2
E	36	GLN	-	expression tag	UNP Q96SW2
E	37	GLY	-	expression tag	UNP Q96SW2
E	38	GLY	-	expression tag	UNP Q96SW2
E	39	GLY	-	expression tag	UNP Q96SW2
E	40	ARG	-	expression tag	UNP Q96SW2

- Molecule 3 is a protein called Zinc finger protein 692.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	C	30	Total 441	C 140	H 208	N 48	O 42	S 3	208	0	0
3	F	30	Total 456	C 143	H 219	N 49	O 42	S 3	219	0	0


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	412	GLY	-	expression tag	UNP Q9BU19
C	414	GLY	GLU	conflict	UNP Q9BU19
C	415	ARG	LYS	conflict	UNP Q9BU19
F	412	GLY	-	expression tag	UNP Q9BU19
F	414	GLY	GLU	conflict	UNP Q9BU19
F	415	ARG	LYS	conflict	UNP Q9BU19

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Zn 1 1	0	0
4	C	1	Total Zn 1 1	0	0
4	F	1	Total Zn 1 1	0	0
4	E	1	Total Zn 1 1	0	0

- Molecule 5 is S-Pomalidomide (three-letter code: Y70) (formula: C₁₃H₁₁N₃O₄).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C N O 20 13 3 4	0	0
5	E	1	Total C N O 20 13 3 4	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA damage-binding protein 1,DNA damage-binding protein 1,DNA damage-binding protein 1,DDB1 (DNA damage binding protein 1),DNA damage-binding protein 1,DNA damage-binding protein 1,DNA damage-binding protein 1




- Molecule 1: DNA damage-binding protein 1,DNA damage-binding protein 1,DNA damage-binding protein 1,DDB1 (DNA damage binding protein 1),DNA damage-binding protein 1,DNA damage-binding protein 1,DNA damage-binding protein 1



- Molecule 2: Protein cereblon





- Molecule 2: Protein cereblon







● Molecule 3: Zinc finger protein 692



● Molecule 3: Zinc finger protein 692



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	112.51Å 99.53Å 166.94Å 90.00° 108.49° 90.00°	Depositor
Resolution (Å)	48.60 – 4.25 48.97 – 4.25	Depositor EDS
% Data completeness (in resolution range)	93.3 (48.60-4.25) 93.3 (48.97-4.25)	Depositor EDS
R_{merge}	0.23	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.16 (at 4.29Å)	Xtriage
Refinement program	BUSTER 2.11.7	Depositor
R, R_{free}	0.221 , 0.256 0.277 , 0.309	Depositor DCC
R_{free} test set	1140 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	169.8	Xtriage
Anisotropy	0.308	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , 90.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.22$	Xtriage
Estimated twinning fraction	0.084 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	39696	wwPDB-VP
Average B, all atoms (Å ²)	152.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, Y70

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/6594	0.53	0/8919
1	D	0.43	0/6594	0.54	1/8919 (0.0%)
2	B	0.47	0/3308	0.51	0/4487
2	E	0.46	0/3308	0.50	0/4487
3	C	0.52	0/238	0.59	0/319
3	F	0.43	0/242	0.60	0/323
All	All	0.44	0/20284	0.53	1/27454 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	1016	ASN	N-CA-CB	5.07	119.73	110.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6477	6443	6445	15	0
1	D	6477	6443	6445	9	0
2	B	3232	3225	3228	20	0
2	E	3232	3226	3230	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	233	208	208	1	0
3	F	237	219	219	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
5	B	20	0	11	1	0
5	E	20	0	11	0	0
All	All	19932	19764	19797	56	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:440:LEU:HD13	2:B:440:LEU:O	1.99	0.63
1:D:295:VAL:HG23	1:D:295:VAL:O	2.04	0.57
2:B:298:LEU:HD12	2:B:301:ILE:HD12	1.88	0.56
1:A:951:PRO:O	2:B:190:LEU:HD21	2.06	0.56
2:E:298:LEU:HD12	2:E:301:ILE:HD12	1.88	0.55
2:E:313:ASP:HB2	2:E:442:LEU:HD12	1.88	0.55
1:A:886:SER:OG	2:B:442:LEU:HD21	2.06	0.55
2:B:313:ASP:HB2	2:B:442:LEU:HD12	1.89	0.54
2:B:386:TRP:CD1	5:B:502:Y70:H181	2.43	0.53
1:A:1055:GLN:HG3	1:A:1093:LEU:HD23	1.93	0.51
1:D:285:LEU:HB3	1:D:297:LEU:HD11	1.93	0.51
2:B:309:ARG:NH1	2:B:442:LEU:HD13	2.26	0.50
2:E:440:LEU:HD23	2:E:440:LEU:C	2.32	0.50
2:E:309:ARG:NH1	2:E:442:LEU:HD13	2.27	0.49
1:A:5:TYR:HB2	1:A:1043:LEU:HD11	1.93	0.48
1:D:5:TYR:HB2	1:D:1043:LEU:HD11	1.94	0.48
1:D:282:MET:HB2	1:D:305:LEU:HD11	1.95	0.48
2:B:143:ALA:HB3	2:B:158:LYS:HB2	1.95	0.48
1:A:281:PHE:CE1	1:A:304:LEU:HD13	2.48	0.47
1:A:282:MET:HB2	1:A:305:LEU:HD11	1.95	0.47
2:B:168:LEU:HD11	2:B:183:GLN:HB2	1.96	0.46
2:B:297:GLN:HB3	2:B:440:LEU:HD21	1.98	0.46
2:B:53:LEU:HD22	2:B:382:PRO:HG2	1.98	0.45
2:B:240:TRP:HB3	2:B:244:LEU:HD23	1.97	0.45
2:E:168:LEU:HD11	2:E:183:GLN:HB2	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:310:CYS:SG	2:E:440:LEU:HD21	2.55	0.45
2:E:53:LEU:HD22	2:E:382:PRO:HG2	1.98	0.45
2:B:294:LEU:HD22	2:B:440:LEU:HB3	1.99	0.44
1:A:905:HIS:ND1	1:A:906:TYR:N	2.66	0.44
1:A:327:ARG:HD3	2:B:199:LEU:HD22	2.00	0.44
3:C:415:ARG:HB2	3:C:416:PRO:HD2	2.00	0.44
2:E:165:PHE:HB2	2:E:182:VAL:HG13	2.01	0.43
1:A:886:SER:O	1:A:906:TYR:O	2.36	0.43
2:B:278:ILE:N	2:B:278:ILE:HD12	2.33	0.43
1:A:909:ILE:O	2:B:442:LEU:HD22	2.18	0.43
2:E:141:ILE:HG23	2:E:157:VAL:HG13	2.00	0.43
1:A:275:ASP:OD1	1:A:279:ARG:N	2.49	0.43
2:B:213:VAL:HG22	2:B:214:SER:N	2.34	0.43
2:B:49:PHE:O	2:B:50:ASP:CB	2.67	0.43
1:D:886:SER:O	1:D:906:TYR:O	2.36	0.43
2:B:141:ILE:HG23	2:B:157:VAL:HG13	2.00	0.43
1:D:1133:VAL:O	1:D:1137:THR:HG23	2.18	0.43
1:D:387:LEU:HG	1:D:717:LEU:HD11	2.01	0.42
1:A:1133:VAL:O	1:A:1137:THR:HG23	2.19	0.42
2:E:143:ALA:HB3	2:E:158:LYS:HB2	2.01	0.42
1:D:905:HIS:ND1	1:D:906:TYR:N	2.67	0.42
2:E:278:ILE:N	2:E:278:ILE:HD12	2.34	0.42
2:E:49:PHE:O	2:E:50:ASP:CB	2.68	0.42
2:E:250:ALA:HB3	2:E:251:GLU:OE2	2.20	0.42
1:A:387:LEU:HG	1:A:717:LEU:HD11	2.02	0.41
2:E:247:LEU:O	2:E:253:LEU:HD21	2.21	0.41
1:A:328:LEU:O	1:A:380:GLY:HA2	2.21	0.41
2:B:165:PHE:HB2	2:B:182:VAL:HG13	2.01	0.41
2:E:417:LEU:HB2	2:E:422:LEU:HD11	2.02	0.41
1:D:933:LEU:HD23	1:D:944:GLU:HA	2.03	0.41
1:A:909:ILE:HD12	1:A:928:ARG:HB2	2.03	0.41

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	821/856 (96%)	753 (92%)	62 (8%)	6 (1%)	24	66
1	D	821/856 (96%)	751 (92%)	64 (8%)	6 (1%)	24	66
2	B	399/426 (94%)	372 (93%)	21 (5%)	6 (2%)	11	51
2	E	399/426 (94%)	375 (94%)	17 (4%)	7 (2%)	9	47
3	C	28/31 (90%)	20 (71%)	7 (25%)	1 (4%)	4	33
3	F	28/31 (90%)	23 (82%)	3 (11%)	2 (7%)	1	18
All	All	2496/2626 (95%)	2294 (92%)	174 (7%)	28 (1%)	16	57

All (28) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	369	ARG
1	A	1016	ASN
2	B	50	ASP
2	E	50	ASP
1	A	840	GLU
1	A	841	ALA
2	B	49	PHE
2	B	428	ASP
1	D	369	ARG
1	D	841	ALA
2	E	49	PHE
2	E	213	VAL
2	E	215	ARG
2	B	317	LYS
1	D	840	GLU
1	A	36	ASN
1	A	242	GLY
1	D	36	ASN
1	D	242	GLY
2	B	116	LYS
1	D	970	ASN
2	E	116	LYS
3	F	428	GLN
3	C	414	GLY
2	B	85	PRO
2	E	85	PRO
3	F	414	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	427	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	720/744 (97%)	709 (98%)	11 (2%)	67	84
1	D	720/744 (97%)	707 (98%)	13 (2%)	62	82
2	B	365/385 (95%)	355 (97%)	10 (3%)	48	72
2	E	365/385 (95%)	360 (99%)	5 (1%)	69	85
3	C	23/25 (92%)	21 (91%)	2 (9%)	11	40
3	F	24/25 (96%)	24 (100%)	0	100	100
All	All	2217/2308 (96%)	2176 (98%)	41 (2%)	62	82

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	87	CYS
1	A	201	GLU
1	A	234	GLN
1	A	318	ASP
1	A	779	GLU
1	A	812	TYR
1	A	840	GLU
1	A	844	LYS
1	A	969	GLU
1	A	1120	MET
2	B	71	THR
2	B	145	ARG
2	B	181	LYS
2	B	182	VAL
2	B	205	CYS
2	B	217	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	436	ASP
2	B	437	LYS
2	B	440	LEU
2	B	441	CYS
3	C	426	CYS
3	C	432	LEU
1	D	1	MET
1	D	234	GLN
1	D	289	GLU
1	D	318	ASP
1	D	369	ARG
1	D	779	GLU
1	D	812	TYR
1	D	840	GLU
1	D	844	LYS
1	D	857	LYS
1	D	969	GLU
1	D	991	HIS
1	D	1120	MET
2	E	71	THR
2	E	145	ARG
2	E	181	LYS
2	E	182	VAL
2	E	217	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	1059	ASN
2	E	57	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	Y70	B	502	-	22,22,22	2.79	10 (45%)	32,33,33	2.49	11 (34%)
5	Y70	E	502	-	22,22,22	2.92	9 (40%)	32,33,33	1.99	8 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	Y70	B	502	-	-	0/4/33/33	0/3/3/3
5	Y70	E	502	-	-	0/4/33/33	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	502	Y70	O20-C17	-2.18	1.18	1.23
5	B	502	Y70	O19-C15	-2.17	1.19	1.23
5	E	502	Y70	O19-C15	-2.12	1.19	1.23
5	B	502	Y70	C12-C15	2.08	1.56	1.51
5	E	502	Y70	C18-C17	2.11	1.54	1.50
5	E	502	Y70	C6-N10	2.30	1.45	1.37
5	B	502	Y70	C6-N10	2.37	1.45	1.37
5	B	502	Y70	C9-N8	2.66	1.45	1.40
5	B	502	Y70	C5-C9	2.85	1.54	1.49
5	B	502	Y70	C4-C7	3.08	1.53	1.48
5	E	502	Y70	C7-N8	3.46	1.46	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	502	Y70	C7-N8	3.58	1.47	1.40
5	E	502	Y70	C5-C9	3.59	1.56	1.49
5	E	502	Y70	C9-N8	3.70	1.47	1.40
5	E	502	Y70	C4-C7	4.28	1.55	1.48
5	E	502	Y70	C15-N16	6.61	1.48	1.37
5	B	502	Y70	C15-N16	6.80	1.49	1.37
5	B	502	Y70	C17-N16	7.16	1.48	1.37
5	E	502	Y70	C17-N16	7.75	1.49	1.37

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	502	Y70	C1-C6-N10	-5.47	109.42	120.12
5	E	502	Y70	C1-C6-N10	-5.27	109.80	120.12
5	B	502	Y70	C18-C17-N16	-4.96	111.03	116.65
5	B	502	Y70	C9-N8-C7	-3.38	107.94	111.55
5	B	502	Y70	O13-C7-C4	-3.01	122.76	128.66
5	E	502	Y70	C14-C12-N8	-2.95	106.89	113.98
5	E	502	Y70	C12-C15-N16	-2.95	112.22	116.25
5	B	502	Y70	C14-C12-N8	-2.66	107.58	113.98
5	B	502	Y70	C17-N16-C15	-2.62	122.92	126.60
5	E	502	Y70	C9-N8-C7	-2.53	108.85	111.55
5	E	502	Y70	O11-C9-C5	-2.27	125.79	129.05
5	E	502	Y70	C4-C7-N8	2.00	107.91	105.93
5	E	502	Y70	O11-C9-N8	2.01	127.70	124.98
5	B	502	Y70	O13-C7-N8	2.65	128.58	124.98
5	B	502	Y70	C4-C7-N8	2.72	108.61	105.93
5	B	502	Y70	C18-C14-C12	2.91	115.20	109.77
5	B	502	Y70	C14-C12-C15	4.14	118.80	111.61
5	E	502	Y70	C5-C6-N10	5.71	129.91	121.70
5	B	502	Y70	C5-C6-N10	6.67	131.29	121.70

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	502	Y70	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.