



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 16, 2018 – 11:59 pm GMT

PDB ID : 1HSH
Title : CRYSTAL STRUCTURE AT 1.9 ANGSTROMS RESOLUTION OF HUMAN IMMUNODEFICIENCY VIRUS (HIV) II PROTEASE COMPLEXED WITH L-735,524, AN ORALLY BIOAVAILABLE INHIBITOR OF THE HIV PROTEASES
Authors : Chen, Z.
Deposited on : 1995-03-31
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30686


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	122078	6112 (1.90-1.90)
Ramachandran outliers	120005	6045 (1.90-1.90)
Sidechain outliers	119972	6045 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	99	
1	B	99	
1	C	99	
1	D	99	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 3284 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-II PROTEASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	99	Total	C	N	O	S	0	0	0
			754	484	125	143	2			
1	B	99	Total	C	N	O	S	0	0	0
			754	484	125	143	2			
1	C	99	Total	C	N	O	S	0	0	0
			754	484	125	143	2			
1	D	99	Total	C	N	O	S	0	0	0
			754	484	125	143	2			

- Molecule 2 is N-[2(R)-HYDROXY-1(S)-INDANYL]-5-[(2(S)-TERTIARY BUTYLAMINOCARBONYL)-4(3-PYRIDYLMETHYL)PIPERAZINO]-4(S)-HYDROXY-2(R)-PHENYLME THYLPENTANAMIDE (three-letter code: MK1) (formula: C₃₆H₄₇N₅O₄).



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	0	0
			45	36	5	4		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	107	Total	O	0	0
			107	107		
3	B	47	Total	O	0	0
			47	47		
3	C	14	Total	O	0	0
			14	14		
3	D	10	Total	O	0	0
			10	10		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: HIV-II PROTEASE




• Molecule 1: HIV-II PROTEASE



• Molecule 1: HIV-II PROTEASE



• Molecule 1: HIV-II PROTEASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.52Å 57.50Å 63.25Å 90.00° 95.14° 90.00°	Depositor
Resolution (Å)	(Not available) – 1.90	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-1.90)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.194 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3284	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MK1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/766	0.70	0/1039
1	B	0.55	0/766	0.84	2/1039 (0.2%)
1	C	0.54	0/766	0.74	2/1039 (0.2%)
1	D	0.52	0/766	0.83	1/1039 (0.1%)
All	All	0.53	0/3064	0.78	5/4156 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	2
1	C	0	2
1	D	0	1
All	All	0	9

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	1	PRO	CA-N-CD	-13.67	92.37	111.50
1	D	1	PRO	CA-N-CD	-11.27	95.73	111.50
1	C	1	PRO	CA-N-CD	-8.35	99.81	111.50
1	B	67	LEU	CA-CB-CG	5.67	128.34	115.30
1	C	1	PRO	N-CA-CB	5.13	109.45	103.30

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	15	ILE	Peptide
1	A	16	GLU	Peptide
1	A	17	GLY	Mainchain
1	A	37	GLU	Peptide
1	B	14	TYR	Sidechain
1	B	87	ARG	Sidechain
1	C	14	TYR	Sidechain
1	C	87	ARG	Sidechain
1	D	87	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	754	0	780	29	0
1	B	754	0	780	19	0
1	C	754	0	780	22	0
1	D	754	0	780	13	0
2	A	45	0	47	2	0
2	C	45	0	47	3	0
3	A	107	0	0	2	0
3	B	47	0	0	0	0
3	C	14	0	0	0	0
3	D	10	0	0	0	0
All	All	3284	0	3214	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:GLY:HA3	1:B:50:ILE:HG22	1.58	0.85
1:C:66:VAL:HG22	1:C:67:LEU:HG	1.59	0.83
1:A:66:VAL:HG22	1:A:67:LEU:HD22	1.61	0.83
1:A:98:ASN:OD1	1:B:2:GLN:HG2	1.85	0.76
1:A:15:ILE:HD13	1:A:64:ILE:HG12	1.70	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:ASP:HB2	2:A:401:MK1:H26	1.71	0.70
1:C:50:ILE:HG13	2:C:402:MK1:H72	1.74	0.69
1:A:61:ASN:OD1	1:A:72:ARG:HG2	1.94	0.68
1:A:14:TYR:CE1	1:A:19:PRO:HB3	2.33	0.64
1:C:50:ILE:HB	1:D:49:GLY:HA3	1.79	0.63
1:A:13:ALA:O	1:A:19:PRO:HA	1.99	0.63
1:B:14:TYR:CE1	1:B:19:PRO:HB3	2.33	0.63
1:A:32:ILE:HG13	2:A:401:MK1:H27	1.81	0.63
1:A:10:VAL:HA	1:A:22:VAL:O	1.99	0.62
1:C:81:PRO:HB2	1:C:82:ILE:HG22	1.81	0.62
1:A:49:GLY:HA3	1:B:50:ILE:CG2	2.31	0.60
1:A:38:LEU:HD11	1:A:75:ILE:HD11	1.83	0.60
1:A:64:ILE:HD12	1:A:73:ALA:HB3	1.85	0.59
1:A:27:GLY:HA2	1:B:23:LEU:HD21	1.84	0.58
1:C:63:GLU:OE2	1:C:70:LYS:HD3	2.05	0.56
1:C:30:ASP:HB2	2:C:402:MK1:H26	1.87	0.55
1:A:62:VAL:O	1:A:72:ARG:HA	2.06	0.55
1:A:98:ASN:HD21	1:B:98:ASN:HB2	1.72	0.55
1:C:31:SER:OG	1:C:89:ILE:HD12	2.06	0.55
1:A:95:MET:HA	1:B:98:ASN:O	2.06	0.55
1:B:47:VAL:HG12	1:B:54:ILE:HG13	1.89	0.53
1:D:67:LEU:O	1:D:68:ASN:HB2	2.08	0.53
1:B:62:VAL:O	1:B:72:ARG:HA	2.09	0.52
1:C:57:LYS:O	1:C:76:MET:HA	2.10	0.51
1:C:20:VAL:HG22	1:C:83:ASN:ND2	2.27	0.50
1:C:3:PHE:HB2	1:D:97:LEU:HB2	1.93	0.49
1:C:65:GLU:HG3	1:C:70:LYS:HG3	1.96	0.48
1:B:7:LYS:H	1:B:7:LYS:HD2	1.78	0.48
1:A:16:GLU:OE1	1:A:65:GLU:HB2	2.12	0.48
1:A:98:ASN:ND2	1:B:98:ASN:HB2	2.28	0.48
1:D:64:ILE:HD11	1:D:75:ILE:HG13	1.95	0.47
1:D:64:ILE:HG22	1:D:66:VAL:HG22	1.97	0.47
1:C:18:GLN:NE2	1:C:36:ILE:HG23	2.31	0.46
1:B:32:ILE:HA	1:B:76:MET:O	2.17	0.45
1:C:20:VAL:HG22	1:C:83:ASN:HD22	1.82	0.45
1:A:14:TYR:HA	1:A:18:GLN:O	2.17	0.45
1:B:14:TYR:HE1	1:B:19:PRO:HB3	1.80	0.45
1:C:99:LEU:HA	1:D:1:PRO:HG2	1.98	0.45
1:C:1:PRO:H2	1:D:99:LEU:HD23	1.82	0.44
1:C:42:TYR:HB3	1:C:59:TYR:CE1	2.52	0.44
1:A:42:TYR:HA	1:A:58:GLU:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:70:LYS:HB3	1:A:70:LYS:HE3	1.80	0.44
1:D:15:ILE:O	1:D:16:GLU:HB2	2.18	0.44
1:C:41:ASN:N	1:C:41:ASN:HD22	2.16	0.43
3:A:656:HOH:O	1:B:8:ARG:HG3	2.18	0.43
1:A:50:ILE:HB	1:B:49:GLY:HA3	2.00	0.43
1:C:41:ASN:N	1:C:41:ASN:ND2	2.66	0.43
1:C:95:MET:HE1	1:D:97:LEU:HD22	2.01	0.43
1:C:82:ILE:CG2	2:C:402:MK1:H312	2.48	0.43
1:D:80:THR:HG23	1:D:80:THR:O	2.17	0.43
1:A:40:ASN:HB3	1:A:41:ASN:OD1	2.19	0.42
1:A:90:LEU:HD22	1:A:95:MET:SD	2.59	0.42
1:D:64:ILE:CG2	1:D:66:VAL:HG22	2.50	0.42
1:D:14:TYR:HA	1:D:18:GLN:O	2.19	0.42
1:A:32:ILE:HD11	1:A:47:VAL:HG11	2.01	0.41
1:B:34:ALA:H	1:B:83:ASN:ND2	2.16	0.41
1:A:1:PRO:N	1:B:99:LEU:O	2.52	0.41
1:A:14:TYR:CB	1:A:16:GLU:HG3	2.50	0.41
1:C:80:THR:HA	1:C:81:PRO:HD3	1.95	0.41
1:A:30:ASP:CB	1:A:76:MET:HE1	2.50	0.41
1:C:36:ILE:HG22	1:C:38:LEU:HD13	2.03	0.41
3:A:563:HOH:O	1:B:67:LEU:HD11	2.20	0.40
1:D:18:GLN:HA	1:D:19:PRO:HD3	1.85	0.40
1:B:68:ASN:HA	1:B:68:ASN:HD22	1.67	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	97/99 (98%)	91 (94%)	6 (6%)	0	100	100
1	B	97/99 (98%)	93 (96%)	3 (3%)	1 (1%)	17	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	97/99 (98%)	91 (94%)	6 (6%)	0	100	100
1	D	97/99 (98%)	92 (95%)	4 (4%)	1 (1%)	17	7
All	All	388/396 (98%)	367 (95%)	19 (5%)	2 (0%)	31	20

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	67	LEU
1	D	16	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	83/83 (100%)	74 (89%)	9 (11%)	7	2
1	B	83/83 (100%)	73 (88%)	10 (12%)	5	2
1	C	83/83 (100%)	81 (98%)	2 (2%)	52	45
1	D	83/83 (100%)	73 (88%)	10 (12%)	5	2
All	All	332/332 (100%)	301 (91%)	31 (9%)	10	3

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	LEU
1	A	38	LEU
1	A	40	ASN
1	A	43	SER
1	A	45	LYS
1	A	67	LEU
1	A	69	LYS
1	A	70	LYS
1	A	72	ARG
1	B	2	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	7	LYS
1	B	46	ILE
1	B	55	ASN
1	B	65	GLU
1	B	66	VAL
1	B	67	LEU
1	B	68	ASN
1	B	75	ILE
1	B	98	ASN
1	C	7	LYS
1	C	96	SER
1	D	5	LEU
1	D	12	THR
1	D	32	ILE
1	D	36	ILE
1	D	37	GLU
1	D	40	ASN
1	D	41	ASN
1	D	66	VAL
1	D	70	LYS
1	D	77	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	ASN
1	B	2	GLN
1	B	41	ASN
1	B	68	ASN
1	B	83	ASN
1	B	98	ASN
1	C	2	GLN
1	C	40	ASN
1	C	41	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	MK1	A	401	-	49,49,49	2.09	7 (14%)	60,69,69	2.39	14 (23%)
2	MK1	C	402	-	49,49,49	1.98	7 (14%)	60,69,69	2.08	17 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MK1	A	401	-	-	0/33/58/58	0/5/5/5
2	MK1	C	402	-	-	0/33/58/58	0/5/5/5

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	402	MK1	C29-C30	-4.73	1.33	1.39
2	C	402	MK1	C26-C25	-2.80	1.34	1.39
2	C	402	MK1	C30-C22	2.20	1.53	1.51
2	C	402	MK1	C7-C4	2.35	1.58	1.52
2	A	401	MK1	C34-N5	2.53	1.41	1.33
2	C	402	MK1	C34-N5	2.87	1.42	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	MK1	C30-C22	3.39	1.54	1.51
2	A	401	MK1	C7-C4	4.06	1.62	1.52
2	A	401	MK1	C31-C32	4.15	1.59	1.51
2	C	402	MK1	C33-N5	4.19	1.43	1.34
2	A	401	MK1	C4-N2	4.28	1.55	1.48
2	A	401	MK1	C33-N5	5.62	1.46	1.34
2	A	401	MK1	C25-C30	9.38	1.56	1.39
2	C	402	MK1	C25-C30	9.56	1.56	1.39

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	402	MK1	C24-C25-C30	-7.90	102.06	111.01
2	A	401	MK1	C24-C25-C30	-7.14	102.92	111.01
2	A	401	MK1	C29-C30-C25	-5.61	114.28	120.83
2	A	401	MK1	C6-C4-C5	-5.28	97.26	109.93
2	C	402	MK1	C27-C26-C25	-3.15	116.11	120.89
2	C	402	MK1	C34-N5-C33	-2.75	112.04	116.83
2	C	402	MK1	C29-C30-C25	-2.72	117.66	120.83
2	C	402	MK1	O2-C11-C10	-2.59	102.46	109.91
2	C	402	MK1	C6-C4-C5	-2.54	103.84	109.93
2	C	402	MK1	C11-C10-N3	-2.15	108.21	112.15
2	C	402	MK1	C8-N3-C10	-2.12	107.54	111.78
2	C	402	MK1	C9-N1-C1	2.13	113.08	109.76
2	C	402	MK1	C29-C30-C22	2.19	131.81	128.91
2	C	402	MK1	C8-N3-C2	2.28	115.04	110.84
2	A	401	MK1	C9-C8-N3	2.44	115.34	110.61
2	A	401	MK1	C26-C25-C30	2.47	122.68	119.99
2	A	401	MK1	C8-N3-C2	2.54	115.54	110.84
2	C	402	MK1	C9-C8-N3	2.59	115.63	110.61
2	A	401	MK1	C24-C25-C26	2.63	134.34	129.21
2	A	401	MK1	C24-C23-C22	2.69	106.06	103.75
2	C	402	MK1	C26-C25-C30	2.70	122.94	119.99
2	C	402	MK1	C24-C25-C26	2.90	134.86	129.21
2	C	402	MK1	C31-N1-C9	2.98	117.28	111.06
2	A	401	MK1	C31-N1-C9	3.26	117.88	111.06
2	C	402	MK1	O4-C23-C24	3.72	119.75	110.69
2	A	401	MK1	O4-C23-C24	4.16	120.82	110.69
2	A	401	MK1	C31-N1-C1	4.21	117.78	111.32
2	A	401	MK1	C29-C30-C22	4.59	135.01	128.91
2	A	401	MK1	C32-C31-N1	5.56	123.75	113.14
2	C	402	MK1	C25-C24-C23	7.15	110.30	103.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	MK1	C25-C24-C23	7.74	110.87	103.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	MK1	2	0
2	C	402	MK1	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.