



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2019 – 05:04 AM EDT

PDB ID : 6HWD
Title : Yeast 20S proteasome beta2-G45A mutant in complex with bortezomib
Authors : Huber, E.M.; Groll, M.
Deposited on : 2018-10-11
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4.02b-467
Mogul : 1.8.0 (224370), CSD as540be (2019)
Xtriage (Phenix) : 1.13
EDS : rb-20031633
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20031633

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	111664	2792 (2.80-2.80)
Clashscore	122126	3209 (2.80-2.80)
Ramachandran outliers	120053	3158 (2.80-2.80)
Sidechain outliers	120020	3160 (2.80-2.80)
RSRZ outliers	108989	2726 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div><div>98%</div><div><div></div><div></div><div></div><div></div><div></div></div><div></div></div>
1	O	250	<div><div>98%</div><div><div></div><div></div><div></div><div></div><div></div></div><div></div></div>
2	B	258	<div><div>89%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>5% 5%</div></div>
2	P	258	<div><div>89%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>5% 5%</div></div>
3	C	254	<div><div>89%</div><div><div></div><div></div><div></div><div></div><div></div></div><div>5% 6%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	212	
11	Y	212	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 50212 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	0	0
			1720	1083	298	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1720	1083	298	332	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	45	ALA	GLY	engineered mutation	UNP P25043
V	45	ALA	GLY	engineered mutation	UNP P25043

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	K	1	Total Mg 1 1	0	0
15	I	2	Total Mg 2 2	0	0
15	W	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	L	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0

- Molecule 17 is N-[(1R)-1-(DIHYDROXYBORYL)-3-METHYLBUTYL]-N-(PYRAZIN-2-YLCARBONYL)-L-PHENYLALANINAMIDE (three-letter code: BO2) (formula: C₁₉H₂₅BN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
17	H	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	K	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	N	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	V	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	Y	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	b	1	Total	B	C	N	O	0	0
			28	1	19	4	4		

- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	A	26	Total	O	0	0
			26	26		
18	B	27	Total	O	0	0
			27	27		
18	C	23	Total	O	0	0
			23	23		
18	D	11	Total	O	0	0
			11	11		
18	E	12	Total	O	0	0
			12	12		
18	F	25	Total	O	0	0
			25	25		
18	G	23	Total	O	0	0
			23	23		
18	H	35	Total	O	0	0
			35	35		
18	I	23	Total	O	0	0
			23	23		
18	J	28	Total	O	0	0
			28	28		
18	K	39	Total	O	0	0
			39	39		
18	L	33	Total	O	0	0
			33	33		
18	M	33	Total	O	0	0
			33	33		
18	N	26	Total	O	0	0
			26	26		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	O	16	Total O 16 16	0	0
18	P	16	Total O 16 16	0	0
18	Q	15	Total O 15 15	0	0
18	R	13	Total O 13 13	0	0
18	S	11	Total O 11 11	0	0
18	T	12	Total O 12 12	0	0
18	U	24	Total O 24 24	0	0
18	V	30	Total O 30 30	0	0
18	W	15	Total O 15 15	0	0
18	X	33	Total O 33 33	0	0
18	Y	28	Total O 28 28	0	0
18	Z	29	Total O 29 29	0	0
18	a	35	Total O 35 35	0	0
18	b	25	Total O 25 25	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2





- Molecule 2: Proteasome subunit alpha type-3




- Molecule 2: Proteasome subunit alpha type-3



- Molecule 3: Proteasome subunit alpha type-4




- Molecule 3: Proteasome subunit alpha type-4




HIS


- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 5: Proteasome subunit alpha type-6



- Molecule 5: Proteasome subunit alpha type-6





- Molecule 6: Probable proteasome subunit alpha type-7




ASP
GLN
GLU
GLY
ASP
ILE
HIS
LEU
GLU

- Molecule 6: Probable proteasome subunit alpha type-7







- Molecule 7: Proteasome subunit alpha type-1



- Molecule 7: Proteasome subunit alpha type-1



- Molecule 8: Proteasome subunit beta type-2




- Molecule 8: Proteasome subunit beta type-2




- Molecule 9: Proteasome subunit beta type-3




- Molecule 9: Proteasome subunit beta type-3




- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4




- Molecule 11: Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7

Chain a:  92% • 5%




• Molecule 14: Proteasome subunit beta type-1

Chain N:  98% •



• Molecule 14: Proteasome subunit beta type-1

Chain b:  98% •



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.48Å 300.06Å 144.86Å 90.00° 113.09° 90.00°	Depositor
Resolution (Å)	15.00 – 2.80 15.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	97.6 (15.00-2.80) 98.3 (15.00-2.80)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.98 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.186 , 0.211 0.190 , 0.213	Depositor DCC
R_{free} test set	12704 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	57.6	Xtriage
Anisotropy	0.250	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 44.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	50212	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BO2, MG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/1952	0.57	0/2642
1	O	0.35	0/1952	0.56	0/2642
2	B	0.37	0/1934	0.64	2/2618 (0.1%)
2	P	0.37	0/1934	0.65	2/2618 (0.1%)
3	C	0.37	0/1910	0.63	0/2586
3	Q	0.36	0/1910	0.62	0/2586
4	D	0.35	0/1837	0.58	0/2475
4	R	0.35	0/1837	0.58	0/2475
5	E	0.36	0/1800	0.57	0/2433
5	S	0.36	0/1800	0.57	0/2433
6	F	0.36	0/1932	0.56	0/2609
6	T	0.35	0/1932	0.56	0/2609
7	G	0.36	0/1945	0.57	0/2634
7	U	0.36	0/1945	0.57	0/2634
8	H	0.34	0/1751	0.59	1/2375 (0.0%)
8	V	0.34	0/1751	0.59	1/2375 (0.0%)
9	I	0.35	0/1611	0.58	0/2174
9	W	0.34	0/1611	0.58	0/2174
10	J	0.35	0/1589	0.62	0/2142
10	X	0.35	0/1589	0.62	0/2142
11	K	0.34	0/1681	0.83	3/2274 (0.1%)
11	Y	0.35	0/1681	0.81	3/2274 (0.1%)
12	L	0.42	2/1795 (0.1%)	0.61	0/2420
12	Z	0.41	1/1795 (0.1%)	0.61	0/2420
13	M	0.36	0/1855	0.63	0/2514
13	a	0.35	0/1855	0.63	0/2514
14	N	0.33	0/1541	0.58	0/2087
14	b	0.33	0/1541	0.58	0/2087
All	All	0.36	3/50266 (0.0%)	0.61	12/67966 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
11	K	0	1
11	Y	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	L	108	HIS	CE1-NE2	6.39	1.47	1.32
12	L	108	HIS	CG-CD2	5.96	1.45	1.35
12	Z	108	HIS	CE1-NE2	5.04	1.44	1.32

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	K	73	ARG	NE-CZ-NH2	-21.02	109.79	120.30
11	Y	73	ARG	NE-CZ-NH1	-18.56	111.02	120.30
11	Y	73	ARG	NE-CZ-NH2	16.00	128.30	120.30
11	K	73	ARG	NE-CZ-NH1	14.15	127.38	120.30
11	K	73	ARG	CD-NE-CZ	10.82	138.74	123.60
11	Y	73	ARG	CD-NE-CZ	8.61	135.66	123.60
2	B	51	VAL	CG1-CB-CG2	5.90	120.34	110.90
2	P	224	VAL	CG1-CB-CG2	5.61	119.88	110.90
8	V	196	ARG	NE-CZ-NH1	5.39	122.99	120.30
2	B	224	VAL	CG1-CB-CG2	5.36	119.48	110.90
8	H	196	ARG	NE-CZ-NH1	5.32	122.96	120.30
2	P	51	VAL	CG1-CB-CG2	5.18	119.18	110.90

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	K	73	ARG	Sidechain
11	Y	73	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	1	0
2	B	1904	0	1904	6	0
2	P	1904	0	1904	6	0
3	C	1881	0	1895	4	0
3	Q	1881	0	1895	3	0
4	D	1813	0	1797	2	0
4	R	1813	0	1797	2	0
5	E	1773	0	1775	5	0
5	S	1773	0	1775	6	0
6	F	1892	0	1883	3	0
6	T	1892	0	1883	3	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	3	0
8	H	1720	0	1720	3	0
8	V	1720	0	1720	6	0
9	I	1581	0	1574	6	0
9	W	1581	0	1574	5	0
10	J	1561	0	1569	6	0
10	X	1561	0	1569	7	0
11	K	1644	0	1594	9	0
11	Y	1644	0	1594	7	0
12	L	1757	0	1711	11	0
12	Z	1757	0	1711	10	0
13	M	1824	0	1832	2	0
13	a	1824	0	1832	0	0
14	N	1512	0	1480	1	0
14	b	1512	0	1480	0	0
15	G	1	0	0	0	0
15	I	2	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	W	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	H	28	0	25	0	0
17	K	28	0	25	0	0
17	N	28	0	25	1	0
17	V	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
17	Y	28	0	25	0	0
17	b	28	0	25	0	0
18	A	26	0	0	0	0
18	B	27	0	0	0	0
18	C	23	0	0	0	0
18	D	11	0	0	0	0
18	E	12	0	0	0	0
18	F	25	0	0	0	0
18	G	23	0	0	0	0
18	H	35	0	0	0	0
18	I	23	0	0	0	0
18	J	28	0	0	0	0
18	K	39	0	0	0	0
18	L	33	0	0	1	0
18	M	33	0	0	0	0
18	N	26	0	0	0	0
18	O	16	0	0	0	0
18	P	16	0	0	1	0
18	Q	15	0	0	0	0
18	R	13	0	0	0	0
18	S	11	0	0	0	0
18	T	12	0	0	0	0
18	U	24	0	0	0	0
18	V	30	0	0	0	0
18	W	15	0	0	0	0
18	X	33	0	0	1	0
18	Y	28	0	0	0	0
18	Z	29	0	0	0	0
18	a	35	0	0	0	0
18	b	25	0	0	0	0
All	All	50212	0	49278	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:S:92:ASN:HD21	12:Z:70:ASN:HD21	1.34	0.76
3:C:160:GLN:HA	3:C:160:GLN:HE21	1.59	0.66
3:Q:160:GLN:HA	3:Q:160:GLN:HE21	1.61	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:92:ASN:HD21	12:L:70:ASN:HD21	1.43	0.64
2:P:93:HIS:HB3	18:P:301:HOH:O	1.98	0.62
2:P:145:TYR:OH	2:P:217:LYS:N	2.32	0.62
2:B:145:TYR:OH	2:B:217:LYS:N	2.33	0.62
5:S:92:ASN:ND2	12:Z:70:ASN:HD21	1.98	0.62
5:S:12:PHE:H	6:T:19:GLN:HE22	1.47	0.61
11:Y:9:GLN:NE2	11:Y:148:LEU:O	2.34	0.60
12:L:42:LYS:HD2	12:L:55:ASN:HD22	1.66	0.60
12:Z:42:LYS:HD2	12:Z:55:ASN:HD22	1.67	0.60
5:S:92:ASN:HD21	12:Z:70:ASN:ND2	1.98	0.60
12:Z:31:THR:CG2	12:Z:36:ASN:HD21	2.15	0.60
11:Y:7:ARG:NH1	11:Y:110:PRO:O	2.35	0.59
5:E:12:PHE:H	6:F:19:GLN:HE22	1.51	0.59
12:L:31:THR:CG2	12:L:36:ASN:HD21	2.15	0.58
11:K:9:GLN:NE2	11:K:148:LEU:O	2.37	0.58
1:O:12:PHE:H	2:P:20:GLN:HE22	1.52	0.58
12:Z:31:THR:HG22	12:Z:36:ASN:HD21	1.70	0.57
2:B:95:GLN:HE22	9:I:71:ASN:HD22	1.52	0.57
12:L:31:THR:HG22	12:L:36:ASN:HD21	1.71	0.56
6:T:123:ASN:HD22	6:T:124:SER:N	2.04	0.55
11:K:142:SER:OG	10:X:143:LEU:HD21	2.07	0.55
11:K:7:ARG:NH1	11:K:110:PRO:O	2.38	0.55
11:K:176:ASN:ND2	11:K:190:ASN:HD22	2.05	0.55
6:F:123:ASN:HD22	6:F:124:SER:N	2.05	0.55
1:A:12:PHE:H	2:B:20:GLN:HE22	1.56	0.54
12:L:13:LEU:HD13	12:L:150:LEU:HD21	1.89	0.54
11:K:209:ASN:O	9:W:37:ASN:ND2	2.42	0.53
5:E:92:ASN:HD21	12:L:70:ASN:ND2	2.06	0.52
2:B:12:PHE:H	3:C:17:GLN:HE22	1.57	0.52
7:G:23:PHE:O	7:G:26:THR:HB	2.09	0.52
7:U:23:PHE:O	7:U:26:THR:HB	2.09	0.52
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	1.90	0.52
5:E:92:ASN:ND2	12:L:70:ASN:HD21	2.07	0.52
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.92	0.52
10:J:50:ALA:O	11:K:91:LYS:NZ	2.44	0.51
8:V:35:HIS:CE1	8:V:53:GLU:OE2	2.64	0.51
10:X:50:ALA:O	11:Y:91:LYS:NZ	2.43	0.51
5:E:87:LEU:HD21	5:E:107:ALA:HB1	1.92	0.51
3:Q:9:PHE:H	4:R:15:GLN:HE22	1.58	0.51
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.92	0.50
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:P:95:GLN:HE22	9:W:71:ASN:HD22	1.60	0.50
11:Y:176:ASN:ND2	11:Y:190:ASN:HD22	2.11	0.49
9:I:37:ASN:ND2	11:Y:209:ASN:O	2.46	0.49
7:G:167:GLN:HE21	7:G:171:THR:HG23	1.79	0.48
10:X:3:ILE:HG23	10:X:18:SER:HB3	1.96	0.47
2:P:145:TYR:HH	2:P:217:LYS:N	2.13	0.47
10:J:3:ILE:HG23	10:J:18:SER:HB3	1.96	0.47
2:B:145:TYR:HH	2:B:217:LYS:N	2.12	0.46
8:H:53:GLU:OE1	8:H:57:GLN:NE2	2.49	0.46
3:C:9:PHE:H	4:D:15:GLN:HE22	1.63	0.46
3:Q:198:LEU:HA	3:Q:201:VAL:HG12	1.98	0.45
6:F:123:ASN:C	6:F:123:ASN:HD22	2.19	0.45
12:L:13:LEU:CD1	12:L:150:LEU:HD21	2.47	0.45
3:C:198:LEU:HA	3:C:201:VAL:HG12	1.99	0.44
6:T:123:ASN:C	6:T:123:ASN:HD22	2.21	0.44
9:W:36:SER:HB2	10:X:126:VAL:HG11	1.99	0.44
10:J:143:LEU:HD21	11:Y:142:SER:OG	2.18	0.44
12:Z:13:LEU:CD1	12:Z:150:LEU:HD21	2.48	0.44
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.18	0.44
4:R:155:THR:HG23	5:S:59:GLN:HE22	1.82	0.44
8:V:35:HIS:HE1	8:V:53:GLU:OE2	2.01	0.43
8:V:53:GLU:OE1	8:V:57:GLN:NE2	2.50	0.43
12:L:8:ASN:HA	12:L:30:ILE:O	2.18	0.43
2:P:95:GLN:NE2	9:W:71:ASN:HD22	2.16	0.43
14:N:21:THR:O	17:N:201:BO2:H3	2.18	0.43
9:I:10:ILE:HG21	9:I:141:ALA:HB3	2.01	0.43
7:U:167:GLN:HE21	7:U:171:THR:HG23	1.83	0.43
13:M:156:ARG:HH11	8:V:165:ASN:HD22	1.66	0.43
10:X:36:ARG:NH1	10:X:58:GLU:OE2	2.52	0.42
8:H:112:SER:HB3	8:H:125:LEU:HD13	2.01	0.42
2:B:95:GLN:NE2	9:I:71:ASN:HD22	2.16	0.42
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.01	0.42
7:G:73:VAL:HG12	7:G:133:THR:HB	2.02	0.42
12:Z:3:ASN:HD22	12:Z:4:PRO:HD2	1.85	0.42
13:M:187:ARG:NH1	8:V:139:GLU:OE1	2.45	0.42
10:X:174:MET:HB2	18:X:221:HOH:O	2.19	0.42
8:H:196:ARG:NH2	9:I:150:GLU:O	2.53	0.41
12:L:108:HIS:CD2	18:L:425:HOH:O	2.72	0.41
8:V:112:SER:HB3	8:V:125:LEU:HD13	2.02	0.41
4:D:88:ALA:HA	4:D:99:ILE:HG21	2.02	0.41
11:K:176:ASN:HD21	11:K:190:ASN:HD22	1.66	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:U:73:VAL:HG12	7:U:133:THR:HB	2.03	0.41
10:J:36:ARG:NH1	10:J:58:GLU:OE2	2.53	0.40
11:K:35:ILE:HG21	11:K:56:GLU:HB3	2.03	0.40
11:Y:35:ILE:HG21	11:Y:56:GLU:HB3	2.03	0.40
9:I:36:SER:HB2	10:J:126:VAL:HG11	2.03	0.40
12:L:146:ILE:HG22	12:L:150:LEU:HD22	2.03	0.40
11:K:37:ILE:HB	11:K:41:LEU:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	241 (97%)	7 (3%)	0	100	100
1	O	248/250 (99%)	241 (97%)	7 (3%)	0	100	100
2	B	242/258 (94%)	235 (97%)	7 (3%)	0	100	100
2	P	242/258 (94%)	234 (97%)	8 (3%)	0	100	100
3	C	238/254 (94%)	235 (99%)	2 (1%)	1 (0%)	36	70
3	Q	238/254 (94%)	235 (99%)	2 (1%)	1 (0%)	36	70
4	D	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
5	E	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
5	S	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
6	F	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
6	T	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	237 (99%)	2 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	H	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
8	V	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
9	I	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
9	W	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	214 (97%)	5 (2%)	1 (0%)	31	65
12	Z	220/222 (99%)	214 (97%)	5 (2%)	1 (0%)	31	65
13	M	231/246 (94%)	221 (96%)	10 (4%)	0	100	100
13	a	231/246 (94%)	220 (95%)	11 (5%)	0	100	100
14	N	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
14	b	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
All	All	6284/6614 (95%)	6137 (98%)	143 (2%)	4 (0%)	53	84

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	204	GLY
3	Q	204	GLY
12	L	166	GLY
12	Z	166	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	205 (98%)	4 (2%)	60	87
1	O	209/209 (100%)	205 (98%)	4 (2%)	60	87

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	203/216 (94%)	195 (96%)	8 (4%)	35	69
2	P	203/216 (94%)	196 (97%)	7 (3%)	40	74
3	C	212/226 (94%)	204 (96%)	8 (4%)	36	70
3	Q	212/226 (94%)	204 (96%)	8 (4%)	36	70
4	D	194/215 (90%)	185 (95%)	9 (5%)	29	63
4	R	194/215 (90%)	185 (95%)	9 (5%)	29	63
5	E	190/193 (98%)	181 (95%)	9 (5%)	29	62
5	S	190/193 (98%)	181 (95%)	9 (5%)	29	62
6	F	201/239 (84%)	194 (96%)	7 (4%)	39	73
6	T	201/239 (84%)	194 (96%)	7 (4%)	39	73
7	G	206/210 (98%)	198 (96%)	8 (4%)	35	69
7	U	206/210 (98%)	198 (96%)	8 (4%)	35	69
8	H	185/190 (97%)	179 (97%)	6 (3%)	42	76
8	V	185/190 (97%)	179 (97%)	6 (3%)	42	76
9	I	172/173 (99%)	169 (98%)	3 (2%)	63	89
9	W	172/173 (99%)	169 (98%)	3 (2%)	63	89
10	J	173/175 (99%)	166 (96%)	7 (4%)	34	68
10	X	173/175 (99%)	166 (96%)	7 (4%)	34	68
11	K	169/169 (100%)	165 (98%)	4 (2%)	52	83
11	Y	169/169 (100%)	165 (98%)	4 (2%)	52	83
12	L	185/185 (100%)	177 (96%)	8 (4%)	32	65
12	Z	185/185 (100%)	176 (95%)	9 (5%)	27	60
13	M	199/208 (96%)	193 (97%)	6 (3%)	44	78
13	a	199/208 (96%)	193 (97%)	6 (3%)	44	78
14	N	162/162 (100%)	159 (98%)	3 (2%)	60	87
14	b	162/162 (100%)	159 (98%)	3 (2%)	60	87
All	All	5320/5540 (96%)	5140 (97%)	180 (3%)	40	74

All (180) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	THR
1	A	122	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	157	PHE
1	A	250	LEU
2	B	51	VAL
2	B	52	THR
2	B	55	LEU
2	B	102	ASN
2	B	113	ARG
2	B	119	GLN
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	99	ASN
5	E	116	GLN
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
6	F	117	GLN
6	F	123	ASN
6	F	171	GLU
6	F	181	GLU
6	F	214	TRP
6	F	221	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	240	GLN
7	G	13	GLU
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
8	H	30	ASN
8	H	31	CYS
8	H	34	LEU
8	H	55	VAL
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
9	I	182	TRP
10	J	2	ASP
10	J	3	ILE
10	J	35	THR
10	J	78	GLN
10	J	90	LYS
10	J	99	GLN
10	J	110	LYS
11	K	9	GLN
11	K	35	ILE
11	K	107	LYS
11	K	209	ASN
12	L	18	GLU
12	L	23	LEU
12	L	31	THR
12	L	49	ASN
12	L	106	TYR
12	L	136	CYS
12	L	150	LEU
12	L	172	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	M	187	ARG
14	N	9	LYS
14	N	83	LYS
14	N	107	LYS
1	O	2	THR
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	52	THR
2	P	55	LEU
2	P	102	ASN
2	P	113	ARG
2	P	119	GLN
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU
5	S	71	LEU
5	S	99	ASN
5	S	116	GLN
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
6	T	117	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	T	123	ASN
6	T	171	GLU
6	T	181	GLU
6	T	214	TRP
6	T	221	ASN
6	T	240	GLN
7	U	13	GLU
7	U	83	ASN
7	U	115	LEU
7	U	117	GLN
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
8	V	30	ASN
8	V	31	CYS
8	V	34	LEU
8	V	55	VAL
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
9	W	182	TRP
10	X	2	ASP
10	X	3	ILE
10	X	35	THR
10	X	78	GLN
10	X	90	LYS
10	X	99	GLN
10	X	110	LYS
11	Y	9	GLN
11	Y	35	ILE
11	Y	107	LYS
11	Y	209	ASN
12	Z	18	GLU
12	Z	23	LEU
12	Z	31	THR
12	Z	49	ASN
12	Z	106	TYR
12	Z	108	HIS
12	Z	136	CYS
12	Z	150	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	172	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	83	LYS
14	b	107	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (123) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
2	B	176	GLN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
6	F	240	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	167	GLN
7	G	175	ASN
8	H	30	ASN
8	H	57	GLN
8	H	165	ASN
8	H	172	ASN
8	H	189	ASN
10	J	55	GLN
10	J	118	GLN
10	J	191	GLN
11	K	85	ASN
11	K	176	ASN
11	K	209	ASN
12	L	3	ASN
12	L	49	ASN
12	L	55	ASN
12	L	70	ASN
12	L	108	HIS
12	L	158	ASN
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
14	N	69	GLN
14	N	161	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
2	P	176	GLN
3	Q	17	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	147	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	146	GLN
4	R	225	ASN
5	S	59	GLN
5	S	68	HIS
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	240	GLN
7	U	30	ASN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
7	U	167	GLN
7	U	175	ASN
8	V	30	ASN
8	V	35	HIS
8	V	57	GLN
8	V	165	ASN
8	V	172	ASN
8	V	189	ASN
10	X	55	GLN
10	X	78	GLN
10	X	86	GLN
10	X	118	GLN
11	Y	85	ASN
11	Y	176	ASN
11	Y	209	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	55	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	70	ASN
12	Z	79	HIS
12	Z	158	ASN
13	a	18	ASN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	69	GLN
14	b	161	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 10 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
17	BO2	H	301	8	25,29,29	1.59	5 (20%)	32,38,38	1.35	4 (12%)
17	BO2	K	301	11	25,29,29	1.59	5 (20%)	32,38,38	1.25	3 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	BO2	N	201	14	25,29,29	1.60	5 (20%)	32,38,38	1.26	4 (12%)
17	BO2	V	301	8	25,29,29	1.60	5 (20%)	32,38,38	1.35	4 (12%)
17	BO2	Y	301	11	25,29,29	1.58	5 (20%)	32,38,38	1.24	3 (9%)
17	BO2	b	201	14	25,29,29	1.61	5 (20%)	32,38,38	1.25	4 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	BO2	H	301	8	-	0/22/28/28	0/2/2/2
17	BO2	K	301	11	-	0/22/28/28	0/2/2/2
17	BO2	N	201	14	-	0/22/28/28	0/2/2/2
17	BO2	V	301	8	-	0/22/28/28	0/2/2/2
17	BO2	Y	301	11	-	0/22/28/28	0/2/2/2
17	BO2	b	201	14	-	0/22/28/28	0/2/2/2

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	H	301	BO2	C11-C12	-4.68	1.39	1.51
17	V	301	BO2	C11-C12	-4.54	1.40	1.51
17	b	201	BO2	C11-C12	-4.28	1.40	1.51
17	K	301	BO2	C2-C7	-4.27	1.40	1.50
17	N	201	BO2	C2-C7	-4.26	1.40	1.50
17	b	201	BO2	C2-C7	-4.18	1.40	1.50
17	Y	301	BO2	C2-C7	-4.16	1.40	1.50
17	K	301	BO2	C11-C12	-4.15	1.41	1.51
17	N	201	BO2	C11-C12	-4.11	1.41	1.51
17	H	301	BO2	C2-C7	-4.06	1.40	1.50
17	Y	301	BO2	C11-C12	-4.05	1.41	1.51
17	V	301	BO2	C2-C7	-4.00	1.40	1.50
17	N	201	BO2	C5-N4	2.03	1.39	1.33
17	b	201	BO2	C5-N4	2.09	1.40	1.33
17	H	301	BO2	C5-N4	2.17	1.40	1.33
17	V	301	BO2	C5-N4	2.27	1.40	1.33
17	Y	301	BO2	C5-N4	2.31	1.40	1.33
17	K	301	BO2	C5-N4	2.40	1.40	1.33
17	N	201	BO2	C6-N1	2.67	1.40	1.34
17	H	301	BO2	C6-N1	2.72	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	N	201	BO2	C3-N4	2.81	1.40	1.34
17	H	301	BO2	C3-N4	2.84	1.40	1.34
17	b	201	BO2	C6-N1	2.87	1.40	1.34
17	V	301	BO2	C3-N4	2.88	1.40	1.34
17	Y	301	BO2	C6-N1	2.89	1.40	1.34
17	b	201	BO2	C3-N4	2.90	1.40	1.34
17	K	301	BO2	C6-N1	2.91	1.40	1.34
17	V	301	BO2	C6-N1	2.97	1.40	1.34
17	K	301	BO2	C3-N4	2.99	1.40	1.34
17	Y	301	BO2	C3-N4	3.13	1.41	1.34

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	H	301	BO2	C3-C2-N1	-2.55	118.80	121.63
17	K	301	BO2	C6-C5-N4	-2.50	118.81	121.97
17	V	301	BO2	C3-C2-N1	-2.49	118.86	121.63
17	b	201	BO2	C3-C2-N1	-2.44	118.92	121.63
17	V	301	BO2	C6-C5-N4	-2.36	118.99	121.97
17	Y	301	BO2	C18-C10-N9	-2.35	104.76	111.16
17	N	201	BO2	C3-C2-N1	-2.32	119.05	121.63
17	H	301	BO2	C6-C5-N4	-2.32	119.03	121.97
17	Y	301	BO2	C6-C5-N4	-2.31	119.05	121.97
17	K	301	BO2	C18-C10-N9	-2.20	105.17	111.16
17	N	201	BO2	C6-C5-N4	-2.11	119.30	121.97
17	b	201	BO2	C6-C5-N4	-2.08	119.34	121.97
17	N	201	BO2	C3-C2-C7	3.11	122.93	119.63
17	b	201	BO2	C3-C2-C7	3.19	123.02	119.63
17	V	301	BO2	C3-C2-C7	3.29	123.12	119.63
17	H	301	BO2	C3-C2-C7	3.29	123.13	119.63
17	b	201	BO2	C6-N1-C2	3.40	121.38	116.94
17	N	201	BO2	C6-N1-C2	3.47	121.47	116.94
17	Y	301	BO2	C6-N1-C2	3.82	121.94	116.94
17	K	301	BO2	C6-N1-C2	3.94	122.09	116.94
17	V	301	BO2	C6-N1-C2	3.97	122.13	116.94
17	H	301	BO2	C6-N1-C2	4.08	122.27	116.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	N	201	BO2	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.41	2 (0%) 86 81	43, 59, 98, 123	0
1	O	250/250 (100%)	-0.36	6 (2%) 59 49	48, 68, 109, 141	0
2	B	244/258 (94%)	-0.32	8 (3%) 46 36	41, 63, 106, 134	0
2	P	244/258 (94%)	-0.30	6 (2%) 57 47	46, 66, 106, 135	0
3	C	240/254 (94%)	-0.26	11 (4%) 32 22	41, 66, 122, 157	0
3	Q	240/254 (94%)	0.02	18 (7%) 14 7	49, 80, 154, 196	0
4	D	235/260 (90%)	-0.36	2 (0%) 84 79	49, 68, 98, 138	0
4	R	235/260 (90%)	-0.21	4 (1%) 70 63	57, 75, 113, 151	0
5	E	231/234 (98%)	-0.26	4 (1%) 70 63	49, 70, 107, 130	0
5	S	231/234 (98%)	-0.16	7 (3%) 50 40	51, 77, 124, 151	0
6	F	243/288 (84%)	-0.46	5 (2%) 63 54	42, 64, 107, 128	0
6	T	243/288 (84%)	-0.33	6 (2%) 57 47	42, 72, 120, 150	0
7	G	241/252 (95%)	-0.48	4 (1%) 70 63	41, 59, 95, 142	0
7	U	241/252 (95%)	-0.47	3 (1%) 79 72	44, 59, 93, 129	0
8	H	226/232 (97%)	-0.47	5 (2%) 62 52	43, 51, 84, 150	0
8	V	226/232 (97%)	-0.46	6 (2%) 54 44	45, 53, 85, 159	0
9	I	204/205 (99%)	-0.67	1 (0%) 90 88	36, 53, 81, 104	0
9	W	204/205 (99%)	-0.63	1 (0%) 90 88	36, 56, 82, 106	0
10	J	195/198 (98%)	-0.51	2 (1%) 82 77	39, 56, 80, 106	0
10	X	195/198 (98%)	-0.51	2 (1%) 82 77	42, 58, 84, 115	0
11	K	212/212 (100%)	-0.57	2 (0%) 84 79	39, 54, 83, 100	0
11	Y	212/212 (100%)	-0.59	2 (0%) 84 79	41, 56, 86, 103	0
12	L	222/222 (100%)	-0.59	0 100 100	41, 57, 88, 109	0
12	Z	222/222 (100%)	-0.59	0 100 100	41, 54, 87, 105	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.62	3 (1%)	77 71	36, 54, 78, 92	0
13	a	233/246 (94%)	-0.61	1 (0%)	92 90	35, 52, 75, 91	0
14	N	196/196 (100%)	-0.67	2 (1%)	82 77	35, 50, 79, 96	0
14	b	196/196 (100%)	-0.67	2 (1%)	82 77	36, 51, 79, 96	0
All	All	6344/6614 (95%)	-0.44	115 (1%)	68 61	35, 61, 106, 196	0

All (115) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	49	THR	7.2
2	B	220	ASN	6.3
3	Q	50	LEU	5.5
8	V	224	GLN	5.0
3	C	202	GLN	5.0
2	P	221	ASP	5.0
8	H	224	GLN	4.9
10	X	1	MET	4.6
2	B	221	ASP	4.5
2	P	220	ASN	4.3
5	E	202	ASP	4.3
2	B	217	LYS	4.3
9	W	1	SER	4.1
8	V	226	GLU	4.0
10	X	194	ASP	3.9
10	J	1	MET	3.9
8	V	222	ASP	3.8
3	Q	202	GLN	3.6
3	C	49	THR	3.6
2	P	51	VAL	3.5
3	Q	239	GLN	3.5
5	S	202	ASP	3.5
14	N	195	GLN	3.4
3	Q	206	LYS	3.4
3	Q	236	GLN	3.4
14	b	195	GLN	3.4
5	S	180	LYS	3.3
3	Q	240	GLU	3.2
7	U	242	GLN	3.2
10	J	194	ASP	3.2
8	H	226	GLU	3.2
8	V	223	ILE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	P	59	ASP	3.2
3	Q	204	GLY	3.2
3	Q	238	LYS	3.1
8	H	221	CYS	3.1
13	a	1	THR	3.1
6	T	241	LYS	3.1
3	Q	48	SER	3.1
2	B	52	THR	3.1
6	T	2	THR	3.1
11	Y	212	GLY	3.1
2	P	52	THR	3.0
2	P	219	ALA	3.0
7	U	2	GLY	2.9
3	C	238	LYS	2.9
1	O	1	MET	2.8
8	H	222	ASP	2.8
13	M	1	THR	2.8
3	C	225	GLU	2.7
7	G	241	GLU	2.7
2	B	51	VAL	2.7
3	C	204	GLY	2.7
1	O	249	ALA	2.7
8	V	225	GLU	2.7
1	A	1	MET	2.7
6	F	205	GLU	2.7
4	D	242	GLU	2.6
6	F	181	GLU	2.6
2	B	218	GLY	2.6
3	C	1	GLY	2.6
8	H	223	ILE	2.5
5	S	204	SER	2.5
8	V	221	CYS	2.5
3	C	236	GLN	2.5
3	C	206	LYS	2.5
6	F	244	ASN	2.5
5	S	173	ARG	2.5
5	E	233	ILE	2.5
3	Q	180	LYS	2.5
3	Q	223	SER	2.5
13	M	47	ASP	2.5
3	C	50	LEU	2.4
3	C	235	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	E	201	ARG	2.4
5	E	123	GLY	2.4
2	B	219	ALA	2.4
9	I	1	SER	2.4
3	Q	225	GLU	2.3
6	F	202	ASP	2.3
3	Q	232	THR	2.3
1	O	52	SER	2.3
4	R	230	GLU	2.3
3	C	216	ASP	2.3
11	K	147	ASP	2.3
7	U	222	ASP	2.3
4	R	242	GLU	2.3
5	S	52	ALA	2.3
6	T	244	ASN	2.3
1	A	201	GLU	2.3
3	Q	181	GLU	2.3
4	R	1	ASP	2.3
5	S	203	GLU	2.3
11	K	212	GLY	2.3
6	T	201	GLU	2.2
4	D	224	ASP	2.2
7	G	242	GLN	2.2
14	N	105	LYS	2.2
4	R	241	ALA	2.2
11	Y	147	ASP	2.2
7	G	179	LYS	2.2
2	B	182	ASP	2.2
6	T	243	ILE	2.2
6	F	2	THR	2.2
1	O	203	GLU	2.2
3	Q	187	GLU	2.1
14	b	105	LYS	2.1
6	T	181	GLU	2.1
1	O	250	LEU	2.1
3	Q	141	ASP	2.1
7	G	188	GLU	2.1
13	M	121	SER	2.0
3	Q	47	ARG	2.0
5	S	165	GLN	2.0
1	O	248	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
15	MG	G	301	1/1	0.88	0.21	62,62,62,62	0
17	BO2	N	201	28/28	0.89	0.22	41,51,64,66	0
17	BO2	b	201	28/28	0.90	0.21	47,53,65,68	0
15	MG	Z	301	1/1	0.92	0.25	66,66,66,66	0
17	BO2	Y	301	28/28	0.92	0.18	50,61,70,72	0
17	BO2	H	301	28/28	0.92	0.20	48,56,72,74	0
17	BO2	V	301	28/28	0.93	0.17	56,61,81,81	0
17	BO2	K	301	28/28	0.94	0.17	45,57,65,66	0
15	MG	I	302	1/1	0.95	0.15	68,68,68,68	0
15	MG	K	302	1/1	0.97	0.08	64,64,64,64	0
15	MG	I	301	1/1	0.97	0.23	63,63,63,63	0
15	MG	N	202	1/1	0.98	0.08	46,46,46,46	0
15	MG	W	301	1/1	0.98	0.12	58,58,58,58	0
15	MG	L	301	1/1	0.98	0.13	67,67,67,67	0
16	CL	G	302	1/1	0.99	0.17	45,45,45,45	0
16	CL	U	301	1/1	0.99	0.14	45,45,45,45	0

6.5 Other polymers [i](#)

There are no such residues in this entry.