



# Full wwPDB NMR Structure Validation Report ⓘ

Feb 20, 2018 – 04:31 am GMT

PDB ID : 2JSW  
Title : NMR structure of the talin C-terminal actin binding site  
Authors : Goult, B.T.; Gingras, A.R.; Bate, N.; Critchley, D.R.C.; Barsukov, I.L.  
Deposited on : 2007-07-17

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : trunk30686  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30686


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 94%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	136279	12091
Ramachandran outliers	132675	10835
Sidechain outliers	132484	10811

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	189	

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 8 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:2300-A:2326, A:2340-A:2478 (166)	0.40	8

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 2 single-model clusters were found.

Cluster number	Models
1	3, 10, 11, 13, 19, 20
2	2, 4, 5, 8, 9
3	6, 7, 14, 17
4	12, 16, 18
Single-model clusters	1; 15

### 3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2743 atoms, of which 1386 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Talin-1.

Mol	Chain	Residues	Atoms						Trace
1	A	189	Total	C	H	N	O	S	0
			2743	835	1386	244	274	4	

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	2294	GLY	-	EXPRESSION TAG	UNP P26039
A	2295	ILE	-	EXPRESSION TAG	UNP P26039
A	2296	ASP	-	EXPRESSION TAG	UNP P26039
A	2297	PRO	-	EXPRESSION TAG	UNP P26039
A	2298	PHE	-	EXPRESSION TAG	UNP P26039
A	2299	THR	-	EXPRESSION TAG	UNP P26039

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Talin-1




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

#### 4.2.1 Score per residue for model 1

- Molecule 1: Talin-1



#### 4.2.2 Score per residue for model 2


- Molecule 1: Talin-1






## 4.2.6 Score per residue for model 6

- Molecule 1: Talin-1




## 4.2.7 Score per residue for model 7

- Molecule 1: Talin-1




## 4.2.8 Score per residue for model 8 (medoid)

- Molecule 1: Talin-1



## 4.2.9 Score per residue for model 9

- Molecule 1: Talin-1





#### 4.2.10 Score per residue for model 10

- Molecule 1: Talin-1


Chain A: 67% 20% 12%



#### 4.2.11 Score per residue for model 11

- Molecule 1: Talin-1


Chain A: 68% 20% 12%



#### 4.2.12 Score per residue for model 12

- Molecule 1: Talin-1

Chain A: 73% 15% 12%




#### 4.2.13 Score per residue for model 13

- Molecule 1: Talin-1

Chain A: 68% 18% 12%






#### 4.2.14 Score per residue for model 14

- Molecule 1: Talin-1


Chain A: 69% 19% 12%



#### 4.2.15 Score per residue for model 15

- Molecule 1: Talin-1


Chain A: 69% 18% 12%



#### 4.2.16 Score per residue for model 16


- Molecule 1: Talin-1

Chain A: 66% 22% 12%




## 4.2.17 Score per residue for model 17

- Molecule 1: Talin-1




## 4.2.18 Score per residue for model 18

- Molecule 1: Talin-1




## 4.2.19 Score per residue for model 19

- Molecule 1: Talin-1



## 4.2.20 Score per residue for model 20

- Molecule 1: Talin-1



V2431	
T2435	
A2436	
Q2437	
L2438	
L2439	
S2450	
M2453	
L2456	
Q2457	
K2464	
D2468	
V2471	
K2472	
A2473	
A2474	
Q2475	
K2476	
A2479	
F2480	
E2481	
D2482	

## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing, molecular dynamics, torsion angle dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
ARIA	structure solution	1.2
ARIA	refinement	1.2
CYANA	structure solution	2.1
TALOS	geometry optimization	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 15411
Number of chemical shift lists	1
Total number of shifts	2262
Number of shifts mapped to atoms	2262
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	94%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality ⓘ

### 6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1176	1211	1211	21±3
All	All	23520	24220	24220	422

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:2377:GLY:HA3	1:A:2386:ASP:HB2	0.73	1.59	11	2
1:A:2370:LEU:HB3	1:A:2376:VAL:HB	0.63	1.71	1	1
1:A:2448:GLN:HA	1:A:2453:MET:CB	0.63	2.24	10	1
1:A:2473:ALA:O	1:A:2476:LYS:HG2	0.62	1.93	20	2
1:A:2386:ASP:HA	1:A:2445:LYS:NZ	0.62	2.10	13	1
1:A:2404:THR:HG22	1:A:2431:VAL:HG13	0.61	1.72	1	9
1:A:2473:ALA:HA	1:A:2476:LYS:HE2	0.60	1.73	5	1
1:A:2371:VAL:HG22	1:A:2378:ALA:HB2	0.60	1.72	12	1
1:A:2400:VAL:HG12	1:A:2435:THR:HA	0.59	1.74	16	12
1:A:2322:LYS:O	1:A:2326:LEU:HG	0.59	1.97	17	5
1:A:2432:ALA:HB1	1:A:2464:LYS:HD2	0.59	1.73	6	3
1:A:2439:LEU:HD23	1:A:2457:GLN:HA	0.58	1.74	18	10
1:A:2369:GLU:HG3	1:A:2452:ALA:HB2	0.58	1.74	11	1
1:A:2390:SER:O	1:A:2394:ILE:HG12	0.58	1.98	15	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:2305:ALA:HB2	1:A:2390:SER:HB3	0.58	1.76	10	3
1:A:2352:ILE:HG23	1:A:2463:VAL:HG13	0.58	1.76	16	3
1:A:2400:VAL:HG22	1:A:2435:THR:HA	0.58	1.75	2	2
1:A:2420:SER:HB2	1:A:2423:LYS:HG2	0.58	1.75	7	4
1:A:2436:ALA:HA	1:A:2439:LEU:HD13	0.57	1.76	2	20
1:A:2420:SER:HB2	1:A:2423:LYS:HE2	0.57	1.76	14	2
1:A:2439:LEU:HG	1:A:2456:LEU:HD22	0.57	1.76	15	2
1:A:2356:THR:HG21	1:A:2404:THR:HG21	0.57	1.76	8	16
1:A:2435:THR:HG21	1:A:2463:VAL:HG21	0.57	1.76	2	2
1:A:2448:GLN:HA	1:A:2453:MET:HB3	0.57	1.77	4	2
1:A:2305:ALA:HB2	1:A:2390:SER:HB2	0.56	1.77	19	3
1:A:2367:GLN:O	1:A:2371:VAL:HG23	0.56	2.00	8	17
1:A:2343:GLU:O	1:A:2347:GLU:HG2	0.55	2.01	5	16
1:A:2396:ALA:O	1:A:2400:VAL:HG13	0.55	2.01	5	14
1:A:2319:ALA:HA	1:A:2322:LYS:HE3	0.55	1.77	3	1
1:A:2447:ASP:HB3	1:A:2450:SER:OG	0.55	2.02	17	2
1:A:2377:GLY:CA	1:A:2386:ASP:HB2	0.54	2.32	11	1
1:A:2341:PHE:O	1:A:2345:ILE:HG12	0.54	2.03	19	13
1:A:2439:LEU:HG	1:A:2456:LEU:CD2	0.53	2.33	4	12
1:A:2432:ALA:HB1	1:A:2464:LYS:HG2	0.53	1.79	13	1
1:A:2421:GLN:HE21	1:A:2475:GLN:HA	0.53	1.63	3	1
1:A:2450:SER:HB3	1:A:2453:MET:SD	0.53	2.44	20	2
1:A:2425:ILE:HG23	1:A:2471:VAL:HG13	0.53	1.81	5	2
1:A:2472:LYS:HA	1:A:2475:GLN:HE21	0.53	1.64	16	2
1:A:2400:VAL:CG1	1:A:2435:THR:HA	0.52	2.34	5	14
1:A:2371:VAL:HG13	1:A:2378:ALA:HB1	0.52	1.81	11	4
1:A:2443:LYS:HE2	1:A:2448:GLN:HG2	0.52	1.81	8	1
1:A:2366:ALA:HA	1:A:2452:ALA:HB1	0.52	1.80	15	3
1:A:2450:SER:OG	1:A:2453:MET:HB3	0.52	2.05	7	1
1:A:2412:ASN:O	1:A:2416:GLN:HG2	0.52	2.04	5	4
1:A:2411:ALA:O	1:A:2415:VAL:HG23	0.51	2.06	18	19
1:A:2427:SER:O	1:A:2431:VAL:HG23	0.51	2.06	11	17
1:A:2465:ARG:HD3	1:A:2466:ALA:N	0.51	2.20	8	1
1:A:2384:LEU:HD13	1:A:2385:ASP:H	0.51	1.64	3	1
1:A:2471:VAL:O	1:A:2475:GLN:HG3	0.51	2.06	18	15
1:A:2366:ALA:O	1:A:2370:LEU:HD22	0.50	2.06	18	2
1:A:2371:VAL:HG13	1:A:2378:ALA:CB	0.50	2.36	10	2
1:A:2356:THR:HG22	1:A:2435:THR:HG21	0.49	1.82	12	5
1:A:2319:ALA:O	1:A:2322:LYS:HG2	0.49	2.07	3	1
1:A:2345:ILE:HG23	1:A:2470:LEU:HD11	0.49	1.84	17	3
1:A:2320:ALA:O	1:A:2324:GLU:HG3	0.49	2.08	2	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:2405:ASN:O	1:A:2408:CYS:HB3	0.48	2.08	13	3
1:A:2450:SER:O	1:A:2454:LYS:HG2	0.48	2.08	18	2
1:A:2407:LEU:HB2	1:A:2431:VAL:HG21	0.48	1.84	19	7
1:A:2435:THR:CG2	1:A:2463:VAL:HG21	0.48	2.39	2	1
1:A:2340:ASN:O	1:A:2344:GLN:HG3	0.48	2.09	18	7
1:A:2305:ALA:O	1:A:2309:LEU:HG	0.48	2.09	11	5
1:A:2352:ILE:HD12	1:A:2407:LEU:HD21	0.48	1.86	16	1
1:A:2401:ALA:O	1:A:2405:ASN:HB2	0.47	2.08	14	7
1:A:2301:PRO:HG3	1:A:2383:ALA:HA	0.47	1.85	10	2
1:A:2300:ASP:O	1:A:2304:ILE:HG12	0.47	2.09	20	2
1:A:2375:LYS:HG3	1:A:2447:ASP:HB2	0.47	1.86	2	1
1:A:2439:LEU:HD11	1:A:2460:GLY:HA3	0.47	1.86	7	1
1:A:2453:MET:N	1:A:2453:MET:SD	0.47	2.87	20	1
1:A:2322:LYS:NZ	1:A:2322:LYS:HB2	0.47	2.25	15	1
1:A:2440:VAL:O	1:A:2444:VAL:HG23	0.47	2.10	18	1
1:A:2400:VAL:HG11	1:A:2438:LEU:HB2	0.47	1.86	20	6
1:A:2425:ILE:O	1:A:2429:LYS:HG3	0.47	2.08	13	1
1:A:2367:GLN:HG2	1:A:2389:TRP:CH2	0.47	2.45	17	2
1:A:2439:LEU:HD21	1:A:2460:GLY:HA3	0.47	1.86	16	5
1:A:2346:LEU:HG	1:A:2350:LYS:HE3	0.46	1.86	17	3
1:A:2407:LEU:HD22	1:A:2431:VAL:HG21	0.46	1.87	6	2
1:A:2384:LEU:HD22	1:A:2385:ASP:N	0.46	2.26	3	1
1:A:2303:VAL:HA	1:A:2306:GLU:HG2	0.46	1.86	6	1
1:A:2387:GLY:O	1:A:2391:GLN:HB2	0.46	2.11	14	1
1:A:2439:LEU:CD2	1:A:2457:GLN:HA	0.46	2.39	15	4
1:A:2396:ALA:O	1:A:2400:VAL:HG23	0.46	2.11	14	1
1:A:2444:VAL:O	1:A:2445:LYS:HB2	0.46	2.10	1	1
1:A:2366:ALA:HA	1:A:2452:ALA:CB	0.45	2.42	6	1
1:A:2439:LEU:HG	1:A:2456:LEU:HD23	0.45	1.88	7	5
1:A:2318:ALA:O	1:A:2322:LYS:HG3	0.45	2.11	5	1
1:A:2394:ILE:O	1:A:2398:ARG:HD3	0.45	2.12	16	2
1:A:2376:VAL:HG23	1:A:2445:LYS:HG2	0.45	1.88	1	1
1:A:2461:ASN:O	1:A:2465:ARG:HG3	0.45	2.12	4	2
1:A:2389:TRP:CD1	1:A:2444:VAL:HB	0.45	2.47	15	1
1:A:2363:ALA:O	1:A:2367:GLN:HG3	0.44	2.13	20	2
1:A:2389:TRP:CG	1:A:2445:LYS:HD2	0.44	2.46	13	1
1:A:2421:GLN:OE1	1:A:2475:GLN:HA	0.44	2.12	11	1
1:A:2420:SER:O	1:A:2424:LEU:HB2	0.44	2.11	3	1
1:A:2370:LEU:CD1	1:A:2375:LYS:HB2	0.44	2.43	2	1
1:A:2370:LEU:HG	1:A:2445:LYS:O	0.44	2.12	18	1
1:A:2359:LEU:HD12	1:A:2456:LEU:HD12	0.43	1.89	5	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:2341:PHE:CE1	1:A:2474:ALA:HA	0.43	2.48	14	1
1:A:2306:GLU:HG3	1:A:2364:SER:OG	0.43	2.14	18	2
1:A:2348:ALA:O	1:A:2352:ILE:HG13	0.43	2.14	2	2
1:A:2400:VAL:HG21	1:A:2438:LEU:HB2	0.43	1.91	2	1
1:A:2395:SER:O	1:A:2399:MET:HB2	0.43	2.14	5	1
1:A:2369:GLU:O	1:A:2373:GLN:HB3	0.42	2.14	13	1
1:A:2302:THR:OG1	1:A:2378:ALA:HA	0.42	2.14	10	1
1:A:2426:SER:O	1:A:2430:GLN:HG2	0.42	2.14	15	1
1:A:2448:GLN:HA	1:A:2453:MET:HB2	0.42	1.89	10	1
1:A:2305:ALA:HB2	1:A:2390:SER:OG	0.42	2.14	1	1
1:A:2322:LYS:HD2	1:A:2408:CYS:SG	0.42	2.55	20	1
1:A:2390:SER:O	1:A:2394:ILE:HG13	0.42	2.14	11	2
1:A:2459:ALA:O	1:A:2463:VAL:HG23	0.42	2.15	7	2
1:A:2323:LEU:HD11	1:A:2408:CYS:SG	0.42	2.54	10	1
1:A:2312:ALA:HB1	1:A:2401:ALA:HB2	0.42	1.90	7	1
1:A:2421:GLN:NE2	1:A:2475:GLN:HA	0.42	2.29	3	1
1:A:2300:ASP:O	1:A:2304:ILE:HG13	0.42	2.15	19	1
1:A:2370:LEU:HD11	1:A:2375:LYS:HB2	0.42	1.91	2	1
1:A:2473:ALA:O	1:A:2476:LYS:HB2	0.42	2.14	9	1
1:A:2420:SER:HB3	1:A:2423:LYS:HG2	0.42	1.91	19	2
1:A:2370:LEU:HG	1:A:2375:LYS:HB3	0.42	1.92	4	1
1:A:2443:LYS:HB3	1:A:2443:LYS:NZ	0.41	2.30	6	1
1:A:2397:ALA:O	1:A:2400:VAL:HG22	0.41	2.15	7	2
1:A:2383:ALA:O	1:A:2387:GLY:HA3	0.41	2.16	16	1
1:A:2304:ILE:HA	1:A:2307:ASN:ND2	0.41	2.31	12	1
1:A:2319:ALA:O	1:A:2323:LEU:HD13	0.41	2.16	6	2
1:A:2356:THR:HG21	1:A:2404:THR:CG2	0.41	2.46	11	1
1:A:2341:PHE:CE1	1:A:2345:ILE:HD11	0.41	2.51	6	1
1:A:2319:ALA:O	1:A:2323:LEU:HG	0.41	2.16	8	2
1:A:2326:LEU:HD21	1:A:2412:ASN:ND2	0.41	2.31	18	1
1:A:2379:ILE:HD12	1:A:2379:ILE:N	0.41	2.30	7	1
1:A:2451:GLU:O	1:A:2455:ARG:HD3	0.41	2.16	2	1
1:A:2365:ALA:O	1:A:2369:GLU:HG2	0.41	2.16	1	1
1:A:2370:LEU:HD12	1:A:2375:LYS:HB2	0.40	1.92	11	1
1:A:2414:ALA:HA	1:A:2419:ALA:HB2	0.40	1.93	4	1
1:A:2464:LYS:O	1:A:2468:ASP:HB2	0.40	2.16	4	1



## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	166/189 (88%)	163±1 (98±1%)	3±1 (2±1%)	0±0 (0±0%)	56	86
All	All	3320/3780 (88%)	3268 (98%)	50 (2%)	2 (0%)	56	86

All 1 unique Ramachandran outliers are listed below.

Mol	Chain	Res	Type	Models (Total)
1	A	2340	ASN	2

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	112/131 (85%)	109±2 (97±2%)	3±2 (3±2%)	48	89
All	All	2240/2620 (85%)	2172 (97%)	68 (3%)	48	89

All 31 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	2406	ASN	7
1	A	2468	ASP	6
1	A	2454	LYS	5
1	A	2302	THR	4
1	A	2421	GLN	4
1	A	2398	ARG	4
1	A	2464	LYS	3
1	A	2373	GLN	3
1	A	2384	LEU	3
1	A	2405	ASN	2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	2453	MET	2
1	A	2322	LYS	2
1	A	2386	ASP	2
1	A	2470	LEU	2
1	A	2382	ASN	2
1	A	2370	LEU	2
1	A	2325	GLN	1
1	A	2341	PHE	1
1	A	2408	CYS	1
1	A	2364	SER	1
1	A	2451	GLU	1
1	A	2424	LEU	1
1	A	2343	GLU	1
1	A	2456	LEU	1
1	A	2437	GLN	1
1	A	2443	LYS	1
1	A	2369	GLU	1
1	A	2380	PRO	1
1	A	2448	GLN	1
1	A	2450	SER	1
1	A	2307	ASN	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 94% for the well-defined parts and 94% for the entire structure.

### 7.1 Chemical shift list 1

File name: BMRB entry 15411

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2262
Number of shifts mapped to atoms	2262
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

#### 7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	188	$-0.64 \pm 0.06$	Should be applied
$^{13}\text{C}_\beta$	180	$0.26 \pm 0.04$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	186	$-0.66 \pm 0.08$	Should be applied
$^{15}\text{N}$	181	$-0.31 \pm 0.14$	None needed ( $< 0.5$ ppm)

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 94%, i.e. 1735 atoms were assigned a chemical shift out of a possible 1838. 26 out of 26 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	824/826 (100%)	329/330 (100%)	331/332 (100%)	164/164 (100%)
Sidechain	886/984 (90%)	540/566 (95%)	325/372 (87%)	21/46 (46%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	25/28 (89%)	13/15 (87%)	11/11 (100%)	1/2 (50%)
Overall	1735/1838 (94%)	882/911 (97%)	667/715 (93%)	186/212 (88%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 94%, i.e. 1987 atoms were assigned a chemical shift out of a possible 2119. 27 out of 27 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	924/935 (99%)	369/373 (99%)	374/378 (99%)	181/184 (98%)
Sidechain	1020/1138 (90%)	626/658 (95%)	373/428 (87%)	21/52 (40%)
Aromatic	43/46 (93%)	23/25 (92%)	19/19 (100%)	1/2 (50%)
Overall	1987/2119 (94%)	1018/1056 (96%)	766/825 (93%)	203/238 (85%)

#### 7.1.4 Statistically unusual chemical shifts ⓘ

There are no statistically unusual chemical shifts.

#### 7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

