



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2018 – 04:45 am GMT

PDB ID : 1KBJ  
Title : Crystallographic Study of the Recombinant Flavin-binding Domain of Baker's Yeast Flavocytochrome b2: comparison with the Intact Wild-type Enzyme  
Authors : Cunane, L.M.; Barton, J.D.; Chen, Z.W.; Welsh, F.E.; Chapman, S.K.; Reid, G.A.; Mathews, F.S.  
Deposited on : 2001-11-06  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk31020  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk31020


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	4155 (2.50-2.50)
Clashscore	122126	4827 (2.50-2.50)
Ramachandran outliers	120053	4735 (2.50-2.50)
Sidechain outliers	120020	4737 (2.50-2.50)
RSRZ outliers	108989	4058 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	412	<div> <div>%</div> <div> <div></div> <div>74%</div> <div>19%</div> <div>• 5%</div> </div> </div>
1	B	412	<div> <div>3%</div> <div> <div></div> <div>76%</div> <div>17%</div> <div>• 5%</div> </div> </div>

## 2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6614 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYTOCHROME B2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	393	Total	C	N	O	S	0	4	0
			3100	1962	528	598	12			
1	B	392	Total	C	N	O	S	0	2	0
			3074	1947	522	594	11			

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula:  $C_{17}H_{21}N_4O_9P$ ).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	189	Total	O	0	0
			189	189		
4	B	181	Total	O	0	0
			181	181		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: CYTOCHROME B2



#### • Molecule 1: CYTOCHROME B2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	110.73Å 147.62Å 64.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.50 39.20 – 2.50	Depositor EDS
% Data completeness (in resolution range)	90.9 (40.00-2.50) 90.9 (39.20-2.50)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.05 (at 2.51Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.157 , 0.203 0.162 , 0.206	Depositor DCC
$R_{free}$ test set	3470 reflections (10.16%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	31.3	Xtriage
Anisotropy	0.675	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 43.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6614	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.53% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.52	0/3149	0.73	0/4254
1	B	0.51	0/3123	0.74	0/4221
All	All	0.52	0/6272	0.74	0/8475

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3100	0	3148	61	0
1	B	3074	0	3121	56	0
2	A	31	0	19	0	0
2	B	31	0	19	0	0
3	A	4	0	6	0	0
3	B	4	0	6	0	0
4	A	189	0	0	3	0
4	B	181	0	0	4	0
All	All	6614	0	6319	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349:LYS:HA	1:A:369:VAL:HG13	1.44	0.98
1:B:349:LYS:HA	1:B:369:VAL:HG13	1.49	0.93
1:B:211:ASP:HB3	1:B:439:ASN:HD21	1.43	0.83
1:B:177:VAL:HG13	1:B:462:MET:HE1	1.64	0.79
1:A:211:ASP:HB3	1:A:439:ASN:HD21	1.48	0.79
1:B:289:ARG:HG3	1:B:289:ARG:HH11	1.50	0.77
1:B:234:SER:OG	1:B:237:GLU:HG2	1.85	0.77
1:B:177:VAL:HG13	1:B:462:MET:CE	2.15	0.76
1:A:405:GLU:HG2	1:A:427:LYS:HD3	1.70	0.74
1:A:177:VAL:HG13	1:A:462:MET:CE	2.18	0.73
1:B:175:ARG:HH11	1:B:176:LYS:HE2	1.56	0.71
1:B:282:ASP:OD1	1:B:373:HIS:HD2	1.75	0.70
1:A:234:SER:OG	1:A:237:GLU:HG2	1.93	0.68
1:A:177:VAL:HG13	1:A:462:MET:HE1	1.75	0.68
1:B:111:GLN:O	1:B:115:LEU:HD22	1.94	0.66
1:B:349:LYS:HA	1:B:369:VAL:CG1	2.26	0.64
1:A:282:ASP:OD1	1:A:373:HIS:HD2	1.81	0.64
1:A:372:ASN:ND2	1:A:375:GLY:H	1.98	0.61
4:A:784:HOH:O	1:B:460:MET:HB3	1.99	0.60
1:B:372:ASN:ND2	1:B:375:GLY:H	1.98	0.60
1:A:372:ASN:HD22	1:A:375:GLY:H	1.48	0.60
1:A:111:GLN:O	1:A:115:LEU:HD22	2.01	0.59
1:B:444:ARG:HD3	4:B:721:HOH:O	2.02	0.59
1:A:236[A]:GLU:CD	1:A:236[A]:GLU:H	2.03	0.59
1:A:358:ILE:O	1:A:362:GLU:HG3	2.03	0.59
1:A:460[B]:MET:HE2	1:A:460[B]:MET:O	2.03	0.59
1:B:358:ILE:O	1:B:362:GLU:HG3	2.02	0.59
1:B:372:ASN:HD22	1:B:375:GLY:H	1.49	0.59
1:B:379:ASP:O	1:B:380:PHE:HB2	2.03	0.58
1:B:175:ARG:NH1	1:B:176:LYS:HE2	2.21	0.55
1:A:177:VAL:HG13	1:A:462:MET:HE2	1.87	0.55
1:A:349:LYS:HA	1:A:369:VAL:CG1	2.27	0.55
1:A:318:ALA:HB1	1:B:459:GLU:OE2	2.07	0.55
1:A:379:ASP:O	1:A:380:PHE:HB2	2.07	0.54
1:A:349:LYS:CA	1:A:369:VAL:HG13	2.27	0.54
1:A:289[B]:ARG:HG3	1:A:289[B]:ARG:HH11	1.72	0.54
1:A:353:ARG:HD2	1:B:168:PRO:O	2.07	0.53
1:A:235:PRO:HD2	1:A:236[A]:GLU:OE1	2.09	0.53
1:A:382:ARG:NH2	1:A:390:GLU:OE2	2.42	0.52
1:B:361:ALA:HB2	1:B:404:LEU:HD22	1.89	0.52

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:213:ALA:HB2	1:A:225:GLN:HE22	1.75	0.52
1:A:283:ALA:HA	1:A:377:GLN:NE2	2.25	0.52
1:B:201:LYS:HA	1:B:204:ASN:O	2.10	0.51
1:B:151:GLU:HA	4:B:701:HOH:O	2.10	0.51
1:B:289:ARG:HH11	1:B:289:ARG:CG	2.20	0.51
1:A:491:PRO:HB2	1:B:155:ARG:CZ	2.41	0.50
1:A:444:ARG:HD3	4:A:724:HOH:O	2.10	0.50
1:A:234:SER:O	1:A:238:ILE:HG13	2.12	0.49
1:A:467:VAL:HG11	1:A:477:LEU:HD11	1.94	0.49
1:A:151:GLU:HA	4:A:602:HOH:O	2.12	0.49
1:B:289:ARG:HG3	1:B:289:ARG:NH1	2.25	0.48
1:B:234:SER:HG	1:B:237:GLU:HG2	1.76	0.48
1:B:107:ALA:O	1:B:111:GLN:HG3	2.14	0.48
1:A:214:ARG:HD2	1:A:444:ARG:HD2	1.96	0.48
1:B:405:GLU:HG2	1:B:427:LYS:HD3	1.96	0.48
1:B:177:VAL:HG13	1:B:462:MET:HE2	1.92	0.48
1:A:201:LYS:HD2	1:A:232:SER:HB3	1.96	0.47
1:A:382:ARG:HD3	4:B:727:HOH:O	2.12	0.47
1:B:283:ALA:HA	1:B:377:GLN:NE2	2.29	0.47
1:A:151:GLU:O	1:A:155:ARG:HD3	2.14	0.47
1:A:353:ARG:HD3	1:A:356:ASP:OD2	2.15	0.47
1:A:129:GLU:HG3	1:A:437:TYR:CE2	2.50	0.47
1:B:289:ARG:NH1	1:B:289:ARG:CG	2.78	0.47
1:B:338:LEU:HD22	1:B:346:ILE:HD11	1.96	0.47
1:B:349:LYS:HG3	1:B:369:VAL:HG11	1.96	0.47
1:B:349:LYS:CA	1:B:369:VAL:HG13	2.33	0.46
1:B:210:LYS:O	1:B:214:ARG:HG3	2.14	0.46
1:A:295:LEU:C	1:A:297:PHE:H	2.20	0.45
1:A:136:LEU:HD21	1:A:440:SER:HB3	1.99	0.45
1:A:201:LYS:HA	1:A:204:ASN:O	2.16	0.45
1:A:283:ALA:N	1:A:284:PRO:CD	2.80	0.45
1:B:211:ASP:HB3	1:B:439:ASN:ND2	2.22	0.45
1:A:210:LYS:O	1:A:214:ARG:HG3	2.16	0.45
1:A:394:ILE:O	1:A:398:ARG:HG2	2.16	0.45
1:B:256:ASN:HA	1:B:325:PHE:O	2.17	0.45
1:B:349:LYS:HG3	1:B:369:VAL:CG1	2.47	0.44
1:A:119:LEU:HD13	1:A:442:TYR:CG	2.53	0.44
1:B:394:ILE:O	1:B:398:ARG:HG2	2.18	0.44
1:A:491:PRO:HD3	4:B:741:HOH:O	2.17	0.43
1:A:338:LEU:HD22	1:A:346:ILE:HD11	1.99	0.43
1:A:370:LEU:HB2	1:A:408:VAL:HG12	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:175:ARG:HH11	1:B:176:LYS:CE	2.29	0.43
1:A:338:LEU:O	1:A:338:LEU:HD23	2.18	0.43
1:B:283:ALA:N	1:B:284:PRO:CD	2.81	0.43
1:B:177:VAL:HG21	1:B:463:ARG:HG2	2.00	0.43
1:A:361:ALA:HB2	1:A:404:LEU:HD22	2.00	0.43
1:A:487:THR:HG22	1:B:485:ALA:HB1	2.01	0.43
1:B:209:GLU:HA	1:B:212:VAL:HG13	2.02	0.42
1:A:353:ARG:CZ	1:B:169:LYS:HG2	2.49	0.42
1:B:201:LYS:HD2	1:B:232:SER:HB3	2.01	0.42
1:A:209:GLU:HA	1:A:212:VAL:HG13	2.01	0.42
1:A:236[B]:GLU:HG3	1:A:237:GLU:N	2.35	0.42
1:A:287:GLY:O	1:A:289[B]:ARG:NH1	2.53	0.42
1:A:401:LYS:O	1:A:402:ASP:HB2	2.20	0.42
1:A:372:ASN:C	1:A:372:ASN:HD22	2.24	0.41
1:B:223:VAL:HA	1:B:224:PRO:HD3	1.96	0.41
1:B:256:ASN:OD1	1:B:257:SER:N	2.54	0.41
1:A:460[B]:MET:HA	1:A:460[B]:MET:HE3	2.02	0.41
1:B:118:PRO:HG2	1:B:121:ASN:CG	2.41	0.41
1:B:253:LEU:HD11	1:B:262:THR:HG23	2.03	0.41
1:A:107:ALA:O	1:A:111:GLN:HG3	2.20	0.41
1:A:230:LEU:HD11	1:A:325:PHE:CE2	2.56	0.41
1:B:409:ASP:C	1:B:409:ASP:OD1	2.59	0.41
1:B:213:ALA:HB2	1:B:225:GLN:HE22	1.86	0.41
1:B:370:LEU:HA	1:B:370:LEU:HD12	1.91	0.41
1:B:217:GLY:HA3	1:B:247:GLN:OE1	2.21	0.41
1:A:217:GLY:HA3	1:A:247:GLN:OE1	2.21	0.40
1:A:223:VAL:HA	1:A:224:PRO:HD3	2.00	0.40
1:B:229:THR:OG1	1:B:253:LEU:HA	2.20	0.40
1:A:146:SER:OG	1:A:289[A]:ARG:HD2	2.21	0.40
1:A:171:LEU:HD23	1:A:171:LEU:HA	1.90	0.40
1:B:289:ARG:HB2	1:B:292:ASP:HB2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	393/412 (95%)	382 (97%)	11 (3%)	0	100	100
1	B	390/412 (95%)	379 (97%)	11 (3%)	0	100	100
All	All	783/824 (95%)	761 (97%)	22 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	342/354 (97%)	318 (93%)	24 (7%)	16	31
1	B	339/354 (96%)	318 (94%)	21 (6%)	20	38
All	All	681/708 (96%)	636 (93%)	45 (7%)	20	34

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	115	LEU
1	A	116	LEU
1	A	120	ASP
1	A	184	LEU
1	A	211	ASP
1	A	220	VAL
1	A	236[A]	GLU
1	A	236[B]	GLU
1	A	245	ASP
1	A	279	VAL
1	A	286	LEU
1	A	288	GLN
1	A	330	LEU
1	A	338	LEU
1	A	353	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	369	VAL
1	A	370	LEU
1	A	372	ASN
1	A	373	HIS
1	A	378	LEU
1	A	444	ARG
1	A	476[A]	ASP
1	A	476[B]	ASP
1	A	494	VAL
1	B	115	LEU
1	B	116	LEU
1	B	120	ASP
1	B	184	LEU
1	B	211	ASP
1	B	220	VAL
1	B	245	ASP
1	B	279	VAL
1	B	288	GLN
1	B	330	LEU
1	B	338	LEU
1	B	353	ARG
1	B	369	VAL
1	B	370	LEU
1	B	372	ASN
1	B	373	HIS
1	B	378	LEU
1	B	444	ARG
1	B	476[A]	ASP
1	B	476[B]	ASP
1	B	494	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	157	ASN
1	A	159	ASN
1	A	225	GLN
1	A	288	GLN
1	A	372	ASN
1	A	373	HIS
1	A	397	GLN
1	A	439	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	497	ASN
1	B	149	ASN
1	B	157	ASN
1	B	159	ASN
1	B	225	GLN
1	B	288	GLN
1	B	372	ASN
1	B	373	HIS
1	B	439	ASN
1	B	497	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	FMN	A	570	-	31,33,33	2.05	8 (25%)	39,50,50	2.32	4 (10%)
3	EDO	A	600	-	3,3,3	0.61	0	2,2,2	0.28	0
2	FMN	B	670	-	31,33,33	2.20	11 (35%)	39,50,50	2.41	5 (12%)
3	EDO	B	700	-	3,3,3	0.55	0	2,2,2	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	A	570	-	-	0/16/18/18	0/3/3/3
3	EDO	A	600	-	-	0/1/1/1	0/0/0/0
2	FMN	B	670	-	-	0/16/18/18	0/3/3/3
3	EDO	B	700	-	-	0/1/1/1	0/0/0/0

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	670	FMN	C1'-N10	-2.81	1.45	1.48
2	A	570	FMN	C1'-N10	-2.43	1.45	1.48
2	B	670	FMN	C9A-C5A	2.06	1.46	1.42
2	B	670	FMN	C8-C7	2.18	1.46	1.40
2	A	570	FMN	C10-N1	2.31	1.36	1.33
2	B	670	FMN	C4A-N5	2.34	1.36	1.33
2	A	570	FMN	C4-C4A	2.89	1.46	1.41
2	A	570	FMN	C2-N3	3.04	1.44	1.38
2	B	670	FMN	C5A-N5	3.31	1.40	1.35
2	A	570	FMN	C5A-N5	3.34	1.40	1.35
2	B	670	FMN	C4-C4A	3.52	1.47	1.41
2	B	670	FMN	C2-N3	3.56	1.45	1.38
2	B	670	FMN	C10-N1	3.66	1.38	1.33
2	B	670	FMN	C4A-C10	3.84	1.47	1.41
2	A	570	FMN	C4A-C10	4.07	1.47	1.41
2	A	570	FMN	C4-N3	4.61	1.41	1.33
2	B	670	FMN	C4-N3	4.72	1.41	1.33
2	B	670	FMN	C9A-N10	5.09	1.45	1.38
2	A	570	FMN	C9A-N10	5.40	1.45	1.38

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	670	FMN	C4A-C4-N3	-5.67	115.40	123.47
2	A	570	FMN	C4A-C4-N3	-5.52	115.62	123.47
2	A	570	FMN	C4A-C10-N10	-3.03	117.58	120.40
2	B	670	FMN	C4A-C10-N10	-2.92	117.69	120.40
2	B	670	FMN	P-O5'-C5'	2.12	124.12	118.30
2	A	570	FMN	C4A-N5-C5A	4.36	121.33	116.76
2	B	670	FMN	C4A-N5-C5A	4.81	121.80	116.76

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	570	FMN	C4-N3-C2	11.22	124.69	115.14
2	B	670	FMN	C4-N3-C2	11.65	125.06	115.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	393/412 (95%)	-0.53	4 (1%) 82 84	20, 35, 61, 91	0
1	B	392/412 (95%)	-0.45	11 (2%) 53 56	21, 35, 62, 99	0
All	All	785/824 (95%)	-0.49	15 (1%) 66 69	20, 35, 62, 99	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	511	ALA	3.7
1	B	325	PHE	3.6
1	B	318	ALA	3.6
1	B	295	LEU	3.6
1	B	324	LYS	3.3
1	A	319	SER	3.3
1	B	319	SER	3.2
1	B	297	PHE	2.9
1	A	298	SER	2.8
1	B	260	LYS	2.6
1	B	323	SER	2.3
1	A	100	GLY	2.2
1	B	100	GLY	2.2
1	A	246	LYS	2.1
1	B	510	ASP	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.



## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	EDO	A	600	4/4	0.81	0.31	44,52,55,60	0
3	EDO	B	700	4/4	0.93	0.23	38,44,45,50	0
2	FMN	A	570	31/31	0.98	0.14	19,26,33,36	0
2	FMN	B	670	31/31	0.99	0.14	24,29,35,37	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.