



Full wwPDB NMR Structure Validation Report ⓘ

Feb 13, 2020 – 05:13 PM EST

PDB ID : 2KB2
Title : BlrP1 BLUF
Authors : Wu, Q.; Gardner, K.H.
Deposited on : 2008-11-19

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbity	:	4.02b-467
Mogul	:	1.8.0 (224370), CSD as540be (2019)
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20171227.v01 (using entries in the PDB archive December 27th 2017)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	2.4
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.4


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 90%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	136327	12091
Ramachandran outliers	132723	10835
Sidechain outliers	132532	10811

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	148	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA and RNA chains that are outliers for geometric criteria:

Mol	Chain	Compound	Res	Total models with violations	
				Chirality	Geometry
2	A	FMN	149	19	-

2 Ensemble composition and analysis

This entry contains 20 models. Model 2 is the overall representative, medoid model (most similar to other models). The authors have identified model 20 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:5-A:113, A:127-A:138 (121)	0.18	2

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 4 single-model clusters were found.

Cluster number	Models
1	2, 3, 7, 8, 9, 11, 17
2	4, 13, 14, 16, 18
3	6, 19
4	15, 20
Single-model clusters	1; 5; 10; 12

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 2425 atoms, of which 1202 are hydrogens and 0 are deuteriums.


- Molecule 1 is a protein called BlrP1.

Mol	Chain	Residues	Atoms						Trace
1	A	148	Total	C	H	N	O	S	0
			2375	760	1183	206	221	5	

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP A6T8V8
A	2	GLU	-	expression tag	UNP A6T8V8
A	3	PHE	-	expression tag	UNP A6T8V8

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P).




Mol	Chain	Residues	Atoms					
2	A	1	Total	C	H	N	O	P
			50	17	19	4	9	1

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: BlrP1




4.2 Scores per residue for each member of the ensemble

Colouring as in section [4.1](#) above.

4.2.1 Score per residue for model 1


- Molecule 1: BlrP1



4.2.2 Score per residue for model 2 (medoid)

- Molecule 1: BlrP1






4.2.3 Score per residue for model 3

- Molecule 1: BlrP1


Chain A: 39% 32% 11% 18%



4.2.4 Score per residue for model 4

- Molecule 1: BlrP1


Chain A: 38% 32% 12% 18%



4.2.5 Score per residue for model 5


- Molecule 1: BlrP1

Chain A: 41% 28% 11% 18%




4.2.6 Score per residue for model 6

- Molecule 1: BlrP1




4.2.7 Score per residue for model 7

- Molecule 1: BlrP1




4.2.8 Score per residue for model 8

- Molecule 1: BlrP1




4.2.9 Score per residue for model 9

- Molecule 1: BlrP1




4.2.10 Score per residue for model 10

• Molecule 1: BlrP1




4.2.11 Score per residue for model 11

• Molecule 1: BlrP1




4.2.12 Score per residue for model 12

• Molecule 1: BlrP1



4.2.13 Score per residue for model 13



• Molecule 1: BlrP1







4.2.14 Score per residue for model 14

- Molecule 1: BlrP1



4.2.15 Score per residue for model 15

- Molecule 1: BlrP1




4.2.16 Score per residue for model 16

- Molecule 1: BlrP1




4.2.17 Score per residue for model 17

- Molecule 1: BlrP1




4.2.18 Score per residue for model 18

- Molecule 1: BlrP1




4.2.19 Score per residue for model 19

- Molecule 1: BlrP1



4.2.20 Score per residue for model 20

- Molecule 1: BlrP1



5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 500 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	2kb2_cs.cif
Number of chemical shift lists	1
Total number of shifts	1914
Number of shifts mapped to atoms	1897
Number of unparsed shifts	0
Number of shifts with mapping errors	17
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	90%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FMN

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	980	985	981	54±4
2	A	31	19	18	0±0
All	All	20220	20080	19981	1078

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:11:ARG:HB3	1:A:80:LEU:HD11	0.72	1.61	20	3
1:A:33:LYS:HD3	1:A:37:LEU:HD22	0.69	1.64	20	4
1:A:68:ILE:HG23	1:A:74:HIS:CE1	0.66	2.24	18	18
1:A:43:LEU:HG	1:A:52:GLN:NE2	0.66	2.05	5	8
1:A:26:LEU:HD23	1:A:27:VAL:N	0.66	2.06	5	20
1:A:11:ARG:HG2	1:A:80:LEU:HD21	0.65	1.69	17	2
1:A:14:VAL:HG22	1:A:15:HIS:H	0.64	1.53	8	20
1:A:12:SER:HB3	1:A:77:VAL:HB	0.63	1.69	11	20
1:A:44:LEU:HD13	1:A:51:PHE:HD2	0.63	1.53	13	19
1:A:44:LEU:HD23	1:A:100:LEU:HD11	0.63	1.69	10	20
1:A:26:LEU:HD12	1:A:73:ARG:HH11	0.63	1.54	1	12

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:52:GLN:OE1	1:A:54:LEU:HD13	0.62	1.94	16	11
1:A:81:MET:HB2	1:A:131:LEU:HD11	0.62	1.71	1	16
1:A:13:GLN:HA	1:A:49:GLN:HA	0.61	1.72	15	20
1:A:108:ALA:O	1:A:112:ILE:HD12	0.61	1.94	10	20
1:A:43:LEU:HG	1:A:52:GLN:CD	0.60	2.18	6	3
1:A:44:LEU:HD13	1:A:51:PHE:HD1	0.59	1.57	20	1
1:A:11:ARG:NE	1:A:80:LEU:HD21	0.59	2.13	14	2
1:A:9:ILE:HD12	1:A:131:LEU:HD23	0.59	1.74	16	3
1:A:15:HIS:HB2	1:A:18:ARG:CG	0.59	2.27	15	1
1:A:33:LYS:O	1:A:37:LEU:HD13	0.58	1.99	18	19
1:A:42:ILE:HG13	1:A:96:ARG:O	0.58	1.99	19	20
1:A:97:ILE:HD13	1:A:98:LEU:N	0.58	2.13	18	20
1:A:31:SER:O	1:A:35:LEU:HB2	0.58	1.99	18	12
1:A:18:ARG:HB3	1:A:19:PRO:HD2	0.57	1.76	1	2
1:A:39:ILE:HG23	1:A:55:GLU:O	0.56	2.00	4	13
1:A:34:ASN:ND2	1:A:95:MET:SD	0.56	2.78	1	1
1:A:13:GLN:HB2	1:A:75:ARG:HG2	0.56	1.77	17	12
1:A:100:LEU:HD22	1:A:108:ALA:CB	0.55	2.30	1	15
1:A:13:GLN:HB2	1:A:75:ARG:CG	0.55	2.32	1	9
1:A:8:LEU:N	1:A:61:LEU:HD13	0.55	2.17	13	19
1:A:109:LEU:O	1:A:113:LEU:HD22	0.55	2.01	1	6
1:A:11:ARG:HG2	1:A:80:LEU:HD11	0.55	1.79	10	11
1:A:69:GLN:HG2	1:A:77:VAL:CG2	0.55	2.32	6	11
1:A:8:LEU:C	1:A:8:LEU:HD13	0.54	2.21	13	2
1:A:64:LEU:HD13	1:A:68:ILE:CD1	0.54	2.32	15	1
1:A:108:ALA:O	1:A:111:GLU:HB2	0.54	2.02	19	20
1:A:54:LEU:HD21	1:A:64:LEU:HD13	0.54	1.80	12	2
1:A:44:LEU:HB2	1:A:51:PHE:HB3	0.54	1.78	11	18
1:A:42:ILE:HG13	1:A:43:LEU:N	0.54	2.18	10	15
1:A:128:MET:SD	1:A:129:PHE:N	0.54	2.81	18	2
1:A:57:THR:HB	1:A:59:GLU:HG2	0.54	1.80	11	1
1:A:8:LEU:H	1:A:61:LEU:HD13	0.54	1.63	13	18
1:A:5:LEU:HD21	1:A:88:ARG:HG3	0.54	1.79	8	10
1:A:8:LEU:HB3	1:A:61:LEU:HG	0.54	1.79	11	1
1:A:13:GLN:HG3	1:A:76:ASP:HB3	0.53	1.78	16	4
1:A:6:THR:HB	1:A:61:LEU:CD2	0.53	2.33	11	1
1:A:8:LEU:HD23	1:A:82:ARG:HG3	0.52	1.81	7	2
1:A:54:LEU:HD21	1:A:64:LEU:HD12	0.52	1.82	9	2
1:A:69:GLN:HA	1:A:77:VAL:HG11	0.52	1.82	16	12
1:A:25:ALA:HB1	1:A:29:ARG:NH1	0.52	2.20	16	1
1:A:48:LEU:HD13	1:A:48:LEU:O	0.52	2.04	3	12

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:11:ARG:O	1:A:78:VAL:HG12	0.52	2.05	14	1
1:A:8:LEU:HD21	1:A:65:PHE:HB2	0.51	1.82	5	4
1:A:15:HIS:HB2	1:A:18:ARG:HD2	0.51	1.80	14	1
1:A:109:LEU:HG	1:A:136:ILE:HG21	0.51	1.82	19	3
1:A:104:GLU:HG3	1:A:107:GLY:H	0.51	1.66	1	9
1:A:12:SER:HB2	1:A:75:ARG:O	0.51	2.06	3	5
1:A:93:THR:HG21	1:A:96:ARG:HB2	0.51	1.82	11	3
1:A:21:VAL:HG13	1:A:73:ARG:HD3	0.51	1.80	10	2
1:A:98:LEU:HG	1:A:103:PHE:CE2	0.51	2.41	10	17
1:A:68:ILE:HG22	1:A:77:VAL:HG21	0.50	1.81	1	5
1:A:64:LEU:O	1:A:68:ILE:HD13	0.50	2.07	5	18
1:A:11:ARG:HD3	1:A:80:LEU:HD21	0.50	1.82	2	8
1:A:10:TYR:CZ	1:A:68:ILE:HG21	0.50	2.42	12	1
1:A:43:LEU:HD23	1:A:51:PHE:O	0.50	2.07	13	3
1:A:130:ARG:NE	1:A:130:ARG:HA	0.50	2.21	14	1
1:A:15:HIS:HB2	1:A:18:ARG:HG3	0.50	1.82	15	1
1:A:27:VAL:HG21	1:A:96:ARG:HA	0.50	1.84	7	13
1:A:18:ARG:HH21	1:A:21:VAL:HG23	0.50	1.67	14	1
1:A:35:LEU:CB	1:A:36:PRO:CD	0.50	2.90	19	3
1:A:81:MET:SD	1:A:127:ARG:HB3	0.49	2.47	7	4
1:A:21:VAL:HG11	1:A:26:LEU:HD13	0.49	1.84	10	20
1:A:88:ARG:HH21	1:A:90:PHE:H	0.49	1.50	12	1
1:A:9:ILE:HG12	1:A:53:VAL:HA	0.49	1.84	18	6
1:A:11:ARG:HG2	1:A:80:LEU:CD1	0.49	2.38	11	1
1:A:43:LEU:HG	1:A:52:GLN:HE21	0.49	1.67	9	9
1:A:10:TYR:CE2	1:A:68:ILE:HG21	0.49	2.42	17	2
1:A:8:LEU:HD13	1:A:8:LEU:C	0.49	2.28	7	1
1:A:41:GLY:HA3	1:A:53:VAL:O	0.48	2.08	1	14
1:A:8:LEU:HD13	1:A:82:ARG:HH21	0.48	1.67	3	6
1:A:48:LEU:O	1:A:48:LEU:HD13	0.48	2.09	16	6
1:A:21:VAL:HG13	1:A:73:ARG:HH11	0.48	1.68	16	2
1:A:44:LEU:HG	1:A:98:LEU:HB3	0.48	1.84	16	4
1:A:95:MET:HE2	1:A:95:MET:HA	0.48	1.85	6	3
1:A:89:ARG:H	1:A:89:ARG:HE	0.48	1.51	17	1
1:A:6:THR:HB	1:A:61:LEU:HD22	0.47	1.86	11	1
1:A:89:ARG:NE	1:A:89:ARG:HA	0.47	2.24	20	1
1:A:14:VAL:O	1:A:75:ARG:HD3	0.47	2.09	2	13
1:A:8:LEU:HD11	1:A:65:PHE:CD2	0.47	2.44	3	9
1:A:9:ILE:HG23	1:A:52:GLN:O	0.47	2.10	13	2
1:A:18:ARG:HB3	1:A:19:PRO:CD	0.47	2.40	8	1
1:A:88:ARG:NH2	1:A:89:ARG:H	0.47	2.07	12	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:68:ILE:CG2	1:A:77:VAL:HG21	0.46	2.41	1	4
1:A:98:LEU:HG	1:A:103:PHE:CE1	0.46	2.45	11	2
1:A:105:THR:HA	1:A:136:ILE:HG23	0.46	1.87	10	1
1:A:43:LEU:HB3	1:A:97:ILE:HG12	0.46	1.87	12	18
1:A:8:LEU:CD2	1:A:65:PHE:HB2	0.46	2.39	2	12
1:A:87:TYR:CD1	1:A:87:TYR:N	0.46	2.84	11	9
1:A:8:LEU:CB	1:A:61:LEU:HB3	0.46	2.41	13	3
1:A:44:LEU:O	1:A:50:PHE:HA	0.46	2.11	15	11
1:A:53:VAL:HG21	1:A:132:LEU:HD13	0.46	1.87	18	3
1:A:68:ILE:O	1:A:71:ASP:HB2	0.46	2.10	9	6
1:A:21:VAL:HG12	1:A:22:ASP:N	0.46	2.25	3	16
1:A:33:LYS:O	1:A:37:LEU:HG	0.46	2.10	10	1
1:A:11:ARG:CB	1:A:80:LEU:HD11	0.46	2.40	17	1
1:A:33:LYS:NZ	1:A:37:LEU:HD22	0.45	2.26	13	2
1:A:62:GLU:HA	1:A:82:ARG:HH22	0.45	1.72	16	2
1:A:9:ILE:O	1:A:80:LEU:HB2	0.45	2.11	18	1
1:A:131:LEU:H	1:A:131:LEU:HD22	0.45	1.70	13	1
1:A:22:ASP:O	1:A:24:ASP:N	0.45	2.49	9	20
1:A:87:TYR:N	1:A:87:TYR:CD1	0.45	2.84	9	3
1:A:15:HIS:NE2	1:A:73:ARG:HG3	0.45	2.26	20	2
1:A:18:ARG:HH21	1:A:21:VAL:HG22	0.45	1.69	13	1
1:A:52:GLN:NE2	2:A:149:FMN:O4	0.45	2.50	8	2
1:A:51:PHE:CE2	1:A:53:VAL:HG23	0.45	2.47	16	6
1:A:14:VAL:N	1:A:48:LEU:O	0.45	2.49	12	1
1:A:13:GLN:HG3	1:A:76:ASP:CB	0.45	2.42	14	2
1:A:13:GLN:HG3	1:A:75:ARG:CG	0.45	2.41	12	1
1:A:26:LEU:HB2	1:A:73:ARG:HH12	0.44	1.71	1	1
1:A:65:PHE:O	1:A:69:GLN:NE2	0.44	2.49	19	1
1:A:15:HIS:HB2	1:A:18:ARG:HB2	0.44	1.89	8	2
1:A:80:LEU:HB3	1:A:131:LEU:HG	0.44	1.89	16	3
1:A:44:LEU:HD23	1:A:100:LEU:HD21	0.44	1.88	19	4
1:A:9:ILE:HD11	1:A:128:MET:HB2	0.44	1.89	11	4
1:A:10:TYR:OH	1:A:68:ILE:HG12	0.44	2.13	15	1
1:A:69:GLN:HG2	1:A:77:VAL:HG13	0.44	1.90	1	1
1:A:100:LEU:HD22	1:A:108:ALA:HB1	0.44	1.88	16	2
1:A:22:ASP:C	1:A:24:ASP:H	0.44	2.16	4	20
1:A:42:ILE:CG1	1:A:43:LEU:N	0.44	2.81	3	11
1:A:14:VAL:O	1:A:75:ARG:HD2	0.44	2.13	3	3
1:A:61:LEU:O	1:A:65:PHE:HB3	0.44	2.12	11	2
1:A:79:GLU:HG3	1:A:82:ARG:HH21	0.44	1.72	13	1
1:A:40:THR:HG21	1:A:90:PHE:O	0.44	2.13	15	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:5:LEU:CD2	1:A:88:ARG:HG3	0.44	2.42	17	1
1:A:23:LEU:O	1:A:27:VAL:HG12	0.44	2.13	18	19
1:A:21:VAL:HG22	1:A:73:ARG:NH1	0.44	2.27	3	1
1:A:9:ILE:HD12	1:A:128:MET:HA	0.44	1.89	18	1
1:A:8:LEU:HB3	1:A:61:LEU:HB3	0.44	1.89	1	2
1:A:21:VAL:HG13	1:A:73:ARG:HD2	0.44	1.87	9	1
1:A:11:ARG:CG	1:A:80:LEU:HD11	0.44	2.43	17	1
1:A:39:ILE:HD11	1:A:60:ALA:HB1	0.44	1.89	6	2
1:A:11:ARG:HA	1:A:50:PHE:O	0.43	2.12	1	1
1:A:5:LEU:HD21	1:A:88:ARG:HG2	0.43	1.89	12	1
1:A:23:LEU:O	1:A:97:ILE:HG21	0.43	2.14	6	13
1:A:26:LEU:HB2	1:A:73:ARG:NH1	0.43	2.29	18	3
1:A:65:PHE:O	1:A:68:ILE:HB	0.43	2.13	19	2
1:A:40:THR:O	1:A:55:GLU:N	0.43	2.52	11	1
1:A:56:GLY:N	1:A:61:LEU:HD21	0.43	2.28	17	1
1:A:69:GLN:HG2	1:A:77:VAL:HG21	0.43	1.91	17	1
1:A:13:GLN:HG3	1:A:76:ASP:HB2	0.43	1.89	3	1
1:A:26:LEU:C	1:A:26:LEU:HD23	0.43	2.34	19	12
1:A:52:GLN:OE1	1:A:95:MET:SD	0.43	2.77	6	1
1:A:15:HIS:C	1:A:17:ASP:H	0.43	2.17	14	1
1:A:44:LEU:HD13	1:A:51:PHE:CD2	0.42	2.42	13	4
1:A:21:VAL:HG21	1:A:50:PHE:CZ	0.42	2.49	19	6
1:A:81:MET:HB2	1:A:131:LEU:CD1	0.42	2.43	15	8
1:A:14:VAL:HA	1:A:74:HIS:HA	0.42	1.91	6	6
1:A:51:PHE:CE1	1:A:131:LEU:HB3	0.42	2.50	19	1
1:A:14:VAL:HG22	1:A:73:ARG:HH21	0.42	1.75	9	1
1:A:26:LEU:HD23	1:A:26:LEU:C	0.42	2.35	2	5
1:A:89:ARG:HA	1:A:89:ARG:NE	0.42	2.29	8	1
1:A:79:GLU:OE2	1:A:81:MET:O	0.42	2.38	18	1
1:A:18:ARG:NH2	1:A:73:ARG:NE	0.42	2.67	19	1
1:A:51:PHE:CE2	1:A:132:LEU:HA	0.42	2.50	8	4
1:A:69:GLN:HG2	1:A:77:VAL:HG22	0.42	1.92	7	1
1:A:9:ILE:O	1:A:80:LEU:N	0.42	2.50	1	3
1:A:6:THR:O	1:A:61:LEU:HD11	0.42	2.14	19	3
1:A:14:VAL:HG22	1:A:15:HIS:N	0.42	2.29	12	1
1:A:131:LEU:HD22	1:A:131:LEU:H	0.42	1.73	16	1
1:A:34:ASN:HB3	1:A:39:ILE:HB	0.42	1.92	5	2
1:A:81:MET:O	1:A:82:ARG:HB2	0.42	2.14	9	5
1:A:113:LEU:HD13	1:A:113:LEU:N	0.42	2.30	20	1
1:A:8:LEU:HD21	1:A:79:GLU:HG3	0.41	1.90	20	1
1:A:21:VAL:HG22	1:A:73:ARG:HH11	0.41	1.74	14	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:14:VAL:O	1:A:16:PRO:HD3	0.41	2.15	1	2
1:A:64:LEU:HD22	1:A:68:ILE:HD13	0.41	1.92	12	2
1:A:5:LEU:HD22	1:A:56:GLY:HA2	0.41	1.91	7	1
1:A:55:GLU:C	1:A:61:LEU:HD21	0.41	2.36	19	1
1:A:94:GLY:O	1:A:95:MET:HE3	0.41	2.15	1	1
1:A:15:HIS:HB2	1:A:18:ARG:HD3	0.41	1.92	10	1
1:A:35:LEU:HB3	1:A:36:PRO:HD3	0.41	1.93	10	1
1:A:64:LEU:HD22	1:A:68:ILE:CD1	0.41	2.45	11	1
1:A:13:GLN:O	1:A:74:HIS:HA	0.41	2.15	12	1
1:A:8:LEU:HB2	1:A:82:ARG:HG3	0.41	1.92	16	1
1:A:95:MET:HA	1:A:95:MET:HE2	0.41	1.92	19	1
1:A:98:LEU:O	1:A:100:LEU:N	0.41	2.54	6	2
1:A:9:ILE:HD12	1:A:131:LEU:HD12	0.41	1.93	6	1
1:A:52:GLN:HE21	1:A:95:MET:CE	0.41	2.29	8	1
1:A:44:LEU:HD21	1:A:136:ILE:HD12	0.41	1.92	18	1
1:A:23:LEU:HB3	1:A:97:ILE:HG21	0.41	1.93	20	1
1:A:21:VAL:HG22	1:A:73:ARG:CZ	0.41	2.45	3	1
1:A:9:ILE:HD13	1:A:53:VAL:HG22	0.41	1.93	3	1
1:A:68:ILE:O	1:A:74:HIS:CE1	0.41	2.73	9	2
1:A:14:VAL:HG22	1:A:73:ARG:NH2	0.41	2.30	9	2
1:A:21:VAL:HG11	1:A:26:LEU:CD1	0.41	2.46	10	2
1:A:15:HIS:O	1:A:17:ASP:N	0.41	2.54	14	1
1:A:65:PHE:CZ	1:A:69:GLN:NE2	0.41	2.89	18	1
1:A:9:ILE:O	1:A:79:GLU:OE2	0.41	2.38	18	1
1:A:23:LEU:O	1:A:27:VAL:CG1	0.41	2.69	9	2
1:A:64:LEU:HD13	1:A:68:ILE:HD13	0.41	1.92	20	1
1:A:68:ILE:O	1:A:74:HIS:NE2	0.40	2.53	16	1
1:A:46:ASN:ND2	1:A:49:GLN:H	0.40	2.14	5	1
1:A:131:LEU:N	1:A:131:LEU:HD22	0.40	2.32	13	1
1:A:26:LEU:HD21	1:A:43:LEU:HD13	0.40	1.92	12	1
1:A:18:ARG:HD3	1:A:73:ARG:HH12	0.40	1.76	3	1
1:A:76:ASP:O	1:A:78:VAL:HG23	0.40	2.16	7	1
1:A:40:THR:HG22	1:A:93:THR:O	0.40	2.16	12	1
1:A:64:LEU:O	1:A:68:ILE:HD12	0.40	2.16	15	1
1:A:12:SER:HA	1:A:77:VAL:HA	0.40	1.94	3	1
1:A:8:LEU:CD1	1:A:82:ARG:HE	0.40	2.30	12	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	121/148 (82%)	102±2 (85±2%)	13±2 (10±1%)	6±1 (5±1%)	4	25
All	All	2420/2960 (82%)	2045 (85%)	251 (10%)	124 (5%)	4	25

All 12 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	23	LEU	20
1	A	99	ASP	20
1	A	82	ARG	20
1	A	14	VAL	19
1	A	74	HIS	13
1	A	73	ARG	13
1	A	75	ARG	12
1	A	76	ASP	3
1	A	16	PRO	1
1	A	72	PRO	1
1	A	48	LEU	1
1	A	94	GLY	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	107/130 (82%)	88±2 (82±2%)	19±2 (18±2%)	5	39
All	All	2140/2600 (82%)	1762 (82%)	378 (18%)	5	39

All 50 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	77	VAL	20
1	A	128	MET	20
1	A	26	LEU	20
1	A	103	PHE	20
1	A	27	VAL	20
1	A	136	ILE	20
1	A	97	ILE	20
1	A	40	THR	20
1	A	71	ASP	19
1	A	8	LEU	17
1	A	35	LEU	17
1	A	68	ILE	15
1	A	113	LEU	14
1	A	75	ARG	12
1	A	74	HIS	11
1	A	89	ARG	11
1	A	55	GLU	10
1	A	96	ARG	9
1	A	13	GLN	7
1	A	104	GLU	6
1	A	33	LYS	6
1	A	81	MET	5
1	A	18	ARG	5
1	A	42	ILE	4
1	A	110	GLU	4
1	A	15	HIS	4
1	A	54	LEU	3
1	A	24	ASP	3
1	A	111	GLU	3
1	A	95	MET	2
1	A	91	HIS	2
1	A	62	GLU	2
1	A	43	LEU	2
1	A	48	LEU	2
1	A	82	ARG	2
1	A	79	GLU	2
1	A	127	ARG	2
1	A	99	ASP	2
1	A	64	LEU	2
1	A	73	ARG	2
1	A	76	ASP	2
1	A	61	LEU	1
1	A	32	SER	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	19	PRO	1
1	A	22	ASP	1
1	A	57	THR	1
1	A	11	ARG	1
1	A	37	LEU	1
1	A	88	ARG	1
1	A	59	GLU	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

LIGAND-GEOMETRY INFOmissingINFO

6.6 Other polymers [i](#)

There are no such molecules in this entry.

6.7 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 90% for the well-defined parts and 89% for the entire structure.

7.1 Chemical shift list 1

File name: 2kb2_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1914
Number of shifts mapped to atoms	1897
Number of unparsed shifts	0
Number of shifts with mapping errors	17
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	2

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Chain not found in structure. All 17 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	1	FMN	H1R1	5.063	0.05	2
UNMAPPED	1	FMN	H6	7.67	0.05	1
UNMAPPED	1	FMN	H3R	3.918	0.05	1
UNMAPPED	1	FMN	H2R	4.402	0.05	1
UNMAPPED	1	FMN	H3	12.36	0.05	1
UNMAPPED	1	FMN	C1R	50.558	0.5	1
UNMAPPED	1	FMN	C9	119.376	0.5	1
UNMAPPED	1	FMN	H8M1	2.547	0.05	1
UNMAPPED	1	FMN	H1R2	4.863	0.05	2
UNMAPPED	1	FMN	C7M	20.532	0.5	1
UNMAPPED	1	FMN	H9	7.879	0.05	1
UNMAPPED	1	FMN	C8M	24.282	0.5	1
UNMAPPED	1	FMN	C6	132.795	0.5	1
UNMAPPED	1	FMN	C3R	76.29	0.5	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	1	FMN	C2R	71.815	0.5	1
UNMAPPED	1	FMN	N3	162.27	0.5	1
UNMAPPED	1	FMN	H7M1	1.241	0.05	1

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	146	-0.18 ± 0.08	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	136	-0.07 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}'$	135	-0.02 ± 0.13	None needed (< 0.5 ppm)
^{15}N	137	0.42 ± 0.35	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 90%, i.e. 1399 atoms were assigned a chemical shift out of a possible 1560. 26 out of 26 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	585/595 (98%)	236/237 (100%)	234/242 (97%)	115/116 (99%)
Sidechain	705/837 (84%)	429/489 (88%)	263/305 (86%)	13/43 (30%)
Aromatic	109/128 (85%)	59/68 (87%)	49/52 (94%)	1/8 (12%)
Overall	1399/1560 (90%)	724/794 (91%)	546/599 (91%)	129/167 (77%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 89%, i.e. 1679 atoms were assigned a chemical shift out of a possible 1883. 29 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	702/724 (97%)	284/288 (99%)	281/296 (95%)	137/140 (98%)
Sidechain	838/996 (84%)	512/584 (88%)	311/362 (86%)	15/50 (30%)
Aromatic	139/163 (85%)	77/87 (89%)	61/68 (90%)	1/8 (12%)
Overall	1679/1883 (89%)	873/959 (91%)	653/726 (90%)	153/198 (77%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, <i>ppm</i>	Expected range, <i>ppm</i>	Z-score
1	A	89	ARG	H	11.67	11.29 – 5.19	5.6
1	A	51	PHE	HB2	1.08	4.85 – 1.15	-5.2

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

