



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2018 – 07:04 pm GMT

PDB ID : 5L2A  
Title : Structure of CNTnw N149S,F366A in an outward-facing state  
Authors : Hirschi, M.; Johnson, Z.L.; Lee, S.-Y.  
Deposited on : 2016-07-31  
Resolution : 3.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : (not set)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1091 (3.52-3.40)
Clashscore	122126	1166 (3.52-3.40)
Ramachandran outliers	120053	1135 (3.52-3.40)
Sidechain outliers	120020	1136 (3.52-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	431	
1	B	431	
1	C	431	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8963 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleoside permease.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	422	Total	C	N	O	S	0	0	0
			3024	1982	492	533	17			
1	B	422	Total	C	N	O	S	0	0	0
			3017	1970	492	539	16			
1	C	406	Total	C	N	O	S	0	0	0
			2869	1883	460	510	16			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	GLY	-	expression tag	UNP G4CRQ5
A	-4	PRO	-	expression tag	UNP G4CRQ5
A	-3	ALA	-	expression tag	UNP G4CRQ5
A	-2	VAL	-	expression tag	UNP G4CRQ5
A	-1	PRO	-	expression tag	UNP G4CRQ5
A	0	ARG	-	expression tag	UNP G4CRQ5
A	149	SER	ASN	engineered mutation	UNP G4CRQ5
A	366	ALA	PHE	engineered mutation	UNP G4CRQ5
B	-5	GLY	-	expression tag	UNP G4CRQ5
B	-4	PRO	-	expression tag	UNP G4CRQ5
B	-3	ALA	-	expression tag	UNP G4CRQ5
B	-2	VAL	-	expression tag	UNP G4CRQ5
B	-1	PRO	-	expression tag	UNP G4CRQ5
B	0	ARG	-	expression tag	UNP G4CRQ5
B	149	SER	ASN	engineered mutation	UNP G4CRQ5
B	366	ALA	PHE	engineered mutation	UNP G4CRQ5
C	-5	GLY	-	expression tag	UNP G4CRQ5
C	-4	PRO	-	expression tag	UNP G4CRQ5
C	-3	ALA	-	expression tag	UNP G4CRQ5
C	-2	VAL	-	expression tag	UNP G4CRQ5
C	-1	PRO	-	expression tag	UNP G4CRQ5
C	0	ARG	-	expression tag	UNP G4CRQ5
C	149	SER	ASN	engineered mutation	UNP G4CRQ5

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	366	ALA	PHE	engineered mutation	UNP G4CRQ5

- Molecule 2 is 2-[[[(4-O-alpha-D-glucopyranosyl-beta-D-glucopyranosyl)oxy]methyl]-2-octyld ecyl 4-O-alpha-D-glucopyranosyl-beta-D-glucopyranoside (three-letter code: 6ZL) (formula: C<sub>43</sub>H<sub>80</sub>O<sub>22</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			53	36	17		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nucleoside permease



- Molecule 1: Nucleoside permease



- Molecule 1: Nucleoside permease



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	119.08Å 119.08Å 276.96Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	38.98 – 3.45 38.98 – 3.45	Depositor EDS
% Data completeness (in resolution range)	92.5 (38.98-3.45) 94.8 (38.98-3.45)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.49 (at 3.48Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.272 , 0.307 0.274 , 0.307	Depositor DCC
$R_{free}$ test set	1948 reflections (7.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	74.1	Xtriage
Anisotropy	0.006	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.24 , 20.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.062 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.80	EDS
Total number of atoms	8963	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.54% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 6ZL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/3077	0.41	0/4184
1	B	0.32	0/3069	0.44	1/4170 (0.0%)
1	C	0.27	0/2918	0.53	3/3971 (0.1%)
All	All	0.28	0/9064	0.46	4/12325 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
1	C	0	3
All	All	0	6

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	292	ASP	N-CA-C	-7.35	91.17	111.00
1	C	293	LEU	CA-CB-CG	6.52	130.30	115.30
1	C	182	ALA	CB-CA-C	-5.68	101.58	110.10
1	B	157	ALA	C-N-CD	5.27	139.47	128.40

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	289	GLY	Peptide
1	B	157	ALA	Peptide
1	B	158	PRO	Peptide
1	C	292	ASP	Peptide
1	C	310	ILE	Peptide
1	C	312	VAL	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3024	0	3142	25	0
1	B	3017	0	3112	30	0
1	C	2869	0	2959	76	0
2	A	53	0	0	1	0
All	All	8963	0	9213	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:308:TRP:HD1	1:C:313:PRO:HA	1.38	0.88
1:C:170:GLU:OE2	1:C:392:ARG:NH2	2.20	0.75
1:B:158:PRO:O	1:B:161:VAL:N	2.18	0.75
1:C:308:TRP:CD1	1:C:313:PRO:HA	2.21	0.73
1:C:310:ILE:HG12	1:C:410:VAL:HG22	1.70	0.73
1:B:256:GLY:HA2	1:B:259:ILE:HD12	1.70	0.72
1:C:181:LEU:HD11	1:C:375:LEU:HD11	1.70	0.71
1:C:141:ALA:O	1:C:144:MET:N	2.24	0.70
1:C:181:LEU:HD11	1:C:375:LEU:CD1	2.24	0.68
1:C:181:LEU:HD22	1:C:371:SER:OG	1.93	0.67
1:C:282:GLY:O	1:C:286:GLY:N	2.29	0.66
1:C:141:ALA:O	1:C:144:MET:HB3	1.95	0.66
1:C:270:PHE:CD2	1:C:373:ALA:HB2	2.29	0.65
1:B:5:HIS:O	1:B:5:HIS:ND1	2.28	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:95:PHE:CD1	1:C:100:ARG:HD2	2.31	0.65
1:C:185:ALA:O	1:C:188:VAL:HG12	1.98	0.64
1:A:327:LYS:HD2	1:A:363:LEU:HA	1.79	0.63
1:A:65:ASN:HB3	1:A:69:TYR:CE2	2.33	0.63
1:C:381:ILE:HD12	1:C:381:ILE:N	2.13	0.62
1:B:185:ALA:HB3	1:B:188:VAL:HG22	1.80	0.62
1:C:154:GLN:NE2	1:C:371:SER:OG	2.33	0.61
1:A:329:VAL:HG23	1:A:330:ILE:HG12	1.84	0.60
1:C:296:GLN:N	1:C:296:GLN:OE1	2.32	0.60
1:C:132:LEU:HA	1:C:135:MET:HB2	1.85	0.59
1:C:285:GLY:HA3	1:C:291:GLY:HA3	1.85	0.58
1:C:256:GLY:HA2	1:C:259:ILE:HD12	1.84	0.58
1:C:266:SER:HB3	1:C:373:ALA:HB1	1.85	0.56
1:C:181:LEU:CD1	1:C:375:LEU:HD11	2.37	0.55
2:A:501:6ZL:C11	2:A:501:6ZL:C06	2.86	0.54
1:B:358:ILE:HG23	1:B:409:ALA:HB1	1.90	0.53
1:B:152:VAL:HG11	1:B:156:GLU:O	2.08	0.53
1:A:77:LEU:HD12	1:C:97:PHE:CD2	2.42	0.53
1:A:77:LEU:HG	1:C:98:ALA:HB2	1.89	0.52
1:C:115:LEU:HA	1:C:118:ILE:HG12	1.91	0.52
1:B:158:PRO:O	1:B:162:ARG:N	2.42	0.52
1:A:77:LEU:HD12	1:C:97:PHE:HD2	1.75	0.52
1:C:381:ILE:CD1	1:C:381:ILE:N	2.73	0.51
1:B:327:LYS:HD3	1:B:363:LEU:HA	1.92	0.51
1:A:152:VAL:HG11	1:A:156:GLU:HB3	1.91	0.50
1:C:173:LEU:HD22	1:C:386:ARG:HD2	1.91	0.50
1:A:296:GLN:HG3	1:A:326:GLN:NE2	2.26	0.50
1:C:161:VAL:O	1:C:165:ILE:HG13	2.12	0.50
1:B:204:ALA:HB1	1:B:208:MET:HE3	1.93	0.50
1:C:375:LEU:O	1:C:379:LEU:HD23	2.12	0.49
1:A:161:VAL:O	1:A:165:ILE:HG13	2.12	0.49
1:B:352:SER:HG	1:B:355:THR:HG1	1.61	0.49
1:A:70:GLY:HA2	1:C:272:ALA:HB1	1.94	0.49
1:C:291:GLY:HA2	1:C:293:LEU:HB2	1.96	0.48
1:B:267:LEU:HD21	1:B:333:PHE:HB3	1.95	0.48
1:B:-1:PRO:O	1:B:3:VAL:HG23	2.13	0.48
1:B:116:TYR:CD2	1:B:121:MET:HG3	2.49	0.48
1:C:266:SER:CB	1:C:373:ALA:HB1	2.43	0.48
1:C:12:VAL:O	1:C:16:ILE:HG13	2.14	0.48
1:A:46:VAL:HG23	1:A:47:LEU:HG	1.95	0.47
1:C:293:LEU:HG	1:C:298:ILE:HD11	1.94	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:LEU:O	1:A:52:GLY:HA3	2.13	0.47
1:A:104:MET:HG3	1:A:194:GLN:HG3	1.97	0.47
1:C:181:LEU:HD21	1:C:375:LEU:HG	1.96	0.47
1:C:139:SER:H	1:C:142:GLU:HG2	1.79	0.47
1:C:158:PRO:HB2	1:C:382:MET:HE1	1.95	0.47
1:C:118:ILE:HG13	1:C:120:VAL:HG23	1.97	0.47
1:C:285:GLY:CA	1:C:291:GLY:HA3	2.45	0.46
1:C:205:ALA:HA	1:C:208:MET:HB2	1.97	0.46
1:C:406:LEU:O	1:C:410:VAL:HG23	2.14	0.46
1:A:66:VAL:HA	1:A:69:TYR:HD2	1.80	0.46
1:A:74:VAL:HG22	1:C:268:LEU:HD11	1.98	0.46
1:B:155:THR:HG22	1:B:375:LEU:HD23	1.98	0.46
1:B:300:GLY:O	1:B:304:SER:OG	2.24	0.46
1:C:216:PHE:HA	1:C:219:LEU:HD12	1.97	0.46
1:A:46:VAL:HB	1:A:56:LEU:HD22	1.98	0.46
1:C:138:THR:HG21	1:C:143:SER:HB2	1.98	0.46
1:C:177:MET:HE1	1:C:390:VAL:HG22	1.97	0.46
1:C:3:VAL:HG12	1:C:414:LEU:HD11	1.97	0.46
1:C:139:SER:C	1:C:141:ALA:H	2.19	0.45
1:B:161:VAL:O	1:B:165:ILE:HG13	2.15	0.45
1:C:188:VAL:HG13	1:C:189:LEU:N	2.31	0.45
1:A:376:VAL:HG22	1:A:390:VAL:HG12	1.97	0.45
1:C:159:LEU:HD21	1:C:259:ILE:HD13	1.98	0.45
1:C:341:LYS:HA	1:C:344:LYS:HE2	1.99	0.45
1:B:229:ASN:OD1	1:B:229:ASN:N	2.50	0.45
1:C:49:VAL:HG12	1:C:51:GLN:H	1.82	0.45
1:B:133:GLN:O	1:B:137:GLY:HA2	2.16	0.45
1:B:372:ILE:HD12	1:C:244:ASN:HD21	1.81	0.45
1:C:125:ILE:HG12	1:C:144:MET:HG2	1.99	0.45
1:A:65:ASN:O	1:A:69:TYR:CD2	2.70	0.45
1:C:116:TYR:OH	1:C:160:VAL:O	2.18	0.45
1:B:5:HIS:HD1	1:B:5:HIS:C	2.20	0.44
1:C:112:MET:SD	1:C:160:VAL:HA	2.57	0.44
1:C:191:GLY:O	1:C:195:MET:HG3	2.18	0.44
1:B:46:VAL:HG23	1:B:47:LEU:HG	1.99	0.44
1:C:277:ILE:O	1:C:280:ILE:HB	2.18	0.44
1:B:163:PRO:HB2	1:B:231:ALA:HB1	1.98	0.44
1:C:60:SER:HA	1:C:151:PHE:HD1	1.82	0.43
1:C:12:VAL:HG11	1:C:309:VAL:HG11	1.99	0.43
1:C:82:VAL:HA	1:C:100:ARG:NH2	2.34	0.43
1:A:372:ILE:HD12	1:B:244:ASN:HD21	1.83	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:15:ALA:O	1:C:19:LEU:HG	2.19	0.43
1:C:203:ILE:HD13	1:C:203:ILE:HA	1.86	0.43
1:C:94:GLY:O	1:C:96:VAL:HG23	2.19	0.43
1:B:5:HIS:C	1:B:5:HIS:ND1	2.73	0.43
1:C:142:GLU:OE2	1:C:218:LYS:NZ	2.40	0.43
1:B:104:MET:HG3	1:B:194:GLN:HG3	2.01	0.42
1:A:145:SER:HB2	1:A:161:VAL:HG11	2.01	0.42
1:C:46:VAL:HG21	1:C:204:ALA:HA	2.02	0.42
1:C:386:ARG:HD3	1:C:389:ASP:HB2	2.00	0.42
1:C:188:VAL:HG22	1:C:192:TYR:CE2	2.55	0.42
1:B:376:VAL:HG22	1:B:390:VAL:HG12	2.01	0.42
1:C:197:VAL:HG21	1:C:336:TYR:CD1	2.55	0.42
1:A:149:SER:O	1:A:183:SER:OG	2.30	0.41
1:A:412:ALA:O	1:A:416:THR:OG1	2.27	0.41
1:A:49:VAL:HA	1:A:50:PRO:HD3	1.81	0.41
1:C:297:ALA:O	1:C:301:TRP:N	2.51	0.41
1:B:272:ALA:HB1	1:C:70:GLY:HA2	2.03	0.41
1:C:361:PHE:CD2	1:C:412:ALA:HB2	2.56	0.41
1:C:277:ILE:O	1:C:281:ILE:HG13	2.21	0.41
1:A:403:LEU:HD23	1:A:406:LEU:HD12	2.03	0.40
1:C:267:LEU:HD21	1:C:374:VAL:HG23	2.02	0.40
1:B:268:LEU:HD22	1:C:106:VAL:HB	2.02	0.40
1:B:45:LEU:O	1:B:52:GLY:HA3	2.22	0.40
1:C:188:VAL:CG1	1:C:189:LEU:N	2.84	0.40
1:A:150:ILE:HD11	1:A:210:ALA:HB2	2.03	0.40
1:B:406:LEU:O	1:B:410:VAL:HG23	2.22	0.40
1:C:16:ILE:HA	1:C:19:LEU:HD12	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	420/431 (97%)	402 (96%)	18 (4%)	0	100	100
1	B	418/431 (97%)	406 (97%)	12 (3%)	0	100	100
1	C	402/431 (93%)	362 (90%)	39 (10%)	1 (0%)	49	83
All	All	1240/1293 (96%)	1170 (94%)	69 (6%)	1 (0%)	53	86

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	316	GLU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	300/321 (94%)	299 (100%)	1 (0%)	93	97
1	B	300/321 (94%)	300 (100%)	0	100	100
1	C	283/321 (88%)	282 (100%)	1 (0%)	92	96
All	All	883/963 (92%)	881 (100%)	2 (0%)	94	98

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	336	TYR
1	C	23	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	ASN
1	B	258	GLN
1	C	154	GLN
1	C	194	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	6ZL	A	501	-	55,55,68	0.67	0	73,75,94	0.81	2 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	6ZL	A	501	-	-	0/39/99/126	0/3/3/4

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	6ZL	C11-C10-C09	-2.36	109.53	117.15
2	A	501	6ZL	C07-C08-C09	-2.02	110.63	117.15

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	6ZL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.