



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 11:54 pm GMT

PDB ID : 4L67
Title : Crystal Structure of Catalytic Domain of PAK4
Authors : Wang, W.; Song, J.
Deposited on : 2013-06-12
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	2792 (2.80-2.80)
Clashscore	122126	3209 (2.80-2.80)
Ramachandran outliers	120053	3158 (2.80-2.80)
Sidechain outliers	120020	3160 (2.80-2.80)
RSRZ outliers	108989	2726 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	292	<div> <div>55%</div> <div>37%</div> <div>7%</div> <div>..</div> </div>
2	B	25	<div> <div>32%</div> <div>48%</div> <div>32%</div> <div>20%</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2493 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase PAK 4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	290	Total	C	N	O	P	S	0	0	0
			2295	1462	405	413	1	14			

- Molecule 2 is a protein called Serine/threonine-protein kinase PAK 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	20	Total	C	N	O	S	0	0	0
			160	101	29	29	1			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	38	Total	O	0	0
			38	38		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Serine/threonine-protein kinase PAK 4



• Molecule 2: Serine/threonine-protein kinase PAK 4



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	65.17Å 65.17Å 184.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	61.46 – 2.80 22.87 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.2 (61.46-2.80) 99.5 (22.87-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.36 (at 2.80Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.228 , 0.333 0.229 , 0.340	Depositor DCC
R_{free} test set	498 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	71.8	Xtriage
Anisotropy	0.066	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 40.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2493	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	3/2332 (0.1%)	0.85	0/3157
2	B	0.74	0/164	0.97	0/223
All	All	0.76	3/2496 (0.1%)	0.86	0/3380

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	392	TRP	CD2-CE2	6.26	1.48	1.41
1	A	481	TRP	CD2-CE2	5.96	1.48	1.41
1	A	499	TRP	CD2-CE2	5.15	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	331	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2295	0	2351	155	0
2	B	160	0	160	7	0
3	A	38	0	0	4	0
All	All	2493	0	2511	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 32.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:432:HIS:ND1	1:A:494:PRO:HB3	1.49	1.27
1:A:373:TYR:HB3	1:A:375:HIS:N	1.49	1.26
1:A:373:TYR:N	1:A:374:GLN:CA	2.05	1.16
1:A:373:TYR:N	1:A:374:GLN:HA	1.20	1.07
1:A:373:TYR:HB3	1:A:374:GLN:C	1.81	0.99
1:A:372:ASP:C	1:A:374:GLN:HA	1.84	0.98
1:A:373:TYR:CB	1:A:375:HIS:N	2.27	0.96
1:A:373:TYR:CD2	1:A:373:TYR:C	2.40	0.95
1:A:373:TYR:H	1:A:375:HIS:H	1.19	0.91
1:A:373:TYR:H	1:A:374:GLN:HA	1.16	0.91
1:A:373:TYR:HD2	1:A:373:TYR:C	1.74	0.90
1:A:485:GLU:C	1:A:488:SER:OG	2.10	0.90
1:A:453:ARG:HH11	1:A:453:ARG:HG3	1.37	0.89
1:A:437:ILE:HG22	1:A:439:ARG:HG3	1.53	0.88
1:A:432:HIS:ND1	1:A:494:PRO:CB	2.37	0.87
1:A:435:GLY:O	1:A:465:VAL:HG22	1.75	0.87
1:A:531:LEU:HD23	1:A:531:LEU:H	1.42	0.85
1:A:313:ASP:HB3	3:A:723:HOH:O	1.75	0.84
1:A:373:TYR:CD2	1:A:373:TYR:O	2.30	0.84
1:A:373:TYR:H	1:A:375:HIS:N	1.75	0.84
1:A:437:ILE:CG2	1:A:439:ARG:HG3	2.08	0.83
1:A:453:ARG:HH11	1:A:453:ARG:CG	1.94	0.80
1:A:373:TYR:HB2	1:A:375:HIS:HB2	1.64	0.80
1:A:372:ASP:OD1	1:A:373:TYR:HA	1.83	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:372:ASP:OD1	1:A:373:TYR:CA	2.30	0.79
1:A:368:VAL:HA	3:A:713:HOH:O	1.85	0.76
1:A:485:GLU:CA	1:A:488:SER:OG	2.33	0.76
1:A:485:GLU:O	1:A:488:SER:OG	2.02	0.75
1:A:484:PRO:O	1:A:488:SER:OG	2.03	0.73
1:A:471:ARG:HD2	1:A:491:PRO:O	1.89	0.73
1:A:485:GLU:HA	1:A:488:SER:OG	1.89	0.72
1:A:373:TYR:HB3	1:A:375:HIS:CA	2.19	0.72
1:A:361:GLU:H	1:A:361:GLU:CD	1.93	0.71
1:A:581:ILE:HG23	1:A:584:LEU:HD12	1.72	0.71
1:A:405:ASP:OD2	1:A:405:ASP:C	2.29	0.69
1:A:353:ASP:HB3	1:A:356:LYS:HG3	1.74	0.69
1:A:476:VAL:HA	2:B:54:VAL:HG22	1.76	0.68
1:A:530:ASN:O	1:A:555:ARG:HD2	1.93	0.67
1:A:428:LEU:O	1:A:432:HIS:CD2	2.48	0.67
1:A:439:ARG:NH2	1:A:463:ALA:HB2	2.09	0.67
1:A:526:MET:O	1:A:530:ASN:HB2	1.94	0.66
1:A:304:PHE:CE2	1:A:360:ARG:HG3	2.31	0.66
1:A:428:LEU:HB3	1:A:432:HIS:NE2	2.10	0.66
1:A:428:LEU:HB3	1:A:432:HIS:HE2	1.62	0.65
1:A:372:ASP:OD1	1:A:373:TYR:N	2.30	0.65
1:A:428:LEU:O	1:A:432:HIS:HD2	1.80	0.65
1:A:373:TYR:HD2	1:A:373:TYR:O	1.75	0.63
1:A:362:LEU:HD22	3:A:727:HOH:O	1.98	0.63
2:B:40:GLN:N	2:B:41:SER:HB3	2.13	0.63
1:A:531:LEU:H	1:A:531:LEU:CD2	2.03	0.63
1:A:373:TYR:N	1:A:375:HIS:H	1.94	0.62
1:A:373:TYR:H	1:A:374:GLN:CA	1.91	0.62
1:A:453:ARG:HG3	1:A:453:ARG:NH1	2.12	0.61
1:A:373:TYR:CB	1:A:374:GLN:C	2.65	0.61
1:A:373:TYR:N	1:A:375:HIS:N	2.48	0.61
1:A:428:LEU:HB3	1:A:432:HIS:CD2	2.35	0.60
1:A:414:GLU:HA	1:A:417:ILE:HG13	1.83	0.60
1:A:356:LYS:C	1:A:357:GLN:HG2	2.23	0.58
1:A:372:ASP:CG	1:A:373:TYR:HA	2.24	0.58
1:A:457:SER:OG	1:A:458:ASP:N	2.35	0.58
1:A:580:SER:O	1:A:583:PRO:HD2	2.03	0.58
1:A:581:ILE:CG2	1:A:584:LEU:HD12	2.34	0.57
1:A:326:LYS:C	1:A:327:ILE:CG2	2.74	0.56
1:A:356:LYS:O	1:A:357:GLN:HG2	2.06	0.55
2:B:39:TRP:O	2:B:40:GLN:HG3	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:439:ARG:HH21	1:A:463:ALA:HB2	1.70	0.55
1:A:404:THR:OG1	1:A:443:SER:OG	2.16	0.54
1:A:326:LYS:HG2	2:B:43:ILE:CD1	2.36	0.54
1:A:437:ILE:CG2	1:A:439:ARG:CG	2.82	0.54
1:A:326:LYS:O	1:A:327:ILE:HG22	2.08	0.54
1:A:506:ILE:HG12	1:A:535:LEU:HD13	1.91	0.53
1:A:369:ILE:N	1:A:369:ILE:HD13	2.23	0.53
1:A:301:HIS:HA	1:A:360:ARG:NH2	2.24	0.52
1:A:488:SER:O	1:A:489:ARG:HB2	2.09	0.52
1:A:327:ILE:HD13	1:A:337:ILE:HD12	1.91	0.52
1:A:317:PRO:C	1:A:319:SER:H	2.12	0.51
1:A:582:VAL:O	1:A:588:ASN:ND2	2.43	0.51
1:A:456:LEU:HD23	1:A:457:SER:H	1.75	0.51
1:A:437:ILE:HG21	1:A:439:ARG:HG3	1.90	0.51
1:A:514:PRO:HB2	3:A:735:HOH:O	2.11	0.50
1:A:359:ARG:HG2	1:A:361:GLU:OE2	2.12	0.50
1:A:365:ASN:O	1:A:366:GLU:C	2.50	0.50
1:A:453:ARG:CB	1:A:453:ARG:HH11	2.24	0.50
1:A:373:TYR:H	1:A:374:GLN:C	2.13	0.49
1:A:437:ILE:HG21	1:A:439:ARG:CG	2.42	0.49
1:A:488:SER:HA	1:A:528:ARG:HD2	1.93	0.49
1:A:438:HIS:O	1:A:439:ARG:HB2	2.12	0.49
1:A:414:GLU:HA	1:A:417:ILE:CG1	2.42	0.49
1:A:483:ALA:HB3	1:A:496:VAL:HG12	1.95	0.49
1:A:373:TYR:CB	1:A:375:HIS:HB2	2.39	0.49
1:A:531:LEU:HD23	1:A:531:LEU:N	2.18	0.49
1:A:317:PRO:C	1:A:319:SER:N	2.66	0.49
1:A:488:SER:O	1:A:489:ARG:O	2.30	0.49
1:A:528:ARG:O	1:A:555:ARG:NH2	2.46	0.48
1:A:326:LYS:C	1:A:327:ILE:HG22	2.33	0.48
1:A:504:MET:O	1:A:507:GLU:HB2	2.12	0.48
1:A:412:MET:HE1	1:A:508:MET:HG2	1.95	0.48
1:A:523:ALA:O	1:A:527:ILE:HG13	2.13	0.48
1:A:412:MET:CE	1:A:508:MET:HG2	2.43	0.48
1:A:410:THR:O	1:A:411:ARG:NH1	2.47	0.48
1:A:471:ARG:O	1:A:472:ARG:HD2	2.14	0.48
1:A:571:PHE:O	1:A:574:LYS:HG3	2.14	0.48
1:A:308:LEU:O	1:A:309:GLN:C	2.52	0.47
1:A:406:ILE:O	1:A:410:THR:HG22	2.13	0.47
1:A:453:ARG:NH1	1:A:453:ARG:CG	2.65	0.47
1:A:327:ILE:CD1	1:A:337:ILE:HD12	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:327:ILE:CD1	1:A:337:ILE:CD1	2.93	0.47
1:A:588:ASN:N	1:A:589:ARG:HA	2.29	0.47
1:A:437:ILE:O	1:A:462:CYS:HB2	2.14	0.47
1:A:406:ILE:HD13	1:A:584:LEU:HB3	1.97	0.46
1:A:483:ALA:O	1:A:487:ILE:HD12	2.16	0.46
1:A:532:PRO:HG3	1:A:555:ARG:HG3	1.97	0.46
1:A:538:LEU:HD13	1:A:546:LYS:HD3	1.98	0.46
1:A:411:ARG:HA	1:A:411:ARG:HD3	1.76	0.46
1:A:456:LEU:CD2	1:A:457:SER:H	2.29	0.46
1:A:327:ILE:CG1	1:A:327:ILE:O	2.60	0.45
1:A:369:ILE:HD11	1:A:462:CYS:SG	2.56	0.45
1:A:378:VAL:HG13	1:A:459:PHE:CZ	2.51	0.45
1:A:588:ASN:H	1:A:589:ARG:HA	1.81	0.45
1:A:326:LYS:HG2	2:B:43:ILE:HD11	1.98	0.45
1:A:334:ILE:HG12	1:A:334:ILE:H	1.37	0.45
1:A:428:LEU:C	1:A:432:HIS:HD2	2.20	0.45
1:A:414:GLU:CD	1:A:545:LEU:HD23	2.37	0.44
1:A:365:ASN:O	1:A:368:VAL:HB	2.17	0.44
1:A:449:THR:O	1:A:585:MET:HE1	2.17	0.44
1:A:518:GLU:O	1:A:519:PRO:C	2.55	0.44
1:A:326:LYS:HE2	2:B:43:ILE:HD13	1.99	0.44
1:A:429:SER:OG	1:A:430:VAL:N	2.49	0.44
1:A:326:LYS:HG2	2:B:43:ILE:HD13	1.99	0.43
1:A:465:VAL:HG11	1:A:470:PRO:O	2.19	0.43
1:A:373:TYR:CB	1:A:375:HIS:H	2.24	0.43
1:A:437:ILE:HG22	1:A:438:HIS:N	2.33	0.43
1:A:519:PRO:HA	1:A:520:PRO:HD2	1.85	0.43
1:A:407:VAL:HG22	1:A:508:MET:HA	2.00	0.43
1:A:478:THR:O	1:A:479:PRO:C	2.57	0.43
1:A:485:GLU:O	1:A:489:ARG:N	2.52	0.43
1:A:405:ASP:O	1:A:405:ASP:OD2	2.37	0.43
1:A:375:HIS:ND1	1:A:376:GLU:N	2.66	0.42
1:A:582:VAL:HA	1:A:585:MET:CE	2.49	0.42
1:A:445:SER:C	1:A:446:ILE:HD13	2.39	0.42
1:A:373:TYR:N	1:A:374:GLN:C	2.68	0.42
1:A:369:ILE:N	1:A:369:ILE:CD1	2.81	0.42
1:A:413:ASN:O	1:A:417:ILE:HG12	2.20	0.42
1:A:407:VAL:HG11	1:A:507:GLU:HB3	2.00	0.42
1:A:518:GLU:HB2	1:A:523:ALA:HB2	2.02	0.41
1:A:326:LYS:HD2	1:A:334:ILE:HG21	2.03	0.41
1:A:554:VAL:HG11	1:A:559:GLN:HB2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:582:VAL:HA	1:A:585:MET:HE3	2.02	0.41
1:A:472:ARG:HE	1:A:472:ARG:HB3	1.55	0.41
1:A:425:LEU:C	1:A:427:ALA:N	2.72	0.41
1:A:430:VAL:O	1:A:433:ALA:HB3	2.20	0.41
1:A:456:LEU:CD2	1:A:457:SER:N	2.84	0.41
1:A:439:ARG:NH1	1:A:476:VAL:HG21	2.35	0.41
1:A:432:HIS:CE1	1:A:494:PRO:HB3	2.42	0.41
1:A:568:LYS:HB2	1:A:568:LYS:HE3	1.60	0.41
1:A:569:HIS:CG	1:A:570:PRO:HD2	2.56	0.40
1:A:472:ARG:O	1:A:491:PRO:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	287/292 (98%)	254 (88%)	25 (9%)	8 (3%)	5	18
2	B	18/25 (72%)	14 (78%)	3 (17%)	1 (6%)	2	5
All	All	305/317 (96%)	268 (88%)	28 (9%)	9 (3%)	5	16

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	56	PRO
1	A	366	GLU
1	A	586	ARG
1	A	470	PRO
1	A	489	ARG
1	A	369	ILE
1	A	426	GLN
1	A	479	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	327	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/254 (99%)	223 (88%)	29 (12%)	6	19
2	B	18/23 (78%)	16 (89%)	2 (11%)	7	20
All	All	270/277 (98%)	239 (88%)	31 (12%)	6	19

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	302	GLU
1	A	305	ARG
1	A	322	ASP
1	A	327	ILE
1	A	332	THR
1	A	334	ILE
1	A	337	ILE
1	A	341	ARG
1	A	356	LYS
1	A	360	ARG
1	A	361	GLU
1	A	369	ILE
1	A	371	ARG
1	A	373	TYR
1	A	374	GLN
1	A	395	MET
1	A	405	ASP
1	A	417	ILE
1	A	453	ARG
1	A	456	LEU
1	A	464	GLN
1	A	472	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	490	LEU
1	A	529	ASP
1	A	531	LEU
1	A	534	ARG
1	A	541	VAL
1	A	545	LEU
1	A	589	ARG
2	B	42	LEU
2	B	53	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	377	ASN
1	A	409	HIS
1	A	434	GLN
1	A	464	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	474	1	9,9,10	0.65	0	9,12,14	2.15	3 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	474	1	-	0/5/8/10	0/0/0/0

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	474	SEP	O2P-P-OG	-3.21	98.20	106.73
1	A	474	SEP	O3P-P-O2P	2.51	117.53	107.59
1	A	474	SEP	OG-CB-CA	4.05	112.16	108.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	289/292 (98%)	-0.30	4 (1%) 75 69	39, 65, 104, 139	0
2	B	20/25 (80%)	2.41	8 (40%) 0 0	86, 124, 163, 181	0
All	All	309/317 (97%)	-0.13	12 (3%) 39 29	39, 66, 114, 181	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	58	CYS	11.4
2	B	43	ILE	5.2
1	A	373	TYR	4.8
2	B	57	ALA	4.5
2	B	44	GLU	4.3
2	B	39	TRP	3.9
2	B	41	SER	3.3
2	B	42	LEU	3.1
1	A	371	ARG	3.0
2	B	56	PRO	3.0
1	A	374	GLN	2.2
1	A	500	SER	2.2

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEP	A	474	10/11	0.96	0.12	79,87,91,92	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.