



Full wwPDB NMR Structure Validation Report ⓘ

Feb 21, 2018 – 04:15 pm GMT

PDB ID : 2M5D
Title : Solution Structure of the Bacillus cereus Metallo-Beta-Lactamase BcII in Complex with R-Thiomandelic Acid
Authors : Karsisiotis, A.I.; Damblon, C.F.; Roberts, G.C.K.
Deposited on : 2013-02-20

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : trunk30686
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30686


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 82%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	136279	12091
Ramachandran outliers	132675	10835
Sidechain outliers	132484	10811

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	227	

2 Ensemble composition and analysis

This entry contains 20 models. Model 12 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:8-A:32, A:39-A:133, A:138-A:173, A:181-A:227 (203)	0.18	12

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 7 clusters and 3 single-model clusters were found.

Cluster number	Models
1	1, 5, 18, 20
2	10, 11, 14
3	4, 12
4	2, 3
5	7, 13
6	6, 15
7	8, 19
Single-model clusters	9; 16; 17

3 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3607 atoms, of which 1836 are hydrogens and 0 are deuteriums.


- Molecule 1 is a protein called Beta-lactamase 2.

Mol	Chain	Residues	Atoms						Trace
1	A	227	Total	C	H	N	O	S	0
			3588	1113	1830	304	338	3	

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	
2	A	2	Total	Zn
			2	2

- Molecule 3 is (2R)-phenyl(sulfanyl)ethanoic acid (three-letter code: RTD) (formula: C₈H₈O₂S).




Mol	Chain	Residues	Atoms				
3	A	1	Total	C	H	O	S
			17	8	6	2	1

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Beta-lactamase 2




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Beta-lactamase 2




4.2.2 Score per residue for model 2

- Molecule 1: Beta-lactamase 2



4.2.3 Score per residue for model 3

- Molecule 1: Beta-lactamase 2



4.2.4 Score per residue for model 4

- Molecule 1: Beta-lactamase 2




4.2.5 Score per residue for model 5

- Molecule 1: Beta-lactamase 2




4.2.6 Score per residue for model 6

- Molecule 1: Beta-lactamase 2




4.2.7 Score per residue for model 7

- Molecule 1: Beta-lactamase 2




4.2.8 Score per residue for model 8

• Molecule 1: Beta-lactamase 2




4.2.9 Score per residue for model 9

• Molecule 1: Beta-lactamase 2



4.2.10 Score per residue for model 10

• Molecule 1: Beta-lactamase 2




4.2.11 Score per residue for model 11

- Molecule 1: Beta-lactamase 2




4.2.14 Score per residue for model 14


- Molecule 1: Beta-lactamase 2



- Molecule 1: Beta-lactamase 2




- Molecule 1: Beta-lactamase 2




4.2.17 Score per residue for model 17

- Molecule 1: Beta-lactamase 2



4.2.20 Score per residue for model 20

• Molecule 1: Beta-lactamase 2



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing, torsion angle dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	
CYANA	refinement	
CANDID	structure solution	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	2m5d_cs.str
Number of chemical shift lists	2
Total number of shifts	4041
Number of shifts mapped to atoms	4041
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	82%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: RTD, ZN

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1579	1654	1625	44±5
3	A	11	6	6	1±0
All	All	31840	33200	32620	888

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:44:LEU:HD11	1:A:207:VAL:HG21	0.87	1.46	8	16
1:A:44:LEU:HD13	1:A:207:VAL:HG21	0.86	1.46	4	4
1:A:27:VAL:HG21	1:A:213:VAL:HG21	0.82	1.52	12	5
1:A:193:ILE:HG22	1:A:197:LEU:HD23	0.77	1.54	10	14
1:A:98:LEU:HD12	1:A:105:ALA:HB2	0.77	1.56	9	2
1:A:44:LEU:HD22	1:A:165:VAL:HG21	0.70	1.63	12	7
1:A:207:VAL:HG22	1:A:213:VAL:HG22	0.69	1.64	18	8
1:A:87:ALA:HB2	1:A:111:THR:O	0.64	1.92	13	18
1:A:52:LEU:HD21	1:A:75:PHE:HB3	0.64	1.70	6	16
1:A:129:THR:HG23	1:A:144:TYR:HB3	0.64	1.70	3	20
1:A:9:ILE:HD11	1:A:74:LYS:CE	0.64	2.23	3	14

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:206:VAL:CG1	1:A:218:LEU:HD12	0.63	2.24	19	11
1:A:44:LEU:HD13	1:A:165:VAL:HG22	0.63	1.68	18	1
1:A:53:VAL:HG22	1:A:81:ASP:HB2	0.62	1.69	10	18
1:A:52:LEU:HD13	1:A:71:VAL:HB	0.62	1.72	17	17
1:A:44:LEU:CD1	1:A:207:VAL:HG21	0.61	2.25	3	5
1:A:54:LEU:HD12	1:A:79:VAL:HG11	0.61	1.72	7	1
1:A:181:VAL:HG11	1:A:186:VAL:CG2	0.60	2.26	17	8
1:A:206:VAL:HG12	1:A:218:LEU:HD12	0.60	1.72	20	8
1:A:48:THR:HG22	1:A:138:MET:HB2	0.60	1.74	20	5
1:A:39:VAL:HG11	3:A:303:RTD:HD1	0.60	1.73	19	5
1:A:223:LEU:HA	1:A:226:LEU:HD12	0.60	1.73	19	19
1:A:27:VAL:HG22	1:A:44:LEU:HD12	0.60	1.74	3	4
1:A:193:ILE:HG23	1:A:219:LEU:HD12	0.59	1.74	9	3
1:A:130:VAL:HG13	1:A:142:THR:O	0.59	1.97	12	7
1:A:104:LYS:HB2	1:A:124:LEU:HD11	0.59	1.75	5	18
1:A:170:VAL:HG11	1:A:206:VAL:HG11	0.59	1.75	20	12
1:A:129:THR:HG22	1:A:130:VAL:HG23	0.59	1.75	3	11
1:A:39:VAL:HG11	3:A:303:RTD:HD2	0.59	1.74	1	4
1:A:114:LEU:HD13	1:A:152:ASP:OD2	0.58	1.97	7	3
1:A:44:LEU:HD13	1:A:165:VAL:CG2	0.58	2.28	18	5
1:A:173:THR:HG23	1:A:218:LEU:HD23	0.58	1.76	7	3
1:A:88:HIS:O	1:A:92:ILE:HD13	0.58	1.99	18	20
1:A:221:HIS:NE2	1:A:225:LEU:HD21	0.58	2.14	19	7
1:A:170:VAL:HG11	1:A:206:VAL:CG1	0.58	2.29	2	2
1:A:15:THR:HG23	1:A:16:ILE:HG13	0.57	1.76	2	20
1:A:126:ASP:O	1:A:127:LEU:HD23	0.57	1.99	7	1
1:A:59:TRP:HB2	1:A:63:LEU:HD13	0.57	1.75	1	17
1:A:114:LEU:HD12	1:A:152:ASP:OD2	0.57	2.00	6	8
1:A:39:VAL:HG13	1:A:59:TRP:CZ2	0.57	2.35	2	5
1:A:140:VAL:HG13	1:A:158:LEU:HD23	0.57	1.77	15	15
1:A:54:LEU:CD1	1:A:79:VAL:HG11	0.57	2.28	7	1
1:A:142:THR:HG22	1:A:154:ILE:HD12	0.56	1.77	11	8
1:A:9:ILE:HD11	1:A:74:LYS:HE3	0.56	1.77	12	11
1:A:148:GLY:O	1:A:184:ALA:HB1	0.56	2.01	4	12
1:A:114:LEU:HD13	1:A:152:ASP:OD1	0.56	2.00	11	3
1:A:169:LEU:HD12	1:A:189:TRP:NE1	0.55	2.15	18	3
1:A:30:GLU:OE2	1:A:67:LEU:HD22	0.55	2.01	9	8
1:A:45:VAL:HG22	1:A:54:LEU:HD13	0.55	1.78	4	11
1:A:43:GLY:O	1:A:44:LEU:HD12	0.55	2.01	20	15
1:A:114:LEU:HD12	1:A:152:ASP:OD1	0.55	2.02	1	3
1:A:82:VAL:HG23	1:A:103:ILE:HG21	0.54	1.79	9	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:18:ILE:HD12	1:A:74:LYS:NZ	0.54	2.18	19	1
1:A:44:LEU:HD22	1:A:165:VAL:CG2	0.54	2.31	12	4
1:A:130:VAL:HG22	1:A:143:PHE:HA	0.54	1.77	12	11
1:A:217:GLY:HA2	1:A:220:LEU:HD12	0.54	1.79	14	18
1:A:45:VAL:HG22	1:A:54:LEU:CD1	0.54	2.33	4	4
1:A:112:ALA:HB1	1:A:122:GLU:OE1	0.54	2.03	15	4
1:A:39:VAL:HG21	3:A:303:RTD:HD2	0.54	1.80	14	5
1:A:98:LEU:CD1	1:A:105:ALA:HB2	0.53	2.31	9	5
1:A:86:HIS:C	1:A:111:THR:HG23	0.53	2.24	14	1
1:A:186:VAL:HG13	1:A:226:LEU:CD2	0.53	2.34	17	2
1:A:30:GLU:OE1	1:A:67:LEU:HD22	0.53	2.03	8	1
1:A:172:SER:HA	1:A:218:LEU:HD22	0.53	1.80	17	18
1:A:52:LEU:HD21	1:A:75:PHE:CB	0.53	2.34	19	14
1:A:82:VAL:HG21	1:A:98:LEU:CD2	0.53	2.33	1	8
1:A:39:VAL:HG21	3:A:303:RTD:HD1	0.53	1.80	5	3
1:A:87:ALA:N	1:A:111:THR:HG23	0.53	2.18	7	1
1:A:29:THR:HG23	1:A:41:SER:O	0.53	2.04	9	1
1:A:44:LEU:HD12	1:A:207:VAL:HG11	0.52	1.79	8	13
1:A:193:ILE:HG21	1:A:219:LEU:O	0.52	2.03	7	13
1:A:161:TYR:CB	1:A:163:ILE:HD13	0.52	2.35	8	12
1:A:9:ILE:HD11	1:A:74:LYS:HE2	0.52	1.79	6	6
1:A:53:VAL:HG13	1:A:81:ASP:HB3	0.51	1.82	10	8
1:A:52:LEU:HB2	1:A:79:VAL:HG22	0.51	1.82	20	12
1:A:44:LEU:HD11	1:A:207:VAL:CG2	0.51	2.33	16	11
1:A:24:ASN:OD1	1:A:25:VAL:HG23	0.51	2.04	9	2
1:A:16:ILE:HG21	1:A:67:LEU:HD13	0.51	1.83	17	3
1:A:197:LEU:O	1:A:197:LEU:HD12	0.50	2.06	10	2
1:A:181:VAL:HG21	1:A:186:VAL:CG2	0.50	2.36	12	1
1:A:8:VAL:HG22	1:A:19:SER:OG	0.50	2.07	16	6
1:A:82:VAL:HG21	1:A:98:LEU:HD22	0.50	1.84	2	8
1:A:110:LEU:HD12	1:A:152:ASP:HB3	0.50	1.83	10	7
1:A:140:VAL:HG13	1:A:158:LEU:CD2	0.50	2.37	12	7
1:A:129:THR:HG22	1:A:130:VAL:HG13	0.50	1.83	18	1
1:A:68:ILE:HG23	1:A:79:VAL:HG21	0.50	1.84	18	1
1:A:181:VAL:HG11	1:A:186:VAL:HG23	0.49	1.83	6	2
1:A:131:THR:HG22	1:A:133:LEU:HD23	0.49	1.84	9	11
1:A:155:VAL:CG1	1:A:169:LEU:HD22	0.49	2.37	6	1
1:A:28:HIS:CE1	1:A:67:LEU:HD21	0.48	2.43	17	6
1:A:110:LEU:HD23	1:A:152:ASP:HA	0.48	1.86	16	2
1:A:75:PHE:O	1:A:76:GLN:C	0.48	2.52	16	20
1:A:8:VAL:HG13	1:A:18:ILE:O	0.48	2.09	11	5

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:153:ASN:OD1	1:A:169:LEU:HD13	0.48	2.09	6	9
1:A:197:LEU:HD12	1:A:197:LEU:O	0.48	2.09	17	2
1:A:144:TYR:CD1	1:A:154:ILE:HG22	0.48	2.44	10	8
1:A:45:VAL:HG11	1:A:71:VAL:HG11	0.47	1.86	18	3
1:A:112:ALA:HB1	1:A:122:GLU:OE2	0.47	2.10	19	2
1:A:158:LEU:HD12	1:A:163:ILE:HB	0.47	1.85	8	5
1:A:27:VAL:HG21	1:A:213:VAL:CG2	0.47	2.34	12	1
1:A:130:VAL:HG12	1:A:143:PHE:HA	0.47	1.87	18	1
1:A:68:ILE:HG23	1:A:79:VAL:CG2	0.47	2.40	18	1
1:A:44:LEU:CD1	1:A:207:VAL:HG11	0.47	2.39	8	4
1:A:142:THR:CG2	1:A:154:ILE:HD12	0.47	2.40	15	2
1:A:18:ILE:HG23	1:A:28:HIS:HB3	0.46	1.87	15	7
1:A:27:VAL:HG22	1:A:44:LEU:CD1	0.46	2.40	3	3
1:A:31:LEU:HD12	1:A:40:PRO:HA	0.46	1.86	14	2
1:A:31:LEU:HD12	1:A:40:PRO:CA	0.46	2.40	14	2
1:A:220:LEU:HA	1:A:223:LEU:HD12	0.46	1.85	2	1
1:A:78:ARG:HD3	1:A:80:THR:HG23	0.45	1.89	11	2
1:A:82:VAL:HG11	1:A:98:LEU:HD11	0.45	1.88	1	6
1:A:114:LEU:HD22	1:A:152:ASP:OD1	0.45	2.11	9	1
1:A:108:THR:HG22	1:A:127:LEU:HB3	0.45	1.88	20	7
1:A:181:VAL:HB	1:A:184:ALA:HB3	0.45	1.88	12	1
1:A:27:VAL:CG2	1:A:213:VAL:HG21	0.45	2.36	4	1
1:A:82:VAL:HG23	1:A:103:ILE:CG2	0.45	2.42	9	2
1:A:75:PHE:C	1:A:76:GLN:HG3	0.44	2.33	16	20
1:A:106:HIS:HA	1:A:124:LEU:HD12	0.44	1.87	11	4
1:A:197:LEU:HD12	1:A:198:LYS:HG2	0.44	1.90	20	1
1:A:207:VAL:HG22	1:A:213:VAL:CG2	0.44	2.41	18	1
1:A:84:ILE:HG23	1:A:91:ARG:HB3	0.44	1.89	1	1
1:A:48:THR:HG22	1:A:138:MET:CB	0.44	2.42	9	2
1:A:110:LEU:HD23	1:A:152:ASP:HB3	0.44	1.89	11	5
1:A:78:ARG:HD2	1:A:80:THR:HG23	0.44	1.90	19	1
1:A:203:ILE:HG21	1:A:206:VAL:CG2	0.44	2.43	8	3
1:A:16:ILE:CG2	1:A:67:LEU:HD13	0.43	2.43	17	1
1:A:42:ASN:HD21	1:A:212:GLU:N	0.43	2.11	4	1
1:A:82:VAL:HG21	1:A:98:LEU:HD13	0.43	1.90	15	2
1:A:55:VAL:O	1:A:55:VAL:HG12	0.43	2.13	17	2
1:A:52:LEU:HD13	1:A:71:VAL:CG2	0.43	2.44	18	1
1:A:196:VAL:CG1	1:A:219:LEU:HD21	0.43	2.44	12	3
1:A:84:ILE:HD12	1:A:91:ARG:O	0.43	2.13	1	7
1:A:31:LEU:O	1:A:63:LEU:HD21	0.42	2.14	9	3
1:A:95:ILE:HD11	1:A:122:GLU:C	0.42	2.34	9	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:86:HIS:HA	1:A:111:THR:HG23	0.42	1.90	19	1
1:A:53:VAL:HG22	1:A:81:ASP:CB	0.42	2.44	20	1
1:A:186:VAL:HG13	1:A:226:LEU:HD23	0.42	1.91	12	1
1:A:55:VAL:HG12	1:A:55:VAL:O	0.42	2.14	12	4
1:A:193:ILE:HG23	1:A:219:LEU:CD1	0.42	2.43	9	1
1:A:186:VAL:HG13	1:A:226:LEU:HD22	0.42	1.90	17	2
1:A:161:TYR:HB2	1:A:163:ILE:HD13	0.42	1.91	13	3
1:A:46:LEU:HB3	1:A:138:MET:HE3	0.41	1.92	10	1
1:A:23:LYS:O	1:A:25:VAL:HG23	0.41	2.14	16	3
1:A:16:ILE:HD13	1:A:67:LEU:HB2	0.41	1.92	13	1
1:A:53:VAL:HG13	1:A:81:ASP:HB2	0.41	1.91	8	4
1:A:196:VAL:HG12	1:A:219:LEU:HD21	0.41	1.90	4	1
1:A:18:ILE:HG23	1:A:28:HIS:CB	0.41	2.45	19	1
1:A:170:VAL:HG12	1:A:218:LEU:HB3	0.41	1.92	16	1
1:A:21:LEU:HD13	1:A:27:VAL:HG23	0.41	1.92	11	1
1:A:181:VAL:HG21	1:A:186:VAL:HG21	0.40	1.92	12	1
1:A:44:LEU:HD13	1:A:165:VAL:CG1	0.40	2.46	20	1

6.3 Torsion angles

6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	202/227 (89%)	167±4 (83±2%)	31±3 (15±2%)	4±1 (2±0%)	11	50
All	All	4040/4540 (89%)	3341 (83%)	610 (15%)	89 (2%)	11	50

All 9 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	122	GLU	20
1	A	120	TYR	20
1	A	160	GLN	20
1	A	8	VAL	19
1	A	57	SER	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	23	LYS	2
1	A	181	VAL	2
1	A	48	THR	2
1	A	129	THR	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	177/196 (90%)	142±3 (80±2%)	35±3 (20±2%)	4	35
All	All	3540/3920 (90%)	2838 (80%)	702 (20%)	4	35

All 72 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	107	SER	20
1	A	18	ILE	20
1	A	117	LYS	20
1	A	74	LYS	20
1	A	78	ARG	20
1	A	142	THR	20
1	A	150	THR	20
1	A	92	ILE	20
1	A	160	GLN	20
1	A	224	ASP	19
1	A	63	LEU	18
1	A	20	GLN	17
1	A	44	LEU	16
1	A	88	HIS	16
1	A	169	LEU	15
1	A	202	ASN	15
1	A	164	LEU	15
1	A	30	GLU	14
1	A	171	LYS	13
1	A	90	ASP	13
1	A	11	ASN	13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	147	LYS	12
1	A	127	LEU	12
1	A	128	GLN	12
1	A	139	LYS	12
1	A	49	SER	11
1	A	73	LYS	11
1	A	57	SER	11
1	A	222	THR	11
1	A	58	SER	10
1	A	153	ASN	10
1	A	56	ASP	10
1	A	104	LYS	10
1	A	201	ARG	10
1	A	96	LYS	9
1	A	99	LYS	9
1	A	173	THR	9
1	A	227	LYS	8
1	A	60	ASP	8
1	A	23	LYS	8
1	A	31	LEU	8
1	A	122	GLU	8
1	A	116	LYS	8
1	A	187	ASN	7
1	A	50	LYS	7
1	A	41	SER	7
1	A	19	SER	7
1	A	110	LEU	7
1	A	22	ASN	6
1	A	216	LYS	6
1	A	219	LEU	6
1	A	133	LEU	6
1	A	198	LYS	5
1	A	81	ASP	5
1	A	113	GLU	5
1	A	65	LYS	5
1	A	190	SER	4
1	A	188	GLU	4
1	A	152	ASP	4
1	A	13	THR	3
1	A	66	GLU	3
1	A	61	ASP	3
1	A	10	LYS	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	101	ARG	3
1	A	183	ASP	3
1	A	189	TRP	2
1	A	212	GLU	2
1	A	12	GLU	2
1	A	204	ASN	2
1	A	77	LYS	2
1	A	194	GLU	1
1	A	154	ILE	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
3	RTD	A	303	2	7,11,11	0.84±0.02	0±0 (0±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types,

if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
3	RTD	A	303	2	8,14,14	0.53±0.01	0±0 (0±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	RTD	A	303	2	-	0±0,2,8,8	0±0,1,1,1

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 82% for the well-defined parts and 80% for the entire structure.

7.1 Chemical shift list 1

File name: 2m5d_cs.str

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2312
Number of shifts mapped to atoms	2312
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	9

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	223	-0.40 ± 0.08	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	200	0.09 ± 0.14	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	0	—	None (insufficient data)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 72%, i.e. 1783 atoms were assigned a chemical shift out of a possible 2470. 45 out of 46 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	595/1005 (59%)	394/401 (98%)	201/406 (50%)	0/198 (0%)
Sidechain	1071/1305 (82%)	663/751 (88%)	408/503 (81%)	0/51 (0%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	117/160 (73%)	70/82 (85%)	47/62 (76%)	0/16 (0%)
Overall	1783/2470 (72%)	1127/1234 (91%)	656/971 (68%)	0/265 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 71%, i.e. 1945 atoms were assigned a chemical shift out of a possible 2747. 46 out of 48 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	658/1125 (58%)	435/449 (97%)	223/454 (49%)	0/222 (0%)
Sidechain	1157/1444 (80%)	722/833 (87%)	435/552 (79%)	0/59 (0%)
Aromatic	130/178 (73%)	79/92 (86%)	51/70 (73%)	0/16 (0%)
Overall	1945/2747 (71%)	1236/1374 (90%)	709/1076 (66%)	0/297 (0%)

7.1.4 Statistically unusual chemical shifts ⓘ


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	90	ASP	HB3	0.51	4.07 – 1.27	-7.7
1	A	199	ARG	HD2	1.35	4.27 – 1.97	-7.7
1	A	20	GLN	HB3	-0.02	3.37 – 0.67	-7.6
1	A	199	ARG	HD3	1.22	4.36 – 1.86	-7.6
1	A	90	ASP	HA	2.40	6.15 – 3.05	-7.1
1	A	199	ARG	HG3	-0.24	3.00 – 0.10	-6.2
1	A	32	GLY	HA3	1.74	5.80 – 2.00	-5.7
1	A	147	LYS	HD3	0.30	2.75 – 0.45	-5.6
1	A	75	PHE	HZ	4.83	9.11 – 4.91	-5.2

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



7.2 Chemical shift list 2

File name: 2m5d_cs.str

Chemical shift list name: *assigned_chem_shift_list_2*

7.2.1 Bookkeeping ⓘ

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1729
Number of shifts mapped to atoms	1729
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	8

7.2.2 Chemical shift referencing ⓘ

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	0	—	None (insufficient data)
$^{13}\text{C}_\beta$	0	—	None (insufficient data)
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	207	0.56 ± 0.31	None needed (imprecise)

7.2.3 Completeness of resonance assignments ⓘ

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 52%, i.e. 1273 atoms were assigned a chemical shift out of a possible 2470. 0 out of 46 assigned methyl groups (LEU and VAL) were assigned

stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	579/1005 (58%)	389/401 (97%)	0/406 (0%)	190/198 (96%)
Sidechain	655/1305 (50%)	639/751 (85%)	0/503 (0%)	16/51 (31%)
Aromatic	39/160 (24%)	35/82 (43%)	0/62 (0%)	4/16 (25%)
Overall	1273/2470 (52%)	1063/1234 (86%)	0/971 (0%)	210/265 (79%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 51%, i.e. 1388 atoms were assigned a chemical shift out of a possible 2747. 0 out of 48 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	633/1125 (56%)	426/449 (95%)	0/454 (0%)	207/222 (93%)
Sidechain	712/1444 (49%)	692/833 (83%)	0/552 (0%)	20/59 (34%)
Aromatic	43/178 (24%)	39/92 (42%)	0/70 (0%)	4/16 (25%)
Overall	1388/2747 (51%)	1157/1374 (84%)	0/1076 (0%)	231/297 (78%)

7.2.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	199	ARG	HD2	1.31	4.27 – 1.97	-7.9
1	A	90	ASP	HB3	0.53	4.07 – 1.27	-7.7
1	A	199	ARG	HD3	1.22	4.36 – 1.86	-7.6
1	A	20	GLN	HB3	0.01	3.37 – 0.67	-7.4
1	A	90	ASP	HA	2.40	6.15 – 3.05	-7.1
1	A	199	ARG	HG3	-0.22	3.00 – 0.10	-6.1
1	A	32	GLY	HA3	1.78	5.80 – 2.00	-5.6
1	A	153	ASN	HD22	9.60	9.59 – 4.69	5.0

7.2.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

