



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 26, 2019 – 03:02 PM EDT

PDB ID : 6MCP
Title : L. pneumophila effector kinase LegK7 (AMP-PNP bound) in complex with human MOB1A
Authors : Beyrakhova, K.A.; Xu, C.; Boniecki, M.T.; Cygler, M.
Deposited on : 2018-09-01
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.0 (224370), CSD as540be (2019)
Xtriage (Phenix) : 1.13
EDS : 2.4
buster-report : 1.1.7 (2018)
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.4


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	4155 (2.50-2.50)
Clashscore	122126	4827 (2.50-2.50)
Ramachandran outliers	120053	4735 (2.50-2.50)
Sidechain outliers	120020	4737 (2.50-2.50)
RSRZ outliers	108989	4058 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	523	<div> <div>8%</div> <div>85%</div> <div>15%</div> </div>
1	C	523	<div> <div>15%</div> <div>82%</div> <div>14%</div> </div>
2	B	187	<div> <div>3%</div> <div>88%</div> <div>10%</div> </div>
2	D	187	<div> <div>5%</div> <div>86%</div> <div>11%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PG4	A	611	-	-	-	X
4	PEG	A	603	-	-	-	X
4	PEG	C	604	-	-	-	X
4	PEG	C	609	-	-	-	X

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 11356 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LegK7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	520	Total	C	N	O	S	0	1	0
			4142	2672	691	764	15			
1	C	507	Total	C	N	O	S	0	1	0
			3953	2556	662	721	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	8	SER	-	expression tag	UNP Q5ZU83
A	9	ASN	-	expression tag	UNP Q5ZU83
A	10	ALA	-	expression tag	UNP Q5ZU83
C	8	SER	-	expression tag	UNP Q5ZU83
C	9	ASN	-	expression tag	UNP Q5ZU83
C	10	ALA	-	expression tag	UNP Q5ZU83


- Molecule 2 is a protein called MOB kinase activator 1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	183	Total	C	N	O	S	0	2	0
			1473	953	240	271	9			
2	D	181	Total	C	N	O	S	0	0	0
			1404	908	223	264	9			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	30	SER	-	expression tag	UNP Q9H8S9
B	31	ASN	-	expression tag	UNP Q9H8S9
B	32	ALA	-	expression tag	UNP Q9H8S9
D	30	SER	-	expression tag	UNP Q9H8S9
D	31	ASN	-	expression tag	UNP Q9H8S9
D	32	ALA	-	expression tag	UNP Q9H8S9

- Molecule 3 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	8	5		
3	A	1	Total	C	O	0	0
			13	8	5		
3	D	1	Total	C	O	0	0
			13	8	5		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	D	1	Total C O 7 4 3	0	0
4	D	1	Total C O 7 4 3	0	0

- Molecule 5 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: C₁₂H₂₆O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 19	C 12	O 7	0	0
5	A	1	Total 19	C 12	O 7	0	0
5	B	1	Total 19	C 12	O 7	0	0
5	C	1	Total 19	C 12	O 7	0	0


- Molecule 6 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total Zn 1 1	0	0
6	D	1	Total Zn 1 1	0	0

- Molecule 7 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	1	Total Mn 1 1	0	0

- Molecule 8 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: $\text{C}_{10}\text{H}_{17}\text{N}_6\text{O}_{12}\text{P}_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	C	1	Total	C	N	O	P	0	0
			31	10	6	12	3		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	68	Total O 68 68	0	0
9	B	23	Total O 23 23	0	0
9	C	14	Total O 14 14	0	0
9	D	4	Total O 4 4	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: LegK7




• Molecule 1: LegK7





• Molecule 2: MOB kinase activator 1A





● Molecule 2: MOB kinase activator 1A



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	106.86Å 112.43Å 155.22Å 90.00° 105.58° 90.00°	Depositor
Resolution (Å)	48.67 – 2.50 48.67 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.67-2.50) 99.8 (48.67-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 2.51Å)	Xtrriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.194 , 0.233 0.194 , 0.233	Depositor DCC
R_{free} test set	3053 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	57.1	Xtrriage
Anisotropy	0.338	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 60.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11356	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.54 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.5048e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MN, PG4, ANP, P6G, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.29	0/4238	0.45	0/5751
1	C	0.28	0/4046	0.46	0/5498
2	B	0.28	0/1516	0.43	0/2061
2	D	0.27	0/1443	0.42	0/1972
All	All	0.28	0/11243	0.45	0/15282

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4142	0	4033	47	0
1	C	3953	0	3774	47	0
2	B	1473	0	1399	12	0
2	D	1404	0	1279	12	0
3	A	26	0	36	2	0
3	D	13	0	18	1	0
4	A	49	0	70	3	0
4	B	14	0	20	0	0
4	C	49	0	70	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	14	0	20	1	0
5	A	38	0	52	5	0
5	B	19	0	26	1	0
5	C	19	0	26	2	0
6	B	1	0	0	0	0
6	D	1	0	0	0	0
7	C	1	0	0	0	0
8	C	31	0	13	2	0
9	A	68	0	0	2	0
9	B	23	0	0	1	0
9	C	14	0	0	0	0
9	D	4	0	0	0	0
All	All	11356	0	10836	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:155:GLU:O	1:C:159:LEU:HD12	1.75	0.85
1:C:209:ARG:NH2	1:C:234:ASP:OD1	2.24	0.71
1:A:430:GLN:NE2	9:A:701:HOH:O	2.24	0.70
1:A:403:ASP:OD2	1:A:409:HIS:ND1	2.25	0.69
2:B:67[A]:GLN:NE2	9:B:401:HOH:O	2.27	0.68
1:C:192:ASN:N	8:C:610:ANP:O2B	2.29	0.66
2:B:94:GLU:OE2	2:B:108:LYS:HD2	1.95	0.65
1:A:486:LEU:HG	1:A:523:LEU:HD12	1.79	0.64
1:C:69:LYS:HB3	4:C:607:PEG:H12	1.79	0.62
1:A:499:ALA:HB1	1:A:523:LEU:HD21	1.80	0.62
2:B:141:PRO:HD2	2:B:144:PHE:HB2	1.82	0.62
1:C:431:GLU:OE2	1:C:434:ARG:NH2	2.30	0.62
1:A:28:LYS:HZ1	4:A:603:PEG:H22	1.66	0.60
1:C:317:ASN:HB3	2:D:74:THR:HA	1.83	0.60
1:C:144:LYS:O	1:C:148:GLU:HG3	2.02	0.59
1:A:233:GLU:HB2	5:A:607:P6G:H91	1.86	0.58
2:D:145:MET:O	2:D:149:LYS:HG3	2.03	0.58
1:C:470:SER:HA	1:C:473:LEU:HD12	1.85	0.58
2:D:129:GLU:OE1	2:D:133:PRO:HA	2.03	0.58
1:C:439:LYS:HB3	1:C:473:LEU:HD23	1.85	0.57
1:C:496:LEU:HB2	1:C:527:CYS:HB3	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:172:ILE:HD12	1:A:172:ILE:H	1.71	0.56
1:A:181:TYR:HD2	1:A:183:THR:HG22	1.70	0.56
1:C:160:VAL:HG11	1:C:256:LEU:HD22	1.88	0.55
1:C:66:GLU:OE1	1:C:69:LYS:NZ	2.38	0.55
1:C:350:PHE:HD1	1:C:374:MET:HE3	1.72	0.55
2:B:187:ILE:HG12	2:B:208:ILE:HG12	1.90	0.54
1:A:183:THR:OG1	1:C:170:GLU:OE1	2.26	0.54
1:A:144:LYS:O	1:A:148:GLU:HG3	2.09	0.53
1:A:208:PHE:CE1	1:A:256:LEU:HB2	2.44	0.53
1:C:165:LYS:O	1:C:169:GLY:N	2.39	0.53
1:A:365:TYR:HB2	4:A:609:PEG:H42	1.91	0.52
1:A:430:GLN:HB3	1:A:514:THR:HG21	1.91	0.52
1:A:149:ILE:HD13	5:A:607:P6G:H61	1.92	0.52
1:C:220:GLN:O	1:C:223[B]:HIS:ND1	2.41	0.52
1:A:219:GLU:OE2	1:A:325:ARG:NE	2.42	0.52
1:A:163:LYS:HG2	5:A:606:P6G:H171	1.92	0.52
2:B:99:ASP:OD2	2:B:102:ASN:ND2	2.35	0.51
1:C:521:GLU:O	1:C:525:ILE:HG12	2.11	0.51
1:C:25:GLU:N	1:C:25:GLU:OE1	2.44	0.51
2:D:40:ASN:ND2	2:D:43:GLN:H	2.08	0.51
1:C:149:ILE:HD13	5:C:602:P6G:H151	1.93	0.51
1:A:333:ASN:HA	1:A:374:MET:O	2.11	0.50
1:A:13:THR:HG22	1:A:41:LEU:HD23	1.92	0.50
1:C:430:GLN:HB3	1:C:514:THR:HG21	1.92	0.50
1:A:482:LEU:HD11	1:A:506:LEU:HD21	1.94	0.49
2:D:149:LYS:HZ3	3:D:302:PG4:H72	1.77	0.49
1:A:465:GLU:OE2	1:A:470:SER:HB3	2.13	0.49
1:C:197:PHE:CE2	1:C:206:PHE:HB2	2.47	0.49
1:A:152:ARG:HG3	1:A:202:TRP:HH2	1.78	0.49
1:A:197:PHE:HB3	5:A:606:P6G:H61	1.95	0.49
1:C:223[A]:HIS:HE1	1:C:325:ARG:HH12	1.59	0.49
2:B:118:LEU:HD11	2:B:154:ARG:HB3	1.95	0.48
2:D:118:LEU:HD11	2:D:154:ARG:HB3	1.97	0.47
2:B:104:LYS:HD2	2:B:107:ILE:HD11	1.96	0.47
2:B:130:THR:O	2:B:141:PRO:HG3	2.14	0.47
1:A:64:LEU:HD22	1:A:74:PRO:HG2	1.96	0.47
1:C:282:PRO:HB3	2:D:63:ASP:HA	1.97	0.47
1:A:439:LYS:HB3	1:A:473:LEU:HD23	1.97	0.47
1:A:210:VAL:HG22	1:A:254:VAL:HG22	1.97	0.47
1:C:362:PRO:HB2	4:C:608:PEG:H21	1.96	0.47
1:C:96:LYS:NZ	1:C:99:ILE:HD13	2.30	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:66:ASN:O	2:D:70:MET:HG2	2.15	0.47
1:A:244:ALA:HB2	1:A:250:VAL:HG13	1.95	0.46
1:C:479:ILE:HD13	1:C:516:LEU:HD23	1.98	0.46
1:A:342:SER:HB3	4:A:605:PEG:H32	1.96	0.46
1:C:216:LEU:HD11	1:C:237:VAL:HG21	1.97	0.46
1:C:287:TYR:OH	1:C:318:ASN:ND2	2.47	0.46
1:A:292:THR:HG21	1:A:447:GLN:HB2	1.96	0.46
2:D:187:ILE:HG12	2:D:208:ILE:HG12	1.98	0.46
1:A:56:ASN:HA	1:A:64:LEU:HD11	1.98	0.45
1:A:318:ASN:ND2	3:A:601:PG4:H51	2.32	0.45
1:A:181:TYR:CD2	1:A:183:THR:HG22	2.50	0.45
1:A:471:SER:HA	1:A:476:ALA:HB2	1.98	0.45
5:C:602:P6G:H121	5:C:602:P6G:H151	1.78	0.45
1:A:216:LEU:HD11	1:A:253:PRO:HB3	1.99	0.45
1:C:365:TYR:HB2	4:C:609:PEG:H31	1.99	0.44
1:C:14:MET:N	1:C:15:PRO:HD2	2.33	0.44
5:A:606:P6G:H111	5:A:606:P6G:H81	1.61	0.44
3:A:611:PG4:H62	3:A:611:PG4:H81	1.88	0.43
1:C:273:LYS:HE3	1:C:273:LYS:HB2	1.61	0.43
1:C:66:GLU:HA	1:C:69:LYS:HZ2	1.82	0.43
1:A:152:ARG:HG3	1:A:202:TRP:CH2	2.54	0.43
1:A:497:LYS:O	1:A:497:LYS:HG2	2.17	0.43
8:C:610:ANP:N3B	8:C:610:ANP:O1A	2.45	0.43
1:C:223[A]:HIS:CE1	1:C:325:ARG:HH12	2.34	0.43
1:A:490:LEU:HD22	1:A:494:ALA:HB3	2.00	0.43
1:C:465:GLU:OE1	1:C:470:SER:OG	2.32	0.43
1:C:431:GLU:CD	1:C:515:ARG:HH21	2.21	0.43
1:C:471:SER:HA	1:C:476:ALA:HB2	2.00	0.43
1:A:240:MET:SD	1:A:241:ARG:N	2.92	0.43
1:C:227:VAL:HG22	1:C:297:LYS:HB3	1.99	0.43
1:C:207:VAL:HG23	1:C:259:PHE:HB2	2.01	0.43
1:C:260:ALA:HA	1:C:316:HIS:HB2	2.01	0.42
1:C:333:ASN:HA	1:C:374:MET:O	2.19	0.42
1:C:350:PHE:CE2	1:C:354:LEU:HD11	2.54	0.42
2:D:42:ARG:O	2:D:46:MET:HG3	2.19	0.42
1:A:94:LYS:HA	1:A:94:LYS:HD3	1.77	0.42
1:C:14:MET:O	1:C:18:ILE:HG13	2.19	0.42
2:D:128:ASP:HB3	2:D:131:LEU:HD12	2.02	0.42
1:A:393:ILE:HG21	1:A:401:PRO:HD3	2.02	0.42
1:A:475:ILE:HG21	1:A:513:GLU:HG2	2.01	0.41
1:A:14:MET:O	1:A:18:ILE:HG13	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:521:GLU:O	1:A:525:ILE:HG13	2.20	0.41
2:B:149:LYS:HZ2	5:B:303:P6G:H81	1.84	0.41
2:B:75:ILE:H	2:B:75:ILE:HG13	1.80	0.41
1:C:349:GLU:OE1	1:C:437:PRO:HG3	2.20	0.41
2:B:66:ASN:O	2:B:70:MET:HG2	2.21	0.41
1:C:113:ARG:HB2	1:C:132:ILE:HG21	2.02	0.41
1:C:475:ILE:HG21	1:C:513:GLU:HG2	2.01	0.41
1:C:12:ASN:O	1:C:12:ASN:ND2	2.47	0.41
1:A:39:ASN:HA	1:A:42:LEU:HD12	2.03	0.41
1:A:452:PHE:HB3	1:A:455:LEU:HD12	2.03	0.41
1:A:451:ASN:OD1	2:B:38:SER:HB2	2.21	0.41
1:C:50:ASP:O	1:C:53:ASP:OD2	2.39	0.41
1:A:212:ASP:HA	1:A:252:LYS:NZ	2.37	0.40
1:A:258:GLN:HB2	9:A:711:HOH:O	2.20	0.40
2:D:55:GLU:OE2	4:D:304:PEG:H41	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	519/523 (99%)	506 (98%)	13 (2%)	0	100	100
1	C	504/523 (96%)	491 (97%)	13 (3%)	0	100	100
2	B	183/187 (98%)	180 (98%)	3 (2%)	0	100	100
2	D	179/187 (96%)	176 (98%)	3 (2%)	0	100	100
All	All	1385/1420 (98%)	1353 (98%)	32 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	438/476 (92%)	431 (98%)	7 (2%)	65	86
1	C	400/476 (84%)	393 (98%)	7 (2%)	62	84
2	B	156/167 (93%)	156 (100%)	0	100	100
2	D	143/167 (86%)	142 (99%)	1 (1%)	85	95
All	All	1137/1286 (88%)	1122 (99%)	15 (1%)	71	89

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	ASP
1	A	212	ASP
1	A	215	GLU
1	A	305	HIS
1	A	402	ASP
1	A	478	ASP
1	A	503	PHE
1	C	12	ASN
1	C	49	ASP
1	C	124	LYS
1	C	305	HIS
1	C	348	ASP
1	C	473	LEU
1	C	478	ASP
2	D	174	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	318	ASN
2	D	40	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 29 ligands modelled in this entry, 3 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PG4	A	601	-	12,12,12	0.53	0	11,11,11	0.22	0
4	PEG	A	602	-	6,6,6	0.48	0	5,5,5	0.27	0
4	PEG	A	603	-	6,6,6	0.49	0	5,5,5	0.26	0
4	PEG	A	604	-	6,6,6	0.49	0	5,5,5	0.32	0
4	PEG	A	605	-	6,6,6	0.48	0	5,5,5	0.32	0
5	P6G	A	606	-	18,18,18	0.54	0	17,17,17	0.28	0
5	P6G	A	607	-	18,18,18	0.55	0	17,17,17	0.24	0
4	PEG	A	608	-	6,6,6	0.49	0	5,5,5	0.23	0
4	PEG	A	609	-	6,6,6	0.48	0	5,5,5	0.25	0
4	PEG	A	610	-	6,6,6	0.49	0	5,5,5	0.22	0
3	PG4	A	611	-	12,12,12	0.52	0	11,11,11	0.35	0
4	PEG	B	302	-	6,6,6	0.48	0	5,5,5	0.23	0
5	P6G	B	303	-	18,18,18	0.54	0	17,17,17	0.25	0
4	PEG	B	304	-	6,6,6	0.49	0	5,5,5	0.29	0
5	P6G	C	602	-	18,18,18	0.54	0	17,17,17	0.20	0
4	PEG	C	603	-	6,6,6	0.48	0	5,5,5	0.25	0
4	PEG	C	604	-	6,6,6	0.48	0	5,5,5	0.32	0
4	PEG	C	605	-	6,6,6	0.47	0	5,5,5	0.29	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PEG	C	606	-	6,6,6	0.49	0	5,5,5	0.25	0
4	PEG	C	607	-	6,6,6	0.49	0	5,5,5	0.32	0
4	PEG	C	608	-	6,6,6	0.48	0	5,5,5	0.31	0
4	PEG	C	609	-	6,6,6	0.48	0	5,5,5	0.25	0
8	ANP	C	610	7	28,33,33	4.20	15 (53%)	29,52,52	2.02	7 (24%)
3	PG4	D	302	-	12,12,12	0.54	0	11,11,11	0.32	0
4	PEG	D	303	-	6,6,6	0.47	0	5,5,5	0.36	0
4	PEG	D	304	-	6,6,6	0.49	0	5,5,5	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PG4	A	601	-	-	7/10/10/10	-
4	PEG	A	602	-	-	1/4/4/4	-
4	PEG	A	603	-	-	1/4/4/4	-
4	PEG	A	604	-	-	2/4/4/4	-
4	PEG	A	605	-	-	3/4/4/4	-
5	P6G	A	606	-	-	9/16/16/16	-
5	P6G	A	607	-	-	7/16/16/16	-
4	PEG	A	608	-	-	1/4/4/4	-
4	PEG	A	609	-	-	2/4/4/4	-
4	PEG	A	610	-	-	2/4/4/4	-
3	PG4	A	611	-	-	4/10/10/10	-
4	PEG	B	302	-	-	1/4/4/4	-
5	P6G	B	303	-	-	11/16/16/16	-
4	PEG	B	304	-	-	2/4/4/4	-
5	P6G	C	602	-	-	8/16/16/16	-
4	PEG	C	603	-	-	2/4/4/4	-
4	PEG	C	604	-	-	1/4/4/4	-
4	PEG	C	605	-	-	2/4/4/4	-
4	PEG	C	606	-	-	2/4/4/4	-
4	PEG	C	607	-	-	1/4/4/4	-
4	PEG	C	608	-	-	3/4/4/4	-
4	PEG	C	609	-	-	2/4/4/4	-
8	ANP	C	610	7	-	5/13/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PG4	D	302	-	-	8/10/10/10	-
4	PEG	D	303	-	-	2/4/4/4	-
4	PEG	D	304	-	-	1/4/4/4	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	610	ANP	PG-O1G	12.67	1.60	1.46
8	C	610	ANP	PB-O1B	11.04	1.58	1.46
8	C	610	ANP	PG-N3B	-9.19	1.39	1.63
8	C	610	ANP	C5-C4	-4.09	1.31	1.40
8	C	610	ANP	PG-O2G	-3.60	1.46	1.56
8	C	610	ANP	PB-O2B	-3.17	1.48	1.56
8	C	610	ANP	C6-C5	-3.10	1.31	1.43
8	C	610	ANP	C2-N3	3.00	1.37	1.32
8	C	610	ANP	C4-N3	-2.97	1.31	1.35
8	C	610	ANP	PB-N3B	-2.76	1.56	1.63
8	C	610	ANP	C3'-C4'	-2.71	1.46	1.53
8	C	610	ANP	PA-O1A	2.49	1.59	1.50
8	C	610	ANP	O4'-C4'	-2.39	1.39	1.45
8	C	610	ANP	C5-N7	-2.34	1.31	1.39
8	C	610	ANP	C2'-C3'	-2.08	1.48	1.53

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	C	610	ANP	N3-C2-N1	-5.98	119.04	128.68
8	C	610	ANP	PA-O3A-PB	-5.01	114.92	132.46
8	C	610	ANP	O2B-PB-O3A	2.92	115.88	104.54
8	C	610	ANP	O1B-PB-N3B	-2.66	107.81	111.79
8	C	610	ANP	C5-C6-N6	-2.42	116.59	120.38
8	C	610	ANP	C5'-C4'-C3'	-2.34	106.39	115.21
8	C	610	ANP	O2G-PG-O1G	-2.03	108.25	113.43

There are no chirality outliers.

All (90) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	C	610	ANP	PB-N3B-PG-O1G
8	C	610	ANP	PA-O3A-PB-O2B
8	C	610	ANP	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	C	610	ANP	C3'-C4'-C5'-O5'
3	D	302	PG4	O2-C3-C4-O3
4	A	604	PEG	O1-C1-C2-O2
5	A	606	P6G	C5-C6-O7-C8
5	A	607	P6G	O13-C14-C15-O16
5	A	606	P6G	O13-C14-C15-O16
5	A	607	P6G	O10-C11-C12-O13
5	A	607	P6G	O16-C17-C18-O19
4	C	604	PEG	O2-C3-C4-O4
4	C	606	PEG	O1-C1-C2-O2
5	A	606	P6G	C8-C9-O10-C11
5	A	607	P6G	O7-C8-C9-O10
5	C	602	P6G	O10-C11-C12-O13
5	B	303	P6G	O10-C11-C12-O13
5	A	607	P6G	O1-C2-C3-O4
5	A	606	P6G	O1-C2-C3-O4
4	C	608	PEG	O1-C1-C2-O2
4	A	605	PEG	O1-C1-C2-O2
4	B	304	PEG	O2-C3-C4-O4
4	C	609	PEG	O2-C3-C4-O4
4	A	602	PEG	O1-C1-C2-O2
3	A	601	PG4	C8-C7-O4-C6
5	C	602	P6G	O4-C5-C6-O7
3	A	601	PG4	O1-C1-C2-O2
3	D	302	PG4	O4-C7-C8-O5
4	A	609	PEG	O2-C3-C4-O4
3	D	302	PG4	C4-C3-O2-C2
4	C	607	PEG	O2-C3-C4-O4
4	A	610	PEG	O1-C1-C2-O2
5	C	602	P6G	O7-C8-C9-O10
3	D	302	PG4	O3-C5-C6-O4
5	A	606	P6G	O7-C8-C9-O10
4	C	608	PEG	O2-C3-C4-O4
4	C	603	PEG	O2-C3-C4-O4
5	A	606	P6G	O10-C11-C12-O13
4	D	303	PEG	C1-C2-O2-C3
3	D	302	PG4	C6-C5-O3-C4
4	C	603	PEG	C4-C3-O2-C2
5	B	303	P6G	C14-C15-O16-C17
3	A	611	PG4	C3-C4-O3-C5
4	A	609	PEG	C1-C2-O2-C3
3	A	611	PG4	C1-C2-O2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	303	P6G	O16-C17-C18-O19
3	A	601	PG4	C6-C5-O3-C4
5	A	607	P6G	C9-C8-O7-C6
5	C	602	P6G	C15-C14-O13-C12
4	B	302	PEG	C4-C3-O2-C2
4	C	606	PEG	C4-C3-O2-C2
5	A	607	P6G	C6-C5-O4-C3
4	C	608	PEG	C4-C3-O2-C2
4	A	608	PEG	C1-C2-O2-C3
5	C	602	P6G	C12-C11-O10-C9
5	A	606	P6G	C14-C15-O16-C17
4	A	605	PEG	C1-C2-O2-C3
5	B	303	P6G	C12-C11-O10-C9
3	A	601	PG4	O4-C7-C8-O5
3	D	302	PG4	C8-C7-O4-C6
5	A	606	P6G	C11-C12-O13-C14
5	B	303	P6G	C5-C6-O7-C8
5	A	606	P6G	O4-C5-C6-O7
5	B	303	P6G	C18-C17-O16-C15
4	A	605	PEG	O2-C3-C4-O4
4	C	605	PEG	C1-C2-O2-C3
4	D	303	PEG	O2-C3-C4-O4
3	D	302	PG4	O1-C1-C2-O2
3	D	302	PG4	C5-C6-O4-C7
5	C	602	P6G	O1-C2-C3-O4
5	C	602	P6G	C14-C15-O16-C17
4	C	605	PEG	O1-C1-C2-O2
4	C	609	PEG	C1-C2-O2-C3
5	B	303	P6G	C6-C5-O4-C3
3	A	601	PG4	C1-C2-O2-C3
5	B	303	P6G	O7-C8-C9-O10
4	A	603	PEG	C4-C3-O2-C2
3	A	601	PG4	O3-C5-C6-O4
3	A	601	PG4	C4-C3-O2-C2
4	A	604	PEG	C4-C3-O2-C2
4	A	610	PEG	C1-C2-O2-C3
3	A	611	PG4	C8-C7-O4-C6
5	B	303	P6G	C2-C3-O4-C5
5	C	602	P6G	C18-C17-O16-C15
4	D	304	PEG	O2-C3-C4-O4
5	B	303	P6G	O4-C5-C6-O7
4	B	304	PEG	C4-C3-O2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
8	C	610	ANP	C5'-O5'-PA-O3A
5	B	303	P6G	C8-C9-O10-C11
3	A	611	PG4	O2-C3-C4-O3


There are no ring outliers.

15 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	PG4	1	0
4	A	603	PEG	1	0
4	A	605	PEG	1	0
5	A	606	P6G	3	0
5	A	607	P6G	2	0
4	A	609	PEG	1	0
3	A	611	PG4	1	0
5	B	303	P6G	1	0
5	C	602	P6G	2	0
4	C	607	PEG	1	0
4	C	608	PEG	1	0
4	C	609	PEG	1	0
8	C	610	ANP	2	0
3	D	302	PG4	1	0
4	D	304	PEG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	520/523 (99%)	0.50	40 (7%) 13 14	36, 58, 124, 167	0
1	C	507/523 (96%)	0.92	79 (15%) 2 1	48, 82, 148, 189	0
2	B	183/187 (97%)	0.16	6 (3%) 46 50	39, 57, 88, 112	0
2	D	181/187 (96%)	0.37	9 (4%) 29 31	54, 80, 117, 136	0
All	All	1391/1420 (97%)	0.59	134 (9%) 8 7	36, 70, 131, 189	0

All (134) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	244	ALA	9.0
1	C	178	ILE	7.0
1	C	249	THR	6.7
1	C	251	TYR	6.3
1	A	495	LEU	6.2
1	C	246	ASP	5.4
1	C	485	VAL	5.3
1	C	61	GLY	5.2
1	C	242	PHE	5.1
1	C	245	GLU	5.1
1	C	499	ALA	5.1
1	C	247	GLY	5.1
1	C	502	VAL	5.1
1	A	102	SER	5.1
1	A	490	LEU	5.1
1	C	481	ALA	5.0
1	A	244	ALA	4.9
1	C	360	GLY	4.8
1	C	100	ASN	4.8
1	C	177	VAL	4.7
2	D	137	GLY	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	101	SER	4.6
1	A	99	ILE	4.6
1	A	101	SER	4.6
1	C	359	GLU	4.6
1	A	499	ALA	4.4
1	C	486	LEU	4.4
1	C	248	SER	4.4
1	C	214	HIS	4.3
1	C	488	SER	4.3
1	C	179	PRO	4.3
1	A	177	VAL	4.3
1	C	501	PRO	4.2
2	D	103	ILE	4.2
1	C	525	ILE	4.2
2	B	137	GLY	4.2
1	C	503	PHE	4.2
1	A	487	ASN	4.2
1	A	489	ASP	4.1
1	C	358	LYS	4.0
1	C	527	CYS	4.0
1	C	495	LEU	3.9
1	A	193	PHE	3.9
1	A	100	ASN	3.9
1	A	248	SER	3.8
1	C	528	PHE	3.8
1	C	216	LEU	3.8
1	C	487	ASN	3.7
2	D	38	SER	3.7
2	B	138	VAL	3.7
1	C	52	PHE	3.6
1	A	250	VAL	3.6
1	A	245	GLU	3.6
1	C	95	ASN	3.5
1	A	502	VAL	3.5
1	A	249	THR	3.5
1	A	486	LEU	3.5
1	A	246	ASP	3.5
2	D	91	PRO	3.5
1	A	182	LYS	3.4
1	C	496	LEU	3.3
1	A	247	GLY	3.3
1	A	500	ASN	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	174	ASN	3.3
1	A	528	PHE	3.2
1	C	506	LEU	3.2
1	C	59	GLU	3.2
2	D	134	SER	3.1
2	D	138	VAL	3.1
1	C	489	ASP	3.0
1	C	483	ASN	3.0
1	C	167	ILE	3.0
1	C	60	GLU	3.0
1	C	504	THR	3.0
1	A	243	LYS	3.0
1	C	365	TYR	3.0
1	A	496	LEU	2.9
1	C	238	PHE	2.9
1	C	526	ARG	2.8
1	C	524	ALA	2.8
1	C	170	GLU	2.8
1	C	202	TRP	2.8
1	C	523	LEU	2.8
1	C	54	TRP	2.7
1	C	498	GLN	2.7
1	A	503	PHE	2.7
1	C	509	TYR	2.7
1	C	198	THR	2.6
1	C	500	ASN	2.6
1	C	479	ILE	2.6
1	A	485	VAL	2.6
2	B	117	TYR	2.6
2	D	100	GLY	2.6
1	A	181	TYR	2.6
1	C	169	GLY	2.5
1	C	252	LYS	2.5
1	A	488	SER	2.5
1	C	193	PHE	2.5
1	C	138	GLU	2.5
2	B	92	ARG	2.5
1	C	291	LEU	2.4
1	A	178	ILE	2.4
1	A	529	ASN	2.4
2	B	91	PRO	2.4
1	C	243	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	443	ILE	2.4
1	A	241	ARG	2.4
1	C	50	ASP	2.4
1	C	482	LEU	2.4
1	A	180	SER	2.3
1	C	292	THR	2.3
2	D	102	ASN	2.3
1	A	509	TYR	2.3
1	C	139	LEU	2.3
1	C	142	ASN	2.3
1	C	384	LEU	2.3
1	A	363	VAL	2.2
1	A	526	ARG	2.2
1	C	62	GLY	2.2
1	A	323	SER	2.2
1	C	48	ASN	2.2
1	A	52	PHE	2.2
1	C	102	SER	2.2
1	A	483	ASN	2.1
2	D	133	PRO	2.1
2	B	37	GLY	2.1
1	A	381	ALA	2.1
1	C	18	ILE	2.1
1	C	171	SER	2.1
1	C	337	SER	2.1
1	C	446	PHE	2.0
1	C	240	MET	2.0
1	C	364	GLY	2.0
1	C	173	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	PEG	D	304	7/7	0.42	0.27	80,91,94,97	0
4	PEG	A	603	7/7	0.46	0.41	93,97,103,103	0
4	PEG	C	606	7/7	0.50	0.39	92,95,104,104	0
4	PEG	A	610	7/7	0.52	0.31	93,98,103,103	0
3	PG4	D	302	13/13	0.61	0.33	83,100,105,105	0
3	PG4	A	611	13/13	0.64	0.43	64,81,103,103	0
5	P6G	C	602	19/19	0.70	0.29	90,97,122,122	0
4	PEG	C	605	7/7	0.70	0.39	81,82,87,90	0
4	PEG	C	604	7/7	0.70	0.46	71,84,98,102	0
4	PEG	C	609	7/7	0.73	0.44	100,105,110,110	0
4	PEG	C	603	7/7	0.74	0.19	88,90,92,96	0
4	PEG	C	607	7/7	0.78	0.24	99,100,101,103	0
3	PG4	A	601	13/13	0.79	0.25	86,102,104,105	0
5	P6G	A	606	19/19	0.79	0.38	90,102,108,109	0
5	P6G	B	303	19/19	0.81	0.26	73,79,104,104	0
4	PEG	D	303	7/7	0.83	0.22	81,96,99,99	0
4	PEG	C	608	7/7	0.85	0.31	103,105,107,108	0
4	PEG	A	609	7/7	0.86	0.21	72,74,80,81	0
4	PEG	A	602	7/7	0.86	0.16	70,76,83,83	0
8	ANP	C	610	31/31	0.87	0.19	62,72,116,121	31
4	PEG	A	608	7/7	0.87	0.14	77,81,83,84	0
4	PEG	B	304	7/7	0.88	0.23	90,97,100,101	0
4	PEG	B	302	7/7	0.90	0.14	66,72,76,79	0
4	PEG	A	605	7/7	0.90	0.20	66,79,87,89	0
5	P6G	A	607	19/19	0.90	0.20	52,67,81,83	0
4	PEG	A	604	7/7	0.92	0.16	77,77,82,86	0
7	MN	C	601	1/1	0.93	0.10	95,95,95,95	0
6	ZN	D	301	1/1	0.99	0.12	71,71,71,71	0
6	ZN	B	301	1/1	1.00	0.12	51,51,51,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around P6G C 602:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around P6G A 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around P6G B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP C 610:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around P6G A 607:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.