



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 9, 2019 – 07:40 AM EDT

PDB ID : 6MFB
Title : Crystal structure of 3-hydroxykynurenine transaminase from *Aedes aegypti*
Authors : Maciel, L.G.; Oliveira, A.A.; Romao, T.P.; Silva Filha, M.H.N.L.; dos Anjos, J.V.; Soares, T.A.; Guido, R.V.C.
Deposited on : 2018-09-10
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.0 (224370), CSD as540be (2019)
Xtriage (Phenix) : 1.13
EDS : 2.4
buster-report : 1.1.7 (2018)
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.4


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	4155 (2.50-2.50)
Clashscore	122126	4827 (2.50-2.50)
Ramachandran outliers	120053	4735 (2.50-2.50)
Sidechain outliers	120020	4737 (2.50-2.50)
RSRZ outliers	108989	4058 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	386	 88% 10% ..
1	B	386	 84% 14% •
1	C	386	 90% 8% •
1	D	386	 84% 15% •

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12510 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serine–pyruvate aminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	384	Total	C	N	O	S	0	0	0
			3012	1928	511	549	24			
1	C	385	Total	C	N	O	S	0	0	0
			3020	1933	512	550	25			
1	B	385	Total	C	N	O	S	0	0	0
			3020	1933	512	550	25			
1	D	386	Total	C	N	O	S	0	0	0
			3028	1937	513	553	25			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	123	GLU	GLY	conflict	UNP Q0IG34
C	123	GLU	GLY	conflict	UNP Q0IG34
B	123	GLU	GLY	conflict	UNP Q0IG34
D	123	GLU	GLY	conflict	UNP Q0IG34

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C₈H₁₀NO₆P) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	C	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	D	1	Total	C	N	O	P	0	0
			15	8	1	5	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	128	Total	O	0	0
			128	128		
3	C	82	Total	O	0	0
			82	82		
3	B	82	Total	O	0	0
			82	82		
3	D	78	Total	O	0	0
			78	78		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Serine-pyruvate aminotransferase




- Molecule 1: Serine-pyruvate aminotransferase




- Molecule 1: Serine-pyruvate aminotransferase



- Molecule 1: Serine-pyruvate aminotransferase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	86.71Å 115.73Å 172.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.85 – 2.50 48.02 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.85-2.50) 99.8 (48.02-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.86 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.187 , 0.261 0.194 , 0.263	Depositor DCC
R_{free} test set	2946 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	49.7	Xtriage
Anisotropy	0.043	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 35.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12510	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	0/3086	0.73	1/4185 (0.0%)
1	B	0.59	0/3094	0.72	0/4195
1	C	0.57	0/3094	0.71	0/4195
1	D	0.55	0/3102	0.68	0/4206
All	All	0.57	0/12376	0.71	1/16781 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	6
1	C	0	6
1	D	0	5
All	All	0	20

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	114	ARG	NE-CZ-NH2	-5.27	117.66	120.30

There are no chirality outliers.

All (20) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	107	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	114	ARG	Sidechain
1	A	120	ARG	Sidechain
1	B	114	ARG	Sidechain
1	B	22	MET	Peptide
1	B	24	PRO	Peptide
1	B	25	GLY	Peptide
1	B	296	ARG	Sidechain
1	B	354	ALA	Peptide
1	C	107	ARG	Sidechain
1	C	114	ARG	Sidechain
1	C	143	ARG	Sidechain
1	C	286	ARG	Sidechain
1	C	287	ARG	Sidechain
1	C	313	ARG	Sidechain
1	D	107	ARG	Sidechain
1	D	24	PRO	Peptide
1	D	286	ARG	Sidechain
1	D	313	ARG	Sidechain
1	D	69	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3012	0	3004	23	0
1	B	3020	0	3017	39	0
1	C	3020	0	3016	23	0
1	D	3028	0	3020	30	0
2	A	15	0	6	0	0
2	B	15	0	6	1	0
2	C	15	0	6	1	0
2	D	15	0	7	1	0
3	A	128	0	0	1	0
3	B	82	0	0	2	0
3	C	82	0	0	1	0
3	D	78	0	0	1	0
All	All	12510	0	12082	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:347:PHE:H	1:C:350:THR:HG22	1.49	0.77
1:A:77:SER:O	1:A:80:THR:HB	1.85	0.77
1:C:77:SER:O	1:C:80:THR:HB	1.83	0.76
1:A:307:VAL:O	1:A:313:ARG:HD3	1.93	0.69
1:C:120:ARG:HH11	1:C:142:HIS:HD2	1.37	0.69
1:B:21:MET:H	1:B:28:ASN:HD21	1.42	0.68
1:D:120:ARG:HH11	1:D:142:HIS:HD2	1.39	0.68
1:C:110:ASN:OD1	1:C:114:ARG:HD2	1.94	0.66
1:A:347:PHE:H	1:A:350:THR:HG22	1.60	0.66
1:B:254:LYS:NZ	3:B:501:HOH:O	2.20	0.66
1:B:74:ILE:HG21	1:B:80:THR:HG23	1.79	0.64
1:B:305:ILE:HD12	1:B:313:ARG:NH1	2.12	0.64
1:A:110:ASN:OD1	1:A:114:ARG:HD2	1.98	0.64
1:C:74:ILE:HG21	1:C:80:THR:HG23	1.80	0.64
1:A:310:PRO:HA	1:A:313:ARG:HG3	1.80	0.62
1:B:110:ASN:OD1	1:B:114:ARG:HD2	2.00	0.62
1:B:311:GLU:O	1:B:311:GLU:HG3	2.01	0.60
1:C:281:GLU:HB3	1:C:282:PRO:HD3	1.83	0.60
1:B:77:SER:O	1:B:80:THR:HB	2.02	0.59
1:A:347:PHE:O	1:A:350:THR:HG22	2.04	0.58
1:C:114:ARG:NH2	1:D:239:ASP:OD2	2.36	0.58
1:B:74:ILE:CG2	1:B:80:THR:HG23	2.33	0.57
1:D:74:ILE:HG21	1:D:80:THR:HG23	1.87	0.57
1:C:74:ILE:CG2	1:C:80:THR:HG23	2.33	0.57
1:D:110:ASN:OD1	1:D:114:ARG:HD2	2.05	0.56
1:C:278:GLU:OE1	1:C:286:ARG:NH2	2.39	0.56
1:D:285:ARG:HG2	1:D:285:ARG:HH11	1.71	0.55
1:D:281:GLU:HB3	1:D:282:PRO:HD3	1.88	0.55
1:B:326:VAL:HG22	1:B:384:HIS:CD2	2.43	0.54
1:D:77:SER:O	1:D:80:THR:HB	2.07	0.54
1:B:347:PHE:H	1:B:350:THR:HG22	1.72	0.53
1:A:347:PHE:H	1:A:350:THR:CG2	2.22	0.53
1:A:278:GLU:OE1	1:A:286:ARG:NH2	2.40	0.52
1:A:14:LEU:HD21	1:B:266:PHE:HB3	1.92	0.52
1:D:137:LYS:O	1:D:141:GLN:HG3	2.09	0.51
1:D:59:GLY:HA3	1:D:272:ILE:HG21	1.92	0.51
1:C:264:LEU:HD11	1:D:264:LEU:HD11	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:239:ASP:OD2	1:D:114:ARG:NH2	2.42	0.51
1:C:23:GLY:O	1:C:358:GLY:HA3	2.11	0.50
1:B:383:THR:O	1:B:384:HIS:ND1	2.44	0.50
1:A:163:GLU:HG3	3:A:607:HOH:O	2.11	0.50
1:D:291:ALA:O	1:D:294:MET:HB3	2.12	0.49
1:B:310:PRO:HA	1:B:313:ARG:HG3	1.95	0.49
1:B:323:PRO:HG2	1:B:326:VAL:HG21	1.94	0.49
1:B:383:THR:C	1:B:384:HIS:HD1	2.16	0.49
1:D:23:GLY:O	1:D:358:GLY:HA3	2.13	0.49
1:A:60:LEU:HD22	1:A:215:PRO:HB3	1.94	0.49
1:B:175:LEU:HD11	1:B:225:VAL:HG21	1.94	0.48
1:A:280:LEU:HD22	1:A:284:ILE:HD11	1.95	0.48
1:C:167:LYS:NZ	3:C:504:HOH:O	2.46	0.48
1:A:44:ASN:HD21	1:A:259:THR:HA	1.78	0.48
1:D:327:ASN:ND2	1:D:330:LYS:HE2	2.29	0.48
1:D:285:ARG:HH11	1:D:285:ARG:CG	2.27	0.47
1:B:305:ILE:HD12	1:B:313:ARG:HH12	1.80	0.47
1:A:281:GLU:OE2	1:B:1:MET:HB2	2.15	0.47
1:B:301:MET:CE	1:B:377:LYS:HG3	2.45	0.47
1:B:21:MET:H	1:B:28:ASN:ND2	2.11	0.46
1:B:291:ALA:O	1:B:294:MET:HB3	2.15	0.46
1:D:74:ILE:CG2	1:D:80:THR:HG23	2.45	0.46
1:C:170:HIS:CE1	1:C:195:GLU:HB3	2.50	0.46
1:D:78:ALA:HB3	2:D:401:PLP:O4P	2.15	0.46
1:B:310:PRO:HG3	1:B:313:ARG:NH2	2.31	0.46
1:A:110:ASN:OD1	1:A:114:ARG:CD	2.63	0.45
1:A:42:LEU:O	1:B:26:PRO:HG2	2.16	0.45
1:B:179:ASP:OD1	2:B:401:PLP:H2A2	2.16	0.45
1:A:55:GLU:HG2	1:B:9:SER:HB2	1.97	0.45
1:D:343:ILE:HA	3:D:522:HOH:O	2.16	0.45
1:C:347:PHE:N	1:C:350:THR:HG22	2.25	0.45
1:C:310:PRO:HA	1:C:313:ARG:HG3	1.98	0.45
1:D:310:PRO:HA	1:D:313:ARG:HE	1.82	0.45
1:B:74:ILE:CG2	1:B:80:THR:CG2	2.95	0.44
1:D:359:ILE:O	1:D:359:ILE:HG22	2.18	0.44
1:B:316:THR:O	1:B:358:GLY:HA2	2.18	0.44
1:D:235:VAL:HG11	1:D:238:TRP:CE2	2.53	0.44
1:D:278:GLU:OE1	1:D:286:ARG:NH2	2.51	0.44
1:C:261:PRO:HA	1:D:211:PRO:HG2	2.00	0.43
1:A:323:PRO:HG2	1:A:326:VAL:HG21	1.99	0.43
1:B:20:ILE:HG22	1:B:22:MET:HG3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:347:PHE:O	1:D:350:THR:HG22	2.18	0.43
1:B:335:ALA:HB2	1:B:343:ILE:HD12	2.01	0.43
1:B:61:ARG:NH2	3:B:508:HOH:O	2.41	0.43
1:D:8:SER:HA	1:D:11:ARG:HG3	2.01	0.43
1:A:303:LEU:HD13	1:A:376:PHE:HE2	1.84	0.43
1:C:77:SER:HB2	2:C:401:PLP:O2P	2.19	0.43
1:B:281:GLU:OE1	1:B:285:ARG:NH2	2.52	0.42
1:D:322:ILE:HD13	1:D:328:TRP:HB3	1.99	0.42
1:B:281:GLU:CB	1:B:282:PRO:HD3	2.50	0.42
1:C:281:GLU:OE2	1:D:1:MET:HB2	2.20	0.42
1:D:204:GLN:HA	1:D:209:ALA:O	2.19	0.42
1:D:236:PHE:CE2	1:D:242:ILE:HD12	2.54	0.42
1:A:3:PHE:CE2	1:B:281:GLU:HG3	2.55	0.42
1:C:160:GLN:NE2	1:C:161:PRO:HD2	2.34	0.42
1:A:201:THR:HG22	1:A:215:PRO:HB2	2.01	0.42
1:C:236:PHE:CD1	1:C:236:PHE:C	2.93	0.42
1:A:75:THR:HB	1:A:237:TYR:OH	2.20	0.41
1:B:122:LEU:HG	1:B:130:PHE:CE1	2.55	0.41
1:B:135:PHE:O	1:B:139:ILE:HG13	2.20	0.41
1:C:143:ARG:HA	1:C:143:ARG:HD2	1.87	0.41
1:A:73:CYS:HB2	1:A:247:TRP:CZ2	2.56	0.41
1:D:169:CYS:HB3	1:D:174:CYS:O	2.21	0.41
1:B:383:THR:C	1:B:384:HIS:ND1	2.74	0.41
1:C:201:THR:O	1:C:214:THR:HG23	2.20	0.40
1:B:156:SER:O	1:B:319:CYS:SG	2.79	0.40
1:B:305:ILE:CD1	1:B:313:ARG:NH1	2.81	0.40
1:B:83:GLU:OE1	1:B:115:TYR:OH	2.33	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	382/386 (99%)	374 (98%)	8 (2%)	0	100	100
1	B	383/386 (99%)	365 (95%)	17 (4%)	1 (0%)	43	64
1	C	383/386 (99%)	368 (96%)	15 (4%)	0	100	100
1	D	384/386 (100%)	367 (96%)	15 (4%)	2 (0%)	31	51
All	All	1532/1544 (99%)	1474 (96%)	55 (4%)	3 (0%)	49	71

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	25	GLY
1	D	2	LYS
1	D	385	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	327/329 (99%)	314 (96%)	13 (4%)	34	60
1	B	328/329 (100%)	315 (96%)	13 (4%)	34	60
1	C	328/329 (100%)	317 (97%)	11 (3%)	40	67
1	D	329/329 (100%)	315 (96%)	14 (4%)	32	56
All	All	1312/1316 (100%)	1261 (96%)	51 (4%)	35	61

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	LYS
1	A	51	GLN
1	A	79	HIS
1	A	80	THR
1	A	92	GLU
1	A	140	GLU
1	A	167	LYS
1	A	234	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	280	LEU
1	A	311	GLU
1	A	340	SER
1	A	350	THR
1	A	380	LEU
1	C	31	LYS
1	C	80	THR
1	C	133	THR
1	C	136	LYS
1	C	230	LYS
1	C	280	LEU
1	C	287	ARG
1	C	324	LYS
1	C	350	THR
1	C	366	LEU
1	C	380	LEU
1	B	51	GLN
1	B	70	THR
1	B	80	THR
1	B	128	LYS
1	B	133	THR
1	B	136	LYS
1	B	191	MET
1	B	221	LYS
1	B	280	LEU
1	B	311	GLU
1	B	350	THR
1	B	366	LEU
1	B	376	PHE
1	D	27	SER
1	D	51	GLN
1	D	66	THR
1	D	80	THR
1	D	193	LYS
1	D	205	LYS
1	D	224	GLU
1	D	253	GLN
1	D	280	LEU
1	D	287	ARG
1	D	301	MET
1	D	324	LYS
1	D	340	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	350	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	C	142	HIS
1	B	28	ASN
1	D	51	GLN
1	D	142	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PLP	A	401	1	15,15,16	3.56	5 (33%)	20,22,23	2.64	7 (35%)
2	PLP	B	401	1	15,15,16	4.11	4 (26%)	20,22,23	2.29	4 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PLP	C	401	1	15,15,16	3.82	4 (26%)	20,22,23	2.10	8 (40%)
2	PLP	D	401	1	15,15,16	4.05	3 (20%)	20,22,23	1.66	3 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	A	401	1	-	0/6/6/8	0/1/1/1
2	PLP	B	401	1	-	0/6/6/8	0/1/1/1
2	PLP	C	401	1	-	0/6/6/8	0/1/1/1
2	PLP	D	401	1	-	0/6/6/8	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	PLP	C3-C2	11.99	1.49	1.40
2	D	401	PLP	C3-C2	11.68	1.48	1.40
2	C	401	PLP	C5-C4	10.03	1.51	1.40
2	C	401	PLP	C3-C2	9.22	1.47	1.40
2	D	401	PLP	C5-C4	9.18	1.50	1.40
2	A	401	PLP	C3-C2	9.13	1.47	1.40
2	B	401	PLP	C5-C4	8.70	1.50	1.40
2	A	401	PLP	C5-C4	8.09	1.49	1.40
2	C	401	PLP	C3-C4	4.83	1.50	1.40
2	B	401	PLP	C3-C4	4.64	1.49	1.40
2	A	401	PLP	C3-C4	4.08	1.48	1.40
2	D	401	PLP	C3-C4	4.08	1.48	1.40
2	A	401	PLP	C2-N1	3.02	1.39	1.33
2	A	401	PLP	C6-C5	2.61	1.43	1.37
2	C	401	PLP	C2-N1	2.22	1.38	1.33
2	B	401	PLP	C2-N1	2.11	1.38	1.33

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	PLP	C2A-C2-C3	-7.25	112.32	120.96
2	B	401	PLP	C4A-C4-C5	5.48	126.27	120.91
2	B	401	PLP	C3-C4-C5	-4.76	113.60	118.74
2	A	401	PLP	C4A-C4-C5	4.65	125.47	120.91
2	D	401	PLP	C4A-C4-C5	4.60	125.41	120.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	PLP	C6-C5-C4	4.54	121.87	118.19
2	A	401	PLP	C2A-C2-N1	4.42	126.30	117.82
2	C	401	PLP	C4A-C4-C5	4.38	125.20	120.91
2	A	401	PLP	C3-C4-C5	-3.76	114.67	118.74
2	C	401	PLP	C2A-C2-C3	-3.29	117.04	120.96
2	B	401	PLP	O3P-P-O4P	-3.21	98.20	106.73
2	C	401	PLP	C3-C4-C5	-3.09	115.40	118.74
2	D	401	PLP	C3-C4-C5	-3.08	115.41	118.74
2	A	401	PLP	O4P-C5A-C5	3.06	115.19	109.35
2	C	401	PLP	C2A-C2-N1	2.87	123.33	117.82
2	A	401	PLP	C6-C5-C4	2.72	120.39	118.19
2	D	401	PLP	O2P-P-O4P	-2.64	99.71	106.73
2	C	401	PLP	C6-N1-C2	2.62	124.12	119.17
2	C	401	PLP	C6-C5-C4	2.58	120.28	118.19
2	C	401	PLP	O3P-P-O2P	2.44	117.04	107.57
2	A	401	PLP	O3-C3-C4	2.37	124.35	118.11
2	C	401	PLP	O3-C3-C4	2.06	123.55	118.11

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	401	PLP	1	0
2	C	401	PLP	1	0
2	D	401	PLP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand PLP A 401



Ligand PLP B 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	384/386 (99%)	-0.24	4 (1%) 82 84	31, 44, 65, 92	0
1	B	385/386 (99%)	0.08	16 (4%) 36 39	31, 52, 76, 97	0
1	C	385/386 (99%)	-0.16	1 (0%) 93 94	33, 48, 68, 87	0
1	D	386/386 (100%)	0.11	14 (3%) 42 46	30, 53, 74, 98	0
All	All	1540/1544 (99%)	-0.05	35 (2%) 60 63	30, 49, 72, 98	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	172	TYR	5.0
1	B	140	GLU	4.2
1	B	143	ARG	3.5
1	B	133	THR	3.5
1	B	138	ALA	3.4
1	B	174	CYS	3.3
1	D	143	ARG	3.1
1	D	212	GLY	2.9
1	B	130	PHE	2.8
1	D	76	GLY	2.6
1	B	137	LYS	2.6
1	B	168	ILE	2.5
1	A	143	ARG	2.5
1	D	264	LEU	2.4
1	B	213	ILE	2.4
1	B	25	GLY	2.4
1	D	74	ILE	2.4
1	B	171	ASP	2.4
1	C	37	LEU	2.3
1	B	170	HIS	2.3
1	D	214	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	169	CYS	2.3
1	D	77	SER	2.2
1	D	80	THR	2.2
1	A	74	ILE	2.2
1	B	135	PHE	2.2
1	D	323	PRO	2.2
1	D	211	PRO	2.1
1	A	213	ILE	2.1
1	B	141	GLN	2.1
1	D	3	PHE	2.1
1	D	78	ALA	2.0
1	A	75	THR	2.0
1	D	75	THR	2.0
1	D	261	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	PLP	D	401	15/16	0.97	0.18	46,49,55,58	0
2	PLP	B	401	15/16	0.97	0.19	43,56,60,61	0
2	PLP	C	401	15/16	0.97	0.15	43,45,51,53	0
2	PLP	A	401	15/16	0.98	0.13	37,43,46,49	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PLP D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLP B 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLP C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PLP A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.