



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 29, 2019 – 10:04 AM EDT

PDB ID : 6P5R  
Title : Structure of T. brucei MERS1-GDP complex  
Authors : Schumacher, M.A.  
Deposited on : 2019-05-30  
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.0 (224370), CSD as540be (2019)  
Xtriage (Phenix) : 1.13  
EDS : 2.4  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.4


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1259 (2.48-2.44)
Clashscore	122126	1323 (2.48-2.44)
Ramachandran outliers	120053	1314 (2.48-2.44)
Sidechain outliers	120020	1314 (2.48-2.44)
RSRZ outliers	108989	1238 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	410	<div> <div>4%</div> <div>59%</div> <div>16%</div> <div>25%</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2507 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mitochondrial edited mRNA stability factor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	308	Total	C	N	O	S	0	0	0
			2469	1582	433	444	10			

There are 51 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	286	MET	-	initiating methionine	UNP B6SBM0
A	287	GLY	-	expression tag	UNP B6SBM0
A	288	SER	-	expression tag	UNP B6SBM0
A	289	SER	-	expression tag	UNP B6SBM0
A	290	HIS	-	expression tag	UNP B6SBM0
A	291	HIS	-	expression tag	UNP B6SBM0
A	292	HIS	-	expression tag	UNP B6SBM0
A	293	HIS	-	expression tag	UNP B6SBM0
A	294	HIS	-	expression tag	UNP B6SBM0
A	295	HIS	-	expression tag	UNP B6SBM0
A	296	SER	-	expression tag	UNP B6SBM0
A	297	SER	-	expression tag	UNP B6SBM0
A	298	GLY	-	expression tag	UNP B6SBM0
A	299	LEU	-	expression tag	UNP B6SBM0
A	300	VAL	-	expression tag	UNP B6SBM0
A	301	PRO	-	expression tag	UNP B6SBM0
A	302	ARG	-	expression tag	UNP B6SBM0
A	303	GLY	-	expression tag	UNP B6SBM0
A	304	SER	-	expression tag	UNP B6SBM0
A	305	HIS	-	expression tag	UNP B6SBM0
A	306	MET	-	expression tag	UNP B6SBM0
A	307	ASP	-	expression tag	UNP B6SBM0
A	308	ASP	-	expression tag	UNP B6SBM0
A	309	ALA	-	expression tag	UNP B6SBM0
A	310	LEU	-	expression tag	UNP B6SBM0
A	311	ARG	-	expression tag	UNP B6SBM0
A	312	GLY	-	expression tag	UNP B6SBM0

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	313	GLU	-	expression tag	UNP B6SBM0
A	314	LEU	-	expression tag	UNP B6SBM0
A	315	ALA	-	expression tag	UNP B6SBM0
A	316	MET	-	expression tag	UNP B6SBM0
A	317	GLY	-	expression tag	UNP B6SBM0
A	318	SER	-	expression tag	UNP B6SBM0
A	319	SER	-	expression tag	UNP B6SBM0
A	320	HIS	-	expression tag	UNP B6SBM0
A	321	HIS	-	expression tag	UNP B6SBM0
A	322	HIS	-	expression tag	UNP B6SBM0
A	323	HIS	-	expression tag	UNP B6SBM0
A	324	HIS	-	expression tag	UNP B6SBM0
A	325	HIS	-	expression tag	UNP B6SBM0
A	326	SER	-	expression tag	UNP B6SBM0
A	327	SER	-	expression tag	UNP B6SBM0
A	328	GLY	-	expression tag	UNP B6SBM0
A	329	LEU	-	expression tag	UNP B6SBM0
A	330	VAL	-	expression tag	UNP B6SBM0
A	331	PRO	-	expression tag	UNP B6SBM0
A	332	ARG	-	expression tag	UNP B6SBM0
A	333	GLY	-	expression tag	UNP B6SBM0
A	334	SER	-	expression tag	UNP B6SBM0
A	335	HIS	-	expression tag	UNP B6SBM0
A	336	MET	-	expression tag	UNP B6SBM0

- Molecule 2 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula:  $C_{10}H_{15}N_5O_{11}P_2$ ) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	10	Total	O	0	0
			10	10		



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.81Å 114.45Å 77.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.17 – 2.45 35.17 – 2.33	Depositor EDS
% Data completeness (in resolution range)	97.6 (35.17-2.45) 93.6 (35.17-2.33)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.69 (at 2.34Å)	Xtriage
Refinement program	PHENIX 1.12_2829	Depositor
R, $R_{free}$	0.227 , 0.256 0.229 , 0.257	Depositor DCC
$R_{free}$ test set	1664 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	57.2	Xtriage
Anisotropy	0.645	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 53.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	2507	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	78.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.80% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.26	0/2536	0.46	1/3456 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	331	PRO	N-CA-CB	5.90	110.38	103.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2469	0	2406	47	0
2	A	28	0	12	5	0
3	A	10	0	0	0	0
All	All	2507	0	2418	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:451:GLU:CD	1:A:573:LEU:HD23	1.79	1.02
1:A:451:GLU:CG	1:A:573:LEU:HD23	1.95	0.95
1:A:545:LEU:HD11	1:A:670:CYS:HB3	1.51	0.92
1:A:451:GLU:OE2	1:A:573:LEU:HD23	1.69	0.91
1:A:451:GLU:OE2	1:A:573:LEU:CD2	2.28	0.81
1:A:650:ARG:O	1:A:650:ARG:NH1	2.13	0.80
1:A:694:ARG:HH21	2:A:801:GDP:H5'	1.45	0.80
1:A:513:CYS:HA	1:A:516:LEU:HD12	1.68	0.76
1:A:704:GLN:HB2	1:A:710:GLY:HA2	1.69	0.75
1:A:451:GLU:HG2	1:A:573:LEU:HD23	1.68	0.74
1:A:591:ILE:HD11	1:A:630:VAL:HG12	1.68	0.73
1:A:413:LEU:HB2	1:A:428:VAL:HG13	1.75	0.69
1:A:662:GLN:HG2	1:A:663:LEU:HD23	1.75	0.69
1:A:416:PRO:HG3	1:A:424:THR:OG1	2.05	0.57
1:A:650:ARG:NH1	1:A:658:ARG:HD2	2.23	0.54
1:A:645:ASP:OD2	1:A:648:LEU:HD13	2.09	0.52
1:A:451:GLU:OE2	1:A:573:LEU:HD22	2.10	0.51
1:A:601:THR:HG22	1:A:697:PRO:HA	1.93	0.51
1:A:606:GLN:N	2:A:801:GDP:O2'	2.44	0.50
1:A:428:VAL:HA	1:A:503:LEU:O	2.12	0.50
1:A:442:SER:HA	1:A:449:ALA:HB2	1.92	0.49
1:A:656:ILE:CD1	1:A:681:LEU:HB3	2.42	0.49
1:A:649:LEU:HD11	1:A:657:ASP:HB3	1.94	0.49
1:A:523:GLN:HE22	1:A:574:TYR:H	1.61	0.48
1:A:534:ARG:HD3	1:A:672:TRP:CZ2	2.49	0.48
1:A:694:ARG:NH2	2:A:801:GDP:H5'	2.23	0.48
1:A:575:GLU:OE2	1:A:583:ARG:NE	2.45	0.46
1:A:633:PRO:HB2	1:A:637:PRO:HA	1.96	0.46
1:A:412:LYS:HB2	1:A:429:TYR:CE2	2.51	0.46
1:A:614:ARG:NH2	2:A:801:GDP:H1'	2.31	0.45
1:A:416:PRO:HG2	1:A:421:ASP:OD1	2.16	0.45
1:A:438:ALA:HB1	1:A:462:LEU:HD23	1.99	0.45
1:A:556:PRO:HG2	1:A:559:ILE:HG13	1.99	0.45
1:A:575:GLU:OE1	1:A:583:ARG:NH2	2.49	0.44
1:A:451:GLU:HG2	1:A:573:LEU:CD2	2.43	0.43
1:A:633:PRO:O	1:A:637:PRO:HB3	2.18	0.43
1:A:427:PHE:CD1	1:A:427:PHE:N	2.87	0.43
1:A:533:PHE:HB3	1:A:544:TRP:CE3	2.55	0.42
1:A:569:LYS:HB3	1:A:570:TRP:CE3	2.55	0.42
1:A:523:GLN:HE22	1:A:574:TYR:N	2.18	0.41
1:A:340:LEU:O	1:A:344:LEU:HG	2.20	0.41
1:A:539:SER:OG	1:A:540:SER:N	2.54	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:494:ALA:HB1	1:A:612:TYR:HA	2.02	0.41
1:A:619:TYR:OH	2:A:801:GDP:H5''	2.21	0.41
1:A:630:VAL:HG23	1:A:630:VAL:O	2.21	0.41
1:A:435:ALA:O	1:A:439:ARG:HB3	2.20	0.41
1:A:650:ARG:HH11	1:A:650:ARG:HG3	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/410 (73%)	291 (97%)	9 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	255/345 (74%)	251 (98%)	4 (2%)	65	76

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	487	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	515	LYS
1	A	552	ARG
1	A	645	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	523	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GDP	A	801	-	24,30,30	1.18	2 (8%)	27,47,47	2.14	8 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GDP	A	801	-	-	4/12/32/32	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	GDP	C6-C5	3.97	1.48	1.41
2	A	801	GDP	C5-C4	3.07	1.47	1.40

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	GDP	C2-N3-C4	4.99	121.06	115.36
2	A	801	GDP	C6-N1-C2	4.22	122.07	116.06
2	A	801	GDP	PA-O3A-PB	-4.03	119.77	132.57
2	A	801	GDP	C4'-O4'-C1'	-3.92	105.74	109.83
2	A	801	GDP	C5-C6-N1	-3.87	118.09	123.47
2	A	801	GDP	C6-C5-C4	-3.30	117.61	120.79
2	A	801	GDP	N3-C2-N1	-3.13	123.02	127.25
2	A	801	GDP	C4-C5-N7	-2.65	106.64	109.40

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	GDP	C5'-O5'-PA-O3A
2	A	801	GDP	C5'-O5'-PA-O2A
2	A	801	GDP	C3'-C4'-C5'-O5'
2	A	801	GDP	O4'-C4'-C5'-O5'


There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	GDP	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	308/410 (75%)	0.36	18 (5%) 23 20	48, 76, 113, 142	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	486	THR	6.2
1	A	629	ARG	4.7
1	A	488	TRP	4.4
1	A	487	GLN	4.2
1	A	424	THR	3.6
1	A	667	ALA	3.5
1	A	626	SER	3.1
1	A	574	TYR	2.9
1	A	537	ALA	2.8
1	A	643	ASN	2.6
1	A	508	ARG	2.6
1	A	644	TRP	2.4
1	A	662	GLN	2.4
1	A	642	ARG	2.3
1	A	492	GLU	2.1
1	A	556	PRO	2.1
1	A	559	ILE	2.1
1	A	647	ARG	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GDP	A	801	28/28	0.78	0.30	103,112,134,136	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around GDP A 801:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.