



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 18, 2018 – 05:34 pm GMT

PDB ID : 1PPI  
Title : THE ACTIVE CENTER OF A MAMMALIAN ALPHA-AMYLASE. THE STRUCTURE OF THE COMPLEX OF A PANCREATIC ALPHA-AMYLASE WITH A CARBOHYDRATE INHIBITOR REFINED TO 2.2 ANGSTROMS RESOLUTION  
Authors : Qian, M.; Haser, R.; Payan, F.  
Deposited on : 1994-02-22  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30686


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	122078	5026 (2.20-2.20)
Ramachandran outliers	120005	4951 (2.20-2.20)
Sidechain outliers	119972	4952 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	496	 81% 17% .

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 4358 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ALPHA-AMYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	496	3908	2469	687	731	21	0	0	0

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	49	VAL	ILE	CONFLICT	UNP P00690
A	243	LYS	GLN	CONFLICT	UNP P00690
A	310	SER	ALA	CONFLICT	UNP P00690

- Molecule 2 is ALPHA-D-GLUCOSE (three-letter code: GLC) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			11	6	5		

- Molecule 3 is 4,6-dideoxy-4-[[[(1S,5R,6S)-3-formyl-5,6-dihydroxy-4-oxocyclohex-2-en-1-yl]amino]-alpha-D-xyllo-hex-5-enopyranose (three-letter code: DAF) (formula:  $C_{13}H_{17}NO_8$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			21	13	1	7		

- Molecule 4 is BETA-D-GLUCOSE (three-letter code: BGC) (formula:  $C_6H_{12}O_6$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			12	6	6		

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cl	0	0
			1	1		

- Molecule 6 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Ca	0	0
			1	1		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	393	Total	O	0	0
			393	393		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: ALPHA-AMYLASE



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	56.30 Å 87.80 Å 103.40 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.20	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-2.20)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.153 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4358	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	13.0	wwPDB-VP

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, DAF, BGC, CA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.94	6/4018 (0.1%)	1.68	92/5459 (1.7%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	2	TYR	CE1-CZ	-6.35	1.30	1.38
1	A	383	VAL	CA-CB	5.84	1.67	1.54
1	A	258	TYR	CE1-CZ	-5.24	1.31	1.38
1	A	469	VAL	CA-CB	5.14	1.65	1.54
1	A	276	TYR	CG-CD2	-5.12	1.32	1.39
1	A	434	TRP	CG-CD1	-5.11	1.29	1.36

All (92) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	343	ARG	NE-CZ-NH2	-18.81	110.90	120.30
1	A	72	ARG	NE-CZ-NH2	-15.34	112.63	120.30
1	A	343	ARG	NE-CZ-NH1	15.04	127.82	120.30
1	A	195	ARG	NE-CZ-NH1	13.80	127.20	120.30
1	A	72	ARG	NE-CZ-NH1	13.50	127.05	120.30
1	A	176	ARG	NE-CZ-NH1	12.67	126.64	120.30
1	A	252	ARG	NE-CZ-NH2	-11.94	114.33	120.30
1	A	195	ARG	NE-CZ-NH2	-11.30	114.65	120.30
1	A	252	ARG	NE-CZ-NH1	11.29	125.95	120.30
1	A	176	ARG	NE-CZ-NH2	-11.23	114.69	120.30
1	A	10	ARG	NE-CZ-NH1	9.81	125.20	120.30
1	A	434	TRP	CD1-CG-CD2	9.78	114.12	106.30
1	A	227	ARG	NE-CZ-NH2	-9.68	115.46	120.30
1	A	344	TRP	CD1-CG-CD2	9.38	113.80	106.30
1	A	337	ARG	NE-CZ-NH1	9.34	124.97	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	280	TRP	CD1-CG-CD2	9.33	113.76	106.30
1	A	19	TRP	CD1-CG-CD2	9.25	113.70	106.30
1	A	58	TRP	CD1-CG-CD2	8.94	113.45	106.30
1	A	221	TRP	CD1-CG-CD2	8.79	113.33	106.30
1	A	203	TRP	CD1-CG-CD2	8.67	113.23	106.30
1	A	389	ARG	NE-CZ-NH1	8.45	124.53	120.30
1	A	134	TRP	CD1-CG-CD2	8.12	112.79	106.30
1	A	316	TRP	CD1-CG-CD2	8.10	112.78	106.30
1	A	10	ARG	NE-CZ-NH2	-8.01	116.30	120.30
1	A	382	TRP	CD1-CG-CD2	7.95	112.66	106.30
1	A	227	ARG	NE-CZ-NH1	7.95	124.27	120.30
1	A	284	TRP	CD1-CG-CD2	7.95	112.66	106.30
1	A	280	TRP	CE2-CD2-CG	-7.79	101.07	107.30
1	A	434	TRP	CE2-CD2-CG	-7.74	101.11	107.30
1	A	124	ARG	NE-CZ-NH2	-7.73	116.44	120.30
1	A	410	TRP	CD1-CG-CD2	7.65	112.42	106.30
1	A	409	TRP	CD1-CG-CD2	7.61	112.39	106.30
1	A	388	TRP	CD1-CG-CD2	7.59	112.37	106.30
1	A	316	TRP	CG-CD2-CE3	7.58	140.72	133.90
1	A	344	TRP	CE2-CD2-CG	-7.53	101.28	107.30
1	A	203	TRP	CE2-CD2-CG	-7.51	101.29	107.30
1	A	2	TYR	CB-CG-CD1	-7.48	116.51	121.00
1	A	284	TRP	CE2-CD2-CG	-7.45	101.34	107.30
1	A	59	TRP	CD1-CG-CD2	7.43	112.24	106.30
1	A	269	TRP	CD1-CG-CD2	7.42	112.24	106.30
1	A	221	TRP	CE2-CD2-CG	-7.39	101.38	107.30
1	A	316	TRP	CE2-CD2-CG	-7.35	101.42	107.30
1	A	389	ARG	NE-CZ-NH2	-7.33	116.64	120.30
1	A	134	TRP	CE2-CD2-CG	-7.32	101.44	107.30
1	A	59	TRP	CE2-CD2-CG	-7.28	101.47	107.30
1	A	58	TRP	CE2-CD2-CG	-7.21	101.53	107.30
1	A	19	TRP	CE2-CD2-CG	-7.17	101.56	107.30
1	A	396	TRP	CD1-CG-CD2	7.13	112.01	106.30
1	A	424	ARG	NE-CZ-NH1	7.08	123.84	120.30
1	A	410	TRP	CE2-CD2-CG	-6.87	101.80	107.30
1	A	316	TRP	CB-CG-CD1	-6.84	118.11	127.00
1	A	21	TRP	CE2-CD2-CG	-6.83	101.83	107.30
1	A	21	TRP	CD1-CG-CD2	6.78	111.72	106.30
1	A	30	ARG	NE-CZ-NH2	-6.77	116.92	120.30
1	A	124	ARG	NE-CZ-NH1	6.76	123.68	120.30
1	A	382	TRP	CE2-CD2-CG	-6.74	101.91	107.30
1	A	20	ARG	NE-CZ-NH1	6.73	123.66	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	396	TRP	CE2-CD2-CG	-6.72	101.92	107.30
1	A	409	TRP	CE2-CD2-CG	-6.70	101.94	107.30
1	A	357	TRP	CD1-CG-CD2	6.43	111.45	106.30
1	A	269	TRP	CE2-CD2-CG	-6.35	102.22	107.30
1	A	357	TRP	CE2-CD2-CG	-6.34	102.23	107.30
1	A	421	ARG	NE-CZ-NH1	6.16	123.38	120.30
1	A	21	TRP	CG-CD2-CE3	6.15	139.44	133.90
1	A	342	TYR	CB-CG-CD2	-6.15	117.31	121.00
1	A	382	TRP	CG-CD2-CE3	6.14	139.43	133.90
1	A	30	ARG	NE-CZ-NH1	6.12	123.36	120.30
1	A	59	TRP	CB-CG-CD1	-5.91	119.32	127.00
1	A	417	VAL	N-CA-CB	-5.87	98.58	111.50
1	A	388	TRP	CE2-CD2-CG	-5.87	102.61	107.30
1	A	14	VAL	CB-CA-C	-5.84	100.30	111.40
1	A	134	TRP	CB-CG-CD1	-5.81	119.44	127.00
1	A	356	ASP	CB-CG-OD1	5.78	123.51	118.30
1	A	280	TRP	CB-CG-CD1	-5.76	119.51	127.00
1	A	280	TRP	CG-CD2-CE3	5.71	139.04	133.90
1	A	118	TYR	CB-CG-CD2	-5.61	117.64	121.00
1	A	284	TRP	CG-CD2-CE3	5.54	138.89	133.90
1	A	382	TRP	CB-CG-CD1	-5.46	119.90	127.00
1	A	410	TRP	CB-CG-CD1	-5.43	119.94	127.00
1	A	58	TRP	CB-CG-CD1	-5.37	120.02	127.00
1	A	59	TRP	CG-CD2-CE3	5.30	138.67	133.90
1	A	476	GLN	CB-CG-CD	5.29	125.35	111.60
1	A	410	TRP	CG-CD2-CE3	5.27	138.64	133.90
1	A	387	ARG	NE-CZ-NH1	5.23	122.92	120.30
1	A	274	MET	CG-SD-CE	-5.21	91.87	100.20
1	A	357	TRP	CG-CD1-NE1	-5.14	104.96	110.10
1	A	134	TRP	CG-CD2-CE3	5.12	138.51	133.90
1	A	273	LYS	CB-CG-CD	-5.12	98.29	111.60
1	A	203	TRP	CG-CD1-NE1	-5.09	105.01	110.10
1	A	58	TRP	CG-CD2-CE3	5.08	138.47	133.90
1	A	158	ARG	CA-CB-CG	-5.06	102.27	113.40
1	A	280	TRP	CG-CD1-NE1	-5.01	105.09	110.10

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3908	0	3687	23	0
2	A	22	0	19	0	0
3	A	21	0	15	1	0
4	A	12	0	11	0	0
5	A	1	0	0	0	0
6	A	1	0	0	0	0
7	A	393	0	0	0	0
All	All	4358	0	3732	24	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (24) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:446:GLY:HA2	1:A:469:VAL:HG22	1.67	0.76
1:A:170:LEU:O	1:A:176:ARG:HD2	1.92	0.70
1:A:7:GLN:HB3	1:A:10:ARG:HD3	1.84	0.59
1:A:7:GLN:HE21	1:A:10:ARG:HD2	1.68	0.57
1:A:279:ASN:H	1:A:279:ASN:HD22	1.55	0.55
1:A:10:ARG:HB3	1:A:38:GLY:HA2	1.88	0.55
1:A:31:TYR:OH	1:A:392:ARG:HG3	2.07	0.53
3:A:992:DAF:H3H	3:A:992:DAF:H6	1.91	0.52
1:A:1:GLN:HG3	1:A:250:ASN:O	2.11	0.51
1:A:4:PRO:HA	1:A:229:PHE:CG	2.47	0.50
1:A:436:LEU:O	1:A:478:SER:HA	2.13	0.48
1:A:105:SER:HB3	1:A:166:LEU:HD21	1.99	0.45
1:A:318:ALA:O	1:A:322:LYS:HE3	2.18	0.44
1:A:10:ARG:HH22	1:A:33:GLY:HA2	1.83	0.44
1:A:25:ALA:HB2	1:A:82:MET:HA	1.99	0.43
1:A:10:ARG:NH2	1:A:33:GLY:HA2	2.33	0.43
1:A:440:LEU:O	1:A:474:THR:HA	2.19	0.43
1:A:348:PHE:HA	1:A:352:GLU:O	2.18	0.43
1:A:1:GLN:NE2	1:A:211:LEU:HG	2.33	0.42
1:A:291:ARG:HA	1:A:291:ARG:HD3	1.80	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:274:MET:HB3	1:A:274:MET:HE2	1.96	0.42
1:A:418:ALA:HB1	1:A:426:PHE:CZ	2.54	0.41
1:A:264:THR:HG22	1:A:272:GLU:HG3	2.02	0.41
1:A:462:CYS:SG	1:A:466:LYS:HG2	2.60	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	494/496 (100%)	483 (98%)	11 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	413/413 (100%)	389 (94%)	24 (6%)	22	26

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	49	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	92	ARG
1	A	115	CYS
1	A	130	PRO
1	A	134	TRP
1	A	162	LEU
1	A	168	LEU
1	A	170	LEU
1	A	186	LEU
1	A	211	LEU
1	A	227	ARG
1	A	262	LEU
1	A	279	ASN
1	A	320	LEU
1	A	329	LEU
1	A	349	VAL
1	A	366	VAL
1	A	383	VAL
1	A	435	GLN
1	A	440	LEU
1	A	469	VAL
1	A	484	GLU
1	A	496	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	53	ASN
1	A	75	ASN
1	A	279	ASN
1	A	373	ASN
1	A	399	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	GLC	A	990	2	11,11,12	1.37	1 (9%)	15,15,17	0.89	0
2	GLC	A	991	3,2	11,11,12	0.74	0	15,15,17	1.26	2 (13%)
3	DAF	A	992	2,4	20,22,23	4.92	8 (40%)	13,32,34	3.22	7 (53%)
4	BGC	A	993	3	12,12,12	0.79	0	17,17,17	1.29	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	A	990	2	-	0/2/19/22	0/1/1/1
2	GLC	A	991	3,2	-	0/2/19/22	0/1/1/1
3	DAF	A	992	2,4	-	3/5/43/46	0/2/2/2
4	BGC	A	993	3	-	0/2/22/22	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	990	GLC	O5-C1	-3.81	1.37	1.43
3	A	992	DAF	C7H-C5H	2.32	1.52	1.45
3	A	992	DAF	C3H-C4H	2.39	1.55	1.52
3	A	992	DAF	C1H-C6H	3.13	1.54	1.50
3	A	992	DAF	O5-C5	3.82	1.43	1.37
3	A	992	DAF	C5H-C4H	4.07	1.53	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	992	DAF	O7H-C7H	9.33	1.43	1.22
3	A	992	DAF	O4H-C4H	12.13	1.43	1.22
3	A	992	DAF	C6-C5	13.73	1.49	1.31

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	992	DAF	O7H-C7H-C5H	-6.95	107.04	125.32
3	A	992	DAF	O4H-C4H-C3H	-6.91	111.41	120.12
4	A	993	BGC	O4-C4-C3	-3.04	103.25	110.34
4	A	993	BGC	C4-C3-C2	-2.55	106.35	110.83
3	A	992	DAF	O2-C2-C3	-2.23	105.83	110.19
2	A	991	GLC	C2-C3-C4	-2.21	107.03	110.87
3	A	992	DAF	C7H-C5H-C4H	-2.19	118.07	120.02
3	A	992	DAF	O2H-C2H-C1H	2.33	113.87	109.20
3	A	992	DAF	C1-C2-C3	2.53	112.85	109.66
2	A	991	GLC	C1-C2-C3	2.73	113.12	109.66
3	A	992	DAF	C6H-C1H-N4	3.54	116.02	110.88

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	992	DAF	O7H-C7H-C5H-C4H
3	A	992	DAF	O7H-C7H-C5H-C6H
3	A	992	DAF	C6H-C1H-N4-C4

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	992	DAF	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.