



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 16, 2018 – 02:14 am GMT

PDB ID : 1PSC
Title : PHOSPHOTRIESTERASE FROM PSEUDOMONAS DIMINUTA
Authors : Benning, M.M.; Holden, H.M.
Deposited on : 1995-04-25
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30686


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	122078	8264 (2.00-2.00)
Ramachandran outliers	120005	8163 (2.00-2.00)
Sidechain outliers	119972	8162 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	365	
1	B	365	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5483 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PHOSPHOTRIESTERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	S	0	0	0
			2508	1589	446	466	7			
1	B	330	Total	C	N	O	S	0	0	0
			2513	1592	447	467	7			

- Molecule 2 is CADMIUM ION (three-letter code: CD) (formula: Cd).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Cd	0	0
			2	2		
2	A	2	Total	Cd	0	0
			2	2		

- Molecule 3 is DIETHYL 4-METHYLBENZYLPHOSPHONATE (three-letter code: EBP) (formula: C₁₂H₁₉O₃P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			16	12	3	1		
3	B	1	Total	C	O	P	0	0
			16	12	3	1		

- Molecule 4 is FORMIC ACID (three-letter code: FMT) (formula: CH_2O_2).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			3	1	2		
4	B	1	Total	C	O	0	0
			3	1	2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	204	Total	O	0	0
			204	204		
5	B	216	Total	O	0	0
			216	216		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: PHOSPHOTRIESTERASE



• Molecule 1: PHOSPHOTRIESTERASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	129.50Å 91.40Å 69.40Å 90.00° 91.90° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00	Depositor
% Data completeness (in resolution range)	(Not available) (30.00-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT	Depositor
R, R_{free}	0.152 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5483	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMT, EBP, CD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.06	12/2556 (0.5%)	1.52	40/3472 (1.2%)
1	B	1.01	14/2561 (0.5%)	1.47	39/3479 (1.1%)
All	All	1.04	26/5117 (0.5%)	1.50	79/6951 (1.1%)

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	81	GLU	CD-OE1	6.61	1.32	1.25
1	B	181	GLU	CD-OE1	6.56	1.32	1.25
1	A	115	GLU	CD-OE1	6.51	1.32	1.25
1	B	210	GLU	CD-OE1	6.41	1.32	1.25
1	A	181	GLU	CD-OE1	6.33	1.32	1.25
1	A	139	ARG	CZ-NH1	6.27	1.41	1.33
1	B	48	GLU	CD-OE1	6.23	1.32	1.25
1	A	338	GLU	CD-OE2	6.01	1.32	1.25
1	B	153	GLU	CD-OE1	5.91	1.32	1.25
1	A	344	GLU	CD-OE2	5.89	1.32	1.25
1	B	344	GLU	CD-OE2	5.87	1.32	1.25
1	B	81	GLU	CD-OE1	5.86	1.32	1.25
1	B	145	GLU	CD-OE1	5.74	1.31	1.25
1	B	159	GLU	CD-OE1	5.72	1.31	1.25
1	A	219	GLU	CD-OE1	5.59	1.31	1.25
1	A	144	GLU	CD-OE1	5.55	1.31	1.25
1	B	159	GLU	CD-OE2	-5.52	1.19	1.25
1	B	115	GLU	CD-OE1	5.46	1.31	1.25
1	B	338	GLU	CD-OE2	5.46	1.31	1.25
1	A	263	GLU	CD-OE1	5.24	1.31	1.25
1	A	210	GLU	CD-OE2	-5.24	1.19	1.25
1	B	210	GLU	CD-OE2	-5.18	1.20	1.25
1	A	219	GLU	CD-OE2	-5.14	1.20	1.25
1	B	263	GLU	CD-OE1	5.03	1.31	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	144	GLU	CD-OE1	5.02	1.31	1.25
1	A	145	GLU	CD-OE1	5.01	1.31	1.25

All (79) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	139	ARG	NE-CZ-NH1	28.53	134.56	120.30
1	A	164	ARG	NE-CZ-NH1	15.80	128.20	120.30
1	B	356	ARG	NE-CZ-NH2	-14.20	113.20	120.30
1	B	356	ARG	NE-CZ-NH1	13.53	127.07	120.30
1	B	275	ARG	NE-CZ-NH2	-13.30	113.65	120.30
1	B	139	ARG	NE-CZ-NH1	11.69	126.15	120.30
1	A	139	ARG	NH1-CZ-NH2	-10.74	107.58	119.40
1	B	85	ARG	NE-CZ-NH2	-9.40	115.60	120.30
1	B	225	ARG	NE-CZ-NH2	-9.20	115.70	120.30
1	B	139	ARG	NE-CZ-NH2	-8.81	115.90	120.30
1	B	275	ARG	NE-CZ-NH1	8.61	124.61	120.30
1	A	100	ASP	CB-CG-OD2	8.43	125.89	118.30
1	A	133	ASP	CB-CG-OD1	-8.42	110.72	118.30
1	B	323	ASP	CB-CG-OD1	-8.34	110.80	118.30
1	B	225	ARG	NE-CZ-NH1	8.34	124.47	120.30
1	A	208	ASP	CB-CG-OD2	8.31	125.78	118.30
1	A	232	ASP	CB-CG-OD2	8.27	125.75	118.30
1	A	264	ASP	CB-CG-OD1	-7.93	111.17	118.30
1	A	109	ASP	CB-CG-OD1	7.91	125.42	118.30
1	B	152	ARG	NE-CZ-NH2	-7.90	116.35	120.30
1	B	323	ASP	CB-CG-OD2	7.71	125.24	118.30
1	A	235	ASP	CB-CG-OD1	-7.70	111.37	118.30
1	B	208	ASP	CB-CG-OD1	-7.67	111.40	118.30
1	B	301	ASP	CB-CG-OD2	7.57	125.11	118.30
1	A	208	ASP	CB-CG-OD1	-7.47	111.58	118.30
1	B	109	ASP	CB-CG-OD1	7.37	124.93	118.30
1	B	100	ASP	CB-CG-OD2	7.35	124.92	118.30
1	B	121	ASP	CB-CG-OD2	-7.30	111.73	118.30
1	B	118	ARG	NE-CZ-NH1	7.12	123.86	120.30
1	A	118	ARG	NE-CZ-NH1	7.12	123.86	120.30
1	B	85	ARG	NE-CZ-NH1	7.06	123.83	120.30
1	A	133	ASP	CB-CG-OD2	6.99	124.59	118.30
1	B	108	ARG	NE-CZ-NH2	-6.92	116.84	120.30
1	A	356	ARG	NE-CZ-NH1	6.87	123.73	120.30
1	B	315	ASP	CB-CG-OD2	-6.85	112.13	118.30
1	A	100	ASP	CB-CG-OD1	-6.85	112.14	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	253	ASP	CB-CG-OD2	6.82	124.43	118.30
1	A	85	ARG	NE-CZ-NH2	-6.63	116.99	120.30
1	A	239	TYR	CB-CG-CD2	-6.61	117.03	121.00
1	B	280	ARG	NE-CZ-NH1	6.56	123.58	120.30
1	B	109	ASP	CB-CG-OD2	-6.53	112.42	118.30
1	A	315	ASP	CB-CG-OD1	-6.43	112.51	118.30
1	B	337	ARG	NE-CZ-NH1	6.41	123.51	120.30
1	A	109	ASP	CB-CG-OD2	-6.39	112.55	118.30
1	A	207	ARG	NE-CZ-NH1	6.38	123.49	120.30
1	B	121	ASP	CB-CG-OD1	6.37	124.04	118.30
1	A	36	ARG	NE-CZ-NH1	6.26	123.43	120.30
1	B	152	ARG	NE-CZ-NH1	6.24	123.42	120.30
1	A	239	TYR	CB-CG-CD1	6.22	124.73	121.00
1	A	235	ASP	CB-CG-OD2	6.21	123.89	118.30
1	B	253	ASP	CB-CG-OD1	-6.02	112.88	118.30
1	A	253	ASP	CB-CG-OD2	5.99	123.69	118.30
1	A	225	ARG	NE-CZ-NH2	-5.98	117.31	120.30
1	B	203	ALA	N-CA-C	-5.95	94.93	111.00
1	A	105	ASP	CB-CG-OD1	-5.77	113.11	118.30
1	A	203	ALA	N-CA-C	-5.74	95.51	111.00
1	A	356	ARG	NE-CZ-NH2	-5.71	117.44	120.30
1	B	189	ARG	NE-CZ-NH1	5.70	123.15	120.30
1	A	164	ARG	NH1-CZ-NH2	-5.65	113.18	119.40
1	A	323	ASP	CB-CG-OD2	5.44	123.19	118.30
1	A	315	ASP	CB-CG-OD2	5.43	123.19	118.30
1	B	275	ARG	CG-CD-NE	5.40	123.15	111.80
1	B	315	ASP	CB-CG-OD1	5.39	123.15	118.30
1	A	88	ARG	NE-CZ-NH1	5.38	122.99	120.30
1	B	100	ASP	CB-CG-OD1	-5.38	113.46	118.30
1	B	108	ARG	NE-CZ-NH1	5.37	122.98	120.30
1	B	319	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	A	172	THR	N-CA-CB	5.34	120.45	110.30
1	A	121	ASP	CB-CG-OD2	-5.30	113.53	118.30
1	A	72	PHE	CB-CG-CD1	-5.24	117.13	120.80
1	A	105	ASP	CB-CG-OD2	5.24	123.02	118.30
1	B	164	ARG	NE-CZ-NH1	5.21	122.91	120.30
1	B	232	ASP	CB-CG-OD2	5.20	122.98	118.30
1	A	232	ASP	CB-CG-OD1	-5.17	113.65	118.30
1	A	337	ARG	NE-CZ-NH1	5.12	122.86	120.30
1	B	133	ASP	CB-CG-OD2	5.12	122.90	118.30
1	A	89	ARG	NE-CZ-NH1	5.11	122.86	120.30
1	A	264	ASP	CB-CG-OD2	5.10	122.89	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	45	THR	CA-CB-CG2	-5.03	105.36	112.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2508	0	2528	28	0
1	B	2513	0	2533	34	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	16	0	19	0	0
3	B	16	0	19	0	0
4	A	3	0	0	1	0
4	B	3	0	0	1	0
5	A	204	0	0	3	0
5	B	216	0	0	5	0
All	All	5483	0	5099	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:237:LEU:HD21	1:B:290:GLN:HE22	1.47	0.79
1:B:132:PHE:HZ	1:B:201:HIS:CE1	2.04	0.75
1:A:262:LEU:HD21	1:A:316:VAL:HG13	1.70	0.73
1:B:344:GLU:HG3	5:B:1014:HOH:O	1.93	0.68
1:B:84:VAL:O	1:B:88:ARG:HG3	1.96	0.65
1:A:176:ALA:N	1:A:211:GLN:OE1	2.30	0.65
1:B:353:ASN:HB2	1:B:354:PRO:HD3	1.80	0.64
1:A:262:LEU:HD21	1:A:316:VAL:CG1	2.29	0.62
1:A:294:LYS:O	1:A:356:ARG:NH2	2.33	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:333:ILE:HB	1:A:334:PRO:HD3	1.81	0.60
1:A:261:GLY:H	1:A:263:GLU:CD	2.07	0.58
1:B:259:ALA:O	1:B:262:LEU:HB2	2.03	0.58
1:B:35:ASP:N	5:B:1021:HOH:O	2.36	0.57
1:B:264:ASP:N	1:B:264:ASP:OD1	2.36	0.57
1:B:177:THR:HB	1:B:178:PRO:HD2	1.88	0.56
1:A:242:ALA:HB3	5:A:1057:HOH:O	2.04	0.56
1:B:261:GLY:H	1:B:263:GLU:CD	2.10	0.55
1:B:110:VAL:HG22	1:B:163:ILE:HD13	1.91	0.52
1:B:333:ILE:HG23	1:B:346:LEU:HD13	1.93	0.51
1:B:329:PRO:HA	1:B:333:ILE:HD13	1.93	0.51
1:A:177:THR:HB	1:A:178:PRO:HD2	1.94	0.50
1:B:106:ILE:HG22	1:B:106:ILE:O	2.11	0.50
1:B:145:GLU:O	1:B:148:GLN:HB2	2.11	0.49
1:A:202:THR:HB	1:A:208:ASP:HB2	1.95	0.48
1:A:106:ILE:O	1:A:106:ILE:HG22	2.13	0.48
1:B:262:LEU:HD21	1:B:319:ARG:NH2	2.28	0.48
1:B:302:TRP:CH2	1:B:321:ASN:HB3	2.48	0.48
1:A:84:VAL:O	1:A:88:ARG:HG3	2.14	0.47
1:A:339:LYS:HA	1:A:339:LYS:HD3	1.61	0.47
1:B:255:ILE:HB	1:B:256:PRO:HD3	1.98	0.46
1:B:173:THR:HG23	1:B:173:THR:O	2.16	0.45
1:A:302:TRP:CH2	1:A:321:ASN:HB3	2.51	0.45
1:B:132:PHE:HZ	1:B:201:HIS:NE2	2.15	0.44
1:B:202:THR:HB	1:B:208:ASP:HB2	1.98	0.44
1:B:330:LEU:O	1:B:334:PRO:HG2	2.18	0.44
1:A:262:LEU:HD12	1:A:319:ARG:NH2	2.33	0.44
1:A:110:VAL:HG22	1:A:163:ILE:HD13	1.98	0.44
1:A:139:ARG:HG2	5:A:1087:HOH:O	2.18	0.43
1:B:353:ASN:N	1:B:354:PRO:HD2	2.33	0.43
1:A:201:HIS:C	1:A:201:HIS:CD2	2.91	0.43
1:B:96:ARG:HD3	5:B:989:HOH:O	2.17	0.43
1:A:353:ASN:HB2	1:A:354:PRO:HD3	2.00	0.43
1:A:133:ASP:N	1:A:134:PRO:CD	2.81	0.43
1:A:236:ASP:OD1	1:A:238:SER:OG	2.26	0.43
1:A:46:ILE:H	1:A:46:ILE:HG12	1.56	0.43
1:B:333:ILE:N	1:B:334:PRO:CD	2.81	0.43
1:B:201:HIS:HB2	4:B:902:FMT:O2	2.20	0.42
1:A:230:HIS:O	1:A:233:ASP:HB2	2.20	0.42
1:B:333:ILE:N	1:B:334:PRO:HD2	2.35	0.42
1:A:110:VAL:HG22	1:A:163:ILE:CD1	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:309:TYR:HD2	1:B:313:ILE:HG12	1.85	0.41
1:A:321:ASN:HA	1:A:322:PRO:HD2	1.86	0.41
1:A:35:ASP:N	5:A:1025:HOH:O	2.52	0.41
1:B:52:THR:HA	1:B:97:THR:O	2.21	0.41
1:B:131:TRP:CG	1:B:132:PHE:N	2.86	0.41
1:B:132:PHE:CE1	1:B:171:ALA:HB1	2.56	0.41
1:A:286:ALA:O	1:A:290:GLN:HG2	2.21	0.41
1:A:201:HIS:HB2	4:A:901:FMT:O1	2.20	0.41
1:B:177:THR:O	1:B:181:GLU:HG3	2.21	0.41
1:B:249:LEU:HD21	5:B:999:HOH:O	2.20	0.41
1:B:88:ARG:NH2	5:B:1065:HOH:O	2.48	0.40
1:A:57:HIS:O	1:A:303:LEU:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	327/365 (90%)	317 (97%)	10 (3%)	0	100	100
1	B	328/365 (90%)	320 (98%)	7 (2%)	1 (0%)	43	39
All	All	655/730 (90%)	637 (97%)	17 (3%)	1 (0%)	49	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	263	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/286 (92%)	245 (93%)	18 (7%)	17	12
1	B	263/286 (92%)	250 (95%)	13 (5%)	27	23
All	All	526/572 (92%)	495 (94%)	31 (6%)	21	16

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	ARG
1	A	51	PHE
1	A	77	LYS
1	A	201	HIS
1	A	211	GLN
1	A	249	LEU
1	A	262	LEU
1	A	263	GLU
1	A	264	ASP
1	A	267	SER
1	A	271	LEU
1	A	299	SER
1	A	303	LEU
1	A	306	PHE
1	A	314	MET
1	A	337	ARG
1	A	339	LYS
1	A	362	LEU
1	B	36	ARG
1	B	51	PHE
1	B	77	LYS
1	B	132	PHE
1	B	148	GLN
1	B	264	ASP
1	B	290	GLN
1	B	299	SER
1	B	303	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	306	PHE
1	B	314	MET
1	B	337	ARG
1	B	362	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	212	GLN
1	A	290	GLN
1	A	295	GLN
1	B	148	GLN
1	B	212	GLN
1	B	290	GLN
1	B	312	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EBP	A	900	-	16,16,16	1.29	2 (12%)	21,21,21	0.81	0
4	FMT	A	901	1,2	0,2,2	0.00	-	0,1,1	0.00	-
3	EBP	B	901	-	16,16,16	1.31	2 (12%)	21,21,21	1.22	2 (9%)
4	FMT	B	902	1,2	0,2,2	0.00	-	0,1,1	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EBP	A	900	-	-	0/13/13/13	0/1/1/1
4	FMT	A	901	1,2	-	0/0/0/0	0/0/0/0
3	EBP	B	901	-	-	0/13/13/13	0/1/1/1
4	FMT	B	902	1,2	-	0/0/0/0	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	900	EBP	C3-C2	2.79	1.43	1.38
3	B	901	EBP	C6-C5	2.83	1.43	1.38
3	A	900	EBP	C6-C5	2.99	1.44	1.38
3	B	901	EBP	C3-C2	3.10	1.44	1.38

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	901	EBP	C6-C5-C4	-2.39	118.26	121.39
3	B	901	EBP	O1-P-C7	2.55	111.15	104.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	901	FMT	1	0
4	B	902	FMT	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.