



# wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 7, 2019 – 09:40 AM EDT

PDB ID : 6Q2M  
Title : Crystal structure of Photinus pyralis Luciferase Pps6 mutant in complex with DLSA  
Authors : Patel, K.D.; Gulick, A.M.  
Deposited on : 2019-08-08  
Resolution : 2.75 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.0 (224370), CSD as540be (2019)  
Xtriage (Phenix) : 1.13  
EDS : 2.4  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.4


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	4013 (2.80-2.72)
Clashscore	122126	1029 (2.78-2.74)
Ramachandran outliers	120053	1013 (2.78-2.74)
Sidechain outliers	120020	1013 (2.78-2.74)
RSRZ outliers	108989	3920 (2.80-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	555	<div> <div>3%</div> <div>77%</div> <div>21%</div> <div>.</div> </div>
1	B	555	<div> <div>8%</div> <div>72%</div> <div>21%</div> <div>8%</div> </div>
1	C	555	<div> <div>4%</div> <div>52%</div> <div>26%</div> <div>.</div> <div>21%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	C	602	-	-	-	X
4	EDO	C	620	-	-	X	-

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 11970 atoms, of which 2 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Luciferin 4-monooxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	544	Total	C	N	O	S	0	1	0
			4171	2686	701	766	18			
1	B	512	Total	C	N	O	S	0	0	0
			3766	2411	640	698	17			
1	C	438	Total	C	N	O	S	0	0	0
			3352	2164	560	610	18			

There are 33 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP P08659
A	-3	PRO	-	expression tag	UNP P08659
A	-2	LEU	-	expression tag	UNP P08659
A	-1	GLY	-	expression tag	UNP P08659
A	0	SER	-	expression tag	UNP P08659
A	214	ASN	THR	engineered mutation	UNP P08659
A	222	CYS	ALA	engineered mutation	UNP P08659
A	255	PHE	TYR	engineered mutation	UNP P08659
A	276	THR	SER	engineered mutation	UNP P08659
A	332	ASN	HIS	engineered mutation	UNP P08659
A	354	ASN	GLU	engineered mutation	UNP P08659
B	-4	GLY	-	expression tag	UNP P08659
B	-3	PRO	-	expression tag	UNP P08659
B	-2	LEU	-	expression tag	UNP P08659
B	-1	GLY	-	expression tag	UNP P08659
B	0	SER	-	expression tag	UNP P08659
B	214	ASN	THR	engineered mutation	UNP P08659
B	222	CYS	ALA	engineered mutation	UNP P08659
B	255	PHE	TYR	engineered mutation	UNP P08659
B	276	THR	SER	engineered mutation	UNP P08659
B	332	ASN	HIS	engineered mutation	UNP P08659
B	354	ASN	GLU	engineered mutation	UNP P08659
C	-4	GLY	-	expression tag	UNP P08659

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	PRO	-	expression tag	UNP P08659
C	-2	LEU	-	expression tag	UNP P08659
C	-1	GLY	-	expression tag	UNP P08659
C	0	SER	-	expression tag	UNP P08659
C	214	ASN	THR	engineered mutation	UNP P08659
C	222	CYS	ALA	engineered mutation	UNP P08659
C	255	PHE	TYR	engineered mutation	UNP P08659
C	276	THR	SER	engineered mutation	UNP P08659
C	332	ASN	HIS	engineered mutation	UNP P08659
C	354	ASN	GLU	engineered mutation	UNP P08659

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0

- Molecule 3 is (2S,5S)-hexane-2,5-diol (three-letter code: DYD) (formula:  $C_6H_{14}O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			8	6	2		
3	A	1	Total	C	O	0	0
			8	6	2		
3	C	1	Total	C	O	0	0
			8	6	2		
3	C	1	Total	C	O	0	0
			8	6	2		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C H O 5 2 1 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C H O 5 2 1 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0


Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is 5'-O-[N-(DEHYDROLUCIFERYL)-SULFAMOYL] ADENOSINE (three-letter code: SLU) (formula: C<sub>21</sub>H<sub>18</sub>N<sub>8</sub>O<sub>8</sub>S<sub>3</sub>) (labeled as "Ligand of Interest" by author).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	0
			40	21	8	8	3		
5	B	1	Total	C	N	O	S	0	0
			40	21	8	8	3		
5	C	1	Total	C	N	O	S	0	0
			40	21	8	8	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	213	Total	O	0	0
			213	213		
6	B	57	Total	O	0	0
			57	57		
6	C	71	Total	O	0	0
			71	71		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Luciferin 4-monooxygenase



#### • Molecule 1: Luciferin 4-monooxygenase



#### • Molecule 1: Luciferin 4-monooxygenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	66.27Å 95.45Å 152.02Å 90.00° 101.56° 90.00°	Depositor
Resolution (Å)	44.70 – 2.75 48.03 – 2.75	Depositor EDS
% Data completeness (in resolution range)	96.9 (44.70-2.75) 90.5 (48.03-2.75)	Depositor EDS
$R_{merge}$	0.15	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.23 (at 2.77Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, $R_{free}$	0.194 , 0.218 0.194 , 0.218	Depositor DCC
$R_{free}$ test set	1998 reflections (4.26%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	40.2	Xtriage
Anisotropy	0.430	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 53.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.018 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	11970	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DYD, SLU, SO4, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.42	0/4267	0.58	0/5790
1	B	0.36	0/3844	0.56	0/5225
1	C	0.40	0/3432	0.54	0/4665
All	All	0.39	0/11543	0.56	0/15680

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4171	0	4149	111	0
1	B	3766	0	3563	98	0
1	C	3352	0	3280	177	0
2	A	5	0	0	0	0
2	B	15	0	0	0	0
2	C	10	0	0	1	0
3	A	16	0	0	3	0
3	C	16	0	0	0	0
4	A	64	1	96	7	0
4	B	28	1	42	4	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	64	0	96	13	0
5	A	40	0	16	2	0
5	B	40	0	18	5	0
5	C	40	0	17	1	0
6	A	213	0	0	7	0
6	B	57	0	0	3	0
6	C	71	0	0	7	0
All	All	11968	2	11277	391	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

The worst 5 of 391 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:461:HIS:CD2	1:A:462:PRO:HD2	1.57	1.38
4:B:607:EDO:H12	5:B:611:SLU:H1	1.20	1.15
1:A:352:THR:HG22	6:A:870:HOH:O	1.50	1.12
1:B:237:ILE:HD12	1:B:284:SER:HB3	1.23	1.09
1:C:301:ILE:HD11	1:C:330:ARG:HE	1.10	1.08

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	543/555 (98%)	532 (98%)	11 (2%)	0	100	100
1	B	498/555 (90%)	475 (95%)	22 (4%)	1 (0%)	49	73
1	C	434/555 (78%)	414 (95%)	20 (5%)	0	100	100
All	All	1475/1665 (89%)	1421 (96%)	53 (4%)	1 (0%)	53	78

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	506	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	441/467 (94%)	438 (99%)	3 (1%)	85	91
1	B	370/467 (79%)	368 (100%)	2 (0%)	90	93
1	C	352/467 (75%)	348 (99%)	4 (1%)	76	86
All	All	1163/1401 (83%)	1154 (99%)	9 (1%)	83	90

5 of 9 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	495	GLU
1	C	294	PHE
1	C	77	ARG
1	A	461	HIS
1	C	56	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	461	HIS
1	A	463	ASN
1	C	87	GLN
1	C	214	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

52 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	601	-	4,4,4	0.23	0	6,6,6	0.15	0
3	DYD	A	602	-	7,7,7	0.40	0	8,8,8	1.83	2 (25%)
3	DYD	A	603	-	7,7,7	0.47	0	8,8,8	1.58	1 (12%)
4	EDO	A	604	-	3,3,3	0.57	0	2,2,2	0.18	0
4	EDO	A	605	-	3,3,3	0.45	0	2,2,2	0.42	0
4	EDO	A	606	-	3,3,3	0.55	0	2,2,2	0.12	0
4	EDO	A	607	-	3,3,3	0.52	0	2,2,2	0.22	0
4	EDO	A	608	-	3,3,3	0.28	0	2,2,2	0.42	0
4	EDO	A	609	-	3,3,3	0.34	0	2,2,2	0.49	0
4	EDO	A	610	-	3,3,3	0.30	0	2,2,2	0.65	0
4	EDO	A	611	-	3,3,3	0.27	0	2,2,2	0.85	0
4	EDO	A	612	-	3,3,3	0.31	0	2,2,2	0.63	0
4	EDO	A	613	-	3,3,3	0.17	0	2,2,2	0.79	0
4	EDO	A	614	-	3,3,3	0.41	0	2,2,2	0.29	0
4	EDO	A	615	-	3,3,3	0.17	0	2,2,2	0.23	0
4	EDO	A	616	-	3,3,3	0.29	0	2,2,2	0.39	0
4	EDO	A	617	-	3,3,3	0.21	0	2,2,2	0.43	0
4	EDO	A	618	-	3,3,3	0.40	0	2,2,2	0.56	0
4	EDO	A	619	-	3,3,3	0.31	0	2,2,2	0.60	0
5	SLU	A	620	-	38,45,45	5.66	18 (47%)	40,68,68	4.00	16 (40%)
2	SO4	B	601	-	4,4,4	0.17	0	6,6,6	0.10	0
2	SO4	B	602	-	4,4,4	0.18	0	6,6,6	0.06	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	B	603	-	4,4,4	0.17	0	6,6,6	0.05	0
4	EDO	B	604	-	3,3,3	0.51	0	2,2,2	0.26	0
4	EDO	B	605	-	3,3,3	0.49	0	2,2,2	0.27	0
4	EDO	B	606	-	3,3,3	0.50	0	2,2,2	0.22	0
4	EDO	B	607	-	3,3,3	0.16	0	2,2,2	0.34	0
4	EDO	B	608	-	3,3,3	0.34	0	2,2,2	0.47	0
4	EDO	B	609	-	3,3,3	0.24	0	2,2,2	0.47	0
4	EDO	B	610	-	3,3,3	0.20	0	2,2,2	0.67	0
5	SLU	B	611	-	38,45,45	2.09	12 (31%)	40,68,68	3.35	12 (30%)
2	SO4	C	601	-	4,4,4	0.22	0	6,6,6	0.07	0
2	SO4	C	602	-	4,4,4	0.19	0	6,6,6	0.07	0
3	DYD	C	603	-	7,7,7	0.41	0	8,8,8	1.85	2 (25%)
3	DYD	C	604	-	7,7,7	0.42	0	8,8,8	1.53	1 (12%)
4	EDO	C	605	-	3,3,3	0.46	0	2,2,2	0.33	0
4	EDO	C	606	-	3,3,3	0.50	0	2,2,2	0.23	0
4	EDO	C	607	-	3,3,3	0.48	0	2,2,2	0.31	0
4	EDO	C	608	-	3,3,3	0.47	0	2,2,2	0.33	0
4	EDO	C	609	-	3,3,3	0.51	0	2,2,2	0.19	0
4	EDO	C	610	-	3,3,3	0.46	0	2,2,2	0.33	0
4	EDO	C	611	-	3,3,3	0.55	0	2,2,2	0.19	0
4	EDO	C	612	-	3,3,3	0.47	0	2,2,2	0.25	0
4	EDO	C	613	-	3,3,3	0.51	0	2,2,2	0.18	0
4	EDO	C	614	-	3,3,3	0.51	0	2,2,2	0.28	0
4	EDO	C	615	-	3,3,3	0.49	0	2,2,2	0.30	0
4	EDO	C	616	-	3,3,3	0.48	0	2,2,2	0.24	0
4	EDO	C	617	-	3,3,3	0.13	0	2,2,2	0.70	0
4	EDO	C	618	-	3,3,3	0.32	0	2,2,2	0.40	0
4	EDO	C	619	-	3,3,3	0.40	0	2,2,2	0.82	0
4	EDO	C	620	-	3,3,3	0.43	0	2,2,2	0.38	0
5	SLU	C	621	-	38,45,45	5.26	21 (55%)	40,68,68	2.96	14 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DYD	A	602	-	-	2/5/5/5	-
3	DYD	A	603	-	-	1/5/5/5	-
4	EDO	A	604	-	-	0/1/1/1	-
4	EDO	A	605	-	-	0/1/1/1	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	606	-	-	0/1/1/1	-
4	EDO	A	607	-	-	1/1/1/1	-
4	EDO	A	608	-	-	1/1/1/1	-
4	EDO	A	609	-	-	1/1/1/1	-
4	EDO	A	610	-	-	0/1/1/1	-
4	EDO	A	611	-	-	0/1/1/1	-
4	EDO	A	612	-	-	1/1/1/1	-
4	EDO	A	613	-	-	0/1/1/1	-
4	EDO	A	614	-	-	0/1/1/1	-
4	EDO	A	615	-	-	1/1/1/1	-
4	EDO	A	616	-	-	1/1/1/1	-
4	EDO	A	617	-	-	1/1/1/1	-
4	EDO	A	618	-	-	1/1/1/1	-
4	EDO	A	619	-	-	0/1/1/1	-
5	SLU	A	620	-	-	3/10/39/39	0/6/6/6
4	EDO	B	604	-	-	1/1/1/1	-
4	EDO	B	605	-	-	0/1/1/1	-
4	EDO	B	606	-	-	0/1/1/1	-
4	EDO	B	607	-	-	0/1/1/1	-
4	EDO	B	608	-	-	0/1/1/1	-
4	EDO	B	609	-	-	1/1/1/1	-
4	EDO	B	610	-	-	0/1/1/1	-
5	SLU	B	611	-	-	1/10/39/39	0/6/6/6
3	DYD	C	603	-	-	2/5/5/5	-
3	DYD	C	604	-	-	1/5/5/5	-
4	EDO	C	605	-	-	0/1/1/1	-
4	EDO	C	606	-	-	1/1/1/1	-
4	EDO	C	607	-	-	0/1/1/1	-
4	EDO	C	608	-	-	0/1/1/1	-
4	EDO	C	609	-	-	0/1/1/1	-
4	EDO	C	610	-	-	0/1/1/1	-
4	EDO	C	611	-	-	0/1/1/1	-
4	EDO	C	612	-	-	0/1/1/1	-
4	EDO	C	613	-	-	1/1/1/1	-
4	EDO	C	614	-	-	1/1/1/1	-
4	EDO	C	615	-	-	1/1/1/1	-
4	EDO	C	616	-	-	0/1/1/1	-
4	EDO	C	617	-	-	0/1/1/1	-
4	EDO	C	618	-	-	0/1/1/1	-
4	EDO	C	619	-	-	0/1/1/1	-
4	EDO	C	620	-	-	0/1/1/1	-
5	SLU	C	621	-	-	1/10/39/39	0/6/6/6

The worst 5 of 51 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	621	SLU	C11-S12	-19.79	1.46	1.73
5	A	620	SLU	C8-S9	-18.22	1.48	1.73
5	A	620	SLU	C13-S12	-17.49	1.43	1.70
5	A	620	SLU	C11-S12	-17.34	1.49	1.73
5	C	621	SLU	C8-S9	-16.24	1.51	1.73

The worst 5 of 48 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	620	SLU	O19-S17-O18	-17.14	92.63	120.82
5	B	611	SLU	O19-S17-O18	-11.69	101.59	120.82
5	C	621	SLU	O19-S17-O18	-11.24	102.32	120.82
5	B	611	SLU	C8-N7-C3	8.71	121.04	103.78
5	B	611	SLU	C14-C13-S12	-7.72	102.31	111.79

There are no chirality outliers.

5 of 25 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	DYD	C03-C04-C05-C06
3	A	602	DYD	C03-C04-C05-O07
5	A	620	SLU	C21-O20-S17-N40
5	B	611	SLU	C16-N40-S17-O18
4	A	607	EDO	O1-C1-C2-O2

There are no ring outliers.

19 monomers are involved in 33 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	DYD	3	0
4	A	607	EDO	1	0
4	A	609	EDO	1	0
4	A	611	EDO	1	0
4	A	612	EDO	1	0
4	A	613	EDO	1	0
4	A	616	EDO	1	0
4	A	618	EDO	1	0
5	A	620	SLU	2	0
4	B	604	EDO	1	0
4	B	607	EDO	2	0


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	608	EDO	1	0
5	B	611	SLU	5	0
4	C	605	EDO	1	0
4	C	610	EDO	1	0
4	C	618	EDO	2	0
4	C	619	EDO	1	0
4	C	620	EDO	8	0
5	C	621	SLU	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	544/555 (98%)	-0.18	14 (2%) 56 51	21, 34, 87, 108	0
1	B	512/555 (92%)	0.22	44 (8%) 10 7	33, 52, 108, 128	0
1	C	438/555 (78%)	0.09	23 (5%) 26 22	25, 49, 80, 101	0
All	All	1494/1665 (89%)	0.03	81 (5%) 26 21	21, 46, 96, 128	0

The worst 5 of 81 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	502	VAL	6.7
1	B	516	VAL	6.6
1	B	294	PHE	6.2
1	B	449	VAL	6.1
1	A	545	GLY	5.5

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	EDO	B	606	4/4	0.67	0.20	66,76,81,82	0
3	DYD	C	603	8/8	0.70	0.29	48,58,65,65	0
4	EDO	C	612	4/4	0.71	0.28	66,67,68,74	0
4	EDO	C	609	4/4	0.73	0.29	40,46,46,50	0
4	EDO	B	605	4/4	0.75	0.29	69,75,83,87	0
4	EDO	A	604	4/4	0.75	0.37	45,50,53,54	0
4	EDO	B	604	4/4	0.75	0.28	56,57,64,67	0
4	EDO	A	614	4/4	0.75	0.37	39,53,55,63	0
3	DYD	A	602	8/8	0.75	0.30	46,52,59,59	0
4	EDO	C	620	4/4	0.76	0.36	45,48,49,56	0
2	SO4	C	602	5/5	0.77	0.46	92,102,114,120	0
3	DYD	C	604	8/8	0.77	0.26	62,77,88,88	0
3	DYD	A	603	8/8	0.79	0.20	36,44,48,52	0
4	EDO	C	614	4/4	0.81	0.31	65,69,74,75	0
4	EDO	C	607	4/4	0.81	0.23	64,69,73,80	0
4	EDO	A	606	4/4	0.82	0.22	43,50,51,54	0
4	EDO	A	616	4/4	0.82	0.18	67,75,76,77	0
4	EDO	C	610	4/4	0.82	0.24	62,62,72,72	0
2	SO4	B	603	5/5	0.83	0.53	69,86,100,111	0
4	EDO	A	610	4/4	0.83	0.35	54,57,70,74	0
4	EDO	A	612	4/4	0.83	0.27	53,59,60,63	0
4	EDO	C	618	4/4	0.83	0.24	35,44,54,55	4
4	EDO	A	608	4/4	0.84	0.38	57,63,67,69	0
4	EDO	C	608	4/4	0.84	0.29	52,58,59,72	0
2	SO4	A	601	5/5	0.84	0.44	86,97,110,121	0
4	EDO	B	607	4/4	0.84	0.26	44,45,51,52	0
4	EDO	C	617	4/4	0.85	0.29	45,45,57,62	4
4	EDO	B	608	4/4	0.85	0.30	65,69,70,73	0
4	EDO	C	611	4/4	0.86	0.28	45,50,55,56	0
4	EDO	A	609	4/4	0.86	0.25	40,41,51,52	4
2	SO4	C	601	5/5	0.86	0.21	68,71,95,105	0
4	EDO	C	616	4/4	0.87	0.17	60,67,72,81	0
4	EDO	A	613	4/4	0.88	0.44	47,48,53,64	0
4	EDO	A	618	4/4	0.89	0.20	37,51,51,57	0
4	EDO	C	615	4/4	0.89	0.15	56,59,64,69	0
4	EDO	C	613	4/4	0.89	0.20	54,55,57,61	0
4	EDO	A	607	4/4	0.89	0.23	38,39,42,56	0
4	EDO	B	609	4/4	0.90	0.17	57,58,61,64	0
4	EDO	C	605	4/4	0.91	0.20	44,57,65,71	0
4	EDO	B	610	4/4	0.92	0.17	51,61,61,62	0
4	EDO	C	606	4/4	0.92	0.21	47,50,51,62	0
4	EDO	A	605	4/4	0.93	0.17	32,32,36,48	0
2	SO4	B	601	5/5	0.93	0.45	63,85,97,100	0

Continued on next page...




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	EDO	A	617	4/4	0.93	0.15	42,48,52,53	0
4	EDO	A	619	4/4	0.93	0.16	45,45,49,62	0
4	EDO	C	619	4/4	0.94	0.13	33,41,42,43	0
4	EDO	A	615	4/4	0.94	0.16	44,46,52,55	0
4	EDO	A	611	4/4	0.94	0.28	44,45,48,50	0
5	SLU	C	621	40/40	0.95	0.15	41,49,59,62	0
5	SLU	B	611	40/40	0.96	0.16	33,40,47,52	0
5	SLU	A	620	40/40	0.98	0.12	23,29,37,40	0
2	SO4	B	602	5/5	0.98	0.30	63,65,76,77	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

#### Electron density around SLU C 621:




2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SLU B 611:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SLU A 620:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.