



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2018 – 11:35 am GMT

PDB ID : 2Q4D  
Title : Ensemble refinement of the crystal structure of a lysine decarboxylase-like protein from Arabidopsis thaliana gene At5g11950  
Authors : Levin, E.J.; Kondrashov, D.A.; Wesenberg, G.E.; Phillips Jr., G.N.; Center for Eukaryotic Structural Genomics (CESG)  
Deposited on : 2007-05-31  
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix)	:	1.13
EDS	:	trunk31020
Percentile statistics	:	20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac	:	5.8.0158
CCP4	:	7.0 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk31020


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1287 (2.16-2.16)
Ramachandran outliers	120053	1368 (2.16-2.16)
Sidechain outliers	120020	1367 (2.16-2.16)
RSRZ outliers	108989	1262 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1-A	216	
1	1-B	216	
1	10-A	216	
1	10-B	216	
1	11-A	216	
1	11-B	216	
1	12-A	216	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	12-B	216	
1	13-A	216	
1	13-B	216	
1	14-A	216	
1	14-B	216	
1	15-A	216	
1	15-B	216	
1	16-A	216	
1	16-B	216	
1	2-A	216	
1	2-B	216	
1	3-A	216	
1	3-B	216	
1	4-A	216	
1	4-B	216	
1	5-A	216	
1	5-B	216	
1	6-A	216	
1	6-B	216	
1	7-A	216	
1	7-B	216	
1	8-A	216	
1	8-B	216	
1	9-A	216	
1	9-B	216	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 50160 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysine decarboxylase-like protein At5g11950.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	1-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	2-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	3-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	4-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	5-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	6-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	7-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	8-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	9-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	10-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	11-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	12-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	13-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	14-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	15-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	16-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	1-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	2-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	3-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	4-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	5-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	6-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	7-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	8-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	9-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	10-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	11-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	12-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	13-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	14-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	15-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	16-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	EXPRESSION TAG	UNP Q84MC2
A	54	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	77	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	95	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	102	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	119	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	125	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	181	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	184	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	192	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	1	SER	-	EXPRESSION TAG	UNP Q84MC2
B	54	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	77	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	95	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	102	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	119	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	125	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	181	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	184	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	192	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2

- Molecule 2 is NITRATE ION (three-letter code: NO3) (formula: NO<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	1-A	1	Total	N	O	0	0
			4	1	3		
2	2-A	1	Total	N	O	0	0
			4	1	3		
2	3-A	1	Total	N	O	0	0
			4	1	3		
2	4-A	1	Total	N	O	0	0
			4	1	3		
2	5-A	1	Total	N	O	0	0
			4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	6-A	1	Total	N	O	0	0
			4	1	3		
2	7-A	1	Total	N	O	0	0
			4	1	3		
2	8-A	1	Total	N	O	0	0
			4	1	3		
2	9-A	1	Total	N	O	0	0
			4	1	3		
2	10-A	1	Total	N	O	0	0
			4	1	3		
2	11-A	1	Total	N	O	0	0
			4	1	3		
2	12-A	1	Total	N	O	0	0
			4	1	3		
2	13-A	1	Total	N	O	0	0
			4	1	3		
2	14-A	1	Total	N	O	0	0
			4	1	3		
2	15-A	1	Total	N	O	0	0
			4	1	3		
2	16-A	1	Total	N	O	0	0
			4	1	3		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	1-A	1	Total C O 4 2 2	0	0
3	2-A	1	Total C O 4 2 2	0	0
3	3-A	1	Total C O 4 2 2	0	0
3	4-A	1	Total C O 4 2 2	0	0
3	5-A	1	Total C O 4 2 2	0	0
3	6-A	1	Total C O 4 2 2	0	0
3	7-A	1	Total C O 4 2 2	0	0
3	8-A	1	Total C O 4 2 2	0	0
3	9-A	1	Total C O 4 2 2	0	0
3	10-A	1	Total C O 4 2 2	0	0
3	11-A	1	Total C O 4 2 2	0	0
3	12-A	1	Total C O 4 2 2	0	0
3	13-A	1	Total C O 4 2 2	0	0
3	14-A	1	Total C O 4 2 2	0	0
3	15-A	1	Total C O 4 2 2	0	0
3	16-A	1	Total C O 4 2 2	0	0
3	1-A	1	Total C O 4 2 2	0	0
3	2-A	1	Total C O 4 2 2	0	0
3	3-A	1	Total C O 4 2 2	0	0
3	4-A	1	Total C O 4 2 2	0	0
3	5-A	1	Total C O 4 2 2	0	0
3	6-A	1	Total C O 4 2 2	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	7-A	1	Total 4	C 2	O 2	0	0
3	8-A	1	Total 4	C 2	O 2	0	0
3	9-A	1	Total 4	C 2	O 2	0	0
3	10-A	1	Total 4	C 2	O 2	0	0
3	11-A	1	Total 4	C 2	O 2	0	0
3	12-A	1	Total 4	C 2	O 2	0	0
3	13-A	1	Total 4	C 2	O 2	0	0
3	14-A	1	Total 4	C 2	O 2	0	0
3	15-A	1	Total 4	C 2	O 2	0	0
3	16-A	1	Total 4	C 2	O 2	0	0
3	1-B	1	Total 4	C 2	O 2	0	0
3	2-B	1	Total 4	C 2	O 2	0	0
3	3-B	1	Total 4	C 2	O 2	0	0
3	4-B	1	Total 4	C 2	O 2	0	0
3	5-B	1	Total 4	C 2	O 2	0	0
3	6-B	1	Total 4	C 2	O 2	0	0
3	7-B	1	Total 4	C 2	O 2	0	0
3	8-B	1	Total 4	C 2	O 2	0	0
3	9-B	1	Total 4	C 2	O 2	0	0
3	10-B	1	Total 4	C 2	O 2	0	0
3	11-B	1	Total 4	C 2	O 2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	12-B	1	Total	C	O	0	0
			4	2	2		
3	13-B	1	Total	C	O	0	0
			4	2	2		
3	14-B	1	Total	C	O	0	0
			4	2	2		
3	15-B	1	Total	C	O	0	0
			4	2	2		
3	16-B	1	Total	C	O	0	0
			4	2	2		
3	1-B	1	Total	C	O	0	0
			4	2	2		
3	2-B	1	Total	C	O	0	0
			4	2	2		
3	3-B	1	Total	C	O	0	0
			4	2	2		
3	4-B	1	Total	C	O	0	0
			4	2	2		
3	5-B	1	Total	C	O	0	0
			4	2	2		
3	6-B	1	Total	C	O	0	0
			4	2	2		
3	7-B	1	Total	C	O	0	0
			4	2	2		
3	8-B	1	Total	C	O	0	0
			4	2	2		
3	9-B	1	Total	C	O	0	0
			4	2	2		
3	10-B	1	Total	C	O	0	0
			4	2	2		
3	11-B	1	Total	C	O	0	0
			4	2	2		
3	12-B	1	Total	C	O	0	0
			4	2	2		
3	13-B	1	Total	C	O	0	0
			4	2	2		
3	14-B	1	Total	C	O	0	0
			4	2	2		
3	15-B	1	Total	C	O	0	0
			4	2	2		
3	16-B	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	1-A	155	Total O 155 155	0	0
4	2-A	155	Total O 155 155	0	0
4	3-A	157	Total O 157 157	0	0
4	4-A	155	Total O 155 155	0	0
4	5-A	162	Total O 162 162	0	0
4	6-A	153	Total O 153 153	0	0
4	7-A	159	Total O 159 159	0	0
4	8-A	158	Total O 158 158	0	0
4	9-A	162	Total O 162 162	0	0
4	10-A	151	Total O 151 151	0	0
4	11-A	151	Total O 151 151	0	0
4	12-A	152	Total O 152 152	0	0
4	13-A	155	Total O 155 155	0	0
4	14-A	154	Total O 154 154	0	0
4	15-A	155	Total O 155 155	0	0
4	16-A	158	Total O 158 158	0	0
4	1-B	164	Total O 164 164	0	0
4	2-B	164	Total O 164 164	0	0
4	3-B	162	Total O 162 162	0	0
4	4-B	164	Total O 164 164	0	0
4	5-B	157	Total O 157 157	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	6-B	166	Total 166	O 166	0	0
4	7-B	160	Total 160	O 160	0	0
4	8-B	161	Total 161	O 161	0	0
4	9-B	157	Total 157	O 157	0	0
4	10-B	168	Total 168	O 168	0	0
4	11-B	168	Total 168	O 168	0	0
4	12-B	167	Total 167	O 167	0	0
4	13-B	164	Total 164	O 164	0	0
4	14-B	165	Total 165	O 165	0	0
4	15-B	164	Total 164	O 164	0	0
4	16-B	161	Total 161	O 161	0	0



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Lysine decarboxylase-like protein At5g11950





- Molecule 1: Lysine decarboxylase-like protein At5g11950





- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950





- Molecule 1: Lysine decarboxylase-like protein At5g11950





- Molecule 1: Lysine decarboxylase-like protein At5g11950





- Molecule 1: Lysine decarboxylase-like protein At5g11950





- Molecule 1: Lysine decarboxylase-like protein At5g11950





- Molecule 1: Lysine decarboxylase-like protein At5g11950





- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950











- Molecule 1: Lysine decarboxylase-like protein At5g11950





- Molecule 1: Lysine decarboxylase-like protein At5g11950





- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950




- Molecule 1: Lysine decarboxylase-like protein At5g11950



- Molecule 1: Lysine decarboxylase-like protein At5g11950





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	121.59Å 80.43Å 50.71Å 90.00° 102.97° 90.00°	Depositor
Resolution (Å)	34.35 – 2.15 35.45 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.0 (34.35-2.15) 99.1 (35.45-2.15)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.59 (at 2.16Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.152 , 0.207 0.170 , 0.224	Depositor DCC
$R_{free}$ test set	1300 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	28.6	Xtriage
Anisotropy	0.071	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 72.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	50160	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.75% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, NO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	1-A	0.34	0/1426	0.53	0/1905
1	1-B	0.34	0/1400	0.54	0/1871
1	2-A	0.33	0/1426	0.55	0/1905
1	2-B	0.34	0/1400	0.54	0/1871
1	3-A	0.34	0/1426	0.54	0/1905
1	3-B	0.34	0/1400	0.54	0/1871
1	4-A	0.33	0/1426	0.54	0/1905
1	4-B	0.34	0/1400	0.54	0/1871
1	5-A	0.35	0/1426	0.54	0/1905
1	5-B	0.34	0/1400	0.54	0/1871
1	6-A	0.34	0/1426	0.54	0/1905
1	6-B	0.34	0/1400	0.55	0/1871
1	7-A	0.34	0/1426	0.54	0/1905
1	7-B	0.35	0/1400	0.54	0/1871
1	8-A	0.34	0/1426	0.54	0/1905
1	8-B	0.35	0/1400	0.55	0/1871
1	9-A	0.35	0/1426	0.56	0/1905
1	9-B	0.34	0/1400	0.55	0/1871
1	10-A	0.35	0/1426	0.53	0/1905
1	10-B	0.34	0/1400	0.55	0/1871
1	11-A	0.34	0/1426	0.54	0/1905
1	11-B	0.34	0/1400	0.54	0/1871
1	12-A	0.33	0/1426	0.54	0/1905
1	12-B	0.34	0/1400	0.55	0/1871
1	13-A	0.38	0/1426	0.62	0/1905
1	13-B	0.38	0/1400	0.62	2/1871 (0.1%)
1	14-A	0.39	0/1426	0.59	0/1905
1	14-B	0.38	0/1400	0.63	1/1871 (0.1%)
1	15-A	0.38	0/1426	0.61	0/1905
1	15-B	0.37	0/1400	0.62	1/1871 (0.1%)
1	16-A	0.38	0/1426	0.61	0/1905
1	16-B	0.38	0/1400	0.60	0/1871

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
All	All	0.35	0/45216	0.56	4/60416 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	13-B	140	LEU	CA-CB-CG	6.08	129.29	115.30
1	15-B	140	LEU	CA-CB-CG	5.83	128.71	115.30
1	14-B	140	LEU	CA-CB-CG	5.44	127.81	115.30
1	13-B	60	ARG	NE-CZ-NH1	-5.01	117.80	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1-A	1411	0	1430	0	0
1	1-B	1385	0	1404	0	0
1	2-A	1411	0	1430	0	0
1	2-B	1385	0	1404	0	0
1	3-A	1411	0	1430	0	0
1	3-B	1385	0	1404	0	0
1	4-A	1411	0	1430	0	0
1	4-B	1385	0	1404	0	0
1	5-A	1411	0	1430	0	0
1	5-B	1385	0	1404	0	0
1	6-A	1411	0	1430	0	0
1	6-B	1385	0	1404	0	0
1	7-A	1411	0	1430	0	0
1	7-B	1385	0	1404	0	0
1	8-A	1411	0	1430	0	0
1	8-B	1385	0	1404	0	0
1	9-A	1411	0	1430	0	0
1	9-B	1385	0	1404	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	10-A	1411	0	1430	0	0
1	10-B	1385	0	1404	0	0
1	11-A	1411	0	1430	0	0
1	11-B	1385	0	1404	0	0
1	12-A	1411	0	1430	0	0
1	12-B	1385	0	1404	0	0
1	13-A	1411	0	1430	0	0
1	13-B	1385	0	1404	0	0
1	14-A	1411	0	1430	0	0
1	14-B	1385	0	1404	0	0
1	15-A	1411	0	1430	0	0
1	15-B	1385	0	1404	0	0
1	16-A	1411	0	1430	0	0
1	16-B	1385	0	1404	0	0
2	1-A	4	0	0	0	0
2	2-A	4	0	0	0	0
2	3-A	4	0	0	0	0
2	4-A	4	0	0	0	0
2	5-A	4	0	0	0	0
2	6-A	4	0	0	0	0
2	7-A	4	0	0	0	0
2	8-A	4	0	0	0	0
2	9-A	4	0	0	0	0
2	10-A	4	0	0	0	0
2	11-A	4	0	0	0	0
2	12-A	4	0	0	0	0
2	13-A	4	0	0	0	0
2	14-A	4	0	0	0	0
2	15-A	4	0	0	0	0
2	16-A	4	0	0	0	0
3	1-A	8	0	12	0	0
3	1-B	8	0	12	0	0
3	2-A	8	0	12	0	0
3	2-B	8	0	12	0	0
3	3-A	8	0	12	0	0
3	3-B	8	0	12	0	0
3	4-A	8	0	12	0	0
3	4-B	8	0	12	0	0
3	5-A	8	0	12	0	0
3	5-B	8	0	12	0	0
3	6-A	8	0	12	0	0
3	6-B	8	0	12	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	7-A	8	0	12	0	0
3	7-B	8	0	12	0	0
3	8-A	8	0	12	0	0
3	8-B	8	0	12	0	0
3	9-A	8	0	12	0	0
3	9-B	8	0	12	0	0
3	10-A	8	0	12	0	0
3	10-B	8	0	12	0	0
3	11-A	8	0	12	0	0
3	11-B	8	0	12	0	0
3	12-A	8	0	12	0	0
3	12-B	8	0	12	0	0
3	13-A	8	0	12	0	0
3	13-B	8	0	12	0	0
3	14-A	8	0	12	0	0
3	14-B	8	0	12	0	0
3	15-A	8	0	12	0	0
3	15-B	8	0	12	0	0
3	16-A	8	0	12	0	0
3	16-B	8	0	12	0	0
4	1-A	155	0	0	0	0
4	1-B	164	0	0	0	0
4	2-A	155	0	0	0	0
4	2-B	164	0	0	0	0
4	3-A	157	0	0	0	0
4	3-B	162	0	0	0	0
4	4-A	155	0	0	0	0
4	4-B	164	0	0	0	0
4	5-A	162	0	0	0	0
4	5-B	157	0	0	0	0
4	6-A	153	0	0	0	0
4	6-B	166	0	0	0	0
4	7-A	159	0	0	0	0
4	7-B	160	0	0	0	0
4	8-A	158	0	0	0	0
4	8-B	161	0	0	0	0
4	9-A	162	0	0	0	0
4	9-B	157	0	0	0	0
4	10-A	151	0	0	0	0
4	10-B	168	0	0	0	0
4	11-A	151	0	0	0	0
4	11-B	168	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	12-A	152	0	0	0	0
4	12-B	167	0	0	0	0
4	13-A	155	0	0	0	0
4	13-B	164	0	0	0	0
4	14-A	154	0	0	0	0
4	14-B	165	0	0	0	0
4	15-A	155	0	0	0	0
4	15-B	164	0	0	0	0
4	16-A	158	0	0	0	0
4	16-B	161	0	0	0	0
All	All	50160	0	45728	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1-A	182/216 (84%)	169 (93%)	12 (7%)	1 (0%)	31	24
1	1-B	179/216 (83%)	162 (90%)	17 (10%)	0	100	100
1	2-A	182/216 (84%)	168 (92%)	12 (7%)	2 (1%)	16	9
1	2-B	179/216 (83%)	175 (98%)	4 (2%)	0	100	100
1	3-A	182/216 (84%)	170 (93%)	11 (6%)	1 (0%)	31	24
1	3-B	179/216 (83%)	170 (95%)	9 (5%)	0	100	100
1	4-A	182/216 (84%)	174 (96%)	8 (4%)	0	100	100
1	4-B	179/216 (83%)	170 (95%)	9 (5%)	0	100	100
1	5-A	182/216 (84%)	166 (91%)	16 (9%)	0	100	100

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	5-B	179/216 (83%)	166 (93%)	9 (5%)	4 (2%)	7	2
1	6-A	182/216 (84%)	171 (94%)	9 (5%)	2 (1%)	16	9
1	6-B	179/216 (83%)	169 (94%)	8 (4%)	2 (1%)	16	9
1	7-A	182/216 (84%)	167 (92%)	13 (7%)	2 (1%)	16	9
1	7-B	179/216 (83%)	168 (94%)	11 (6%)	0	100	100
1	8-A	182/216 (84%)	170 (93%)	11 (6%)	1 (0%)	31	24
1	8-B	179/216 (83%)	162 (90%)	16 (9%)	1 (1%)	27	19
1	9-A	182/216 (84%)	171 (94%)	9 (5%)	2 (1%)	16	9
1	9-B	179/216 (83%)	169 (94%)	10 (6%)	0	100	100
1	10-A	182/216 (84%)	167 (92%)	14 (8%)	1 (0%)	31	24
1	10-B	179/216 (83%)	161 (90%)	17 (10%)	1 (1%)	27	19
1	11-A	182/216 (84%)	169 (93%)	12 (7%)	1 (0%)	31	24
1	11-B	179/216 (83%)	160 (89%)	14 (8%)	5 (3%)	5	1
1	12-A	182/216 (84%)	173 (95%)	8 (4%)	1 (0%)	31	24
1	12-B	179/216 (83%)	157 (88%)	19 (11%)	3 (2%)	10	4
1	13-A	182/216 (84%)	163 (90%)	17 (9%)	2 (1%)	16	9
1	13-B	179/216 (83%)	158 (88%)	17 (10%)	4 (2%)	7	2
1	14-A	182/216 (84%)	165 (91%)	14 (8%)	3 (2%)	11	4
1	14-B	179/216 (83%)	157 (88%)	19 (11%)	3 (2%)	10	4
1	15-A	182/216 (84%)	177 (97%)	4 (2%)	1 (0%)	31	24
1	15-B	179/216 (83%)	174 (97%)	5 (3%)	0	100	100
1	16-A	182/216 (84%)	165 (91%)	11 (6%)	6 (3%)	4	1
1	16-B	179/216 (83%)	155 (87%)	21 (12%)	3 (2%)	10	4
All	All	5776/6912 (84%)	5338 (92%)	386 (7%)	52 (1%)	19	12

All (52) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	5-B	142	ASN
1	6-B	143	VAL
1	8-B	143	VAL
1	11-B	46	TYR
1	14-A	148	ASN
1	5-B	148	ASN

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	11-B	105	GLU
1	11-B	106	ALA
1	13-A	46	TYR
1	13-B	24	GLU
1	13-B	81	ILE
1	13-B	167	ALA
1	15-A	16	CYS
1	16-A	6	ARG
1	16-A	123	LEU
1	16-A	171	VAL
1	16-B	170	ILE
1	3-A	94	ASP
1	6-A	6	ARG
1	7-A	6	ARG
1	7-A	48	GLY
1	11-B	48	GLY
1	12-B	16	CYS
1	12-B	167	ALA
1	14-A	140	LEU
1	14-B	142	ASN
1	16-A	122	LEU
1	16-B	116	TYR
1	2-A	6	ARG
1	2-A	74	LYS
1	5-B	22	HIS
1	5-B	25	VAL
1	6-B	113	PRO
1	16-A	99	LYS
1	16-B	141	LEU
1	6-A	22	HIS
1	11-B	84	GLU
1	12-B	96	HIS
1	13-B	132	GLY
1	9-A	96	HIS
1	9-A	132	GLY
1	10-A	112	LEU
1	14-B	118	THR
1	14-B	132	GLY
1	16-A	170	ILE
1	11-A	64	GLY
1	13-A	161	GLY
1	14-A	83	GLY

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	8-A	65	GLY
1	10-B	165	PRO
1	12-A	48	GLY
1	1-A	165	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1-A	148/168 (88%)	145 (98%)	3 (2%)	58	62
1	1-B	145/168 (86%)	142 (98%)	3 (2%)	56	60
1	2-A	148/168 (88%)	144 (97%)	4 (3%)	48	49
1	2-B	145/168 (86%)	142 (98%)	3 (2%)	56	60
1	3-A	148/168 (88%)	144 (97%)	4 (3%)	48	49
1	3-B	145/168 (86%)	143 (99%)	2 (1%)	69	74
1	4-A	148/168 (88%)	146 (99%)	2 (1%)	69	74
1	4-B	145/168 (86%)	141 (97%)	4 (3%)	47	47
1	5-A	148/168 (88%)	145 (98%)	3 (2%)	58	62
1	5-B	145/168 (86%)	140 (97%)	5 (3%)	40	38
1	6-A	148/168 (88%)	144 (97%)	4 (3%)	48	49
1	6-B	145/168 (86%)	143 (99%)	2 (1%)	69	74
1	7-A	148/168 (88%)	144 (97%)	4 (3%)	48	49
1	7-B	145/168 (86%)	142 (98%)	3 (2%)	56	60
1	8-A	148/168 (88%)	146 (99%)	2 (1%)	69	74
1	8-B	145/168 (86%)	140 (97%)	5 (3%)	40	38
1	9-A	148/168 (88%)	143 (97%)	5 (3%)	40	38
1	9-B	145/168 (86%)	143 (99%)	2 (1%)	69	74
1	10-A	148/168 (88%)	141 (95%)	7 (5%)	29	25
1	10-B	145/168 (86%)	141 (97%)	4 (3%)	47	47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	11-A	148/168 (88%)	147 (99%)	1 (1%)	85	90
1	11-B	145/168 (86%)	141 (97%)	4 (3%)	47	47
1	12-A	148/168 (88%)	144 (97%)	4 (3%)	48	49
1	12-B	145/168 (86%)	136 (94%)	9 (6%)	20	15
1	13-A	148/168 (88%)	145 (98%)	3 (2%)	58	62
1	13-B	145/168 (86%)	138 (95%)	7 (5%)	28	24
1	14-A	148/168 (88%)	139 (94%)	9 (6%)	20	15
1	14-B	145/168 (86%)	137 (94%)	8 (6%)	24	18
1	15-A	148/168 (88%)	146 (99%)	2 (1%)	69	74
1	15-B	145/168 (86%)	138 (95%)	7 (5%)	28	24
1	16-A	148/168 (88%)	145 (98%)	3 (2%)	58	62
1	16-B	145/168 (86%)	138 (95%)	7 (5%)	28	24
All	All	4688/5376 (87%)	4553 (97%)	135 (3%)	45	44

All (135) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1-A	46	TYR
1	1-A	80	GLU
1	1-A	134	HIS
1	1-B	60	ARG
1	1-B	97	GLU
1	1-B	134	HIS
1	2-A	10	ARG
1	2-A	46	TYR
1	2-A	125	MSE
1	2-A	134	HIS
1	2-B	60	ARG
1	2-B	88	ASP
1	2-B	134	HIS
1	3-A	94	ASP
1	3-A	96	HIS
1	3-A	120	GLU
1	3-A	134	HIS
1	3-B	97	GLU
1	3-B	134	HIS
1	4-A	46	TYR
1	4-A	134	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	4-B	43	ASP
1	4-B	60	ARG
1	4-B	88	ASP
1	4-B	134	HIS
1	5-A	46	TYR
1	5-A	84	GLU
1	5-A	134	HIS
1	5-B	60	ARG
1	5-B	119	MSE
1	5-B	123	LEU
1	5-B	134	HIS
1	5-B	140	LEU
1	6-A	16	CYS
1	6-A	46	TYR
1	6-A	99	LYS
1	6-A	134	HIS
1	6-B	60	ARG
1	6-B	134	HIS
1	7-A	46	TYR
1	7-A	84	GLU
1	7-A	97	GLU
1	7-A	137	THR
1	7-B	16	CYS
1	7-B	60	ARG
1	7-B	134	HIS
1	8-A	46	TYR
1	8-A	134	HIS
1	8-B	28	ASP
1	8-B	46	TYR
1	8-B	51	VAL
1	8-B	60	ARG
1	8-B	134	HIS
1	9-A	46	TYR
1	9-A	84	GLU
1	9-A	119	MSE
1	9-A	120	GLU
1	9-A	134	HIS
1	9-B	134	HIS
1	9-B	155	ASP
1	10-A	28	ASP
1	10-A	46	TYR
1	10-A	60	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	10-A	74	LYS
1	10-A	84	GLU
1	10-A	104	GLN
1	10-A	134	HIS
1	10-B	43	ASP
1	10-B	104	GLN
1	10-B	134	HIS
1	10-B	184	MSE
1	11-A	134	HIS
1	11-B	46	TYR
1	11-B	60	ARG
1	11-B	104	GLN
1	11-B	134	HIS
1	12-A	43	ASP
1	12-A	46	TYR
1	12-A	120	GLU
1	12-A	134	HIS
1	12-B	8	ARG
1	12-B	10	ARG
1	12-B	15	PHE
1	12-B	44	LEU
1	12-B	46	TYR
1	12-B	60	ARG
1	12-B	94	ASP
1	12-B	123	LEU
1	12-B	164	LYS
1	13-A	46	TYR
1	13-A	134	HIS
1	13-A	181	MSE
1	13-B	28	ASP
1	13-B	76	LEU
1	13-B	80	GLU
1	13-B	97	GLU
1	13-B	125	MSE
1	13-B	130	GLN
1	13-B	140	LEU
1	14-A	13	CYS
1	14-A	46	TYR
1	14-A	84	GLU
1	14-A	96	HIS
1	14-A	109	PHE
1	14-A	120	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	14-A	134	HIS
1	14-A	141	LEU
1	14-A	181	MSE
1	14-B	8	ARG
1	14-B	16	CYS
1	14-B	28	ASP
1	14-B	43	ASP
1	14-B	54	MSE
1	14-B	97	GLU
1	14-B	140	LEU
1	14-B	184	MSE
1	15-A	8	ARG
1	15-A	46	TYR
1	15-B	60	ARG
1	15-B	120	GLU
1	15-B	123	LEU
1	15-B	125	MSE
1	15-B	134	HIS
1	15-B	140	LEU
1	15-B	184	MSE
1	16-A	46	TYR
1	16-A	134	HIS
1	16-A	147	TYR
1	16-B	60	ARG
1	16-B	76	LEU
1	16-B	80	GLU
1	16-B	98	ARG
1	16-B	122	LEU
1	16-B	123	LEU
1	16-B	134	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (107) such sidechains are listed below:

Mol	Chain	Res	Type
1	1-A	19	HIS
1	1-A	96	HIS
1	1-A	134	HIS
1	1-A	169	ASN
1	1-B	130	GLN
1	1-B	149	ASN
1	2-A	19	HIS
1	2-A	22	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	2-A	134	HIS
1	2-A	169	ASN
1	2-B	19	HIS
1	2-B	96	HIS
1	2-B	130	GLN
1	2-B	134	HIS
1	2-B	142	ASN
1	3-A	19	HIS
1	3-A	22	HIS
1	3-A	169	ASN
1	3-B	19	HIS
1	3-B	96	HIS
1	3-B	130	GLN
1	3-B	134	HIS
1	3-B	149	ASN
1	4-A	19	HIS
1	4-A	22	HIS
1	4-A	134	HIS
1	4-A	169	ASN
1	4-B	19	HIS
1	4-B	130	GLN
1	4-B	149	ASN
1	5-A	5	GLN
1	5-A	22	HIS
1	5-A	169	ASN
1	5-B	19	HIS
1	5-B	134	HIS
1	6-A	19	HIS
1	6-A	22	HIS
1	6-A	169	ASN
1	6-B	19	HIS
1	6-B	130	GLN
1	6-B	134	HIS
1	6-B	149	ASN
1	7-A	5	GLN
1	7-A	19	HIS
1	7-A	130	GLN
1	7-A	134	HIS
1	7-A	169	ASN
1	7-B	130	GLN
1	7-B	134	HIS
1	8-A	19	HIS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	8-A	22	HIS
1	8-A	67	HIS
1	8-A	134	HIS
1	8-A	169	ASN
1	8-B	19	HIS
1	8-B	96	HIS
1	9-A	19	HIS
1	9-A	22	HIS
1	9-A	96	HIS
1	9-A	169	ASN
1	9-B	19	HIS
1	9-B	96	HIS
1	9-B	130	GLN
1	9-B	134	HIS
1	10-A	19	HIS
1	10-A	104	GLN
1	10-A	130	GLN
1	10-A	169	ASN
1	10-B	19	HIS
1	10-B	35	ASN
1	10-B	149	ASN
1	11-A	5	GLN
1	11-A	19	HIS
1	11-A	169	ASN
1	11-B	19	HIS
1	11-B	134	HIS
1	11-B	149	ASN
1	12-A	19	HIS
1	12-A	96	HIS
1	12-A	134	HIS
1	12-A	169	ASN
1	12-B	130	GLN
1	12-B	149	ASN
1	13-A	134	HIS
1	13-B	19	HIS
1	13-B	104	GLN
1	13-B	134	HIS
1	14-A	5	GLN
1	14-A	149	ASN
1	14-A	169	ASN
1	14-B	19	HIS
1	14-B	35	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	14-B	134	HIS
1	14-B	149	ASN
1	15-A	19	HIS
1	15-A	130	GLN
1	15-A	169	ASN
1	15-B	19	HIS
1	15-B	104	GLN
1	15-B	130	GLN
1	16-A	22	HIS
1	16-A	104	GLN
1	16-A	169	ASN
1	16-B	130	GLN
1	16-B	134	HIS
1	16-B	142	ASN
1	16-B	149	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

80 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NO3	1-A	600	-	1,3,3	0.35	0	0,3,3	0.00	-
3	EDO	1-A	701	-	3,3,3	0.35	0	2,2,2	0.42	0
3	EDO	1-A	993	-	3,3,3	0.34	0	2,2,2	0.42	0
3	EDO	1-B	700	-	3,3,3	0.46	0	2,2,2	0.36	0
3	EDO	1-B	702	-	3,3,3	0.59	0	2,2,2	0.27	0
2	NO3	10-A	600	-	1,3,3	0.38	0	0,3,3	0.00	-
3	EDO	10-A	700	-	3,3,3	0.48	0	2,2,2	0.34	0
3	EDO	10-A	701	-	3,3,3	0.42	0	2,2,2	0.37	0
3	EDO	10-B	702	-	3,3,3	0.58	0	2,2,2	0.28	0
3	EDO	10-B	993	-	3,3,3	0.32	0	2,2,2	0.44	0
2	NO3	11-A	600	-	1,3,3	0.39	0	0,3,3	0.00	-
3	EDO	11-A	700	-	3,3,3	0.44	0	2,2,2	0.36	0
3	EDO	11-A	701	-	3,3,3	0.37	0	2,2,2	0.40	0
3	EDO	11-B	702	-	3,3,3	0.59	0	2,2,2	0.28	0
3	EDO	11-B	993	-	3,3,3	0.31	0	2,2,2	0.49	0
2	NO3	12-A	600	-	1,3,3	0.40	0	0,3,3	0.00	-
3	EDO	12-A	700	-	3,3,3	0.50	0	2,2,2	0.29	0
3	EDO	12-A	701	-	3,3,3	0.38	0	2,2,2	0.39	0
3	EDO	12-B	702	-	3,3,3	0.58	0	2,2,2	0.30	0
3	EDO	12-B	993	-	3,3,3	0.33	0	2,2,2	0.47	0
2	NO3	13-A	600	-	1,3,3	0.34	0	0,3,3	0.00	-
3	EDO	13-A	700	-	3,3,3	0.51	0	2,2,2	0.26	0
3	EDO	13-A	701	-	3,3,3	0.34	0	2,2,2	0.44	0
3	EDO	13-B	702	-	3,3,3	0.61	0	2,2,2	0.21	0
3	EDO	13-B	993	-	3,3,3	0.30	0	2,2,2	0.44	0
2	NO3	14-A	600	-	1,3,3	0.38	0	0,3,3	0.00	-
3	EDO	14-A	700	-	3,3,3	0.46	0	2,2,2	0.36	0
3	EDO	14-A	701	-	3,3,3	0.34	0	2,2,2	0.41	0
3	EDO	14-B	702	-	3,3,3	0.61	0	2,2,2	0.26	0
3	EDO	14-B	993	-	3,3,3	0.31	0	2,2,2	0.38	0
2	NO3	15-A	600	-	1,3,3	0.40	0	0,3,3	0.00	-
3	EDO	15-A	700	-	3,3,3	0.50	0	2,2,2	0.29	0
3	EDO	15-A	701	-	3,3,3	0.35	0	2,2,2	0.41	0
3	EDO	15-B	702	-	3,3,3	0.61	0	2,2,2	0.26	0
3	EDO	15-B	993	-	3,3,3	0.31	0	2,2,2	0.33	0
2	NO3	16-A	600	-	1,3,3	0.39	0	0,3,3	0.00	-
3	EDO	16-A	700	-	3,3,3	0.44	0	2,2,2	0.36	0
3	EDO	16-A	701	-	3,3,3	0.36	0	2,2,2	0.39	0
3	EDO	16-B	702	-	3,3,3	0.60	0	2,2,2	0.25	0
3	EDO	16-B	993	-	3,3,3	0.31	0	2,2,2	0.37	0
2	NO3	2-A	600	-	1,3,3	0.39	0	0,3,3	0.00	-
3	EDO	2-A	700	-	3,3,3	0.47	0	2,2,2	0.35	0
3	EDO	2-A	701	-	3,3,3	0.35	0	2,2,2	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EDO	2-B	702	-	3,3,3	0.59	0	2,2,2	0.29	0
3	EDO	2-B	993	-	3,3,3	0.32	0	2,2,2	0.40	0
2	NO3	3-A	600	-	1,3,3	0.37	0	0,3,3	0.00	-
3	EDO	3-A	700	-	3,3,3	0.48	0	2,2,2	0.34	0
3	EDO	3-A	701	-	3,3,3	0.33	0	2,2,2	0.41	0
3	EDO	3-B	702	-	3,3,3	0.58	0	2,2,2	0.29	0
3	EDO	3-B	993	-	3,3,3	0.31	0	2,2,2	0.43	0
2	NO3	4-A	600	-	1,3,3	0.40	0	0,3,3	0.00	-
3	EDO	4-A	700	-	3,3,3	0.47	0	2,2,2	0.35	0
3	EDO	4-A	701	-	3,3,3	0.42	0	2,2,2	0.34	0
3	EDO	4-B	702	-	3,3,3	0.59	0	2,2,2	0.29	0
3	EDO	4-B	993	-	3,3,3	0.32	0	2,2,2	0.45	0
2	NO3	5-A	600	-	1,3,3	0.42	0	0,3,3	0.00	-
3	EDO	5-A	700	-	3,3,3	0.48	0	2,2,2	0.33	0
3	EDO	5-A	701	-	3,3,3	0.32	0	2,2,2	0.40	0
3	EDO	5-B	702	-	3,3,3	0.57	0	2,2,2	0.29	0
3	EDO	5-B	993	-	3,3,3	0.41	0	2,2,2	0.36	0
2	NO3	6-A	600	-	1,3,3	0.39	0	0,3,3	0.00	-
3	EDO	6-A	700	-	3,3,3	0.47	0	2,2,2	0.35	0
3	EDO	6-A	701	-	3,3,3	0.35	0	2,2,2	0.40	0
3	EDO	6-B	702	-	3,3,3	0.59	0	2,2,2	0.27	0
3	EDO	6-B	993	-	3,3,3	0.30	0	2,2,2	0.45	0
2	NO3	7-A	600	-	1,3,3	0.41	0	0,3,3	0.00	-
3	EDO	7-A	700	-	3,3,3	0.46	0	2,2,2	0.36	0
3	EDO	7-A	701	-	3,3,3	0.36	0	2,2,2	0.40	0
3	EDO	7-B	702	-	3,3,3	0.58	0	2,2,2	0.28	0
3	EDO	7-B	993	-	3,3,3	0.32	0	2,2,2	0.44	0
2	NO3	8-A	600	-	1,3,3	0.42	0	0,3,3	0.00	-
3	EDO	8-A	700	-	3,3,3	0.46	0	2,2,2	0.36	0
3	EDO	8-A	701	-	3,3,3	0.33	0	2,2,2	0.43	0
3	EDO	8-B	702	-	3,3,3	0.58	0	2,2,2	0.28	0
3	EDO	8-B	993	-	3,3,3	0.31	0	2,2,2	0.45	0
2	NO3	9-A	600	-	1,3,3	0.38	0	0,3,3	0.00	-
3	EDO	9-A	700	-	3,3,3	0.47	0	2,2,2	0.35	0
3	EDO	9-A	701	-	3,3,3	0.34	0	2,2,2	0.40	0
3	EDO	9-B	702	-	3,3,3	0.58	0	2,2,2	0.24	0
3	EDO	9-B	993	-	3,3,3	0.33	0	2,2,2	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NO3	1-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	1-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	1-A	993	-	-	0/1/1/1	0/0/0/0
3	EDO	1-B	700	-	-	0/1/1/1	0/0/0/0
3	EDO	1-B	702	-	-	0/1/1/1	0/0/0/0
2	NO3	10-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	10-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	10-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	10-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	10-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	11-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	11-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	11-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	11-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	11-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	12-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	12-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	12-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	12-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	12-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	13-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	13-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	13-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	13-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	13-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	14-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	14-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	14-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	14-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	14-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	15-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	15-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	15-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	15-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	15-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	16-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	16-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	16-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	16-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	16-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	2-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	2-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	2-A	701	-	-	0/1/1/1	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	2-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	2-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	3-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	3-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	3-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	3-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	3-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	4-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	4-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	4-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	4-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	4-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	5-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	5-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	5-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	5-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	5-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	6-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	6-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	6-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	6-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	6-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	7-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	7-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	7-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	7-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	7-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	8-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	8-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	8-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	8-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	8-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	9-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	9-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	9-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	9-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	9-B	993	-	-	0/1/1/1	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	1-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	1-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)
1	2-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	2-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)
1	3-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	3-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)
1	4-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	4-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)
1	5-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	5-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)
1	6-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	6-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)
1	7-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	7-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)
1	8-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	8-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)
1	9-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	9-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)
1	10-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	10-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)
1	11-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	11-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)
1	12-A	176/216 (81%)	-0.10	3 (1%) 70 75	12, 23, 39, 71	176 (100%)
1	12-B	173/216 (80%)	-0.07	4 (2%) 60 68	12, 23, 36, 62	173 (100%)

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	13-A	176/216 (81%)	-0.10	3 (1%)	70	75	12, 23, 39, 71	176 (100%)
1	13-B	173/216 (80%)	-0.07	4 (2%)	60	68	12, 23, 36, 62	173 (100%)
1	14-A	176/216 (81%)	-0.10	3 (1%)	70	75	12, 23, 39, 71	176 (100%)
1	14-B	173/216 (80%)	-0.07	4 (2%)	60	68	12, 23, 36, 62	173 (100%)
1	15-A	176/216 (81%)	-0.10	3 (1%)	70	75	12, 23, 39, 71	176 (100%)
1	15-B	173/216 (80%)	-0.07	4 (2%)	60	68	12, 23, 36, 62	173 (100%)
1	16-A	176/216 (81%)	-0.10	3 (1%)	70	75	12, 23, 39, 71	176 (100%)
1	16-B	173/216 (80%)	-0.07	4 (2%)	60	68	12, 23, 36, 62	173 (100%)
All	All	5584/6912 (80%)	-0.09	112 (2%)	49	72	12, 24, 38, 71	5584 (100%)

All (112) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1-B	188	THR	3.5
1	2-B	188	THR	3.5
1	3-B	188	THR	3.5
1	4-B	188	THR	3.5
1	5-B	188	THR	3.5
1	6-B	188	THR	3.5
1	7-B	188	THR	3.5
1	8-B	188	THR	3.5
1	9-B	188	THR	3.5
1	10-B	188	THR	3.5
1	11-B	188	THR	3.5
1	12-B	188	THR	3.5
1	13-B	188	THR	3.5
1	14-B	188	THR	3.5
1	15-B	188	THR	3.5
1	16-B	188	THR	3.5
1	1-A	6	ARG	3.2
1	2-A	6	ARG	3.2
1	3-A	6	ARG	3.2
1	4-A	6	ARG	3.2
1	5-A	6	ARG	3.2
1	6-A	6	ARG	3.2
1	7-A	6	ARG	3.2
1	8-A	6	ARG	3.2
1	9-A	6	ARG	3.2
1	10-A	6	ARG	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	11-A	6	ARG	3.2
1	12-A	6	ARG	3.2
1	13-A	6	ARG	3.2
1	14-A	6	ARG	3.2
1	15-A	6	ARG	3.2
1	16-A	6	ARG	3.2
1	1-B	187	TYR	3.0
1	2-B	187	TYR	3.0
1	3-B	187	TYR	3.0
1	4-B	187	TYR	3.0
1	5-B	187	TYR	3.0
1	6-B	187	TYR	3.0
1	7-B	187	TYR	3.0
1	8-B	187	TYR	3.0
1	9-B	187	TYR	3.0
1	10-B	187	TYR	3.0
1	11-B	187	TYR	3.0
1	12-B	187	TYR	3.0
1	13-B	187	TYR	3.0
1	14-B	187	TYR	3.0
1	15-B	187	TYR	3.0
1	16-B	187	TYR	3.0
1	1-B	186	GLU	2.8
1	2-B	186	GLU	2.8
1	3-B	186	GLU	2.8
1	4-B	186	GLU	2.8
1	5-B	186	GLU	2.8
1	6-B	186	GLU	2.8
1	7-B	186	GLU	2.8
1	8-B	186	GLU	2.8
1	9-B	186	GLU	2.8
1	10-B	186	GLU	2.8
1	11-B	186	GLU	2.8
1	12-B	186	GLU	2.8
1	13-B	186	GLU	2.8
1	14-B	186	GLU	2.8
1	15-B	186	GLU	2.8
1	16-B	186	GLU	2.8
1	1-A	123	LEU	2.5
1	2-A	123	LEU	2.5
1	3-A	123	LEU	2.5
1	4-A	123	LEU	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	5-A	123	LEU	2.5
1	6-A	123	LEU	2.5
1	7-A	123	LEU	2.5
1	8-A	123	LEU	2.5
1	9-A	123	LEU	2.5
1	10-A	123	LEU	2.5
1	11-A	123	LEU	2.5
1	12-A	123	LEU	2.5
1	13-A	123	LEU	2.5
1	14-A	123	LEU	2.5
1	15-A	123	LEU	2.5
1	16-A	123	LEU	2.5
1	1-B	123	LEU	2.5
1	2-B	123	LEU	2.5
1	3-B	123	LEU	2.5
1	4-B	123	LEU	2.5
1	5-B	123	LEU	2.5
1	6-B	123	LEU	2.5
1	7-B	123	LEU	2.5
1	8-B	123	LEU	2.5
1	9-B	123	LEU	2.5
1	10-B	123	LEU	2.5
1	11-B	123	LEU	2.5
1	12-B	123	LEU	2.5
1	13-B	123	LEU	2.5
1	14-B	123	LEU	2.5
1	15-B	123	LEU	2.5
1	16-B	123	LEU	2.5
1	1-A	5	GLN	2.1
1	2-A	5	GLN	2.1
1	3-A	5	GLN	2.1
1	4-A	5	GLN	2.1
1	5-A	5	GLN	2.1
1	6-A	5	GLN	2.1
1	7-A	5	GLN	2.1
1	8-A	5	GLN	2.1
1	9-A	5	GLN	2.1
1	10-A	5	GLN	2.1
1	11-A	5	GLN	2.1
1	12-A	5	GLN	2.1
1	13-A	5	GLN	2.1
1	14-A	5	GLN	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	15-A	5	GLN	2.1
1	16-A	5	GLN	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	EDO	12-B	702	4/4	0.84	0.15	45,48,48,48	4
3	EDO	5-B	702	4/4	0.84	0.15	46,47,48,49	4
3	EDO	1-B	702	4/4	0.84	0.15	44,47,48,48	4
3	EDO	13-B	702	4/4	0.84	0.15	44,48,48,49	4
3	EDO	6-B	702	4/4	0.84	0.15	44,47,48,48	4
3	EDO	2-B	702	4/4	0.84	0.15	44,47,48,48	4
3	EDO	10-B	702	4/4	0.84	0.15	44,47,48,48	4
3	EDO	11-B	702	4/4	0.84	0.15	43,47,48,48	4
3	EDO	9-B	702	4/4	0.84	0.15	44,47,48,48	4
3	EDO	8-B	702	4/4	0.84	0.15	44,47,48,48	4
3	EDO	16-B	702	4/4	0.84	0.15	44,48,48,48	4
3	EDO	4-B	702	4/4	0.84	0.15	44,47,48,48	4
3	EDO	15-B	702	4/4	0.84	0.15	44,47,49,49	4
3	EDO	7-B	702	4/4	0.84	0.15	44,48,48,48	4
3	EDO	3-B	702	4/4	0.84	0.15	44,47,48,48	4
3	EDO	14-B	702	4/4	0.84	0.15	44,47,49,49	4
3	EDO	1-B	700	4/4	0.91	0.13	54,55,55,55	4
3	EDO	16-A	701	4/4	0.92	0.30	47,48,48,51	4
3	EDO	12-A	701	4/4	0.92	0.30	47,47,48,49	4
3	EDO	1-A	701	4/4	0.92	0.30	44,44,44,48	4
3	EDO	8-A	701	4/4	0.92	0.30	45,45,46,48	4

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	EDO	15-A	701	4/4	0.92	0.30	48,49,49,51	4
3	EDO	4-A	701	4/4	0.92	0.30	37,38,38,38	4
3	EDO	3-A	701	4/4	0.92	0.30	46,46,47,49	4
3	EDO	2-A	701	4/4	0.92	0.30	40,42,42,46	4
3	EDO	9-A	701	4/4	0.92	0.30	45,45,45,48	4
3	EDO	6-A	701	4/4	0.92	0.30	43,43,44,46	4
3	EDO	10-A	701	4/4	0.92	0.30	43,43,44,44	4
3	EDO	14-A	701	4/4	0.92	0.30	48,49,49,51	4
3	EDO	13-A	701	4/4	0.92	0.30	44,44,45,48	4
3	EDO	7-A	701	4/4	0.92	0.30	46,46,47,49	4
3	EDO	11-A	701	4/4	0.92	0.30	47,47,48,50	4
3	EDO	5-A	701	4/4	0.92	0.30	42,44,45,48	4
3	EDO	1-A	993	4/4	0.93	0.20	43,43,43,50	4
2	NO3	2-A	600	4/4	0.94	0.31	66,66,66,66	4
2	NO3	10-A	600	4/4	0.94	0.31	65,65,66,66	4
3	EDO	4-A	700	4/4	0.94	0.15	53,54,54,55	4
3	EDO	6-B	993	4/4	0.94	0.21	44,45,45,50	4
3	EDO	6-A	700	4/4	0.94	0.15	53,54,54,55	4
3	EDO	5-A	700	4/4	0.94	0.15	53,54,54,54	4
2	NO3	1-A	600	4/4	0.94	0.31	65,66,66,66	4
3	EDO	13-A	700	4/4	0.94	0.15	53,54,55,55	4
3	EDO	10-A	700	4/4	0.94	0.15	53,54,54,55	4
2	NO3	3-A	600	4/4	0.94	0.31	66,66,66,66	4
2	NO3	12-A	600	4/4	0.94	0.31	66,66,66,66	4
3	EDO	15-B	993	4/4	0.94	0.21	43,44,45,51	4
2	NO3	4-A	600	4/4	0.94	0.31	65,65,65,66	4
3	EDO	11-A	700	4/4	0.94	0.15	53,54,54,54	4
3	EDO	14-A	700	4/4	0.94	0.15	54,54,55,55	4
3	EDO	8-B	993	4/4	0.94	0.21	43,44,44,50	4
3	EDO	9-B	993	4/4	0.94	0.21	43,44,44,50	4
2	NO3	6-A	600	4/4	0.94	0.31	65,65,65,66	4
3	EDO	5-B	993	4/4	0.94	0.21	38,40,41,46	4
3	EDO	3-B	993	4/4	0.94	0.21	43,44,44,50	4
2	NO3	14-A	600	4/4	0.94	0.31	66,66,66,66	4
3	EDO	10-B	993	4/4	0.94	0.21	42,43,44,50	4
2	NO3	11-A	600	4/4	0.94	0.31	66,66,66,66	4
3	EDO	3-A	700	4/4	0.94	0.15	53,54,54,54	4
3	EDO	16-A	700	4/4	0.94	0.15	54,54,54,55	4
3	EDO	8-A	700	4/4	0.94	0.15	54,55,55,55	4
3	EDO	2-B	993	4/4	0.94	0.21	42,43,44,50	4
2	NO3	9-A	600	4/4	0.94	0.31	61,61,62,62	4
3	EDO	2-A	700	4/4	0.94	0.15	54,54,55,55	4

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NO3	8-A	600	4/4	0.94	0.31	65,65,65,66	4
3	EDO	7-B	993	4/4	0.94	0.21	43,44,44,50	4
3	EDO	11-B	993	4/4	0.94	0.21	42,43,44,50	4
2	NO3	13-A	600	4/4	0.94	0.31	65,65,65,66	4
2	NO3	15-A	600	4/4	0.94	0.31	66,66,66,67	4
3	EDO	7-A	700	4/4	0.94	0.15	54,55,55,55	4
2	NO3	7-A	600	4/4	0.94	0.31	62,62,62,63	4
3	EDO	16-B	993	4/4	0.94	0.21	42,43,45,52	4
3	EDO	4-B	993	4/4	0.94	0.21	43,44,44,50	4
3	EDO	12-B	993	4/4	0.94	0.21	42,43,44,50	4
3	EDO	12-A	700	4/4	0.94	0.15	52,54,54,54	4
3	EDO	9-A	700	4/4	0.94	0.15	54,54,54,55	4
2	NO3	5-A	600	4/4	0.94	0.31	66,66,66,66	4
3	EDO	14-B	993	4/4	0.94	0.21	43,43,45,51	4
3	EDO	15-A	700	4/4	0.94	0.15	53,54,55,55	4
2	NO3	16-A	600	4/4	0.94	0.31	66,66,66,67	4
3	EDO	13-B	993	4/4	0.94	0.21	43,44,45,52	4

## 6.5 Other polymers

There are no such residues in this entry.