



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2018 – 02:25 pm GMT

PDB ID : 1RB2  
Title : DIHYDROFOLATE REDUCTASE COMPLEXED WITH FOLATE AND  
NICOTINAMIDE ADENINE DINUCLEOTIDE PHOSPHATE (OXIDIZED  
FORM)  
Authors : Sawaya, M.R.; Kraut, J.  
Deposited on : 1996-11-26  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk31020  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk31020


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	122126	5109 (2.10-2.10)
Ramachandran outliers	120053	5059 (2.10-2.10)
Sidechain outliers	120020	5060 (2.10-2.10)
RSRZ outliers	108989	4497 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	159	<div> <div>%</div> <div> <div></div> <div>43%</div> <div>47%</div> <div>8%</div> <div>.</div> </div> </div>
1	B	159	<div> <div>%</div> <div> <div></div> <div>51%</div> <div>38%</div> <div>10%</div> <div>.</div> </div> </div>

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2758 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DIHYDROFOLATE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	159	Total	C	N	O	S	0	0	0
			1268	805	216	240	7			
1	B	159	Total	C	N	O	S	0	0	0
			1268	805	216	240	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	37	ASP	ASN	CONFLICT	UNP P0ABQ4
B	37	ASP	ASN	CONFLICT	UNP P0ABQ4


- Molecule 2 is FOLIC ACID (three-letter code: FOL) (formula: C<sub>19</sub>H<sub>19</sub>N<sub>7</sub>O<sub>6</sub>).



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			32	19	7	6		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula:  $\text{C}_{21}\text{H}_{28}\text{N}_7\text{O}_{17}\text{P}_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	B	1	Total 31	C 10	N 5	O 13	P 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	44	Total O 44 44	0	0
4	B	35	Total O 35 35	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: DIHYDROFOLATE REDUCTASE



#### • Molecule 1: DIHYDROFOLATE REDUCTASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	41.78Å 75.72Å 59.08Å 90.00° 99.03° 90.00°	Depositor
Resolution (Å)	20.00 – 2.10 46.22 – 1.96	Depositor EDS
% Data completeness (in resolution range)	87.0 (20.00-2.10) 79.4 (46.22-1.96)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.26 (at 1.95Å)	Xtriage
Refinement program	TNT 5D	Depositor
R, $R_{free}$	0.198 , (Not available) 0.189 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	18.3	Xtriage
Anisotropy	0.387	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 85.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	2758	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.42% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FOL, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.25	9/1302 (0.7%)	1.66	24/1770 (1.4%)
1	B	1.31	12/1302 (0.9%)	1.71	33/1770 (1.9%)
All	All	1.28	21/2604 (0.8%)	1.69	57/3540 (1.6%)

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	120	GLU	CD-OE1	9.21	1.35	1.25
1	B	17	GLU	CD-OE1	8.94	1.35	1.25
1	A	17	GLU	CD-OE1	8.30	1.34	1.25
1	B	157	GLU	CD-OE2	8.11	1.34	1.25
1	B	154	GLU	CD-OE1	7.76	1.34	1.25
1	A	48	GLU	CD-OE1	7.45	1.33	1.25
1	A	101	GLU	CD-OE2	7.30	1.33	1.25
1	A	157	GLU	CD-OE2	7.12	1.33	1.25
1	B	134	GLU	CD-OE1	7.04	1.33	1.25
1	B	129	GLU	CD-OE1	6.82	1.33	1.25
1	A	129	GLU	CD-OE1	6.42	1.32	1.25
1	A	134	GLU	CD-OE1	6.23	1.32	1.25
1	A	118	GLU	CD-OE1	6.15	1.32	1.25
1	A	154	GLU	CD-OE1	6.05	1.32	1.25
1	B	80	GLU	CD-OE1	5.99	1.32	1.25
1	B	48	GLU	CD-OE1	5.83	1.32	1.25
1	B	101	GLU	CD-OE2	-5.51	1.19	1.25
1	A	120	GLU	CD-OE2	5.50	1.31	1.25
1	B	139	GLU	CD-OE2	5.43	1.31	1.25
1	B	118	GLU	CD-OE1	5.41	1.31	1.25
1	B	90	GLU	CD-OE2	-5.10	1.20	1.25

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	44	ARG	NE-CZ-NH2	-10.08	115.26	120.30
1	A	27	ASP	CB-CG-OD2	-9.37	109.87	118.30
1	A	27	ASP	CB-CG-OD1	9.24	126.61	118.30
1	B	11	ASP	CB-CG-OD2	-9.04	110.16	118.30
1	A	144	ASP	CB-CG-OD2	-8.91	110.28	118.30
1	B	6	ALA	CB-CA-C	-8.77	96.94	110.10
1	A	69	ASP	CB-CG-OD2	-8.70	110.47	118.30
1	B	98	ARG	NE-CZ-NH1	8.69	124.64	120.30
1	B	144	ASP	CB-CG-OD2	-8.55	110.60	118.30
1	A	11	ASP	CB-CG-OD2	-8.28	110.85	118.30
1	B	127	ASP	CB-CG-OD1	-8.20	110.92	118.30
1	A	122	ASP	CB-CG-OD2	-8.18	110.94	118.30
1	A	127	ASP	CB-CG-OD2	-7.62	111.44	118.30
1	B	69	ASP	CB-CG-OD2	-7.56	111.50	118.30
1	B	79	ASP	CB-CG-OD1	-7.53	111.53	118.30
1	B	65	GLN	C-N-CD	-7.30	104.53	120.60
1	B	27	ASP	CB-CG-OD1	7.21	124.79	118.30
1	B	127	ASP	CB-CG-OD2	7.03	124.62	118.30
1	B	69	ASP	CB-CG-OD1	6.94	124.55	118.30
1	B	111	TYR	CB-CG-CD2	-6.93	116.84	121.00
1	B	142	ASP	CB-CG-OD2	-6.86	112.13	118.30
1	A	70	ASP	CB-CG-OD1	-6.83	112.15	118.30
1	A	70	ASP	CB-CG-OD2	6.75	124.38	118.30
1	A	52	ARG	NE-CZ-NH1	6.75	123.67	120.30
1	B	144	ASP	CB-CG-OD1	6.70	124.33	118.30
1	A	44	ARG	NE-CZ-NH2	-6.69	116.95	120.30
1	B	70	ASP	CB-CG-OD2	-6.61	112.35	118.30
1	B	37	ASP	CB-CG-OD2	-6.59	112.36	118.30
1	B	42	MET	CG-SD-CE	-6.48	89.83	100.20
1	B	79	ASP	CB-CG-OD2	6.48	124.13	118.30
1	A	33	ARG	NE-CZ-NH2	-6.38	117.11	120.30
1	A	33	ARG	NE-CZ-NH1	6.37	123.48	120.30
1	A	144	ASP	CB-CG-OD1	6.34	124.01	118.30
1	A	109	LYS	N-CA-CB	-6.28	99.29	110.60
1	A	142	ASP	CB-CG-OD1	-6.18	112.73	118.30
1	A	12	ARG	NE-CZ-NH2	-6.03	117.28	120.30
1	B	11	ASP	CB-CG-OD1	6.01	123.71	118.30
1	B	109	LYS	N-CA-CB	-6.00	99.80	110.60
1	A	22	TRP	CB-CA-C	5.81	122.02	110.40
1	B	44	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	A	142	ASP	CB-CG-OD2	5.77	123.49	118.30
1	B	37	ASP	CB-CG-OD1	5.62	123.35	118.30
1	A	127	ASP	CB-CG-OD1	5.61	123.35	118.30

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	142	ASP	CB-CA-C	-5.60	99.20	110.40
1	A	11	ASP	CB-CG-OD1	5.54	123.29	118.30
1	A	98	ARG	NE-CZ-NH1	5.51	123.05	120.30
1	A	12	ARG	NE-CZ-NH1	5.49	123.05	120.30
1	B	87	ASP	CB-CG-OD2	5.41	123.17	118.30
1	B	123	THR	CA-CB-CG2	-5.34	104.92	112.40
1	A	109	LYS	CB-CG-CD	-5.29	97.84	111.60
1	B	27	ASP	CB-CG-OD2	-5.27	113.56	118.30
1	B	57	ARG	O-C-N	-5.21	114.36	122.70
1	B	122	ASP	CB-CG-OD1	-5.18	113.64	118.30
1	B	30	TRP	CA-CB-CG	5.13	123.46	113.70
1	B	159	ARG	NE-CZ-NH1	5.13	122.87	120.30
1	B	87	ASP	N-CA-CB	5.08	119.75	110.60
1	B	98	ARG	NE-CZ-NH2	-5.07	117.76	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1268	0	1221	68	0
1	B	1268	0	1221	40	0
2	A	32	0	17	1	0
2	B	32	0	17	4	0
3	A	48	0	24	4	0
3	B	31	0	11	6	0
4	A	44	0	0	4	0
4	B	35	0	0	0	0
All	All	2758	0	2511	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:95:GLY:HA3	3:A:164:NAP:H5N	1.41	1.02
1:A:12:ARG:HG3	1:A:12:ARG:HH11	1.28	0.97
1:A:59:ASN:HD22	1:A:59:ASN:N	1.76	0.84
1:B:102:GLN:HE22	3:B:164:NAP:H61A	1.27	0.80
1:B:10:VAL:HG13	1:B:117:ALA:O	1.82	0.78
1:A:12:ARG:HH21	1:A:127:ASP:CA	1.99	0.76
1:A:95:GLY:HA3	3:A:164:NAP:C5N	2.20	0.71
1:A:127:ASP:HB2	4:A:443:HOH:O	1.91	0.71
1:B:44:ARG:O	1:B:48:GLU:HG3	1.93	0.68
1:A:75:VAL:HG21	1:A:81:ALA:HA	1.76	0.68
1:A:59:ASN:H	1:A:59:ASN:HD22	1.41	0.68
1:A:60:ILE:C	1:A:61:ILE:HD12	2.15	0.66
1:A:12:ARG:HH21	1:A:127:ASP:HA	1.61	0.66
1:A:9:ALA:HB2	1:A:22:TRP:HZ3	1.60	0.64
1:A:75:VAL:HG21	1:A:81:ALA:CA	2.28	0.64
1:A:12:ARG:NH2	4:A:443:HOH:O	2.31	0.64
1:B:27:ASP:OD2	2:B:161:FOL:N3	2.30	0.64
1:B:9:ALA:HB1	1:B:117:ALA:O	1.97	0.63
1:A:132:ASP:O	1:A:159:ARG:HB2	1.99	0.62
1:A:70:ASP:OD1	1:A:70:ASP:N	2.30	0.62
1:A:139:GLU:OE2	1:A:141:HIS:NE2	2.26	0.62
1:A:125:PHE:CD2	1:A:126:PRO:HD2	2.34	0.61
1:A:44:ARG:O	1:A:48:GLU:HG3	2.01	0.61
1:A:61:ILE:HD12	1:A:61:ILE:N	2.17	0.60
1:A:129:GLU:O	1:A:132:ASP:N	2.30	0.59
1:A:104:LEU:HD22	1:A:126:PRO:HG2	1.82	0.59
1:A:24:LEU:HD23	1:A:147:ASN:HB3	1.85	0.57
1:A:59:ASN:ND2	1:A:59:ASN:N	2.46	0.57
1:B:94:ILE:HB	2:B:161:FOL:H7	1.87	0.57
1:A:38:LYS:O	1:A:57:ARG:HG2	2.05	0.56
1:A:12:ARG:HG3	1:A:12:ARG:NH1	2.06	0.56
1:A:54:LEU:N	1:A:59:ASN:OD1	2.34	0.55
1:A:16:MET:HA	1:A:122:ASP:OD2	2.06	0.55
1:A:137:PHE:HB3	1:A:155:ILE:HB	1.88	0.55
1:A:129:GLU:O	1:A:132:ASP:HB2	2.08	0.54
1:B:46:THR:O	1:B:50:ILE:HG13	2.09	0.53
1:B:65:GLN:HB3	1:B:66:PRO:HD2	1.91	0.53
1:A:10:VAL:HG13	1:A:117:ALA:O	2.08	0.53
1:B:108:GLN:HA	1:B:108:GLN:OE1	2.07	0.53
1:B:99:VAL:HG23	3:B:164:NAP:O1A	2.10	0.51
1:B:78:VAL:O	1:B:81:ALA:HB3	2.11	0.51
1:A:67:GLY:HA3	1:A:74:TRP:CE2	2.47	0.50

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:56:GLY:O	1:B:57:ARG:HG3	2.12	0.50
1:B:139:GLU:OE2	1:B:141:HIS:NE2	2.35	0.50
1:A:117:ALA:HB2	1:A:149:HIS:CD2	2.46	0.50
1:B:122:ASP:N	1:B:122:ASP:OD1	2.44	0.50
1:A:12:ARG:HH11	1:A:12:ARG:CG	2.14	0.50
1:B:10:VAL:O	1:B:11:ASP:HB2	2.12	0.50
1:A:116:ASP:OD2	1:A:150:SER:OG	2.29	0.49
1:B:65:GLN:O	1:B:66:PRO:O	2.30	0.49
1:B:125:PHE:CG	1:B:126:PRO:HD2	2.47	0.49
1:B:151:TYR:N	1:B:151:TYR:CD1	2.81	0.49
1:B:98:ARG:HH11	3:B:164:NAP:H3B	1.78	0.49
1:A:131:ASP:OD1	1:A:131:ASP:O	2.31	0.48
1:A:82:ILE:O	1:A:85:CYS:HB2	2.13	0.48
1:B:4:LEU:HD13	1:B:107:ALA:HB2	1.95	0.48
1:B:67:GLY:HA2	1:B:74:TRP:CD2	2.48	0.48
1:A:8:LEU:HD12	1:A:8:LEU:N	2.28	0.48
1:B:39:PRO:HG2	1:B:88:VAL:HG21	1.94	0.48
1:A:104:LEU:N	1:A:105:PRO:CD	2.77	0.48
1:A:69:ASP:OD1	1:A:71:ARG:HB2	2.14	0.47
1:B:24:LEU:HA	1:B:25:PRO:HD2	1.70	0.47
1:B:61:ILE:CD1	1:B:61:ILE:N	2.76	0.47
1:A:62:LEU:HD23	1:A:75:VAL:HG23	1.96	0.47
1:B:38:LYS:O	1:B:57:ARG:HG2	2.15	0.47
1:B:41:ILE:HG21	1:B:41:ILE:HD13	1.58	0.46
1:B:98:ARG:O	1:B:102:GLN:HG3	2.15	0.46
1:B:102:GLN:NE2	3:B:164:NAP:H61A	2.06	0.46
1:B:71:ARG:C	1:B:72:VAL:HG13	2.35	0.46
1:A:100:TYR:OH	3:A:164:NAP:H4N	2.16	0.46
1:A:110:LEU:HB3	1:A:112:LEU:HD21	1.99	0.45
1:A:107:ALA:O	1:A:158:ARG:NE	2.44	0.45
1:A:115:ILE:O	1:A:117:ALA:N	2.46	0.45
1:B:52:ARG:O	1:B:52:ARG:HG3	2.15	0.45
1:B:69:ASP:OD2	1:B:71:ARG:NH2	2.42	0.45
1:A:58:LYS:NZ	4:A:442:HOH:O	2.51	0.44
1:B:44:ARG:HH21	3:B:164:NAP:P2B	2.39	0.44
1:A:14:ILE:O	3:A:164:NAP:H2N	2.17	0.44
1:A:147:ASN:N	1:A:147:ASN:ND2	2.64	0.44
2:B:161:FOL:H16	2:B:161:FOL:HN	1.29	0.44
1:A:146:GLN:HB2	1:A:146:GLN:HE21	1.46	0.44
1:B:60:ILE:C	1:B:61:ILE:HD12	2.38	0.43
1:B:141:HIS:HB2	1:B:151:TYR:CZ	2.52	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:7:ALA:HB1	1:B:115:ILE:CD1	2.48	0.43
1:A:40:VAL:HG21	1:A:54:LEU:HD12	2.00	0.43
1:A:75:VAL:HB	1:A:80:GLU:CB	2.48	0.43
1:A:140:PHE:HA	1:A:152:CYS:HA	2.01	0.43
1:A:12:ARG:HH21	1:A:127:ASP:CB	2.32	0.43
1:A:64:SER:O	1:A:65:GLN:OE1	2.36	0.43
1:A:28:LEU:HD23	1:A:28:LEU:HA	1.91	0.42
1:B:125:PHE:CD1	1:B:126:PRO:HD2	2.54	0.42
1:B:7:ALA:HB1	1:B:115:ILE:HD11	2.02	0.42
1:A:86:GLY:O	1:A:88:VAL:HG13	2.19	0.42
1:A:24:LEU:HA	1:A:25:PRO:HD2	1.77	0.42
1:A:5:ILE:HG12	2:A:161:FOL:HN1	1.84	0.42
1:A:23:ASN:HA	4:A:426:HOH:O	2.20	0.41
1:A:61:ILE:CD1	1:A:61:ILE:N	2.82	0.41
1:A:12:ARG:CG	1:A:12:ARG:NH1	2.79	0.41
1:A:141:HIS:HB2	1:A:151:TYR:CZ	2.55	0.41
1:A:61:ILE:O	1:A:74:TRP:HA	2.20	0.41
1:A:41:ILE:HG21	1:A:41:ILE:HD13	1.87	0.41
1:A:12:ARG:NH2	1:A:127:ASP:HA	2.31	0.41
1:A:88:VAL:HA	1:A:89:PRO:HD3	1.82	0.41
1:B:134:GLU:O	1:B:156:LEU:HA	2.21	0.41
1:A:61:ILE:HD13	1:A:72:VAL:HB	2.03	0.40
1:A:67:GLY:HA3	1:A:74:TRP:CD2	2.56	0.40
1:B:27:ASP:CG	2:B:161:FOL:HN22	2.19	0.40
1:A:20:MET:HA	1:A:21:PRO:HD3	1.97	0.40
1:B:44:ARG:NH2	3:B:164:NAP:O3X	2.45	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	157/159 (99%)	145 (92%)	12 (8%)	0	100	100
1	B	157/159 (99%)	149 (95%)	6 (4%)	2 (1%)	13	8
All	All	314/318 (99%)	294 (94%)	18 (6%)	2 (1%)	27	23

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	66	PRO
1	B	63	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	136/136 (100%)	125 (92%)	11 (8%)	13	9
1	B	136/136 (100%)	122 (90%)	14 (10%)	8	5
All	All	272/272 (100%)	247 (91%)	25 (9%)	10	6

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	10	VAL
1	A	12	ARG
1	A	16	MET
1	A	22	TRP
1	A	30	TRP
1	A	52	ARG
1	A	53	PRO
1	A	59	ASN
1	A	142	ASP
1	A	147	ASN
1	B	10	VAL
1	B	16	MET
1	B	22	TRP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	23	ASN
1	B	49	SER
1	B	52	ARG
1	B	61	ILE
1	B	87	ASP
1	B	122	ASP
1	B	129	GLU
1	B	131	ASP
1	B	135	SER
1	B	138	SER
1	B	146	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	23	ASN
1	A	146	GLN
1	B	23	ASN
1	B	65	GLN
1	B	102	GLN
1	B	146	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FOL	A	161	-	28,34,34	2.47	10 (35%)	35,47,47	3.17	20 (57%)
3	NAP	A	164	-	44,52,52	2.40	9 (20%)	53,80,80	2.54	13 (24%)
2	FOL	B	161	-	28,34,34	2.01	12 (42%)	35,47,47	3.12	21 (60%)
3	NAP	B	164	1	29,33,52	1.05	2 (6%)	34,52,80	1.58	6 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FOL	A	161	-	-	0/16/22/22	0/3/3/3
3	NAP	A	164	-	-	0/27/67/67	0/5/5/5
2	FOL	B	161	-	-	0/16/22/22	0/3/3/3
3	NAP	B	164	1	-	0/17/37/67	0/3/3/5

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	164	NAP	C2N-C3N	-5.27	1.30	1.39
3	A	164	NAP	C6N-C5N	-4.08	1.29	1.38
2	A	161	FOL	C15-C14	-4.06	1.32	1.39
2	B	161	FOL	C15-C14	-3.81	1.32	1.39
2	A	161	FOL	C8A-N8	-3.81	1.31	1.37
2	B	161	FOL	C4A-C8A	-2.86	1.34	1.40
2	B	161	FOL	C2-NA2	-2.65	1.28	1.33
3	B	164	NAP	O4B-C1B	-2.48	1.37	1.41
2	A	161	FOL	C2-NA2	-2.39	1.29	1.33
2	B	161	FOL	C9-C6	-2.38	1.46	1.51
3	A	164	NAP	C3N-C7N	-2.25	1.47	1.50
2	A	161	FOL	C4A-C8A	-2.25	1.36	1.40
3	A	164	NAP	O3D-C3D	-2.17	1.37	1.43
3	A	164	NAP	O2D-C2D	-2.08	1.37	1.43
2	A	161	FOL	CA-N	2.04	1.49	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	161	FOL	C6-N5	2.13	1.36	1.32
3	A	164	NAP	C5D-C4D	2.13	1.58	1.51
3	B	164	NAP	PN-O3	2.19	1.63	1.60
2	B	161	FOL	C8A-N1	2.26	1.41	1.36
2	B	161	FOL	C2-N3	2.31	1.39	1.35
2	B	161	FOL	C4A-N5	2.39	1.36	1.33
2	B	161	FOL	C9-N10	2.59	1.52	1.45
2	B	161	FOL	C12-C11	3.13	1.44	1.39
2	A	161	FOL	C6-N5	3.21	1.38	1.32
2	B	161	FOL	C13-C14	3.65	1.45	1.39
2	B	161	FOL	C4-C4A	3.67	1.47	1.41
3	A	164	NAP	O4D-C1D	4.22	1.47	1.41
2	A	161	FOL	C4-C4A	4.63	1.49	1.41
2	A	161	FOL	C2-N3	4.78	1.43	1.35
2	A	161	FOL	C4-N3	4.81	1.41	1.33
2	A	161	FOL	C4A-N5	5.11	1.40	1.33
3	A	164	NAP	C5N-C4N	7.51	1.53	1.38
3	A	164	NAP	C4N-C3N	9.22	1.55	1.39

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	164	NAP	C5N-C4N-C3N	-10.42	108.12	120.35
2	A	161	FOL	C7-C6-N5	-7.00	116.28	120.85
3	A	164	NAP	C4D-O4D-C1D	-6.72	102.82	109.83
2	B	161	FOL	N1-C2-N3	-6.10	118.47	127.41
2	A	161	FOL	N1-C2-N3	-5.21	119.77	127.41
2	B	161	FOL	CG-CB-CA	-4.77	103.67	113.19
2	A	161	FOL	C4A-C4-N3	-4.74	116.73	123.47
2	B	161	FOL	C4A-C4-N3	-4.65	116.86	123.47
2	A	161	FOL	CB-CA-CT	-4.63	105.23	112.11
2	A	161	FOL	CG-CB-CA	-4.41	104.38	113.19
2	A	161	FOL	N8-C8A-N1	-4.31	110.76	115.97
3	A	164	NAP	O5D-C5D-C4D	-4.25	94.23	109.00
2	B	161	FOL	C7-C6-N5	-4.11	118.16	120.85
3	A	164	NAP	C1B-N9A-C4A	-4.05	119.63	126.64
3	B	164	NAP	O5B-PA-O1A	-3.97	93.56	109.07
2	A	161	FOL	C4-C4A-C8A	-3.83	117.09	119.95
2	B	161	FOL	C16-C11-C	-3.42	109.65	120.62
2	A	161	FOL	C12-C13-C14	-3.09	116.65	120.30
3	B	164	NAP	O2B-C2B-C1B	-3.03	99.01	110.08
3	A	164	NAP	O2B-C2B-C1B	-2.99	99.13	110.08

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	164	NAP	C3N-C7N-N7N	-2.90	114.39	117.76
2	B	161	FOL	C4-C4A-C8A	-2.86	117.81	119.95
3	A	164	NAP	C4B-O4B-C1B	-2.80	106.91	109.83
2	B	161	FOL	C11-C-N	-2.69	112.09	116.98
2	A	161	FOL	C6-N5-C4A	-2.61	115.31	118.44
2	A	161	FOL	C9-C6-C7	-2.45	117.28	121.55
2	B	161	FOL	C16-C15-C14	-2.33	117.54	120.30
2	B	161	FOL	O-C-N	-2.29	118.36	122.47
2	A	161	FOL	C13-C14-N10	-2.24	116.39	120.97
2	A	161	FOL	C9-N10-C14	-2.19	116.61	122.23
2	B	161	FOL	C13-C14-N10	-2.14	116.59	120.97
2	B	161	FOL	C6-N5-C4A	-2.12	115.89	118.44
3	A	164	NAP	O2A-PA-O1A	2.03	122.45	112.14
3	A	164	NAP	C5A-C6A-N6A	2.08	124.71	120.47
3	A	164	NAP	O4B-C1B-C2B	2.12	110.28	106.60
2	A	161	FOL	C4A-C8A-N1	2.17	125.88	122.19
3	B	164	NAP	O2X-P2B-O1X	2.26	119.41	110.60
2	A	161	FOL	C6-C9-N10	2.56	118.77	113.08
2	B	161	FOL	C15-C14-C13	2.62	122.70	119.03
3	B	164	NAP	O4B-C1B-C2B	2.63	111.17	106.60
3	A	164	NAP	C5N-C6N-N1N	2.69	124.50	120.39
2	A	161	FOL	C2-N1-C8A	3.00	118.67	115.16
2	A	161	FOL	NA2-C2-N1	3.04	123.31	117.75
3	B	164	NAP	O2N-PN-O1N	3.05	122.50	110.60
2	B	161	FOL	CT-CA-N	3.16	119.25	112.39
3	B	164	NAP	O2A-PA-O1A	3.20	128.42	112.14
2	A	161	FOL	C15-C14-C13	3.28	123.61	119.03
2	B	161	FOL	C15-C16-C11	3.38	124.62	120.78
2	B	161	FOL	C2-N1-C8A	3.43	119.17	115.16
2	B	161	FOL	C6-C7-N8	3.55	126.60	123.13
2	B	161	FOL	C12-C11-C	3.86	133.02	120.62
2	A	161	FOL	C4-N3-C2	4.02	121.85	116.06
3	A	164	NAP	O3D-C3D-C4D	4.06	122.82	111.06
2	B	161	FOL	NA2-C2-N1	4.79	126.50	117.75
2	B	161	FOL	O-C-C11	4.91	129.55	120.93
2	B	161	FOL	CB-CA-N	4.92	117.39	110.19
2	A	161	FOL	C9-C6-N5	5.34	126.44	116.67
2	B	161	FOL	C4-N3-C2	6.28	125.09	116.06
3	A	164	NAP	C2N-C3N-C4N	6.43	125.67	118.26
2	A	161	FOL	C6-C7-N8	6.43	129.43	123.13

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	161	FOL	1	0
3	A	164	NAP	4	0
2	B	161	FOL	4	0
3	B	164	NAP	6	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	159/159 (100%)	-0.42	1 (0%) 89 91	8, 23, 57, 67	0
1	B	159/159 (100%)	-0.32	1 (0%) 89 91	11, 24, 61, 74	0
All	All	318/318 (100%)	-0.37	2 (0%) 89 91	8, 24, 59, 74	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	65	GLN	3.0
1	A	131	ASP	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	FOL	B	161	32/32	0.94	0.13	10,34,84,91	0
2	FOL	A	161	32/32	0.96	0.09	6,23,84,90	0
3	NAP	A	164	48/48	0.97	0.10	5,24,41,48	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	NAP	B	164	31/48	0.98	0.09	11,17,26,34	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.