



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 16, 2018 – 03:24 pm GMT

PDB ID : 1S1S  
Title : Crystal Structure of ZipA in complex with indoloquinolizin 10b  
Authors : Jennings, L.D.; Foreman, K.W.; Rush III, T.S.; Tsao, D.H.; Mosyak, L.; Li, Y.; Sukhdeo, M.N.; Ding, W.; Dushin, E.G.; Kenny, C.H.; Moghazeh, S.L.; Petersen, P.J.; Ruzin, A.V.; Tuckman, M.; Sutherland, A.G.  
Deposited on : 2004-01-07  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30686


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	122078	5107 (2.10-2.10)
Ramachandran outliers	120005	5057 (2.10-2.10)
Sidechain outliers	119972	5058 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	144	
1	B	144	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2429 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cell division protein zipA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	139	Total	C	N	O	S	0	0	0
			1082	683	185	206	8			
1	B	137	Total	C	N	O	S	0	0	0
			1065	674	183	200	8			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	97	LEU	ASN	CONFLICT	UNP P77173
B	97	LEU	ASN	CONFLICT	UNP P77173

- Molecule 2 is N-{3-[(12bS)-7-oxo-1,3,4,6,7,12b-hexahydroindolo[2,3-a]quinolizin-12(2H)-yl]propyl}propane-2-sulfonamide (three-letter code: WAC) (formula: C<sub>21</sub>H<sub>29</sub>N<sub>3</sub>O<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	S	0	0
			28	21	3	3	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	128	Total 128	O 128	0	0
3	B	126	Total 126	O 126	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


#### • Molecule 1: Cell division protein zipA

Chain A: 



#### • Molecule 1: Cell division protein zipA

Chain B: 



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	52.45 Å   38.85 Å   71.52 Å 90.00°   106.28°   90.00°	Depositor
Resolution (Å)	23.72 – 2.10	Depositor
% Data completeness (in resolution range)	95.3 (23.72-2.10)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.226 , 0.280	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2429	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: WAC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/1103	0.64	0/1488
1	B	0.37	0/1086	0.61	0/1465
All	All	0.39	0/2189	0.62	0/2953

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1082	0	1062	33	0
1	B	1065	0	1048	44	0
2	B	28	0	29	2	0
3	A	128	0	0	12	0
3	B	126	0	0	11	0
All	All	2429	0	2139	74	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:10:VAL:HG22	1:B:87:GLN:NE2	1.92	0.84
1:A:10:VAL:HG22	1:B:137:ARG:HH21	1.42	0.83
1:A:58:LEU:HD22	1:A:97:LEU:HD13	1.60	0.82
1:A:129:LEU:HB3	3:A:172:HOH:O	1.82	0.79
1:B:26:GLU:HG2	3:B:376:HOH:O	1.85	0.77
1:B:10:VAL:HG22	1:B:87:GLN:HE22	1.51	0.75
1:A:91:TYR:O	1:A:97:LEU:HD11	1.86	0.74
1:B:93:ASP:O	1:B:97:LEU:HG	1.88	0.73
1:A:58:LEU:HD13	1:A:97:LEU:HD22	1.72	0.71
1:B:26:GLU:H	1:B:26:GLU:CD	1.92	0.71
1:B:99:LYS:O	1:B:103:GLN:HG3	1.94	0.68
1:A:66:LYS:HG3	1:A:67:PRO:HA	1.77	0.67
1:A:52:ASP:HB3	3:A:249:HOH:O	1.93	0.67
1:B:24:ASN:OD1	1:B:27:LEU:HB2	1.95	0.66
1:B:131:GLU:O	1:B:135:ILE:HG13	1.99	0.63
1:A:49:LEU:HD12	1:A:58:LEU:HG	1.82	0.60
1:A:48:HIS:HD2	1:A:55:GLY:O	1.85	0.60
1:B:59:PHE:HB3	1:B:86:MET:HB2	1.83	0.60
1:B:37:PHE:HB3	1:B:45:TYR:HB3	1.83	0.59
1:B:21:SER:HB3	3:B:324:HOH:O	2.02	0.59
1:B:12:ILE:HD11	2:B:301:WAC:H181	1.83	0.59
1:B:25:GLY:O	1:B:29:LEU:HG	2.03	0.58
1:A:8:GLU:HG2	3:A:227:HOH:O	2.03	0.58
1:B:75:LYS:HB2	3:B:376:HOH:O	2.03	0.58
1:B:58:LEU:HD13	1:B:97:LEU:HD22	1.86	0.57
1:B:139:VAL:HG23	3:B:378:HOH:O	2.04	0.57
1:A:127:GLN:HB3	3:A:254:HOH:O	2.05	0.57
1:A:98:PHE:HE2	3:A:172:HOH:O	1.86	0.57
1:A:93:ASP:O	1:A:97:LEU:HG	2.06	0.56
1:B:48:HIS:HD2	1:B:55:GLY:O	1.89	0.56
2:B:301:WAC:H161	2:B:301:WAC:H292	1.89	0.55
1:A:63:ASN:HD22	1:A:64:MET:N	2.05	0.54
1:B:103:GLN:HA	3:B:394:HOH:O	2.08	0.53
1:A:87:GLN:HB3	1:B:137:ARG:CZ	2.39	0.52
1:A:133:GLN:O	1:A:137:ARG:HG3	2.09	0.52
1:B:73:GLU:HB2	3:B:386:HOH:O	2.09	0.52
1:A:74:MET:HE1	3:A:258:HOH:O	2.11	0.51
1:B:49:LEU:O	1:B:51:PRO:HD3	2.10	0.51
1:A:107:HIS:HD2	3:A:226:HOH:O	1.94	0.51
1:A:63:ASN:O	1:A:68:GLY:HA2	2.10	0.51
1:A:87:GLN:HB3	1:B:137:ARG:NH2	2.26	0.51
1:B:35:ALA:O	1:B:47:ARG:NH1	2.45	0.50

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:61:LEU:HD21	1:B:82:VAL:HB	1.94	0.50
1:A:49:LEU:HD13	1:A:56:PRO:O	2.13	0.49
1:B:10:VAL:CG2	1:B:87:GLN:HE22	2.22	0.49
1:A:102:LEU:HD11	1:A:129:LEU:HD22	1.95	0.48
1:B:84:ILE:HG22	1:B:101:MET:HE2	1.96	0.48
1:B:58:LEU:HD22	1:B:97:LEU:HD22	1.95	0.48
1:B:66:LYS:HG2	1:B:67:PRO:HA	1.97	0.47
1:B:97:LEU:HD11	3:B:306:HOH:O	2.15	0.47
1:B:24:ASN:ND2	1:B:26:GLU:OE1	2.47	0.47
1:A:63:ASN:HD22	1:A:64:MET:H	1.63	0.46
1:B:77:PHE:HB3	3:B:333:HOH:O	2.16	0.46
1:A:10:VAL:HG22	1:B:137:ARG:NH2	2.20	0.45
1:B:90:SER:OG	1:B:94:GLU:HG3	2.16	0.45
1:B:26:GLU:N	1:B:26:GLU:CD	2.66	0.45
1:A:91:TYR:HD1	3:A:256:HOH:O	1.98	0.44
1:B:89:PRO:HD3	1:B:139:VAL:CG1	2.48	0.44
1:A:100:LEU:HD22	3:A:272:HOH:O	2.19	0.43
1:A:61:LEU:C	1:A:61:LEU:HD23	2.38	0.43
1:B:28:LEU:O	1:B:32:ILE:HG13	2.18	0.43
1:A:49:LEU:CD1	1:A:58:LEU:HG	2.48	0.43
1:B:108:ILE:O	1:B:112:VAL:HG22	2.19	0.43
1:A:88:VAL:HA	1:A:89:PRO:C	2.39	0.42
1:B:107:HIS:HD2	3:B:404:HOH:O	2.02	0.42
1:A:91:TYR:CD1	3:A:256:HOH:O	2.57	0.42
1:B:106:GLN:HB3	3:B:394:HOH:O	2.19	0.42
1:B:42:MET:O	1:B:43:ASN:HB2	2.20	0.42
1:A:91:TYR:CE1	3:A:256:HOH:O	2.73	0.42
1:B:84:ILE:HD12	1:B:105:ALA:HB2	2.01	0.42
1:A:47:ARG:HD3	3:A:190:HOH:O	2.20	0.41
1:B:48:HIS:CD2	1:B:55:GLY:O	2.73	0.41
1:B:50:SER:N	3:B:409:HOH:O	2.53	0.41
1:A:49:LEU:N	1:A:49:LEU:HD12	2.35	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	137/144 (95%)	127 (93%)	8 (6%)	2 (2%)	11	6
1	B	135/144 (94%)	119 (88%)	13 (10%)	3 (2%)	7	3
All	All	272/288 (94%)	246 (90%)	21 (8%)	5 (2%)	9	4

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	51	PRO
1	B	142	ALA
1	A	76	ASP
1	B	52	ASP
1	A	52	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	117/123 (95%)	112 (96%)	5 (4%)	32	31
1	B	115/123 (94%)	110 (96%)	5 (4%)	32	31
All	All	232/246 (94%)	222 (96%)	10 (4%)	32	31

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	ASP
1	A	42	MET
1	A	63	ASN
1	A	75	LYS
1	A	101	MET
1	B	7	LYS
1	B	27	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	34	GLN
1	B	63	ASN
1	B	106	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	HIS
1	A	48	HIS
1	A	63	ASN
1	A	143	ASN
1	B	30	ASN
1	B	34	GLN
1	B	46	HIS
1	B	48	HIS
1	B	63	ASN
1	B	87	GLN
1	B	96	GLN
1	B	103	GLN
1	B	106	GLN
1	B	127	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	WAC	B	301	-	24,31,31	1.68	5 (20%)	26,46,46	1.25	2 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	WAC	B	301	-	-	0/12/37/37	0/4/4/4

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	WAC	C10-N11	2.09	1.52	1.47
2	B	301	WAC	C16-C10	2.12	1.58	1.53
2	B	301	WAC	C1-C2	2.24	1.41	1.36
2	B	301	WAC	C6-C5	2.64	1.42	1.36
2	B	301	WAC	S39-N36	4.99	1.73	1.61

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	WAC	O45-S39-N36	-2.52	104.73	107.76
2	B	301	WAC	C29-N7-C8	3.49	130.57	124.72

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	WAC	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.