



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2018 – 09:06 am GMT

PDB ID : 3S3B
Title : Structure of Thermus thermophilus cytochrome ba3 oxidase 240s after Xe de-pressurization
Authors : Luna, V.M.; Fee, J.A.; Deniz, A.A.; Stout, C.D.
Deposited on : 2011-05-18
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk31020
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk31020


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	1168 (3.36-3.24)
Clashscore	122126	1022 (3.34-3.26)
Ramachandran outliers	120053	1004 (3.34-3.26)
Sidechain outliers	120020	1003 (3.34-3.26)
RSRZ outliers	108989	1133 (3.36-3.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	568	<div> <div>9%</div> <div>71%</div> <div>24%</div> <div>••</div> </div>
2	B	166	<div> <div>16%</div> <div>70%</div> <div>27%</div> <div>••</div> </div>
3	C	33	<div> <div>9%</div> <div>76%</div> <div>18%</div> <div>6%</div> </div>

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 6063 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	555	Total	C	N	O	S	0	0	0
			4392	2977	705	694	16			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	MET	-	EXPRESSION TAG	UNP Q5SJ79
A	-4	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	-3	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	-2	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	-1	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	0	HIS	-	EXPRESSION TAG	UNP Q5SJ79
A	1	HIS	-	EXPRESSION TAG	UNP Q5SJ79

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	166	Total	C	N	O	S	0	0	0
			1298	844	216	234	4			


- Molecule 3 is a protein called Cytochrome c oxidase polypeptide 2A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	33	Total	C	N	O	0	0	0
			259	179	39	41			

- Molecule 4 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cu	0	0
			1	1		


- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



- Molecule 7 is XENON (three-letter code: XE) (formula: Xe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	3	Total	Xe	0	0
			3	3		

- Molecule 8 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	Cu	0	0
			2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cytochrome c oxidase subunit 1




• Molecule 2: Cytochrome c oxidase subunit 2



• Molecule 3: Cytochrome c oxidase polypeptide 2A





4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	109.92Å 109.92Å 170.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	92.32 – 3.30 50.39 – 3.30	Depositor EDS
% Data completeness (in resolution range)	99.8 (92.32-3.30) 99.8 (50.39-3.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.15	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.55 (at 3.33Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.257 , 0.299 0.255 , 0.294	Depositor DCC
R_{free} test set	822 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	86.9	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 55.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	6063	wwPDB-VP
Average B, all atoms (Å ²)	86.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, HAS, CUA, CU, XE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	2/4549 (0.0%)	0.71	2/6243 (0.0%)
2	B	0.81	2/1335 (0.1%)	0.74	0/1822
3	C	0.74	0/265	0.66	0/359
All	All	0.73	4/6149 (0.1%)	0.71	2/8424 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	144	GLU	CB-CG	6.75	1.65	1.52
2	B	144	GLU	N-CA	6.11	1.58	1.46
1	A	510	GLU	CG-CD	-5.78	1.43	1.51
1	A	12	TYR	CE2-CZ	5.23	1.45	1.38

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	10	ARG	NE-CZ-NH1	-8.43	116.08	120.30
1	A	510	GLU	OE1-CD-OE2	5.53	129.93	123.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	142	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4392	0	4505	119	28
2	B	1298	0	1280	33	28
3	C	259	0	279	10	0
4	A	1	0	0	0	0
5	A	43	0	30	5	0
6	A	65	0	62	9	0
7	A	3	0	0	0	0
8	B	2	0	0	0	0
All	All	6063	0	6156	157	28

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:HIS:NE2	1:A:237:TYR:HE2	0.91	1.38
1:A:233:HIS:NE2	1:A:237:TYR:CE2	1.79	1.37
1:A:233:HIS:CD2	1:A:237:TYR:HE2	1.80	0.98
1:A:262:ASP:HB2	1:A:511:VAL:HG11	1.47	0.93
1:A:15:TYR:HB2	1:A:18:LYS:HD2	1.58	0.86
1:A:313:ALA:HB2	6:A:801:HAS:H273	1.58	0.86
3:C:2:GLU:HG3	3:C:3:GLU:H	1.44	0.81
1:A:233:HIS:CD2	1:A:237:TYR:CE2	2.63	0.80
5:A:800:HEM:HBC2	5:A:800:HEM:HMC2	1.62	0.80
1:A:335:TRP:O	1:A:339:LEU:HD22	1.83	0.79
2:B:97:VAL:HG23	2:B:166:VAL:HG12	1.65	0.78
1:A:233:HIS:CE1	1:A:237:TYR:CE2	2.73	0.77
1:A:9:SER:HB3	1:A:12:TYR:CD2	2.22	0.75
1:A:388:GLN:CB	6:A:801:HAS:HAC	2.19	0.72
1:A:357:ILE:HG23	3:C:15:LEU:HD12	1.74	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:145:TYR:HE1	2:B:166:VAL:HG21	1.56	0.70
1:A:388:GLN:HB3	6:A:801:HAS:CAC	2.22	0.69
1:A:29:PHE:CE1	1:A:401:LEU:HD11	2.28	0.69
1:A:435:MET:HG2	1:A:439:LEU:HD22	1.77	0.67
1:A:465:VAL:HG23	1:A:466:PRO:HD3	1.75	0.67
1:A:410:GLY:HA2	1:A:501:LEU:HD12	1.77	0.66
2:B:145:TYR:CE1	2:B:166:VAL:HG21	2.31	0.66
1:A:388:GLN:HB3	6:A:801:HAS:HAC	1.79	0.64
1:A:401:LEU:HG	1:A:405:LEU:HD22	1.79	0.63
5:A:800:HEM:HBC2	5:A:800:HEM:CMC	2.28	0.63
1:A:449:ARG:HH12	6:A:801:HAS:CGA	2.12	0.63
1:A:518:ARG:HG2	1:A:518:ARG:HH21	1.66	0.60
1:A:388:GLN:HB2	6:A:801:HAS:HAC	1.83	0.58
1:A:377:ASN:HB3	2:B:150:ASN:O	2.04	0.58
1:A:410:GLY:C	1:A:501:LEU:HD11	2.23	0.58
1:A:482:LEU:HA	1:A:485:ILE:HD12	1.86	0.58
2:B:69:GLN:HA	2:B:69:GLN:NE2	2.18	0.57
1:A:357:ILE:HG23	3:C:15:LEU:CD1	2.34	0.57
1:A:223:VAL:HG12	1:A:549:LEU:HB3	1.85	0.57
1:A:467:MET:O	1:A:471:VAL:HG23	2.05	0.57
2:B:97:VAL:HG23	2:B:166:VAL:CG1	2.34	0.57
3:C:2:GLU:CG	3:C:3:GLU:H	2.16	0.57
1:A:332:LEU:HD12	3:C:6:LYS:HB3	1.86	0.57
1:A:489:PHE:HB3	1:A:493:LEU:HD22	1.87	0.57
1:A:332:LEU:HD23	1:A:333:PHE:CE2	2.40	0.56
2:B:73:GLN:HB2	2:B:79:TYR:CE1	2.40	0.56
2:B:71:VAL:HG13	2:B:81:VAL:HG22	1.87	0.56
3:C:2:GLU:HG3	3:C:3:GLU:N	2.17	0.56
2:B:143:GLY:N	2:B:166:VAL:HG23	2.21	0.56
1:A:302:THR:O	1:A:305:VAL:HG12	2.06	0.55
1:A:436:ALA:O	1:A:440:HIS:ND1	2.32	0.55
1:A:410:GLY:HA2	1:A:501:LEU:CD1	2.37	0.55
1:A:463:ALA:O	1:A:467:MET:HG3	2.06	0.54
1:A:11:VAL:HG22	1:A:503:GLU:CG	2.36	0.54
1:A:48:ASN:HB2	1:A:467:MET:SD	2.47	0.54
1:A:32:LEU:O	1:A:36:SER:HB2	2.08	0.53
1:A:183:THR:O	1:A:187:VAL:HG23	2.09	0.53
1:A:207:PHE:O	1:A:211:TRP:HB2	2.09	0.53
1:A:398:MET:O	1:A:401:LEU:HB2	2.09	0.52
1:A:29:PHE:CZ	1:A:401:LEU:HD11	2.44	0.52
2:B:18:TRP:CE3	3:C:12:ILE:HD12	2.45	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:282:HIS:CD2	1:A:283:HIS:CD2	2.97	0.52
1:A:429:PHE:O	1:A:433:MET:HG2	2.09	0.51
1:A:225:ARG:HD3	1:A:287:ASP:OD1	2.11	0.51
1:A:37:LEU:O	1:A:40:PRO:HD2	2.11	0.50
2:B:74:THR:HG21	2:B:80:THR:OG1	2.11	0.50
1:A:294:TRP:CZ2	1:A:544:PRO:HG2	2.47	0.50
2:B:139:PHE:CG	2:B:166:VAL:HG11	2.46	0.50
1:A:330:ARG:HG3	1:A:334:GLY:CA	2.42	0.50
1:A:262:ASP:HB3	1:A:263:PRO:HD3	1.94	0.49
1:A:282:HIS:NE2	1:A:283:HIS:CD2	2.80	0.49
1:A:46:TYR:HA	1:A:453:ILE:HD11	1.94	0.49
1:A:227:LEU:O	1:A:230:TRP:HB3	2.12	0.49
1:A:29:PHE:CZ	1:A:401:LEU:CD1	2.96	0.49
1:A:410:GLY:O	1:A:501:LEU:HD11	2.13	0.49
1:A:281:PHE:H	1:A:298:HIS:CD2	2.31	0.48
1:A:233:HIS:O	1:A:236:VAL:HG22	2.14	0.48
1:A:9:SER:O	1:A:12:TYR:N	2.46	0.48
2:B:145:TYR:CE1	2:B:166:VAL:CG2	2.96	0.48
1:A:518:ARG:HG2	1:A:518:ARG:NH2	2.28	0.47
5:A:800:HEM:HMC2	5:A:800:HEM:CBC	2.41	0.47
1:A:10:ARG:O	1:A:13:GLU:N	2.47	0.47
1:A:456:VAL:HG23	1:A:456:VAL:O	2.14	0.47
1:A:12:TYR:O	1:A:16:PRO:N	2.47	0.47
1:A:562:TRP:HA	2:B:155:LEU:HG	1.96	0.47
1:A:403:TRP:C	1:A:406:PRO:HD2	2.35	0.47
1:A:48:ASN:HD21	1:A:457:PRO:HA	1.79	0.47
1:A:236:VAL:HG12	1:A:239:TRP:CZ3	2.49	0.47
1:A:495:ARG:HD3	1:A:495:ARG:HA	1.79	0.46
1:A:79:VAL:HA	1:A:152:PHE:CZ	2.49	0.46
1:A:259:LEU:HD23	1:A:511:VAL:HG22	1.98	0.46
1:A:465:VAL:HG23	1:A:466:PRO:CD	2.43	0.46
1:A:280:GLY:HA3	1:A:542:TYR:OH	2.16	0.46
1:A:120:ALA:O	1:A:123:PRO:HD2	2.16	0.46
3:C:13:LEU:HD22	3:C:13:LEU:HA	1.76	0.46
2:B:69:GLN:HA	2:B:69:GLN:HE21	1.81	0.45
2:B:83:VAL:HB	2:B:107:ILE:HG23	1.99	0.45
1:A:254:GLN:HE21	1:A:254:GLN:HA	1.81	0.45
1:A:291:ASP:OD2	1:A:293:THR:HB	2.15	0.45
2:B:145:TYR:HE1	2:B:166:VAL:CG2	2.25	0.45
2:B:93:ASN:HD21	2:B:162:GLY:HA2	1.81	0.45
2:B:92:PRO:O	2:B:95:ILE:HG13	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:330:ARG:HG3	1:A:334:GLY:HA3	1.99	0.45
1:A:401:LEU:O	1:A:405:LEU:HB2	2.17	0.45
1:A:400:SER:HA	1:A:403:TRP:NE1	2.32	0.45
1:A:96:GLU:OE2	1:A:180:PRO:HB2	2.17	0.44
2:B:113:ILE:HG22	2:B:151:GLN:HG2	1.98	0.44
1:A:465:VAL:CG2	1:A:466:PRO:HD3	2.44	0.44
2:B:101:ALA:O	2:B:103:ILE:HD12	2.16	0.44
1:A:321:GLU:HA	1:A:335:TRP:CE3	2.52	0.44
1:A:404:LEU:HG	1:A:408:LEU:HD11	1.99	0.44
1:A:107:TRP:O	1:A:111:TRP:HD1	2.01	0.44
1:A:255:ALA:O	1:A:323:ALA:HB1	2.18	0.44
1:A:337:ARG:HA	1:A:337:ARG:HD2	1.73	0.44
1:A:359:GLY:HA3	1:A:388:GLN:NE2	2.33	0.44
2:B:106:LYS:HG2	2:B:134:THR:HG23	1.99	0.44
1:A:445:LEU:O	1:A:446:ASN:HB2	2.17	0.43
3:C:2:GLU:CG	3:C:3:GLU:N	2.80	0.43
1:A:101:PRO:O	1:A:103:MET:N	2.52	0.43
1:A:449:ARG:O	1:A:450:ARG:HB2	2.18	0.43
1:A:184:TYR:CD2	1:A:266:ARG:HG2	2.53	0.43
1:A:52:TYR:N	1:A:53:PRO:HD2	2.33	0.43
2:B:86:PHE:O	2:B:88:PHE:N	2.51	0.43
1:A:459:ALA:O	2:B:146:ARG:NH1	2.24	0.43
1:A:477:LEU:HD12	5:A:800:HEM:HMB3	2.00	0.43
1:A:15:TYR:HA	1:A:17:GLU:OE1	2.19	0.43
1:A:267:LEU:HB3	1:A:311:MET:HE1	2.00	0.43
2:B:11:ILE:HG13	3:C:5:PRO:HG3	2.00	0.43
1:A:123:PRO:HG3	1:A:144:ALA:HB3	2.01	0.43
1:A:12:TYR:O	1:A:16:PRO:CA	2.67	0.43
1:A:281:PHE:H	1:A:298:HIS:HD2	1.65	0.43
1:A:230:TRP:C	1:A:230:TRP:CD1	2.92	0.43
1:A:264:MET:HA	1:A:264:MET:CE	2.49	0.43
2:B:103:ILE:N	2:B:103:ILE:HD12	2.34	0.42
1:A:477:LEU:CD1	5:A:800:HEM:HMB3	2.48	0.42
1:A:489:PHE:O	1:A:493:LEU:HB2	2.20	0.42
6:A:801:HAS:HHC	6:A:801:HAS:H122	2.00	0.42
1:A:152:PHE:O	1:A:155:SER:HB3	2.20	0.42
1:A:339:LEU:HB3	1:A:346:PHE:CZ	2.54	0.42
2:B:74:THR:HG23	2:B:78:GLN:OE1	2.19	0.42
2:B:93:ASN:ND2	2:B:162:GLY:HA2	2.35	0.42
1:A:160:ILE:HD13	1:A:194:PHE:HB2	2.02	0.42
1:A:70:THR:OG1	1:A:132:LEU:HD23	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:PHE:CZ	1:A:308:PRO:HB2	2.55	0.41
2:B:93:ASN:HA	2:B:94:PRO:HA	1.82	0.41
1:A:11:VAL:HG22	1:A:503:GLU:HG2	2.02	0.41
1:A:455:GLN:C	1:A:457:PRO:HD3	2.40	0.41
1:A:48:ASN:HA	1:A:48:ASN:HD22	1.69	0.41
1:A:330:ARG:HB2	1:A:331:GLY:H	1.69	0.41
1:A:546:LEU:O	1:A:550:PHE:HD1	2.03	0.41
1:A:403:TRP:O	1:A:406:PRO:HD2	2.21	0.41
2:B:97:VAL:O	2:B:166:VAL:HA	2.19	0.41
1:A:277:THR:N	1:A:278:PRO:CD	2.84	0.41
2:B:44:VAL:O	2:B:46:PRO:HD3	2.21	0.41
1:A:475:ILE:O	1:A:479:VAL:HG23	2.20	0.41
1:A:282:HIS:CD2	6:A:801:HAS:OMD	2.74	0.41
1:A:210:PRO:HB2	1:A:216:VAL:HG22	2.02	0.40
1:A:340:PRO:C	1:A:342:ASP:H	2.25	0.40
1:A:95:ARG:HD2	1:A:95:ARG:HH21	1.78	0.40
1:A:377:ASN:HB3	2:B:150:ASN:HB2	2.02	0.40
1:A:366:ASN:HB3	6:A:801:HAS:HMD	2.04	0.40
2:B:26:LEU:HA	2:B:26:LEU:HD12	1.98	0.40

All (28) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:ARG:N	2:B:142:PRO:CA[3_444]	1.02	1.18
1:A:10:ARG:N	2:B:142:PRO:C[3_444]	1.30	0.90
1:A:10:ARG:N	2:B:142:PRO:CB[3_444]	1.39	0.81
1:A:13:GLU:OE1	2:B:166:VAL:O[3_444]	1.46	0.74
1:A:13:GLU:OE1	2:B:166:VAL:C[3_444]	1.51	0.69
1:A:10:ARG:CA	2:B:142:PRO:CA[3_444]	1.69	0.51
1:A:10:ARG:NH1	2:B:139:PHE:C[3_444]	1.71	0.49
1:A:8:ILE:N	2:B:144:GLU:N[3_444]	1.72	0.48
1:A:11:VAL:N	2:B:142:PRO:CB[3_444]	1.81	0.39
1:A:10:ARG:N	2:B:143:GLY:N[3_444]	1.83	0.37
1:A:10:ARG:NH1	2:B:139:PHE:CB[3_444]	1.83	0.37
1:A:9:SER:C	2:B:142:PRO:C[3_444]	1.90	0.30
1:A:9:SER:C	2:B:142:PRO:CB[3_444]	1.90	0.30
1:A:10:ARG:CA	2:B:142:PRO:CB[3_444]	1.91	0.29
1:A:11:VAL:O	2:B:168:GLU:OE1[3_444]	1.91	0.29
1:A:10:ARG:CD	2:B:99:GLN:CB[3_444]	1.97	0.23

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:ARG:C	2:B:142:PRO:CB[3_444]	1.98	0.22
1:A:9:SER:C	2:B:143:GLY:N[3_444]	2.02	0.18
1:A:10:ARG:NH1	2:B:139:PHE:CA[3_444]	2.03	0.17
1:A:10:ARG:NH1	2:B:140:LYS:N[3_444]	2.04	0.16
1:A:10:ARG:CB	2:B:142:PRO:CA[3_444]	2.06	0.14
1:A:10:ARG:CZ	2:B:139:PHE:CB[3_444]	2.06	0.14
1:A:15:TYR:CD2	2:B:168:GLU:OE2[3_444]	2.07	0.13
1:A:10:ARG:NH2	2:B:139:PHE:CB[3_444]	2.07	0.13
1:A:15:TYR:N	2:B:168:GLU:OE1[3_444]	2.09	0.11
1:A:8:ILE:N	2:B:144:GLU:CA[3_444]	2.15	0.05
1:A:14:ALA:N	2:B:168:GLU:CB[3_444]	2.16	0.04
1:A:13:GLU:OE1	2:B:167:LYS:N[3_444]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	553/568 (97%)	508 (92%)	41 (7%)	4 (1%)	24	59
2	B	164/166 (99%)	148 (90%)	13 (8%)	3 (2%)	9	39
3	C	31/33 (94%)	26 (84%)	4 (13%)	1 (3%)	4	26
All	All	748/767 (98%)	682 (91%)	58 (8%)	8 (1%)	16	50

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	330	ARG
1	A	11	VAL
1	A	518	ARG
1	A	102	ASN
2	B	87	ALA
2	B	142	PRO
2	B	88	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	4	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	451/462 (98%)	431 (96%)	20 (4%)	31	64
2	B	136/136 (100%)	127 (93%)	9 (7%)	18	51
3	C	26/26 (100%)	24 (92%)	2 (8%)	14	43
All	All	613/624 (98%)	582 (95%)	31 (5%)	26	60

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	SER
1	A	48	ASN
1	A	133	TYR
1	A	168	ARG
1	A	216	VAL
1	A	230	TRP
1	A	254	GLN
1	A	262	ASP
1	A	274	LEU
1	A	339	LEU
1	A	354	LEU
1	A	369	PHE
1	A	405	LEU
1	A	430	LEU
1	A	439	LEU
1	A	449	ARG
1	A	452	TYR
1	A	472	LEU
1	A	495	ARG
1	A	522	LEU
2	B	19	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	26	LEU
2	B	58	VAL
2	B	72	VAL
2	B	77	ASN
2	B	111	ASP
2	B	128	LEU
2	B	159	ASN
2	B	166	VAL
3	C	3	GLU
3	C	13	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	GLN
1	A	48	ASN
1	A	76	ASN
1	A	254	GLN
1	A	298	HIS
1	A	388	GLN
2	B	69	GLN
2	B	77	ASN
2	B	122	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 4 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	HEM	A	800	1	27,50,50	2.13	5 (18%)	17,82,82	1.69	3 (17%)
6	HAS	A	801	1	56,72,72	3.98	18 (32%)	49,109,109	3.18	23 (46%)
8	CUA	B	802	2	0,1,1	0.00	-	0,0,0	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEM	A	800	1	-	0/6/54/54	0/0/8/8
6	HAS	A	801	1	-	0/35/122/122	0/0/8/8
8	CUA	B	802	2	-	0/0/0/0	0/0/0/0

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	801	HAS	C1D-ND	-11.02	1.34	1.49
6	A	801	HAS	C1B-NB	-10.47	1.34	1.49
6	A	801	HAS	C4B-NB	-10.00	1.35	1.49
6	A	801	HAS	C4D-ND	-9.95	1.35	1.49
6	A	801	HAS	C1D-C2D	-9.62	1.36	1.51
5	A	800	HEM	C3C-C2C	-5.19	1.33	1.40
5	A	800	HEM	C3B-C2B	-4.41	1.34	1.40
6	A	801	HAS	CHC-C4B	-3.23	1.47	1.53
6	A	801	HAS	CHA-C4D	-2.81	1.47	1.53
6	A	801	HAS	CHD-C4C	-2.38	1.48	1.51
6	A	801	HAS	C11-C3B	-2.14	1.48	1.51
6	A	801	HAS	CHD-C4A	-2.11	1.48	1.51
6	A	801	HAS	FE-NA	2.11	2.10	1.95
6	A	801	HAS	C2A-C3A	3.07	1.46	1.37
5	A	800	HEM	C3B-CAB	3.44	1.54	1.47
5	A	800	HEM	C3C-CAC	3.49	1.54	1.47
6	A	801	HAS	C3C-C2C	4.28	1.46	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	800	HEM	C3D-C2D	4.90	1.52	1.37
6	A	801	HAS	C2B-C3B	5.37	1.39	1.34
6	A	801	HAS	C1C-C2C	6.90	1.47	1.38
6	A	801	HAS	C4A-C3A	7.69	1.48	1.38
6	A	801	HAS	C1A-C2A	8.00	1.49	1.38
6	A	801	HAS	C3D-C2D	8.96	1.45	1.34

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	801	HAS	CHD-C4C-C3C	-9.65	116.95	129.61
6	A	801	HAS	C4C-C3C-C2C	-6.94	93.76	104.13
6	A	801	HAS	OMD-CMD-C2D	-6.59	116.25	124.28
6	A	801	HAS	CHD-C4A-C3A	-4.88	121.36	129.53
5	A	800	HEM	CAD-CBD-CGD	-4.45	105.06	112.66
6	A	801	HAS	CMC-C2C-C3C	-3.97	117.64	124.88
6	A	801	HAS	C13-C12-C11	-2.86	110.13	114.46
6	A	801	HAS	CAA-CBA-CGA	-2.73	108.00	112.66
6	A	801	HAS	C4A-C3A-C2A	-2.71	102.71	105.81
6	A	801	HAS	CHC-C1C-C2C	-2.66	124.85	129.45
6	A	801	HAS	C21-C22-C23	-2.60	121.23	127.66
6	A	801	HAS	C1A-C2A-C3A	-2.11	102.79	105.93
5	A	800	HEM	C4C-C3C-C2C	2.15	108.40	106.90
6	A	801	HAS	CAA-C2A-C1A	2.22	128.85	127.30
6	A	801	HAS	C27-C19-C20	2.26	119.19	115.29
6	A	801	HAS	CMB-C2B-C1B	2.62	127.89	120.24
6	A	801	HAS	C32-C30-C31	2.93	121.21	114.59
6	A	801	HAS	CHB-C1B-C2B	2.99	124.05	114.70
6	A	801	HAS	C26-C15-C16	3.04	120.54	115.29
5	A	800	HEM	C4A-C3A-C2A	3.20	109.22	107.00
6	A	801	HAS	C25-C23-C24	3.83	121.89	115.29
6	A	801	HAS	C1B-CHB-C1D	3.91	128.03	116.30
6	A	801	HAS	CAD-C3D-C4D	4.45	131.39	122.48
6	A	801	HAS	CHA-C4D-ND	5.32	120.79	110.75
6	A	801	HAS	CHC-C4B-NB	5.72	121.54	110.75
6	A	801	HAS	C4A-CHD-C4C	6.38	127.59	112.66

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	800	HEM	5	0
6	A	801	HAS	9	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	555/568 (97%)	0.42	52 (9%) 8 9	86, 86, 86, 86	0
2	B	166/166 (100%)	0.69	27 (16%) 1 2	86, 86, 86, 86	0
3	C	33/33 (100%)	0.28	3 (9%) 9 10	86, 86, 86, 86	0
All	All	754/767 (98%)	0.47	82 (10%) 5 5	86, 86, 86, 86	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	498	LYS	7.8
1	A	9	SER	7.4
1	A	502	ALA	7.2
1	A	8	ILE	6.7
1	A	496	GLU	5.9
1	A	495	ARG	5.9
3	C	2	GLU	5.6
2	B	79	TYR	5.2
2	B	7	ALA	5.2
3	C	3	GLU	5.0
1	A	519	ARG	4.9
1	A	497	ARG	4.8
1	A	516	GLU	4.8
1	A	499	PRO	4.8
1	A	494	SER	4.8
1	A	501	LEU	4.8
2	B	61	GLU	4.7
1	A	14	ALA	4.6
1	A	515	PRO	4.4
1	A	342	ASP	4.4
2	B	6	LYS	4.3
1	A	341	TRP	4.3
1	A	412	PRO	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	493	LEU	4.0
2	B	136	ARG	3.9
1	A	13	GLU	3.8
1	A	548	GLN	3.7
1	A	12	TYR	3.6
1	A	514	GLY	3.6
1	A	411	LYS	3.5
2	B	73	GLN	3.5
1	A	500	GLU	3.4
3	C	4	LYS	3.4
2	B	103	ILE	3.4
1	A	415	ASP	3.3
2	B	97	VAL	3.3
1	A	409	THR	3.3
1	A	142	HIS	3.2
1	A	490	SER	3.2
2	B	74	THR	3.2
1	A	486	TYR	3.1
1	A	513	SER	3.1
1	A	518	ARG	3.0
2	B	75	GLY	3.0
2	B	66	ASP	2.9
1	A	504	ALA	2.9
1	A	410	GLY	2.9
2	B	134	THR	2.9
1	A	119	VAL	2.8
2	B	4	GLU	2.8
1	A	215	LEU	2.8
2	B	65	ALA	2.7
2	B	5	HIS	2.7
1	A	462	HIS	2.5
1	A	49	VAL	2.4
1	A	457	PRO	2.4
1	A	529	PHE	2.4
1	A	57	ARG	2.4
2	B	62	GLY	2.4
2	B	9	LYS	2.4
1	A	414	SER	2.4
2	B	168	GLU	2.3
1	A	384	HIS	2.3
1	A	416	ALA	2.3
1	A	53	PRO	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	49	LYS	2.2
2	B	104	VAL	2.2
1	A	332	LEU	2.2
2	B	144	GLU	2.2
1	A	102	ASN	2.2
1	A	387	LEU	2.2
2	B	135	VAL	2.2
2	B	48	GLY	2.2
1	A	54	LEU	2.1
2	B	47	ALA	2.1
2	B	98	PRO	2.1
2	B	166	VAL	2.1
1	A	48	ASN	2.1
1	A	143	TRP	2.1
1	A	530	TRP	2.1
1	A	503	GLU	2.0
2	B	60	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	XE	A	565	1/1	0.92	0.17	86,86,86,86	1
4	CU	A	803	1/1	0.93	0.26	86,86,86,86	0
6	HAS	A	801	65/65	0.94	0.38	86,86,86,86	0
5	HEM	A	800	43/43	0.96	0.26	86,86,86,86	0
7	XE	A	564	1/1	0.98	0.09	86,86,86,86	1
8	CUA	B	802	2/2	0.99	0.12	86,86,86,86	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	XE	A	563	1/1	1.00	0.42	86,86,86,86	1

6.5 Other polymers [i](#)

There are no such residues in this entry.