



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 06:39 AM EDT

PDB ID : 6TQA
Title : X-ray structure of Roquin ROQ domain in complex with a UCP3 CDE2 SL RNA motif
Authors : Binas, O.; Tants, J.-N.; Peter, S.A.; Janowski, R.; Davydova, E.; Braun, J.; Niessing, D.; Schwalbe, H.; Weigand, J.E.; Schlundt, A.
Deposited on : 2019-12-16
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.10.1
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.10.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	3481 (2.40-2.40)
Clashscore	122126	3956 (2.40-2.40)
Ramachandran outliers	120053	3897 (2.40-2.40)
Sidechain outliers	120020	3898 (2.40-2.40)
RSRZ outliers	108989	3386 (2.40-2.40)
RNA backbone	2636	1023 (2.80-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	180	<div> <div>2%</div> <div> <div></div> <div>67%</div> <div>16%</div> <div>•</div> <div>16%</div> </div> </div>
1	B	180	<div> <div>4%</div> <div> <div></div> <div>65%</div> <div>18%</div> <div></div> <div>17%</div> </div> </div>
1	C	180	<div> <div>2%</div> <div> <div></div> <div>69%</div> <div>13%</div> <div>•</div> <div>16%</div> </div> </div>
1	D	180	<div> <div>9%</div> <div> <div></div> <div>61%</div> <div>19%</div> <div>•</div> <div>17%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	21	
2	F	21	
2	G	21	
2	H	21	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CL	F	101	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6938 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Roquin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	152	Total	C	N	O	S	0	0	0
			1214	764	220	224	6			
1	B	149	Total	C	N	O	S	0	2	0
			1206	760	221	219	6			
1	C	151	Total	C	N	O	S	0	3	0
			1225	774	223	222	6			
1	D	149	Total	C	N	O	S	0	1	0
			1198	755	218	219	6			

- Molecule 2 is a RNA chain called RNA (5'-R(P*GP*GP*UP*GP*CP*CP*UP*AP*AP*UP*AP*UP*UP*UP*AP*GP*GP*CP*AP*CP*(CCC))-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	21	Total	C	N	O	P	0	0	0
			449	199	77	151	22			
2	F	21	Total	C	N	O	P	0	0	0
			449	199	77	151	22			
2	G	21	Total	C	N	O	P	0	0	0
			449	199	77	151	22			
2	H	21	Total	C	N	O	P	0	0	0
			449	199	77	151	22			

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Cl	0	0
			2	2		
3	F	1	Total	Cl	0	0
			1	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	1	Total 1	Mg 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	58	Total 58	O 58	0	0
5	E	39	Total 39	O 39	0	0
5	B	44	Total 44	O 44	0	0
5	F	31	Total 31	O 31	0	0
5	C	41	Total 41	O 41	0	0
5	G	26	Total 26	O 26	0	0
5	D	37	Total 37	O 37	0	0
5	H	19	Total 19	O 19	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Roquin-1



• Molecule 1: Roquin-1



• Molecule 1: Roquin-1



• Molecule 1: Roquin-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	44.53Å 160.66Å 68.01Å 90.00° 107.96° 90.00°	Depositor
Resolution (Å)	42.40 – 2.40 42.36 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.8 (42.40-2.40) 99.8 (42.36-2.40)	Depositor EDS
R_{merge}	0.01	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.90 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.8.0232	Depositor
R, R_{free}	0.197 , 0.259 0.201 , 0.262	Depositor DCC
R_{free} test set	1720 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	36.1	Xtriage
Anisotropy	0.389	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 39.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.049 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6938	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CCC, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.84	0/1234	0.99	0/1662
1	B	0.83	0/1231	0.98	0/1655
1	C	0.81	0/1254	0.93	0/1686
1	D	0.75	0/1220	0.96	1/1641 (0.1%)
2	E	1.01	2/475 (0.4%)	0.96	0/736
2	F	0.69	1/475 (0.2%)	0.89	0/736
2	G	0.68	0/475	0.92	0/736
2	H	0.60	0/475	0.89	0/736
All	All	0.79	3/6839 (0.0%)	0.95	1/9588 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	5	C	O3'-P	-7.18	1.52	1.61
2	E	4	G	O3'-P	-5.60	1.54	1.61
2	F	8	A	O3'-P	-5.32	1.54	1.61

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	310	ASP	CB-CA-C	5.87	122.14	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1214	0	1233	24	0
1	B	1206	0	1238	20	0
1	C	1225	0	1264	23	0
1	D	1198	0	1225	27	0
2	E	449	0	224	6	0
2	F	449	0	224	4	0
2	G	449	0	224	13	0
2	H	449	0	224	2	0
3	A	2	0	0	1	0
3	F	1	0	0	3	0
4	H	1	0	0	0	0
5	A	58	0	0	0	0
5	B	44	0	0	1	0
5	C	41	0	0	2	0
5	D	37	0	0	0	0
5	E	39	0	0	0	0
5	F	31	0	0	1	0
5	G	26	0	0	0	0
5	H	19	0	0	0	0
All	All	6938	0	5856	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:21:CCC:H6	2:G:21:CCC:H5''	1.16	1.12
1:C:229[B]:ARG:HG2	1:C:229[B]:ARG:HH21	1.16	1.06
2:G:3:U:H2'	2:G:4:G:H5''	1.52	0.92
2:G:21:CCC:H6	2:G:21:CCC:C5'	2.04	0.86
1:C:229[B]:ARG:HG2	1:C:229[B]:ARG:NH2	1.94	0.81
1:B:184:TRP:O	1:B:188[B]:ARG:HG2	1.83	0.79
2:G:3:U:C2'	2:G:4:G:H5''	2.16	0.74
2:E:14:U:H5''	2:E:14:U:H6	1.55	0.72
2:G:21:CCC:H5''	2:G:21:CCC:C6	2.08	0.72
1:C:229[B]:ARG:CG	1:C:229[B]:ARG:HH21	1.97	0.70
3:F:101:CL:CL	5:F:217:HOH:O	2.47	0.70
1:C:208:LEU:HD11	1:C:276:TYR:HA	1.73	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:259:LYS:NZ	2:E:10:U:O2	2.27	0.67
1:A:227:VAL:HG22	1:A:242:ILE:HG13	1.79	0.65
1:C:229[B]:ARG:CG	1:C:229[B]:ARG:NH2	2.59	0.65
1:D:208:LEU:HD11	1:D:276:TYR:HA	1.78	0.63
1:B:208:LEU:O	1:B:212:GLU:HG2	1.99	0.63
1:D:177:GLN:HG2	1:D:177:GLN:O	1.98	0.63
1:C:248:LEU:O	1:C:248:LEU:HD23	1.99	0.63
1:A:224:LEU:O	1:D:229[A]:ARG:NH2	2.35	0.60
1:A:256:LYS:HD2	3:A:402:CL:CL	2.39	0.59
1:D:200:GLN:NE2	1:D:283:HIS:NE2	2.42	0.59
5:B:417:HOH:O	3:F:101:CL:CL	2.53	0.59
2:F:8:A:N7	3:F:101:CL:CL	2.73	0.59
1:A:285:SER:HA	1:A:320:ILE:HG21	1.85	0.58
1:A:228:GLN:HB2	1:D:229[A]:ARG:NH2	2.18	0.58
1:C:230:LEU:CD2	1:C:242:ILE:HD11	2.34	0.57
2:H:10:U:O4'	2:H:10:U:O2	2.22	0.57
1:A:202:GLU:OE2	1:A:233:ARG:NH2	2.37	0.57
1:D:190:ARG:HD3	1:D:290:ILE:HG12	1.87	0.57
2:E:1:G:H5''	2:E:1:G:C8	2.40	0.56
1:D:212:GLU:O	1:D:274:ARG:HD2	2.06	0.56
1:A:231:GLU:N	1:A:232:PRO:CD	2.70	0.55
2:F:3:U:H2'	2:F:4:G:O4'	2.06	0.55
1:C:230:LEU:HD23	1:C:242:ILE:HD11	1.88	0.55
1:D:177:GLN:CG	1:D:177:GLN:O	2.54	0.55
1:C:323[A]:LYS:CE	1:C:323[A]:LYS:HA	2.36	0.54
1:D:284:ASP:OD2	1:D:308:TYR:OH	2.23	0.54
1:C:303:TRP:HB3	1:C:317:MET:HG3	1.90	0.54
1:B:250:TYR:OH	2:F:11:A:OP1	2.25	0.53
1:B:245:VAL:O	1:B:248:LEU:HB3	2.09	0.53
1:C:210:ALA:HB2	1:C:225:PHE:CE1	2.45	0.52
1:B:319:SER:O	1:B:323:LYS:HB2	2.09	0.52
1:D:303:TRP:O	1:D:304:SER:C	2.47	0.52
1:A:289:GLN:O	1:A:293:GLU:HG3	2.10	0.52
1:C:212:GLU:O	1:C:274:ARG:HD3	2.10	0.52
1:B:227:VAL:O	1:B:231:GLU:HB2	2.10	0.51
1:D:179:LEU:O	1:D:183:LEU:N	2.37	0.51
1:A:228:GLN:CB	1:D:229[A]:ARG:NH2	2.74	0.51
2:G:4:G:H8	2:G:4:G:H5'	1.76	0.50
1:B:201:GLU:O	1:B:205:LYS:HG3	2.11	0.50
1:D:311:GLN:HB3	1:D:314:LYS:HE2	1.92	0.50
1:B:280:ARG:NH1	1:B:307:LEU:O	2.44	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:LEU:HD11	1:A:276:TYR:HA	1.94	0.49
1:D:179:LEU:HD13	1:D:302:GLN:OE1	2.12	0.49
1:A:212:GLU:HA	1:A:274:ARG:HG2	1.94	0.48
1:D:309:GLY:O	1:D:310:ASP:HB2	2.13	0.48
1:B:208:LEU:O	1:B:212:GLU:CG	2.61	0.48
2:G:4:G:H8	2:G:4:G:C5'	2.25	0.48
2:G:19:A:H2'	2:G:20:C:O4'	2.13	0.48
1:D:248:LEU:C	1:D:248:LEU:HD23	2.35	0.47
1:D:303:TRP:O	1:D:306:LEU:N	2.48	0.47
1:A:258:THR:HG22	1:A:260:ARG:HD3	1.97	0.47
1:A:247:GLN:HA	1:A:247:GLN:OE1	2.15	0.47
1:D:184:TRP:HA	1:D:184:TRP:CE3	2.50	0.47
1:A:195:LEU:HD21	1:A:241:SER:HB2	1.97	0.47
1:B:201:GLU:HG3	1:B:276:TYR:OH	2.15	0.46
1:B:303:TRP:HB3	1:B:317:MET:HG3	1.97	0.46
1:C:248:LEU:C	1:C:248:LEU:HD23	2.36	0.46
1:D:318:GLN:O	1:D:321:ILE:HG22	2.16	0.46
1:C:202:GLU:HG2	5:C:429:HOH:O	2.15	0.46
1:C:231:GLU:HB2	1:C:232:PRO:HD3	1.99	0.45
1:A:192:CYS:HB3	1:A:248:LEU:HD13	1.97	0.45
1:C:218:SER:HB2	5:C:426:HOH:O	2.17	0.45
1:D:324:LEU:O	1:D:325:GLN:HG2	2.17	0.45
1:B:208:LEU:HD11	1:B:276:TYR:HA	1.98	0.45
1:B:285:SER:O	1:B:288:VAL:HB	2.17	0.45
1:C:175:ASN:N	1:C:178:GLN:HE21	2.14	0.44
1:C:231:GLU:N	1:C:232:PRO:CD	2.81	0.44
1:B:208:LEU:CD1	1:B:276:TYR:HA	2.47	0.44
1:B:188[B]:ARG:HA	1:B:188[B]:ARG:HD2	1.83	0.44
1:B:286:GLN:HA	1:B:286:GLN:NE2	2.33	0.44
1:D:178:GLN:O	1:D:182:ASN:HB2	2.17	0.44
1:D:184:TRP:HE3	1:D:184:TRP:HA	1.82	0.43
2:G:20:C:H2'	2:G:21:CCC:H5''	2.00	0.43
1:A:177:GLN:O	1:A:181:SER:OG	2.36	0.43
1:C:175:ASN:O	1:C:178:GLN:HG3	2.19	0.43
2:E:14:U:H6	2:E:14:U:C5'	2.27	0.43
1:D:322:ASP:O	1:D:325:GLN:HB3	2.18	0.43
2:G:10:U:H6	2:G:10:U:OP1	2.02	0.43
1:A:194:PHE:CZ	1:A:307:LEU:HA	2.54	0.43
1:D:227:VAL:O	1:D:231:GLU:HB2	2.19	0.42
1:B:246:VAL:O	1:B:249:LEU:HB2	2.19	0.42
1:A:227:VAL:HG22	1:A:242:ILE:CG1	2.48	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:215:SER:HB3	1:C:217:LEU:CD1	2.50	0.42
2:G:4:G:H2'	2:G:5:C:O4'	2.20	0.42
2:E:8:A:C2	2:E:15:A:C2	3.08	0.41
1:D:300:PRO:HA	1:D:303:TRP:HD1	1.84	0.41
1:C:208:LEU:HD11	1:C:276:TYR:CA	2.46	0.41
1:A:193:GLN:HB3	1:A:244:HIS:CB	2.51	0.41
1:A:280:ARG:HA	1:A:280:ARG:HD2	1.89	0.41
1:B:212:GLU:HA	1:B:274:ARG:HG2	2.02	0.41
1:C:219:ARG:O	1:C:223:VAL:HG23	2.21	0.41
2:E:4:G:C2	2:E:19:A:C2	3.09	0.41
2:G:4:G:C5'	2:G:4:G:C8	3.03	0.41
1:A:227:VAL:CG2	1:A:242:ILE:HG13	2.50	0.41
1:D:231:GLU:N	1:D:232:PRO:CD	2.84	0.41
2:G:4:G:C8	2:G:4:G:H5'	2.55	0.41
2:H:14:U:C6	2:H:14:U:H5''	2.56	0.41
1:B:210:ALA:HB2	1:B:225:PHE:CD1	2.57	0.40
1:C:175:ASN:ND2	1:C:176:PRO:HD2	2.36	0.40
2:F:2:G:H2'	2:F:3:U:C6	2.56	0.40
1:A:231:GLU:N	1:A:232:PRO:HD3	2.36	0.40
1:D:248:LEU:O	1:D:248:LEU:HD23	2.22	0.40
1:A:285:SER:HA	1:A:320:ILE:CG2	2.51	0.40
1:B:210:ALA:HB2	1:B:225:PHE:CE1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	150/180 (83%)	146 (97%)	4 (3%)	0	100	100
1	B	149/180 (83%)	143 (96%)	6 (4%)	0	100	100
1	C	152/180 (84%)	148 (97%)	4 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	148/180 (82%)	135 (91%)	13 (9%)	0	100	100
All	All	599/720 (83%)	572 (96%)	27 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	133/156 (85%)	129 (97%)	4 (3%)	44	65
1	B	132/156 (85%)	126 (96%)	6 (4%)	30	47
1	C	135/156 (86%)	129 (96%)	6 (4%)	31	48
1	D	131/156 (84%)	124 (95%)	7 (5%)	25	40
All	All	531/624 (85%)	508 (96%)	23 (4%)	34	49

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	181	SER
1	A	233	ARG
1	A	259	LYS
1	A	260	ARG
1	B	179	LEU
1	B	180	SER
1	B	181	SER
1	B	263	ASP
1	B	301	ASP
1	B	315	SER
1	C	229[A]	ARG
1	C	229[B]	ARG
1	C	261	ASP
1	C	282	GLU
1	C	323[A]	LYS
1	C	323[B]	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	179	LEU
1	D	202	GLU
1	D	228	GLN
1	D	260	ARG
1	D	267	MET
1	D	274	ARG
1	D	325	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	E	20/21 (95%)	4 (20%)	0
2	F	20/21 (95%)	4 (20%)	0
2	G	20/21 (95%)	7 (35%)	0
2	H	20/21 (95%)	4 (20%)	0
All	All	80/84 (95%)	19 (23%)	0

All (19) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	E	13	U
2	E	14	U
2	E	16	G
2	E	21	CCC
2	F	10	U
2	F	13	U
2	F	14	U
2	F	19	A
2	G	4	G
2	G	6	C
2	G	13	U
2	G	15	A
2	G	16	G
2	G	17	G
2	G	21	CCC
2	H	10	U
2	H	11	A
2	H	13	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	17	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CCC	E	21	2	16,25,26	1.27	1 (6%)	18,38,41	2.03	5 (27%)
2	CCC	H	21	2	16,25,26	1.16	1 (6%)	18,38,41	2.19	5 (27%)
2	CCC	F	21	2	16,25,26	1.29	2 (12%)	18,38,41	1.90	5 (27%)
2	CCC	G	21	2	16,25,26	1.74	5 (31%)	18,38,41	1.96	6 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CCC	E	21	2	-	2/5/35/36	0/3/3/3
2	CCC	H	21	2	-	0/5/35/36	0/3/3/3
2	CCC	F	21	2	-	0/5/35/36	0/3/3/3
2	CCC	G	21	2	-	2/5/35/36	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	21	CCC	C6-N1	-3.25	1.31	1.35
2	G	21	CCC	C2-N3	-2.63	1.33	1.38
2	G	21	CCC	O4'-C4'	-2.62	1.39	1.45
2	F	21	CCC	O3'-C3'	-2.44	1.39	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	21	CCC	O2'-C2'	-2.43	1.39	1.45
2	E	21	CCC	O5'-C5'	-2.30	1.39	1.44
2	G	21	CCC	O5'-C5'	-2.19	1.39	1.44
2	H	21	CCC	O3'-C3'	-2.13	1.40	1.45
2	G	21	CCC	O3'-C3'	-2.06	1.40	1.45

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	21	CCC	C2-N3-C4	4.91	121.32	116.34
2	E	21	CCC	C2-N3-C4	4.47	120.88	116.34
2	F	21	CCC	O2C-PC-O1C	4.20	123.46	109.89
2	E	21	CCC	O2C-PC-O1C	4.06	123.01	109.89
2	H	21	CCC	O2C-PC-O1C	3.99	122.78	109.89
2	G	21	CCC	C2-N3-C4	3.95	120.35	116.34
2	H	21	CCC	O3'-PC-O1C	-3.95	105.33	115.76
2	G	21	CCC	O2C-PC-O1C	3.88	122.43	109.89
2	F	21	CCC	C2-N3-C4	3.61	120.00	116.34
2	G	21	CCC	O3'-PC-O1C	-3.54	106.41	115.76
2	E	21	CCC	O3'-PC-O1C	-3.48	106.58	115.76
2	F	21	CCC	O2'-PC-O1C	-3.37	106.86	115.76
2	H	21	CCC	N4-C4-N3	3.04	121.29	116.49
2	H	21	CCC	O2'-PC-O1C	-2.76	108.48	115.76
2	E	21	CCC	C5'-C4'-C3'	-2.69	105.50	114.40
2	G	21	CCC	O4'-C4'-C5'	-2.51	101.11	109.37
2	F	21	CCC	N4-C4-N3	2.48	120.40	116.49
2	F	21	CCC	O2'-C2'-C3'	2.40	109.49	105.08
2	G	21	CCC	O2'-PC-O1C	-2.19	109.97	115.76
2	G	21	CCC	C5'-C4'-C3'	-2.19	107.15	114.40
2	E	21	CCC	O4'-C4'-C5'	2.14	116.42	109.37

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	21	CCC	C3'-C4'-C5'-O5'
2	G	21	CCC	C3'-C4'-C5'-O5'
2	E	21	CCC	O4'-C4'-C5'-O5'
2	G	21	CCC	O4'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	21	CCC	4	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	152/180 (84%)	-0.19	4 (2%) 56 53	37, 41, 62, 106	1 (0%)
1	B	149/180 (82%)	0.11	8 (5%) 26 24	36, 52, 90, 124	8 (5%)
1	C	151/180 (83%)	-0.11	4 (2%) 56 53	36, 48, 81, 109	6 (3%)
1	D	149/180 (82%)	0.46	16 (10%) 6 5	37, 63, 140, 154	12 (8%)
2	E	20/21 (95%)	-1.05	0 100 100	38, 49, 66, 69	0
2	F	20/21 (95%)	-0.72	0 100 100	50, 73, 89, 100	0
2	G	20/21 (95%)	-0.98	0 100 100	46, 58, 73, 83	0
2	H	20/21 (95%)	-0.47	0 100 100	58, 88, 103, 128	0
All	All	681/804 (84%)	-0.04	32 (4%) 31 29	36, 51, 109, 154	27 (3%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	261	ASP	5.2
1	D	294	ALA	4.9
1	D	297	ARG	4.8
1	C	176	PRO	4.8
1	D	298	ILE	4.2
1	B	297	ARG	3.8
1	D	179	LEU	3.7
1	D	302	GLN	3.4
1	A	176	PRO	3.4
1	B	296	LEU	3.4
1	A	179	LEU	3.3
1	B	299	ALA	3.2
1	D	324	LEU	3.1
1	B	325	GLN	3.0
1	D	190	ARG	2.9
1	D	180	SER	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	174	GLN	2.8
1	B	181	SER	2.7
1	D	178	GLN	2.7
1	D	177	GLN	2.7
1	D	311	GLN	2.4
1	B	300	PRO	2.4
1	A	175	ASN	2.3
1	D	303	TRP	2.3
1	D	300	PRO	2.2
1	D	319	SER	2.2
1	B	178	GLN	2.1
1	B	261	ASP	2.1
1	C	175	ASN	2.1
1	D	299	ALA	2.1
1	C	297	ARG	2.1
1	C	184	TRP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CCC	G	21	23/24	0.90	0.14	73,86,95,96	3
2	CCC	F	21	23/24	0.91	0.12	86,95,103,105	3
2	CCC	E	21	23/24	0.94	0.13	62,69,77,79	3
2	CCC	H	21	23/24	0.94	0.12	77,90,99,101	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	CL	F	101	1/1	0.83	0.11	49,49,49,49	0
4	MG	H	101	1/1	0.88	0.11	61,61,61,61	0
3	CL	A	401	1/1	0.90	0.21	71,71,71,71	0
3	CL	A	402	1/1	0.98	0.06	45,45,45,45	0

6.5 Other polymers [i](#)

There are no such residues in this entry.