



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 08:08 pm GMT

PDB ID : 1U3D
Title : Crystal Structure of the PHR domain of Cryptochrome 1 from *Arabidopsis thaliana* with AMPPNP bound
Authors : Brautigam, C.A.; Smith, B.S.; Ma, Z.; Palnitkar, M.; Tomchick, D.R.; Machius, M.; Deisenhofer, J.
Deposited on : 2004-07-21
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	1259 (2.48-2.44)
Clashscore	122126	1323 (2.48-2.44)
Ramachandran outliers	120053	1314 (2.48-2.44)
Sidechain outliers	120020	1314 (2.48-2.44)
RSRZ outliers	108989	1238 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	509	<div> <div> <div></div> <div>69%</div> <div>23%</div> <div>• • 5%</div> </div> </div>

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 4126 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cryptochrome 1 apoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	485	Total	C	N	O	S	34	2	0
			3941	2538	685	709	9			

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	4	Total	Mg	0	0
			4	4		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		

- Molecule 4 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 5 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 6 is ETHYL DIMETHYL AMMONIO PROPANE SULFONATE (three-letter code: NDS) (formula: $C_7H_{17}NO_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	S	0	0
			12	7	1	3	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	84	Total	O	0	0
			84	84		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cryptochrome 1 apoprotein



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	169.21Å 169.21Å 104.52Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.45 40.64 – 2.45	Depositor EDS
% Data completeness (in resolution range)	93.4 (50.00-2.45) 93.3 (40.64-2.45)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.06 (at 2.45Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.204 , 0.253 0.205 , 0.254	Depositor DCC
R_{free} test set	3244 reflections (9.94%)	wwPDB-VP
Wilson B-factor (Å ²)	49.4	Xtriage
Anisotropy	0.397	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 45.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4126	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ANP, NDS, FAD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.78	1/4066 (0.0%)	0.87	6/5541 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	13	CYS	CB-SG	-7.07	1.70	1.82

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	57	ARG	NE-CZ-NH1	5.90	123.25	120.30
1	A	338	ARG	NE-CZ-NH2	-5.57	117.52	120.30
1	A	186	ASP	CB-CA-C	5.51	121.41	110.40
1	A	308	PRO	N-CA-C	5.09	125.33	112.10
1	A	36	ALA	N-CA-C	5.08	124.73	111.00
1	A	135	SER	N-CA-CB	-5.05	102.93	110.50

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	470	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3941	0	3817	98	0
2	A	4	0	0	0	0
3	A	1	0	0	0	0
4	A	53	0	31	0	0
5	A	31	0	13	2	0
6	A	12	0	17	0	0
7	A	84	0	0	3	0
All	All	4126	0	3878	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:LYS:C	1:A:222:LYS:HD2	1.82	0.96
1:A:370:VAL:HG23	1:A:371:LYS:HD3	1.58	0.85
1:A:239:ARG:HB3	7:A:592:HOH:O	1.76	0.83
1:A:92:SER:O	1:A:96:VAL:HG23	1.80	0.80
1:A:94:LEU:HG	1:A:98:LYS:HZ2	1.46	0.80
1:A:94:LEU:HD13	1:A:126:LEU:HD11	1.65	0.77
1:A:94:LEU:HG	1:A:98:LYS:NZ	2.05	0.71
1:A:455:PRO:O	1:A:458:VAL:HG22	1.94	0.68
1:A:40:ILE:HG23	1:A:82:ILE:HD12	1.76	0.67
1:A:117:VAL:HG13	1:A:118:ARG:N	2.10	0.67
1:A:94:LEU:HD13	1:A:126:LEU:CD1	2.25	0.66
5:A:511:ANP:O2B	5:A:511:ANP:H5'2	1.96	0.66
1:A:117:VAL:HG13	1:A:118:ARG:H	1.61	0.65
1:A:433:VAL:HG13	1:A:437:LEU:HD12	1.78	0.65
1:A:14[B]:SER:OG	1:A:106:PHE:HE1	1.80	0.63
1:A:272:GLN:HB2	1:A:287:VAL:HG11	1.79	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:486:GLU:OE2	1:A:490:GLN:NE2	2.33	0.62
1:A:14[B]:SER:HG	1:A:106:PHE:HE1	1.48	0.61
1:A:94:LEU:HD11	1:A:126:LEU:HD12	1.83	0.61
1:A:94:LEU:CD1	1:A:126:LEU:CD1	2.79	0.60
1:A:95:ASP:O	1:A:99:SER:HB3	2.01	0.60
1:A:222:LYS:C	1:A:222:LYS:CD	2.64	0.60
1:A:13:CYS:HB3	1:A:102:ALA:HA	1.83	0.59
5:A:511:ANP:H8	5:A:511:ANP:O5'	2.01	0.59
1:A:96:VAL:O	1:A:100:THR:HG22	2.04	0.58
1:A:94:LEU:CD1	1:A:126:LEU:HD12	2.33	0.58
1:A:490:GLN:O	1:A:494:LEU:HD23	2.05	0.56
1:A:222:LYS:HD2	1:A:223:ALA:N	2.21	0.55
1:A:105:ILE:O	1:A:105:ILE:HG23	2.06	0.54
1:A:97:VAL:HG13	1:A:98:LYS:N	2.23	0.54
1:A:489:SER:O	1:A:493:GLN:HG3	2.08	0.54
1:A:88:ASP:OD2	1:A:91:ALA:HB2	2.08	0.53
1:A:133:VAL:HG23	1:A:133:VAL:O	2.08	0.53
1:A:130:GLY:O	1:A:131:ILE:HD13	2.09	0.53
1:A:119:ASP:O	1:A:122:ALA:HB3	2.09	0.52
1:A:40:ILE:HD11	1:A:100:THR:OG1	2.10	0.52
1:A:199:ASP:OD1	1:A:201:SER:HB3	2.10	0.52
1:A:48:GLU:HA	1:A:54[A]:HIS:NE2	2.25	0.51
1:A:491:MET:O	1:A:495:GLU:HG3	2.09	0.51
1:A:313:ARG:HB3	1:A:313:ARG:CZ	2.39	0.51
1:A:427:ASP:CG	1:A:432:TYR:HB3	2.31	0.51
1:A:40:ILE:HG23	1:A:82:ILE:CD1	2.40	0.51
1:A:111:TYR:CD1	1:A:111:TYR:N	2.78	0.51
1:A:109:HIS:CD2	1:A:135:SER:OG	2.63	0.50
1:A:234:GLU:HB3	1:A:238:ASN:ND2	2.25	0.50
1:A:409:ASP:OD1	1:A:409:ASP:N	2.41	0.50
1:A:118:ARG:HH11	1:A:118:ARG:HG2	1.76	0.50
1:A:477:LEU:O	1:A:480:ALA:HB3	2.12	0.49
1:A:405:GLY:HA2	1:A:410:SER:CB	2.43	0.49
1:A:69:GLN:OE1	1:A:218:SER:HB3	2.12	0.49
1:A:496:ALA:O	1:A:497:ALA:HB2	2.13	0.49
1:A:450:HIS:HA	1:A:452:TRP:CZ3	2.49	0.48
1:A:93:LEU:HD22	1:A:105:ILE:CD1	2.43	0.48
1:A:58:VAL:HB	1:A:389:LEU:HD13	1.96	0.48
1:A:438:PRO:HD2	1:A:439:GLU:OE1	2.13	0.47
1:A:261:VAL:HG11	1:A:297:ARG:NH1	2.29	0.47
1:A:54[B]:HIS:H	1:A:54[B]:HIS:CD2	2.32	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:495:GLU:O	1:A:497:ALA:N	2.47	0.47
1:A:164:ARG:HH11	1:A:164:ARG:HG2	1.79	0.47
1:A:97:VAL:HG23	1:A:102:ALA:O	2.15	0.47
1:A:186:ASP:OD1	1:A:189:LYS:HG2	2.15	0.46
1:A:79:THR:CB	1:A:184:SER:HB3	2.46	0.46
1:A:221:ASP:OD1	1:A:263:LYS:NZ	2.47	0.46
1:A:326:VAL:HG22	1:A:326:VAL:O	2.16	0.45
1:A:97:VAL:HA	1:A:100:THR:HG22	1.99	0.45
1:A:243:ASP:HB2	1:A:432:TYR:HD1	1.82	0.45
1:A:125:VAL:O	1:A:129:GLN:HB2	2.16	0.45
1:A:117:VAL:CG1	1:A:118:ARG:N	2.79	0.45
1:A:374:GLN:OE1	1:A:483:ARG:NH1	2.48	0.44
1:A:94:LEU:O	1:A:98:LYS:HB2	2.17	0.44
1:A:136:PHE:CD1	1:A:136:PHE:N	2.86	0.44
1:A:79:THR:OG1	1:A:184:SER:HB3	2.18	0.44
1:A:402:TYR:CZ	1:A:411:ARG:HD2	2.52	0.44
1:A:352:TRP:CE3	1:A:353:ALA:HB2	2.51	0.44
1:A:418:ASN:OD1	1:A:420:GLN:HB3	2.18	0.44
1:A:62:TRP:CH2	1:A:252:PRO:HB2	2.53	0.43
1:A:173:GLU:HG2	7:A:556:HOH:O	2.18	0.43
1:A:378:ARG:HG2	7:A:565:HOH:O	2.17	0.43
1:A:243:ASP:HB2	1:A:432:TYR:CD1	2.53	0.43
1:A:484:LEU:HD12	1:A:484:LEU:HA	1.74	0.43
1:A:87:THR:CG2	1:A:87:THR:O	2.67	0.43
1:A:127:THR:C	1:A:129:GLN:H	2.22	0.42
1:A:21:ASP:HA	1:A:257:GLY:HA3	2.02	0.42
1:A:162:TRP:CZ3	1:A:295:GLY:HA2	2.55	0.42
1:A:455:PRO:HG2	1:A:458:VAL:HG22	2.01	0.42
1:A:48:GLU:CD	1:A:48:GLU:H	2.22	0.42
1:A:235:TYR:CE2	1:A:289:LEU:HD22	2.55	0.42
1:A:123:LYS:HD3	1:A:133:VAL:CG2	2.50	0.42
1:A:239:ARG:HD2	1:A:360:ARG:NH2	2.34	0.42
1:A:236:SER:HB2	1:A:286:SER:HA	2.00	0.42
1:A:413:PHE:O	1:A:415:ARG:N	2.48	0.42
1:A:40:ILE:CG2	1:A:82:ILE:HD12	2.48	0.42
1:A:357:LEU:HA	1:A:357:LEU:HD23	1.83	0.41
1:A:385:TRP:CZ3	1:A:393:LEU:HD23	2.55	0.41
1:A:19:ARG:HH12	1:A:118:ARG:HH12	1.67	0.41
1:A:89:SER:OG	1:A:118:ARG:HD2	2.20	0.41
1:A:248:SER:O	1:A:249:PHE:HB2	2.20	0.41
1:A:39:VAL:CG1	1:A:40:ILE:N	2.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:313:ARG:HH11	1:A:313:ARG:HG3	1.87	0.40
1:A:94:LEU:HA	1:A:97:VAL:HG12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	485/509 (95%)	461 (95%)	24 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	418/431 (97%)	388 (93%)	30 (7%)	16	20

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	CYS
1	A	14[A]	SER
1	A	14[B]	SER
1	A	59	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	73	SER
1	A	86	SER
1	A	89	SER
1	A	94	LEU
1	A	99	SER
1	A	129	GLN
1	A	135	SER
1	A	149	ASP
1	A	163	GLU
1	A	164	ARG
1	A	176	LEU
1	A	186	ASP
1	A	189	LYS
1	A	199	ASP
1	A	222	LYS
1	A	237	LYS
1	A	239	ARG
1	A	243	ASP
1	A	310	SER
1	A	330	TYR
1	A	338	ARG
1	A	371	LYS
1	A	381	MET
1	A	393	LEU
1	A	411	ARG
1	A	490	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	420	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 5 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	FAD	A	510	-	51,58,58	1.64	8 (15%)	57,89,89	2.01	8 (14%)
5	ANP	A	511	2	29,33,33	1.50	7 (24%)	29,52,52	2.22	4 (13%)
6	NDS	A	512	2	11,11,11	1.89	2 (18%)	14,16,16	0.88	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FAD	A	510	-	-	0/28/50/50	0/6/6/6
5	ANP	A	511	2	-	0/13/38/38	0/3/3/3
6	NDS	A	512	2	-	0/11/11/11	0/0/0/0

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	511	ANP	PB-O2B	-3.09	1.48	1.56
4	A	510	FAD	C8A-N9A	-3.09	1.33	1.36
5	A	511	ANP	C8-N9	-2.52	1.33	1.36
5	A	511	ANP	C5-N7	-2.07	1.32	1.39
6	A	512	NDS	C2-N1	-2.02	1.48	1.52
5	A	511	ANP	PB-O3A	2.06	1.61	1.59
4	A	510	FAD	O4B-C1B	2.22	1.44	1.41
5	A	511	ANP	O4'-C1'	2.39	1.44	1.41
5	A	511	ANP	PB-O1B	2.48	1.48	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	510	FAD	C5X-N5	2.77	1.39	1.35
4	A	510	FAD	C2A-N1A	3.37	1.40	1.33
4	A	510	FAD	C9A-N10	3.45	1.43	1.38
5	A	511	ANP	C2-N1	3.68	1.40	1.33
4	A	510	FAD	C4-N3	3.74	1.39	1.33
4	A	510	FAD	C4X-N5	4.50	1.39	1.33
4	A	510	FAD	C10-N1	4.88	1.39	1.33
6	A	512	NDS	C4-S1	5.00	1.84	1.77

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	510	FAD	N3A-C2A-N1A	-10.48	119.89	128.86
5	A	511	ANP	N3-C2-N1	-9.81	120.47	128.86
4	A	510	FAD	C4A-C5A-N7A	-3.32	106.20	109.41
5	A	511	ANP	PA-O3A-PB	-2.59	123.30	132.40
4	A	510	FAD	C4X-C4-N3	-2.43	120.02	123.47
4	A	510	FAD	C4B-O4B-C1B	-2.32	107.40	109.83
6	A	512	NDS	O1-S1-C4	-2.18	104.28	106.92
5	A	511	ANP	C2'-C3'-C4'	-2.02	98.74	102.62
4	A	510	FAD	C1'-N10-C10	2.06	120.52	118.46
4	A	510	FAD	C5X-C9A-N10	2.10	119.31	117.71
4	A	510	FAD	C4X-N5-C5X	3.05	119.95	116.76
5	A	511	ANP	O2B-PB-O1B	3.84	117.82	109.88
4	A	510	FAD	C4-N3-C2	6.64	120.79	115.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	511	ANP	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	485/509 (95%)	-0.19	7 (1%) 75 73	29, 49, 79, 91	7 (1%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	494	LEU	3.9
1	A	126	LEU	3.3
1	A	105	ILE	3.0
1	A	151	LEU	2.8
1	A	125	VAL	2.4
1	A	424	TYR	2.1
1	A	315	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	A	515	1/1	0.58	0.23	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	ANP	A	511	31/31	0.80	0.20	58,83,118,120	31
3	CL	A	518	1/1	0.83	0.14	87,87,87,87	0
2	MG	A	516	1/1	0.87	0.31	83,83,83,83	0
2	MG	A	514	1/1	0.91	0.12	81,81,81,81	0
2	MG	A	517	1/1	0.96	0.27	68,68,68,68	0
6	NDS	A	512	12/12	0.97	0.14	47,50,60,62	0
4	FAD	A	510	53/53	0.98	0.15	30,35,41,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.