



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2018 – 01:27 pm GMT

PDB ID : 4V1V  
Title : Heterocyclase in complex with substrate and Cofactor  
Authors : Koehnke, J.; Naismith, J.H.  
Deposited on : 2014-10-02  
Resolution : 3.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk31020  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk31020


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	2110 (3.04-3.00)
Clashscore	122126	2436 (3.04-3.00)
Ramachandran outliers	120053	2362 (3.04-3.00)
Sidechain outliers	120020	2365 (3.04-3.00)
RSRZ outliers	108989	2001 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	775	
1	B	775	
2	C	64	
2	D	64	

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12008 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LYND.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	747	Total	C	N	O	S	0	0	0
			5875	3742	1015	1102	16			
1	B	747	Total	C	N	O	S	0	0	0
			5869	3737	1014	1102	16			

- Molecule 2 is a protein called LYND.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	14	Total	C	N	O	0	0	0
			100	61	15	24			
2	D	13	Total	C	N	O	0	0	0
			96	59	14	23			

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		
3	A	1	Total	Zn	0	0
			1	1		


- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>12</sub>P<sub>3</sub>).




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: LYND



#### • Molecule 1: LYND



#### • Molecule 2: LYND



● Molecule 2: LYND



MET	ASP	LYS	ASN	ILE	LEU	PRO	GLN	GLY	GLN	PRO	VAL	ILE	ARG	LEU	THR	ALA	GLY	GLN	L22	S23	L26	E32	A33	L34	GLY	ASP	ALA	GLY	LEU	GLU	ALA	SER	LYS	ILE	THR	ALA	CYS	ILE	THR	PHE	ALA	ALA	TYR	ASP	GLY	GLU	LEU	GLU	HIS	HIS	HIS	HIS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.92Å 152.87Å 182.51Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	76.43 – 3.01 76.44 – 3.01	Depositor EDS
% Data completeness (in resolution range)	99.8 (76.43-3.01) 99.8 (76.44-3.01)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.34 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, $R_{free}$	0.211 , 0.266 0.209 , 0.259	Depositor DCC
$R_{free}$ test set	1869 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	68.8	Xtriage
Anisotropy	0.736	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 51.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	12008	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	95.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.56% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, ANP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.28	0/6016	0.49	1/8207 (0.0%)
1	B	0.27	0/6011	0.49	0/8201
2	C	0.37	0/99	0.43	0/132
2	D	0.29	0/95	0.49	0/127
All	All	0.28	0/12221	0.49	1/16667 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	668	LYS	CD-CE-NZ	7.04	127.88	111.70

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5875	0	5831	60	4
1	B	5869	0	5822	80	1
2	C	100	0	97	5	3
2	D	96	0	94	4	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	31	0	13	2	0
4	B	31	0	13	3	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
All	All	12008	0	11870	136	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37:GLN:OE1	2:C:25:GLN:NE2	1.81	1.13
1:A:386:GLY:O	1:A:387:HIS:ND1	1.99	0.93
1:B:14:HIS:NE2	1:B:16:GLU:OE1	2.06	0.87
1:A:59:LEU:HD11	1:A:68:ILE:HD11	1.58	0.86
1:B:738:ARG:NH2	1:B:745:GLY:O	2.09	0.85
1:A:13:PHE:O	1:B:246:ARG:NH1	2.17	0.78
1:A:738:ARG:NH2	1:A:745:GLY:O	2.18	0.76
1:B:203:CYS:N	1:B:206:CYS:SG	2.59	0.74
1:B:20:PRO:O	1:B:37:GLN:NE2	2.23	0.72
1:B:323:ARG:NH2	1:B:721:THR:O	2.23	0.70
1:A:409:LYS:HE3	1:A:640:GLU:HG2	1.72	0.69
1:B:552:ARG:HD2	1:B:740:PHE:CE2	2.28	0.69
1:A:160:ASP:OD2	1:A:215:ARG:NH2	2.25	0.68
1:A:409:LYS:NZ	1:A:643:GLN:OE1	2.28	0.65
1:B:387:HIS:NE2	1:B:427:ARG:CG	2.58	0.65
1:B:387:HIS:CE1	1:B:427:ARG:HB2	2.31	0.65
1:A:210:ARG:O	1:A:214:ASN:ND2	2.28	0.65
1:A:215:ARG:NH1	1:A:218:GLU:OE2	2.31	0.64
1:B:387:HIS:NE2	1:B:427:ARG:HG3	2.13	0.63
1:B:389:PHE:CD1	1:B:515:HIS:HE1	2.16	0.62
1:B:552:ARG:HD2	1:B:740:PHE:CD2	2.34	0.62
1:A:399:ARG:NH2	2:D:32:GLU:OE1	2.34	0.61
1:B:548:GLU:O	1:B:552:ARG:HG2	2.01	0.60
1:B:344:ARG:NH2	1:B:544:GLN:OE1	2.35	0.59
4:A:777:ANP:H8	4:A:777:ANP:H5'2	1.83	0.59
1:B:311:CYS:O	1:B:315:GLY:N	2.36	0.58
1:B:584:PHE:O	1:B:588:ASN:ND2	2.33	0.57
1:A:52:LEU:O	1:A:55:ILE:HG22	2.04	0.57
1:A:534:ALA:O	4:A:777:ANP:O2'	2.23	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:740:PHE:CD1	1:B:773:MET:HG2	2.40	0.56
1:B:59:LEU:CD2	1:B:68:ILE:HD11	2.35	0.56
1:B:59:LEU:O	1:B:62:GLU:N	2.39	0.55
1:A:19:GLU:N	1:B:228:GLN:OE1	2.38	0.55
1:B:582:GLN:NE2	1:B:592:LEU:O	2.39	0.55
1:A:59:LEU:HD13	1:A:63:VAL:HB	1.90	0.54
1:A:476:VAL:HG11	1:A:478:HIS:CE1	2.42	0.54
1:A:655:ASN:ND2	1:A:655:ASN:O	2.41	0.53
1:B:59:LEU:HD21	1:B:68:ILE:CD1	2.38	0.53
1:B:6:LEU:HD21	1:B:48:GLY:HA2	1.90	0.53
1:A:702:MET:HA	1:A:705:VAL:HG12	1.91	0.52
1:B:65:PRO:HA	1:B:68:ILE:HD12	1.92	0.52
1:B:436:GLU:N	1:B:436:GLU:OE1	2.43	0.52
1:A:37:GLN:CD	2:C:25:GLN:NE2	2.61	0.52
1:B:387:HIS:HD1	1:B:388:SER:H	1.56	0.52
1:B:115:THR:HG23	1:B:151:THR:HG21	1.92	0.51
1:B:59:LEU:HD21	1:B:68:ILE:HD11	1.92	0.51
1:B:387:HIS:NE2	1:B:427:ARG:HB2	2.24	0.51
1:B:552:ARG:HD2	1:B:740:PHE:HE2	1.75	0.51
1:B:201:THR:HG22	1:B:202:GLY:N	2.26	0.51
1:B:597:LEU:HD11	1:B:607:ALA:HB2	1.93	0.51
1:B:446:LEU:HB3	1:B:450:ALA:HB2	1.92	0.50
1:A:56:VAL:O	1:A:60:ASP:N	2.44	0.50
1:A:409:LYS:CE	1:A:640:GLU:HG2	2.38	0.50
1:A:9:ILE:HD11	1:A:43:LEU:HG	1.93	0.50
1:B:72:LEU:HD12	1:B:81:LEU:HD13	1.93	0.50
1:A:59:LEU:HD12	1:A:59:LEU:C	2.32	0.50
1:B:667:GLU:OE1	1:B:672:HIS:NE2	2.38	0.49
1:B:567:ALA:HB2	1:B:677:PRO:HB3	1.93	0.49
1:A:123:SER:HG	1:A:126:THR:HG1	1.47	0.49
1:A:643:GLN:HG3	1:A:644:ILE:N	2.25	0.49
1:B:404:HIS:NE2	1:B:659:ASP:OD2	2.38	0.49
1:A:398:LEU:HD22	2:D:34:LEU:HD22	1.95	0.49
1:A:478:HIS:CD2	1:A:741:TRP:CD1	3.01	0.49
1:A:113:PRO:HB2	1:A:142:GLN:HG3	1.94	0.49
1:A:619:ARG:NH2	1:A:653:ASP:OD1	2.46	0.48
1:A:225:LYS:NZ	1:B:16:GLU:OE2	2.46	0.48
1:B:534:ALA:N	4:B:777:ANP:O2'	2.45	0.48
1:B:23:VAL:HG11	1:B:43:LEU:HD22	1.96	0.48
1:B:9:ILE:HG13	1:B:80:TYR:O	2.14	0.47
1:A:434:GLY:O	1:A:438:ARG:NH2	2.47	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:303:HIS:ND1	1:B:360:SER:OG	2.27	0.47
1:B:409:LYS:HE2	1:B:643:GLN:HE22	1.78	0.47
1:B:740:PHE:HD1	1:B:773:MET:HG2	1.79	0.47
1:B:67:TYR:CD1	2:D:26:LEU:HD11	2.48	0.47
1:A:34:LEU:HD12	1:A:43:LEU:HD21	1.97	0.47
1:A:258:GLN:HG2	1:B:254:GLN:HB3	1.96	0.47
1:A:658:SER:O	1:A:661:THR:HG23	2.15	0.47
1:B:702:MET:O	1:B:706:ASN:ND2	2.39	0.46
1:B:389:PHE:CD1	1:B:389:PHE:O	2.68	0.46
1:B:321:GLN:NE2	1:B:437:PRO:HA	2.30	0.46
1:B:387:HIS:NE2	1:B:427:ARG:CB	2.79	0.46
1:A:247:ALA:HB1	1:B:95:PHE:HA	1.98	0.46
1:B:7:LEU:CD2	1:B:81:LEU:HD21	2.46	0.46
1:A:254:GLN:HB3	1:B:258:GLN:HG2	1.97	0.46
1:A:34:LEU:HB3	1:A:39:TYR:CD2	2.50	0.46
1:A:67:TYR:OH	2:C:23:SER:HB2	2.16	0.45
1:A:597:LEU:HD11	1:A:607:ALA:HB2	1.98	0.45
2:C:31:GLU:N	2:C:31:GLU:OE1	2.49	0.45
1:B:401:THR:O	1:B:402:LEU:HB2	2.16	0.45
1:B:18:ILE:HB	1:B:22:GLN:HB2	1.98	0.45
1:A:298:LEU:HD21	1:B:291:ILE:HG13	1.99	0.45
1:A:39:TYR:HA	1:A:43:LEU:HD13	1.99	0.45
1:A:387:HIS:CG	1:A:387:HIS:O	2.70	0.45
1:A:401:THR:O	1:A:402:LEU:HB2	2.17	0.44
1:B:389:PHE:HB3	1:B:431:ILE:HD11	1.99	0.44
1:B:8:GLN:HB3	1:B:48:GLY:CA	2.47	0.44
1:B:647:GLU:OE1	1:B:650:LYS:NZ	2.50	0.44
1:B:15:VAL:HG22	1:B:25:LEU:HD22	2.00	0.44
1:B:344:ARG:HD3	4:B:777:ANP:C6	2.48	0.44
1:A:654:GLU:OE1	1:A:655:ASN:N	2.50	0.44
1:A:368:GLU:HG2	1:A:370:VAL:HG23	2.00	0.43
1:B:22:GLN:HE22	1:B:35:THR:HG22	1.83	0.43
1:B:663:TRP:CE3	1:B:667:GLU:HG3	2.54	0.43
1:A:31:ASN:HD22	1:B:217:VAL:HG11	1.83	0.43
1:A:101:ILE:HD13	1:A:269:VAL:HG12	2.00	0.43
4:B:777:ANP:H5'2	4:B:777:ANP:H8	2.00	0.43
1:B:399:ARG:NE	2:C:32:GLU:OE2	2.52	0.43
1:B:389:PHE:O	1:B:401:THR:HG23	2.19	0.43
1:A:9:ILE:HG13	1:A:46:LEU:HB3	2.01	0.42
1:B:6:LEU:HD21	1:B:48:GLY:C	2.40	0.42
1:A:739:HIS:CE1	1:A:741:TRP:CE2	3.07	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:115:THR:HG23	1:A:151:THR:HG21	2.00	0.42
1:B:37:GLN:OE1	1:B:41:GLN:NE2	2.49	0.42
1:A:388:SER:C	1:A:389:PHE:CD1	2.93	0.42
1:A:654:GLU:N	1:A:654:GLU:OE1	2.52	0.42
1:B:389:PHE:C	1:B:389:PHE:CD1	2.93	0.42
1:A:119:VAL:HG23	1:A:165:GLU:HB2	2.01	0.42
1:A:388:SER:O	1:A:389:PHE:CB	2.68	0.42
1:B:103:PRO:N	1:B:104:PRO:HD2	2.34	0.42
1:A:75:LEU:HB3	1:A:81:LEU:HB2	2.02	0.41
1:B:59:LEU:HD13	1:B:63:VAL:HB	2.01	0.41
1:A:43:LEU:N	1:A:44:PRO:CD	2.83	0.41
1:A:323:ARG:NH2	1:A:719:ASP:O	2.53	0.41
1:B:621:ILE:HG21	1:B:645:GLY:HA3	2.02	0.41
1:A:303:HIS:HB3	1:A:363:THR:HG22	2.03	0.41
1:B:407:SER:HB3	1:B:643:GLN:NE2	2.36	0.41
1:B:702:MET:HA	1:B:705:VAL:HG12	2.02	0.41
2:D:22:LEU:HD12	2:D:23:SER:N	2.35	0.41
1:B:161:TYR:CE2	1:B:182:LEU:HD23	2.56	0.41
1:B:162:LEU:HD12	1:B:215:ARG:HH11	1.85	0.41
1:B:39:TYR:CE1	1:B:75:LEU:HD21	2.56	0.41
1:B:39:TYR:CE1	1:B:71:VAL:HG13	2.56	0.41
1:A:113:PRO:CB	1:A:142:GLN:HG3	2.50	0.40
1:A:56:VAL:HG23	1:A:57:GLU:N	2.37	0.40
1:B:8:GLN:HB3	1:B:48:GLY:HA2	2.03	0.40
1:B:23:VAL:HG11	1:B:43:LEU:CD2	2.51	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:671:ASP:OD2	2:C:23:SER:OG[2_554]	0.96	1.24
1:A:671:ASP:OD2	2:C:23:SER:CB[2_554]	1.71	0.49
1:A:671:ASP:CG	2:C:23:SER:OG[2_554]	1.85	0.35
1:A:271:TYR:OH	1:B:316:ASP:OD2[1_455]	2.12	0.08

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	737/775 (95%)	707 (96%)	29 (4%)	1 (0%)	53	87
1	B	739/775 (95%)	711 (96%)	28 (4%)	0	100	100
2	C	12/64 (19%)	12 (100%)	0	0	100	100
2	D	11/64 (17%)	10 (91%)	1 (9%)	0	100	100
All	All	1499/1678 (89%)	1440 (96%)	58 (4%)	1 (0%)	53	87

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	387	HIS

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	638/661 (96%)	631 (99%)	7 (1%)	76	92
1	B	637/661 (96%)	630 (99%)	7 (1%)	76	92
2	C	11/51 (22%)	11 (100%)	0	100	100
2	D	11/51 (22%)	11 (100%)	0	100	100
All	All	1297/1424 (91%)	1283 (99%)	14 (1%)	76	92

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	151	THR
1	A	215	ARG
1	A	226	GLN
1	A	311	CYS
1	A	389	PHE
1	A	655	ASN
1	A	740	PHE
1	B	29	GLN
1	B	49	GLN
1	B	73	GLU
1	B	74	ARG
1	B	212	ARG
1	B	389	PHE
1	B	544	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	HIS
1	A	32	HIS
1	A	381	HIS
1	A	478	HIS
1	A	655	ASN
1	A	739	HIS
1	B	12	HIS
1	B	32	HIS
1	B	321	GLN
1	B	381	HIS
1	B	478	HIS
1	B	515	HIS
1	B	643	GLN
2	C	25	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 8 ligands modelled in this entry, 6 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	ANP	A	777	5	29,33,33	1.91	5 (17%)	29,52,52	1.49	5 (17%)
4	ANP	B	777	5	29,33,33	2.01	5 (17%)	29,52,52	1.33	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ANP	A	777	5	-	0/13/38/38	0/3/3/3
4	ANP	B	777	5	-	0/13/38/38	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	777	ANP	PG-O3G	-2.19	1.50	1.56
4	B	777	ANP	PG-O3G	-2.10	1.50	1.56
4	B	777	ANP	PB-N3B	2.82	1.70	1.63
4	B	777	ANP	PG-N3B	2.96	1.71	1.63
4	A	777	ANP	PB-N3B	3.01	1.71	1.63
4	A	777	ANP	PG-N3B	3.21	1.71	1.63
4	A	777	ANP	PB-O1B	3.90	1.50	1.46
4	B	777	ANP	PB-O1B	4.40	1.51	1.46
4	A	777	ANP	PG-O1G	7.23	1.54	1.46
4	B	777	ANP	PG-O1G	7.90	1.55	1.46

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	777	ANP	O1G-PG-N3B	-3.98	105.83	111.79
4	B	777	ANP	N3-C2-N1	-3.52	125.85	128.86
4	A	777	ANP	N3-C2-N1	-3.51	125.86	128.86
4	A	777	ANP	PA-O3A-PB	-3.10	121.52	132.40
4	B	777	ANP	O1G-PG-N3B	-3.04	107.24	111.79
4	B	777	ANP	O1B-PB-N3B	-2.26	108.41	111.79
4	A	777	ANP	O1B-PB-N3B	-2.20	108.50	111.79
4	A	777	ANP	O2B-PB-O1B	2.22	114.47	109.88
4	B	777	ANP	O2B-PB-O1B	2.32	114.68	109.88

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	777	ANP	2	0
4	B	777	ANP	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	747/775 (96%)	-0.38	3 (0%) 92 78	52, 79, 145, 183	0
1	B	747/775 (96%)	-0.28	1 (0%) 95 89	59, 99, 146, 190	0
2	C	14/64 (21%)	-0.38	0 100 100	98, 107, 144, 146	0
2	D	13/64 (20%)	-0.05	0 100 100	140, 149, 172, 193	0
All	All	1521/1678 (90%)	-0.33	4 (0%) 93 82	52, 91, 147, 193	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	392	ALA	2.9
1	A	398	LEU	2.9
1	B	568	VAL	2.4
1	A	400	ASN	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	ZN	A	776	1/1	0.91	0.11	58,58,58,58	0
4	ANP	B	777	31/31	0.94	0.16	74,87,144,177	0
5	MG	B	1776	1/1	0.95	0.14	82,82,82,82	0
5	MG	A	1777	1/1	0.95	0.34	83,83,83,83	0
4	ANP	A	777	31/31	0.96	0.17	68,73,89,113	0
5	MG	B	1777	1/1	0.96	0.20	82,82,82,82	0
5	MG	A	1776	1/1	0.97	0.10	61,61,61,61	0
3	ZN	B	776	1/1	0.98	0.09	60,60,60,60	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.