



wwPDB/EMDatabank EM Map/Model Validation Summary Report ⓘ

Jan 30, 2020 – 01:37 PM EST

PDB ID : 6V3D
EMDB ID: : EMD-21033
Title : Cryo-EM structure of the Acinetobacter baumannii Ribosome: 50S subunit
Authors : Morgan, C.E.; Yu, E.W.
Deposited on : 2019-11-25
Resolution : 2.95 Å(reported)
Based on PDB ID : 5AFI

This is a wwPDB/EMDatabank EM Map/Model Validation Summary Report
for a publicly released PDB/EMDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

MolProbity : 4.02b-467
Mogul : 1.8.0 (224370), CSD as540be (2019)
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : 2.4


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

























| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Clashscore | 136327 | 1886 |
| Ramachandran outliers | 132723 | 1663 |
| Sidechain outliers | 132532 | 1531 |
| RNA backbone | 3747 | 458 |

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | 0 | 51 | 94% 6% |
| 2 | 1 | 44 | 84% 16% |
| 3 | 2 | 64 | 75% 20% . . |
| 4 | 3 | 38 | 63% 34% . |
| 5 | AN1 | 2918 | 63% 32% 5% . |
| 6 | B | 115 | 52% 39% 9% |
| 7 | C | 274 | 86% 13% . |
| 8 | D | 212 | 88% 11% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 9 | E | 200 |  |
| 10 | F | 178 |  |
| 11 | G | 177 |  |
| 12 | H | 148 |  |
| 13 | I | 142 |  |
| 14 | J | 122 |  |
| 15 | K | 146 |  |
| 16 | L | 137 |  |
| 17 | M | 125 |  |
| 18 | N | 116 |  |
| 19 | O | 122 |  |
| 20 | P | 119 |  |
| 21 | Q | 103 |  |
| 22 | R | 109 |  |
| 23 | S | 106 |  |
| 24 | T | 105 |  |
| 25 | U | 98 |  |
| 26 | V | 85 |  |
| 27 | W | 78 |  |
| 28 | X | 65 |  |
| 29 | Y | 58 |  |
| 30 | Z | 61 |  |

2 Entry composition

There are 34 unique types of molecules in this entry. The entry contains 89040 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L33.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 1 | 0 | 51 | Total | C | N | O | S | 0 | 0 |
| | | | 427 | 274 | 77 | 73 | 3 | | |

- Molecule 2 is a protein called 50S ribosomal protein L34.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 2 | 1 | 44 | Total | C | N | O | S | 0 | 0 |
| | | | 363 | 222 | 85 | 54 | 2 | | |

- Molecule 3 is a protein called 50S ribosomal protein L35.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 3 | 2 | 63 | Total | C | N | O | S | 0 | 0 |
| | | | 509 | 319 | 110 | 76 | 4 | | |

- Molecule 4 is a protein called 50S ribosomal protein L36.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 4 | 3 | 38 | Total | C | N | O | S | 0 | 0 |
| | | | 295 | 179 | 64 | 48 | 4 | | |

- Molecule 5 is a RNA chain called 23s ribosomal RNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-------|-------|-------|------|---------|-------|
| 5 | AN1 | 2892 | Total | C | N | O | P | 0 | 0 |
| | | | 62023 | 27689 | 11345 | 20098 | 2891 | | |

- Molecule 6 is a RNA chain called 5s ribosomal RNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|-------|
| 6 | B | 115 | Total | C | N | O | P | 0 | 0 |
| | | | 2450 | 1095 | 440 | 800 | 115 | | |

- Molecule 7 is a protein called 50S ribosomal protein L2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 7 | C | 270 | Total | C | N | O | S | 0 | 0 |
| | | | 2096 | 1291 | 434 | 363 | 8 | | |

- Molecule 8 is a protein called 50S ribosomal protein L3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 8 | D | 211 | Total | C | N | O | S | 0 | 0 |
| | | | 1572 | 972 | 297 | 300 | 3 | | |

- Molecule 9 is a protein called 50S ribosomal protein L4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 9 | E | 186 | Total | C | N | O | S | 0 | 0 |
| | | | 1419 | 893 | 265 | 257 | 4 | | |

- Molecule 10 is a protein called 50S ribosomal protein L5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 10 | F | 175 | Total | C | N | O | S | 0 | 0 |
| | | | 1381 | 877 | 247 | 249 | 8 | | |

- Molecule 11 is a protein called 50S ribosomal protein L6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 11 | G | 174 | Total | C | N | O | S | 0 | 0 |
| | | | 1318 | 832 | 236 | 249 | 1 | | |

- Molecule 12 is a protein called 50S ribosomal protein L9.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 12 | H | 60 | Total | C | N | O | S | 0 | 0 |
| | | | 458 | 287 | 84 | 86 | 1 | | |

- Molecule 13 is a protein called 50S ribosomal protein L13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 13 | I | 142 | Total | C | N | O | S | 0 | 0 |
| | | | 1125 | 718 | 200 | 203 | 4 | | |

- Molecule 14 is a protein called 50S ribosomal protein L14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 14 | J | 122 | Total | C | N | O | S | 0 | 0 |
| | | | 946 | 592 | 180 | 169 | 5 | | |

- Molecule 15 is a protein called 50S ribosomal protein L15.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 15 | K | 146 | Total | C | N | O | S | 0 | 0 |
| | | | 1089 | 673 | 215 | 200 | 1 | | |

- Molecule 16 is a protein called 50S ribosomal protein L16.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 16 | L | 137 | Total | C | N | O | S | 0 | 0 |
| | | | 1087 | 687 | 210 | 185 | 5 | | |

- Molecule 17 is a protein called 50S ribosomal protein L17.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 17 | M | 119 | Total | C | N | O | S | 0 | 0 |
| | | | 942 | 590 | 186 | 163 | 3 | | |

- Molecule 18 is a protein called 50S ribosomal protein L18.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 18 | N | 114 | Total | C | N | O | S | 0 | 0 |
| | | | 857 | 528 | 173 | 155 | 1 | | |

- Molecule 19 is a protein called 50S ribosomal protein L19.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 19 | O | 117 | Total | C | N | O | 0 | 0 |
| | | | 919 | 578 | 177 | 164 | | |

- Molecule 20 is a protein called 50S ribosomal protein L20.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 20 | P | 117 | Total | C | N | O | S | 0 | 0 |
| | | | 934 | 589 | 197 | 146 | 2 | | |

- Molecule 21 is a protein called 50S ribosomal protein L21.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 21 | Q | 103 | Total | C | N | O | S | 0 | 0 |
| | | | 807 | 506 | 155 | 143 | 3 | | |

- Molecule 22 is a protein called 50S ribosomal protein L22.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 22 | R | 109 | Total | C | N | O | S | 0 | 0 |
| | | | 826 | 514 | 158 | 150 | 4 | | |

- Molecule 23 is a protein called 50S ribosomal protein L23.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|--|---------|-------|
| 23 | S | 90 | Total | C | N | O | | 0 | 0 |
| | | | 702 | 447 | 127 | 128 | | | |

- Molecule 24 is a protein called 50S ribosomal protein L24.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|--|---------|-------|
| 24 | T | 100 | Total | C | N | O | | 0 | 0 |
| | | | 749 | 465 | 139 | 145 | | | |

- Molecule 25 is a protein called 50S ribosomal protein L25.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 25 | U | 97 | Total | C | N | O | S | 0 | 0 |
| | | | 760 | 477 | 143 | 139 | 1 | | |

- Molecule 26 is a protein called 50S ribosomal protein L27.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 26 | V | 80 | Total | C | N | O | S | 0 | 0 |
| | | | 598 | 370 | 115 | 111 | 2 | | |

- Molecule 27 is a protein called 50S ribosomal protein L28.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 27 | W | 77 | Total | C | N | O | S | 0 | 0 |
| | | | 632 | 395 | 130 | 105 | 2 | | |

- Molecule 28 is a protein called 50S ribosomal protein L29.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 28 | X | 62 | Total | C | N | O | S | 0 | 0 |
| | | | 498 | 308 | 96 | 93 | 1 | | |

- Molecule 29 is a protein called 50S ribosomal protein L30.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 29 | Y | 58 | Total | C | N | O | S | 0 | 0 |
| | | | 463 | 286 | 88 | 85 | 4 | | |

- Molecule 30 is a protein called 50S ribosomal protein L32.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 30 | Z | 55 | Total | C | N | O | S | 0 | 0 |
| | | | 456 | 271 | 102 | 82 | 1 | | |

- Molecule 31 is ZINC ION (three-letter code: ZN) (formula: Zn).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 31 | 3 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |

- Molecule 32 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|-----|---------|
| 32 | AN1 | 105 | Total | Mg | 0 |
| | | | 105 | 105 | |
| 32 | C | 1 | Total | Mg | 0 |
| | | | 1 | 1 | |

- Molecule 33 is SODIUM ION (three-letter code: NA) (formula: Na).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 33 | AN1 | 1 | Total | Na | 0 |
| | | | 1 | 1 | |

- Molecule 34 is water.

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|-----|---------|
| 34 | 1 | 1 | Total | O | 0 |
| | | | 1 | 1 | |
| 34 | AN1 | 218 | Total | O | 0 |
| | | | 218 | 218 | |

Continued on next page...


Continued from previous page...

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|------------|--------|---------|
| 34 | B | 3 | Total 3 | O 3 | 0 |
| 34 | C | 1 | Total 1 | O 1 | 0 |
| 34 | D | 1 | Total 1 | O 1 | 0 |
| 34 | E | 1 | Total 1 | O 1 | 0 |
| 34 | K | 1 | Total 1 | O 1 | 0 |
| 34 | N | 1 | Total 1 | O 1 | 0 |
| 34 | R | 1 | Total 1 | O 1 | 0 |
| 34 | V | 1 | Total 1 | O 1 | 0 |
| 34 | W | 1 | Total 1 | O 1 | 0 |
| 34 | Z | 1 | Total 1 | O 1 | 0 |


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L33




- Molecule 2: 50S ribosomal protein L34




- Molecule 3: 50S ribosomal protein L35




- Molecule 4: 50S ribosomal protein L36




- Molecule 5: 23s ribosomal RNA




| | | | | | | | | | | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|------|------|
| C1888 | C1889 | A1805 | G1685 | U1681 | C1537 | G1462 | A1373 | G1220 | G1088 | C1004 | A894 | C670 | U578 | A478 | C350 |
| C1889 | C1889 | A1805 | A1463 | A1682 | G1539 | A1464 | U1374 | G1230 | U1091 | A1006 | C895 | C671 | C579 | A479 | C351 |
| A1895 | A1896 | C1812 | G1685 | G1685 | C1540 | A1465 | A1378 | G1231 | U1091 | A1006 | C896 | C672 | A580 | C480 | |
| C1892 | A1897 | U1816 | U1691 | U1691 | A1542 | G1467 | G1383 | G1240 | A1095 | U1009 | A897 | A673 | G581 | A481 | |
| C1898 | G1899 | A1817 | A1818 | A1699 | U1545 | U1469 | G1384 | A1241 | G1096 | C1010 | A899 | A674 | C582 | A482 | |
| G1899 | G1899 | A1818 | A1699 | A1699 | U1545 | U1469 | G1384 | A1242 | C1099 | A1011 | C900 | C677 | G583 | A493 | |
| G1902 | G1902 | A1825 | U1712 | U1712 | U1549 | U1471 | A1387 | G1245 | A1100 | U1016 | U904 | C678 | U587 | C357 | |
| C2021 | C2021 | U1826 | U1713 | U1713 | G1550 | A1472 | A1390 | G1246 | C1101 | A1017 | A508 | C679 | U588 | A358 | |
| C2022 | C2022 | G1827 | G1714 | G1714 | G1550 | A1472 | A1390 | A1248 | A1102 | A1018 | A909 | U684 | U589 | U959 | |
| G1906 | G1907 | C1828 | G1717 | G1717 | U1561 | G1473 | C1393 | G1251 | A1103 | G1023 | C912 | U692 | A590 | A364 | |
| A1908 | A1908 | U1830 | A1718 | A1718 | C1562 | G1478 | A1395 | G1259 | C1111 | A1025 | A925 | C696 | U591 | A365 | |
| A1909 | A1909 | G1831 | U1719 | U1719 | A1564 | U1479 | A1395 | A1265 | G1109 | A1026 | A916 | C696 | C593 | A367 | |
| A2026 | A2027 | C1832 | U1725 | U1725 | A1567 | U1483 | U1401 | U1258 | U1110 | C1027 | C920 | U701 | C595 | A370 | |
| G2028 | A2029 | G1834 | C1726 | C1726 | U1574 | U1484 | U1407 | G1259 | C1112 | G1028 | A925 | G702 | C597 | A371 | |
| A2030 | A2030 | G1835 | U1730 | U1730 | A1574 | A1485 | A1408 | A1267 | G1112 | U1030 | A925 | A703 | C598 | A372 | |
| G2039 | G2039 | G1836 | U1730 | U1730 | A1574 | G1487 | U1410 | A1267 | G1121 | G1031 | G926 | G711 | G598 | A512 | |
| G2049 | A2050 | G1842 | G1734 | G1734 | A1584 | C1488 | A1411 | C1273 | G1122 | U1032 | G926 | U712 | A601 | A513 | |
| A2050 | C2051 | A1844 | A1735 | A1735 | A1584 | G1496 | C1412 | G1274 | A1123 | A1036 | C929 | A713 | U605 | U520 | |
| C2052 | C2052 | G1845 | G1739 | G1739 | U1587 | A1500 | G1413 | G1275 | U1129 | A1037 | U930 | C715 | A606 | C521 | |
| A1923 | A1923 | A1846 | U1847 | U1847 | C1589 | U1502 | U1414 | U1277 | A1130 | G1038 | U932 | A716 | U611 | A523 | |
| A1924 | A1924 | U1847 | G1742 | G1742 | A1590 | C1501 | U1415 | U1277 | A1131 | G1039 | C933 | C717 | U613 | C526 | |
| C1925 | C1925 | U1850 | G1742 | G1742 | A1590 | U1502 | G1420 | A1296 | C1132 | A1041 | A938 | A719 | A527 | A394 | |
| G2057 | A2058 | A1854 | C1744 | C1744 | C1591 | U1504 | G1421 | G1304 | A1140 | U1042 | A942 | A720 | C621 | A400 | |
| C2059 | C2059 | A1855 | G1745 | G1745 | A1592 | A1423 | A1422 | G1305 | G1149 | G1044 | G943 | C721 | C622 | A528 | |
| A1934 | A1934 | G1856 | G1746 | G1746 | G1593 | U1506 | G1424 | U1306 | C1150 | G1052 | C945 | G724 | C625 | U401 | |
| U1935 | U1935 | A1856 | G1749 | G1749 | G1594 | G1507 | G1425 | U1307 | C1151 | G1053 | U946 | A725 | A625 | C530 | |
| C2061 | C2061 | A1856 | G1749 | G1749 | A1595 | G1507 | A1426 | U1308 | C1151 | G1053 | U946 | C727 | A627 | A531 | |
| U1936 | U1936 | U1860 | C1750 | C1750 | A1596 | G1510 | G1427 | C1309 | G1152 | A1054 | G947 | A728 | G628 | C541 | |
| C2063 | C2063 | U1861 | A1751 | A1751 | A1596 | A1511 | A1428 | C1310 | A1153 | U1057 | C950 | C729 | C628 | C542 | |
| U2064 | U2064 | A1862 | G1752 | G1752 | G1605 | G1512 | A1429 | G1311 | G1164 | U1058 | G950 | C730 | A631 | U543 | |
| C2065 | C2065 | G1863 | A1753 | A1753 | A1606 | G1512 | G1430 | G1312 | U1171 | G1063 | G966 | U745 | C643 | U544 | |
| A1940 | A1940 | C1864 | G1760 | G1760 | U1624 | U1516 | G1432 | U1321 | U1165 | G1059 | U955 | A732 | C635 | C545 | |
| A2067 | A2067 | G1865 | U1760 | U1760 | A1624 | U1516 | C1430 | U1321 | U1166 | G1060 | C958 | A732 | G546 | C416 | |
| C2068 | C2068 | U1866 | G1760 | G1760 | A1624 | G1517 | U1433 | A1322 | U1167 | C1061 | C958 | U741 | U637 | U547 | |
| C2069 | C2069 | A1867 | A1769 | A1769 | C1642 | U1525 | C1442 | A1323 | G1179 | U1062 | C958 | C741 | C637 | G423 | |
| U2070 | U2070 | A1868 | U1769 | U1769 | U1645 | G1525 | A1436 | U1324 | U1170 | G1063 | G966 | U745 | U643 | U552 | |
| U2071 | U2071 | G1869 | A1775 | A1775 | U1646 | C1522 | G1437 | G1336 | U1171 | U1063 | U967 | U745 | C644 | C553 | |
| U2072 | U2072 | C1870 | A1776 | A1776 | G1647 | C1522 | C1438 | G1336 | U1172 | A1067 | C968 | A750 | A554 | A564 | |
| G1871 | G1871 | A1872 | U1780 | U1780 | G1647 | A1523 | G1438 | G1336 | G1173 | A1067 | C968 | A750 | A554 | A564 | |
| A1872 | A1872 | C1871 | A1780 | A1780 | U1662 | A1524 | C1441 | C1340 | U1173 | A1070 | A970 | C753 | U651 | A561 | |
| A1873 | A1873 | U1655 | U1780 | U1780 | U1662 | A1524 | C1441 | C1340 | U1173 | A1070 | A970 | C753 | U651 | A561 | |
| C1874 | C1874 | U1655 | U1780 | U1780 | U1662 | A1524 | C1441 | C1340 | U1173 | A1070 | A970 | C753 | U651 | A561 | |
| A1962 | A1962 | G1874 | A1784 | A1784 | U1657 | C1526 | C1442 | A1336 | U1179 | U1062 | C971 | A754 | U652 | U564 | |
| C1963 | C1963 | C1875 | A1785 | A1785 | U1657 | C1526 | C1442 | A1336 | U1179 | U1062 | C971 | A754 | U652 | U564 | |
| A1966 | A1966 | U1876 | U1786 | U1786 | U1657 | C1526 | C1442 | A1336 | U1179 | U1062 | C971 | A754 | U652 | U564 | |
| U2093 | U2093 | C1877 | A1787 | A1787 | U1662 | U1528 | U1448 | G1356 | G1182 | C1076 | A972 | A762 | C657 | C455 | |
| U2094 | U2094 | C1877 | A1787 | A1787 | U1662 | U1528 | U1448 | G1356 | G1182 | C1076 | A972 | A762 | C657 | C455 | |
| U2095 | U2095 | U1878 | U1787 | U1787 | A1662 | U1528 | U1448 | G1356 | G1182 | C1076 | A972 | A762 | C657 | C455 | |
| C2096 | C2096 | U1878 | U1787 | U1787 | A1662 | U1528 | U1448 | G1356 | G1182 | C1076 | A972 | A762 | C657 | C455 | |
| U2097 | U2097 | G1880 | C1793 | C1793 | G1665 | C1531 | U1453 | C1357 | U1193 | U1080 | A980 | G773 | U663 | U571 | |
| U1978 | U1978 | A1881 | C1796 | C1796 | G1665 | C1531 | U1453 | C1357 | U1193 | U1080 | A980 | G773 | U663 | U571 | |
| C2098 | C2098 | A1881 | A1797 | A1797 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1881 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C2099 | C2099 | A1885 | A1798 | A1798 | G1672 | U1533 | G1454 | C1358 | U1194 | A1081 | A981 | G774 | A664 | A572 | |
| C209 | | | | | | | | | | | | | | | |




• Molecule 6: 5s ribosomal RNA




• Molecule 7: 50S ribosomal protein L2




• Molecule 8: 50S ribosomal protein L3




- Molecule 9: 50S ribosomal protein L4

Chain E:  83% 10% 7%




- Molecule 10: 50S ribosomal protein L5

Chain F:  54% 42% ..





- Molecule 11: 50S ribosomal protein L6

Chain G:  75% 23% .




- Molecule 12: 50S ribosomal protein L9

Chain H:  36% 5% 59%



- Molecule 13: 50S ribosomal protein L13

Chain I:  88% 12%



- Molecule 14: 50S ribosomal protein L14

Chain J:  94% 6%




- Molecule 15: 50S ribosomal protein L15

Chain K: 84% 16%



- Molecule 16: 50S ribosomal protein L16

Chain L: 85% 15%



- Molecule 17: 50S ribosomal protein L17

Chain M: 93% 5%



- Molecule 18: 50S ribosomal protein L18

Chain N: 89% 9%



- Molecule 19: 50S ribosomal protein L19

Chain O: 80% 16%



- Molecule 20: 50S ribosomal protein L20

Chain P: 93% 5%



- Molecule 21: 50S ribosomal protein L21

Chain Q: 85% 15%



- Molecule 22: 50S ribosomal protein L22

Chain R:  91% 9%




- Molecule 23: 50S ribosomal protein L23

Chain S:  72% 13% 15%



- Molecule 24: 50S ribosomal protein L24

Chain T:  89% 7% 5%




- Molecule 25: 50S ribosomal protein L25

Chain U:  90% 9% 1%




- Molecule 26: 50S ribosomal protein L27

Chain V:  85% 9% 6%




- Molecule 27: 50S ribosomal protein L28

Chain W:  87% 12% 1%



- Molecule 28: 50S ribosomal protein L29

Chain X:  83% 12% 5%



- Molecule 29: 50S ribosomal protein L30

Chain Y:

95%

5%



- Molecule 30: 50S ribosomal protein L32

Chain Z:

82%

8%

10%



4 Experimental information

| Property | Value | Source |
|--------------------------------------|---|-----------|
| Reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C1 | Depositor |
| Number of particles used | 27020 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 40 | Depositor |
| Minimum defocus (nm) | Not provided | Depositor |
| Maximum defocus (nm) | Not provided | Depositor |
| Magnification | Not provided | Depositor |
| Image detector | GATAN K2 SUMMIT (4k x 4k) | Depositor |

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 3TD, 5MU, ZN, OMG, NA, MG, 2MA, 6MZ, 2MG, OMU, 7MG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|------------------|
| | | RMSZ | # Z >2 | RMSZ | # Z >2 |
| 1 | 0 | 0.24 | 0/434 | 0.43 | 0/573 |
| 10 | F | 0.26 | 0/1401 | 0.52 | 0/1877 |
| 11 | G | 0.24 | 0/1337 | 0.43 | 0/1807 |
| 12 | H | 0.25 | 0/461 | 0.49 | 0/616 |
| 13 | I | 0.24 | 0/1151 | 0.40 | 0/1551 |
| 14 | J | 0.24 | 0/956 | 0.44 | 0/1286 |
| 15 | K | 0.24 | 0/1097 | 0.43 | 0/1461 |
| 16 | L | 0.24 | 0/1104 | 0.44 | 0/1475 |
| 17 | M | 0.23 | 0/956 | 0.40 | 0/1282 |
| 18 | N | 0.23 | 0/865 | 0.42 | 0/1156 |
| 19 | O | 0.24 | 0/931 | 0.42 | 0/1249 |
| 2 | 1 | 0.23 | 0/367 | 0.39 | 0/481 |
| 20 | P | 0.24 | 0/947 | 0.34 | 0/1262 |
| 21 | Q | 0.23 | 0/818 | 0.45 | 0/1094 |
| 22 | R | 0.23 | 0/831 | 0.40 | 0/1113 |
| 23 | S | 0.25 | 0/708 | 0.43 | 0/947 |
| 24 | T | 0.24 | 0/753 | 0.47 | 0/1010 |
| 25 | U | 0.24 | 0/770 | 0.40 | 0/1036 |
| 26 | V | 0.25 | 0/606 | 0.44 | 0/810 |
| 27 | W | 0.22 | 0/642 | 0.40 | 0/856 |
| 28 | X | 0.23 | 0/499 | 0.38 | 0/662 |
| 29 | Y | 0.22 | 0/468 | 0.41 | 0/624 |
| 3 | 2 | 0.23 | 0/515 | 0.44 | 0/678 |
| 30 | Z | 0.22 | 0/462 | 0.41 | 0/615 |
| 4 | 3 | 0.22 | 0/296 | 0.45 | 0/389 |
| 5 | AN1 | 0.19 | 0/69101 | 0.76 | 20/107780 (0.0%) |
| 6 | B | 0.17 | 0/2739 | 0.77 | 2/4266 (0.0%) |
| 7 | C | 0.24 | 0/2136 | 0.43 | 0/2869 |
| 8 | D | 0.24 | 0/1590 | 0.45 | 0/2142 |
| 9 | E | 0.24 | 0/1440 | 0.40 | 0/1944 |
| All | All | 0.20 | 0/96381 | 0.70 | 22/144911 (0.0%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 4 | 3 | 0 | 1 |

There are no bond length outliers.

The worst 5 of 22 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-----------|------|-------------|----------|
| 5 | AN1 | 503 | U | C2-N1-C1' | 7.29 | 126.44 | 117.70 |
| 5 | AN1 | 1308 | U | C2-N1-C1' | 6.88 | 125.95 | 117.70 |
| 5 | AN1 | 503 | U | N1-C2-O2 | 6.69 | 127.48 | 122.80 |
| 5 | AN1 | 788 | U | C2-N1-C1' | 6.41 | 125.39 | 117.70 |
| 5 | AN1 | 2170 | C | N1-C2-O2 | 6.38 | 122.73 | 118.90 |

There are no chirality outliers.

All (1) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|---------|
| 4 | 3 | 36 | ARG | Peptide |

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | 0 | 427 | 0 | 462 | 3 | 0 |
| 2 | 1 | 363 | 0 | 401 | 5 | 0 |
| 3 | 2 | 509 | 0 | 566 | 12 | 0 |
| 4 | 3 | 295 | 0 | 327 | 7 | 0 |
| 5 | AN1 | 62023 | 0 | 31192 | 550 | 0 |
| 6 | B | 2450 | 0 | 1241 | 44 | 0 |
| 7 | C | 2096 | 0 | 2157 | 28 | 0 |
| 8 | D | 1572 | 0 | 1610 | 18 | 0 |
| 9 | E | 1419 | 0 | 1464 | 15 | 0 |
| 10 | F | 1381 | 0 | 1433 | 59 | 0 |
| 11 | G | 1318 | 0 | 1373 | 25 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 12 | H | 458 | 0 | 480 | 4 | 0 |
| 13 | I | 1125 | 0 | 1148 | 11 | 0 |
| 14 | J | 946 | 0 | 1007 | 4 | 0 |
| 15 | K | 1089 | 0 | 1159 | 15 | 0 |
| 16 | L | 1087 | 0 | 1162 | 9 | 0 |
| 17 | M | 942 | 0 | 987 | 3 | 0 |
| 18 | N | 857 | 0 | 899 | 7 | 0 |
| 19 | O | 919 | 0 | 973 | 10 | 0 |
| 20 | P | 934 | 0 | 997 | 5 | 0 |
| 21 | Q | 807 | 0 | 842 | 10 | 0 |
| 22 | R | 826 | 0 | 894 | 7 | 0 |
| 23 | S | 702 | 0 | 756 | 10 | 0 |
| 24 | T | 749 | 0 | 797 | 4 | 0 |
| 25 | U | 760 | 0 | 783 | 6 | 0 |
| 26 | V | 598 | 0 | 600 | 6 | 0 |
| 27 | W | 632 | 0 | 667 | 7 | 0 |
| 28 | X | 498 | 0 | 537 | 7 | 0 |
| 29 | Y | 463 | 0 | 488 | 2 | 0 |
| 30 | Z | 456 | 0 | 448 | 5 | 0 |
| 31 | 3 | 1 | 0 | 0 | 0 | 0 |
| 32 | AN1 | 105 | 0 | 0 | 0 | 0 |
| 32 | C | 1 | 0 | 0 | 0 | 0 |
| 33 | AN1 | 1 | 0 | 0 | 0 | 0 |
| 34 | 1 | 1 | 0 | 0 | 0 | 0 |
| 34 | AN1 | 218 | 0 | 0 | 4 | 0 |
| 34 | B | 3 | 0 | 0 | 0 | 0 |
| 34 | C | 1 | 0 | 0 | 0 | 0 |
| 34 | D | 1 | 0 | 0 | 0 | 0 |
| 34 | E | 1 | 0 | 0 | 0 | 0 |
| 34 | K | 1 | 0 | 0 | 0 | 0 |
| 34 | N | 1 | 0 | 0 | 0 | 0 |
| 34 | R | 1 | 0 | 0 | 0 | 0 |
| 34 | V | 1 | 0 | 0 | 0 | 0 |
| 34 | W | 1 | 0 | 0 | 1 | 0 |
| 34 | Z | 1 | 0 | 0 | 0 | 0 |
| All | All | 89040 | 0 | 57850 | 819 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 819 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-----------------|-----------------|--------------------------|-------------------|
| 5:AN1:1462:G:H1 | 5:AN1:1520:A:N6 | 1.49 | 1.10 |
| 6:B:70:G:N2 | 6:B:101:A:H62 | 1.59 | 1.00 |
| 6:B:70:G:H21 | 6:B:101:A:N6 | 1.64 | 0.96 |
| 5:AN1:2096:G:H1 | 5:AN1:2185:U:H3 | 0.91 | 0.89 |
| 6:B:2:C:O2 | 6:B:113:G:N2 | 2.06 | 0.88 |

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|------------|----------|----------|-------------|-----|
| 1 | 0 | 49/51 (96%) | 48 (98%) | 1 (2%) | 0 | 100 | 100 |
| 2 | 1 | 42/44 (96%) | 41 (98%) | 1 (2%) | 0 | 100 | 100 |
| 3 | 2 | 61/64 (95%) | 57 (93%) | 2 (3%) | 2 (3%) | 4 | 20 |
| 4 | 3 | 36/38 (95%) | 35 (97%) | 1 (3%) | 0 | 100 | 100 |
| 7 | C | 268/274 (98%) | 258 (96%) | 10 (4%) | 0 | 100 | 100 |
| 8 | D | 209/212 (99%) | 205 (98%) | 4 (2%) | 0 | 100 | 100 |
| 9 | E | 184/200 (92%) | 184 (100%) | 0 | 0 | 100 | 100 |
| 10 | F | 173/178 (97%) | 149 (86%) | 23 (13%) | 1 (1%) | 27 | 64 |
| 11 | G | 172/177 (97%) | 167 (97%) | 5 (3%) | 0 | 100 | 100 |
| 12 | H | 58/148 (39%) | 55 (95%) | 3 (5%) | 0 | 100 | 100 |
| 13 | I | 140/142 (99%) | 136 (97%) | 4 (3%) | 0 | 100 | 100 |
| 14 | J | 120/122 (98%) | 117 (98%) | 3 (2%) | 0 | 100 | 100 |
| 15 | K | 144/146 (99%) | 142 (99%) | 2 (1%) | 0 | 100 | 100 |
| 16 | L | 135/137 (98%) | 133 (98%) | 2 (2%) | 0 | 100 | 100 |
| 17 | M | 117/125 (94%) | 115 (98%) | 2 (2%) | 0 | 100 | 100 |
| 18 | N | 112/116 (97%) | 110 (98%) | 2 (2%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|---------|----------|-------------|-----|
| 19 | O | 115/122 (94%) | 113 (98%) | 2 (2%) | 0 | 100 | 100 |
| 20 | P | 115/119 (97%) | 115 (100%) | 0 | 0 | 100 | 100 |
| 21 | Q | 101/103 (98%) | 96 (95%) | 5 (5%) | 0 | 100 | 100 |
| 22 | R | 107/109 (98%) | 105 (98%) | 2 (2%) | 0 | 100 | 100 |
| 23 | S | 88/106 (83%) | 86 (98%) | 2 (2%) | 0 | 100 | 100 |
| 24 | T | 98/105 (93%) | 94 (96%) | 4 (4%) | 0 | 100 | 100 |
| 25 | U | 95/98 (97%) | 94 (99%) | 1 (1%) | 0 | 100 | 100 |
| 26 | V | 78/85 (92%) | 77 (99%) | 1 (1%) | 0 | 100 | 100 |
| 27 | W | 75/78 (96%) | 74 (99%) | 1 (1%) | 0 | 100 | 100 |
| 28 | X | 60/65 (92%) | 60 (100%) | 0 | 0 | 100 | 100 |
| 29 | Y | 56/58 (97%) | 55 (98%) | 1 (2%) | 0 | 100 | 100 |
| 30 | Z | 53/61 (87%) | 51 (96%) | 2 (4%) | 0 | 100 | 100 |
| All | All | 3061/3283 (93%) | 2972 (97%) | 86 (3%) | 3 (0%) | 56 | 86 |

All (3) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | 2 | 31 | ILE |
| 3 | 2 | 32 | LEU |
| 10 | F | 139 | PRO |

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|---------------|------------|----------|-------------|-----|
| 1 | 0 | 47/47 (100%) | 47 (100%) | 0 | 100 | 100 |
| 2 | 1 | 36/36 (100%) | 36 (100%) | 0 | 100 | 100 |
| 3 | 2 | 52/53 (98%) | 52 (100%) | 0 | 100 | 100 |
| 4 | 3 | 33/33 (100%) | 33 (100%) | 0 | 100 | 100 |
| 7 | C | 216/220 (98%) | 216 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|-------------|----------|-------------|-----|
| 8 | D | 166/167 (99%) | 166 (100%) | 0 | 100 | 100 |
| 9 | E | 144/155 (93%) | 144 (100%) | 0 | 100 | 100 |
| 10 | F | 145/147 (99%) | 143 (99%) | 2 (1%) | 69 | 89 |
| 11 | G | 139/142 (98%) | 139 (100%) | 0 | 100 | 100 |
| 12 | H | 45/112 (40%) | 45 (100%) | 0 | 100 | 100 |
| 13 | I | 118/118 (100%) | 118 (100%) | 0 | 100 | 100 |
| 14 | J | 103/103 (100%) | 103 (100%) | 0 | 100 | 100 |
| 15 | K | 108/108 (100%) | 107 (99%) | 1 (1%) | 81 | 93 |
| 16 | L | 113/113 (100%) | 111 (98%) | 2 (2%) | 62 | 86 |
| 17 | M | 96/101 (95%) | 96 (100%) | 0 | 100 | 100 |
| 18 | N | 83/85 (98%) | 83 (100%) | 0 | 100 | 100 |
| 19 | O | 99/102 (97%) | 98 (99%) | 1 (1%) | 78 | 92 |
| 20 | P | 85/86 (99%) | 85 (100%) | 0 | 100 | 100 |
| 21 | Q | 84/84 (100%) | 84 (100%) | 0 | 100 | 100 |
| 22 | R | 88/88 (100%) | 88 (100%) | 0 | 100 | 100 |
| 23 | S | 76/87 (87%) | 76 (100%) | 0 | 100 | 100 |
| 24 | T | 82/85 (96%) | 81 (99%) | 1 (1%) | 74 | 90 |
| 25 | U | 79/80 (99%) | 79 (100%) | 0 | 100 | 100 |
| 26 | V | 60/64 (94%) | 60 (100%) | 0 | 100 | 100 |
| 27 | W | 69/70 (99%) | 69 (100%) | 0 | 100 | 100 |
| 28 | X | 54/56 (96%) | 54 (100%) | 0 | 100 | 100 |
| 29 | Y | 54/54 (100%) | 54 (100%) | 0 | 100 | 100 |
| 30 | Z | 47/50 (94%) | 47 (100%) | 0 | 100 | 100 |
| All | All | 2521/2646 (95%) | 2514 (100%) | 7 (0%) | 93 | 98 |

5 of 7 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 16 | L | 10 | ARG |
| 24 | T | 48 | ARG |
| 16 | L | 60 | ARG |
| 10 | F | 169 | LEU |
| 19 | O | 112 | ARG |

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 47 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 15 | K | 40 | GLN |
| 18 | N | 39 | GLN |
| 26 | V | 29 | GLN |
| 15 | K | 125 | GLN |
| 18 | N | 66 | ASN |

5.3.3 RNA ⓘ

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 5 | AN1 | 2888/2918 (98%) | 485 (16%) | 8 (0%) |
| 6 | B | 114/115 (99%) | 17 (14%) | 1 (0%) |
| All | All | 3002/3033 (98%) | 502 (16%) | 9 (0%) |

5 of 502 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 5 | AN1 | 34 | G |
| 5 | AN1 | 35 | A |
| 5 | AN1 | 50 | G |
| 5 | AN1 | 53 | G |
| 5 | AN1 | 58 | G |

5 of 9 RNA pucker outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 5 | AN1 | 782 | G |
| 6 | B | 108 | C |
| 5 | AN1 | 2170 | C |
| 5 | AN1 | 368 | C |
| 5 | AN1 | 1538 | A |

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

15 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 5 | PSU | AN1 | 1907 | 5 | 16,21,22 | 1.14 | 1 (6%) | 20,30,33 | 3.13 | 6 (30%) |
| 5 | 3TD | AN1 | 1911 | 5 | 16,22,23 | 3.24 | 6 (37%) | 19,32,35 | 1.49 | 3 (15%) |
| 5 | PSU | AN1 | 1913 | 5 | 16,21,22 | 1.06 | 1 (6%) | 20,30,33 | 3.20 | 7 (35%) |
| 5 | 5MU | AN1 | 1935 | 5 | 13,22,23 | 1.60 | 2 (15%) | 14,32,35 | 3.01 | 2 (14%) |
| 5 | 6MZ | AN1 | 2026 | 5 | 17,25,26 | 2.00 | 3 (17%) | 15,36,39 | 4.36 | 5 (33%) |
| 5 | 7MG | AN1 | 2065 | 5 | 20,26,27 | 4.49 | 10 (50%) | 24,39,42 | 1.77 | 6 (25%) |
| 5 | OMG | AN1 | 2247 | 5 | 18,26,27 | 3.51 | 7 (38%) | 22,38,41 | 1.81 | 5 (22%) |
| 5 | 2MG | AN1 | 2441 | 5 | 18,26,27 | 4.61 | 7 (38%) | 19,38,41 | 2.23 | 8 (42%) |
| 5 | PSU | AN1 | 2453 | 5 | 16,21,22 | 1.15 | 2 (12%) | 20,30,33 | 3.10 | 6 (30%) |
| 5 | 2MA | AN1 | 2499 | 5 | 16,25,26 | 4.14 | 5 (31%) | 17,37,40 | 2.50 | 5 (29%) |
| 5 | PSU | AN1 | 2500 | 5 | 16,21,22 | 1.15 | 1 (6%) | 20,30,33 | 3.14 | 6 (30%) |
| 5 | OMU | AN1 | 2548 | 5 | 14,22,23 | 3.53 | 5 (35%) | 17,31,34 | 0.64 | 0 |
| 5 | PSU | AN1 | 2576 | 5 | 16,21,22 | 1.14 | 2 (12%) | 20,30,33 | 3.09 | 5 (25%) |
| 5 | PSU | AN1 | 2601 | 5 | 16,21,22 | 1.13 | 1 (6%) | 20,30,33 | 3.14 | 6 (30%) |
| 5 | PSU | AN1 | 952 | 5 | 16,21,22 | 1.14 | 1 (6%) | 20,30,33 | 3.13 | 6 (30%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|-----------|---------|
| 5 | PSU | AN1 | 1907 | 5 | - | 1/7/25/26 | 0/2/2/2 |
| 5 | 3TD | AN1 | 1911 | 5 | - | 3/7/25/26 | 0/2/2/2 |
| 5 | PSU | AN1 | 1913 | 5 | - | 4/7/25/26 | 0/2/2/2 |
| 5 | 5MU | AN1 | 1935 | 5 | - | 0/3/25/26 | 0/2/2/2 |
| 5 | 6MZ | AN1 | 2026 | 5 | - | 2/5/27/28 | 0/3/3/3 |
| 5 | 7MG | AN1 | 2065 | 5 | - | 2/7/37/38 | 0/3/3/3 |
| 5 | OMG | AN1 | 2247 | 5 | - | 0/5/27/28 | 0/3/3/3 |
| 5 | 2MG | AN1 | 2441 | 5 | - | 0/5/27/28 | 0/3/3/3 |
| 5 | PSU | AN1 | 2453 | 5 | - | 0/7/25/26 | 0/2/2/2 |
| 5 | 2MA | AN1 | 2499 | 5 | - | 1/3/25/26 | 0/3/3/3 |
| 5 | PSU | AN1 | 2500 | 5 | - | 0/7/25/26 | 0/2/2/2 |
| 5 | OMU | AN1 | 2548 | 5 | - | 2/5/27/28 | 0/2/2/2 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|-----------|---------|
| 5 | PSU | AN1 | 2576 | 5 | - | 0/7/25/26 | 0/2/2/2 |
| 5 | PSU | AN1 | 2601 | 5 | - | 0/7/25/26 | 0/2/2/2 |
| 5 | PSU | AN1 | 952 | 5 | - | 0/7/25/26 | 0/2/2/2 |

The worst 5 of 54 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|-------|-------|-------------|----------|
| 5 | AN1 | 2441 | 2MG | C2-N2 | 13.64 | 1.45 | 1.34 |
| 5 | AN1 | 2065 | 7MG | C4-N3 | 10.51 | 1.47 | 1.34 |
| 5 | AN1 | 2065 | 7MG | C6-C5 | 9.37 | 1.52 | 1.41 |
| 5 | AN1 | 2499 | 2MA | C4-N3 | 9.09 | 1.50 | 1.35 |
| 5 | AN1 | 2441 | 2MG | C4-N3 | 8.80 | 1.49 | 1.35 |

The worst 5 of 76 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-----------|--------|-------------|----------|
| 5 | AN1 | 2026 | 6MZ | C1'-N9-C4 | -13.54 | 103.25 | 126.64 |
| 5 | AN1 | 1913 | PSU | N1-C2-N3 | -10.64 | 119.97 | 128.43 |
| 5 | AN1 | 2601 | PSU | N1-C2-N3 | -10.41 | 120.15 | 128.43 |
| 5 | AN1 | 2576 | PSU | N1-C2-N3 | -10.41 | 120.16 | 128.43 |
| 5 | AN1 | 2453 | PSU | N1-C2-N3 | -10.39 | 120.17 | 128.43 |

There are no chirality outliers.

5 of 15 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|------|------|-----------------|
| 5 | AN1 | 1913 | PSU | O4'-C1'-C5-C4 |
| 5 | AN1 | 1913 | PSU | O4'-C1'-C5-C6 |
| 5 | AN1 | 2548 | OMU | C3'-C4'-C5'-O5' |
| 5 | AN1 | 2548 | OMU | O4'-C4'-C5'-O5' |
| 5 | AN1 | 2026 | 6MZ | O4'-C4'-C5'-O5' |

There are no ring outliers.

5 monomers are involved in 6 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 5 | AN1 | 1911 | 3TD | 1 | 0 |
| 5 | AN1 | 2026 | 6MZ | 1 | 0 |
| 5 | AN1 | 2499 | 2MA | 2 | 0 |
| 5 | AN1 | 2500 | PSU | 1 | 0 |
| 5 | AN1 | 2576 | PSU | 1 | 0 |

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 108 ligands modelled in this entry, 108 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.