



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 21, 2020 – 05:01 PM EST

PDB ID : 6V3R
Title : Crystal structure of murine cyclooxygenase in complex with a harmaline analog,
4,9-dihydro-3H-pyrido[3,4-b]indole
Authors : Xu, S.; Uddin, M.J.; Banerjee, S.; Marnett, L.J.
Deposited on : 2019-11-26
Resolution : 2.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.0 (224370), CSD as540be (2019)
Xtriage (Phenix) : 1.13
EDS : 2.8
buster-report : 1.1.7 (2018)
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.8


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	1112 (2.68-2.64)
Clashscore	122126	1151 (2.68-2.64)
Ramachandran outliers	120053	1133 (2.68-2.64)
Sidechain outliers	120020	1133 (2.68-2.64)
RSRZ outliers	108989	1098 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	587	 81% 13% • 6%
1	B	587	 83% 10% • 6%
1	C	587	 83% 10% • 6%
1	D	587	 82% 11% • 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	Y8A	C	701	-	-	-	X

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 18772 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prostaglandin G/H synthase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	552	Total	C	N	O	S	0	3	0
			4499	2899	756	819	25			
1	B	552	Total	C	N	O	S	0	3	0
			4499	2899	756	819	25			
1	C	552	Total	C	N	O	S	0	3	0
			4499	2899	756	819	25			
1	D	552	Total	C	N	O	S	0	3	0
			4499	2899	756	819	25			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Fe	N O	0	0
			43	34	1	4 4		
2	B	1	Total	C	Fe	N O	0	0
			43	34	1	4 4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is B-OCTYLGLUCOSIDE (three-letter code: BOG) (formula: $C_{14}H_{28}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			20	14	6		
4	D	1	Total	C	O	0	0
			20	14	6		

- Molecule 5 is 9-[(4-chlorophenyl)methyl]-6-methoxy-1-methyl-4,9-dihydro-3H-beta-carboline (three-letter code: Y8A) (formula: $C_{20}H_{19}ClN_2O$) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Cl	N	O	0	0
			24	20	1	2	1		
5	B	1	Total	C	Cl	N	O	0	0
			24	20	1	2	1		
5	C	1	Total	C	Cl	N	O	0	0
			24	20	1	2	1		
5	D	1	Total	C	Cl	N	O	0	0
			24	20	1	2	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	56	Total	O	0	0
			56	56		
6	B	55	Total	O	0	0
			55	55		
6	C	57	Total	O	0	0
			57	57		
6	D	76	Total	O	0	0
			76	76		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Prostaglandin G/H synthase 2




• Molecule 1: Prostaglandin G/H synthase 2





• Molecule 1: Prostaglandin G/H synthase 2





• Molecule 1: Prostaglandin G/H synthase 2



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	217.15Å 124.38Å 136.54Å 90.00° 123.84° 90.00°	Depositor
Resolution (Å)	102.39 – 2.66 102.39 – 2.66	Depositor EDS
% Data completeness (in resolution range)	98.0 (102.39-2.66) 98.0 (102.39-2.66)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.10 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.219 , 0.264 0.220 , 0.264	Depositor DCC
R_{free} test set	2536 reflections (3.00%)	wwPDB-VP
Wilson B-factor (Å ²)	42.6	Xtriage
Anisotropy	0.110	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 43.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for 1/2*h-3/2*k,-1/2*h-1/2*k,-1/2*h +1/2*k-l 0.000 for 1/2*h+3/2*k,1/2*h-1/2*k,-1/2*h- 1/2*k-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	18772	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, Y8A, NAG, BOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/4629	0.41	0/6276
1	B	0.25	0/4629	0.41	0/6276
1	C	0.25	0/4629	0.41	0/6276
1	D	0.25	0/4629	0.41	0/6276
All	All	0.25	0/18516	0.41	0/25104

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4499	0	4396	44	0
1	B	4499	0	4396	37	0
1	C	4499	0	4396	35	0
1	D	4499	0	4396	43	0
2	A	43	0	30	2	0
2	B	43	0	30	2	0
2	C	43	0	30	2	0
2	D	43	0	30	2	0
3	A	56	0	51	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	56	0	51	1	0
3	C	56	0	51	0	0
3	D	56	0	51	1	0
4	A	20	0	28	1	0
4	D	20	0	28	0	0
5	A	24	0	0	2	0
5	B	24	0	0	1	0
5	C	24	0	0	1	0
5	D	24	0	0	2	0
6	A	56	0	0	3	0
6	B	55	0	0	1	0
6	C	57	0	0	1	0
6	D	76	0	0	6	0
All	All	18772	0	17964	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:702:HEM:HHD	2:D:702:HEM:HBC2	1.70	0.73
2:B:702:HEM:HHC	2:B:702:HEM:HBB2	1.71	0.72
2:A:701:HEM:HHD	2:A:701:HEM:HBC2	1.72	0.71
1:C:173:ASP:HB3	1:C:176:GLU:HB2	1.70	0.71
2:C:702:HEM:HBB2	2:C:702:HEM:HHC	1.73	0.71
1:C:274:ILE:HD12	1:C:291:VAL:HG12	1.73	0.70
1:D:216:ARG:NH1	3:D:705:NAG:O7	2.26	0.68
2:A:701:HEM:HHC	2:A:701:HEM:HBB2	1.75	0.68
2:D:702:HEM:HHC	2:D:702:HEM:HBB2	1.76	0.67
2:C:702:HEM:HHD	2:C:702:HEM:HBC2	1.77	0.66
2:B:702:HEM:HHD	2:B:702:HEM:HBC2	1.76	0.66
1:A:230:LEU:HD13	1:A:337:ILE:HG12	1.77	0.66
1:D:77:ARG:NH1	6:D:806:HOH:O	2.30	0.65
1:D:274:ILE:HD12	1:D:291:VAL:HG12	1.78	0.64
1:D:294:LEU:HG	1:D:295:VAL:HG22	1.79	0.63
1:A:178:LEU:HD22	1:A:449:LYS:HB2	1.81	0.62
1:D:103:VAL:HG11	1:D:112:ILE:HD12	1.82	0.62
1:B:173:ASP:HB3	1:B:176:GLU:HB2	1.82	0.61
1:A:151:ALA:HB2	1:A:529:PHE:HZ	1.66	0.60
1:B:497:ASP:HB3	1:B:500:VAL:HG23	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:542:PRO:O	1:B:61:ARG:NH2	2.29	0.59
1:D:103:VAL:HG13	1:D:108:LEU:HB3	1.83	0.59
1:B:274:ILE:HD12	1:B:291:VAL:HG12	1.85	0.58
1:B:68:ASN:N	1:B:68:ASN:OD1	2.34	0.58
1:A:274:ILE:HD12	1:A:291:VAL:HG12	1.86	0.58
1:D:124:ILE:HD11	1:D:528:PRO:HB2	1.84	0.58
1:C:538:PRO:O	1:C:541:SER:OG	2.20	0.58
1:C:389:PRO:HB2	1:C:434:VAL:HA	1.86	0.57
1:C:212:THR:O	1:C:222:ARG:NH2	2.37	0.57
1:D:374:GLN:NE2	6:D:807:HOH:O	2.30	0.57
1:C:103:VAL:HG11	1:C:112:ILE:HD12	1.88	0.56
1:D:209:PHE:HB2	1:D:377:ILE:HG13	1.88	0.56
1:A:103:VAL:HG22	1:A:108:LEU:HD23	1.87	0.56
1:A:294:LEU:HG	1:A:295:VAL:HG13	1.86	0.56
1:A:103:VAL:HG11	1:A:112:ILE:HD12	1.87	0.56
1:B:389:PRO:HB2	1:B:434:VAL:HA	1.87	0.55
1:C:384:LEU:HD13	5:C:701:Y8A:CL22	2.44	0.55
1:B:265:THR:OG1	1:B:268:ASP:OD1	2.22	0.55
1:D:151:ALA:HB2	1:D:529:PHE:HZ	1.71	0.55
1:C:497:ASP:HB3	1:C:500:VAL:HG23	1.88	0.54
1:A:367:PHE:O	1:B:370:GLN:NE2	2.37	0.54
1:C:280:PRO:HD2	1:C:283:LEU:HD12	1.89	0.54
1:D:504:TYR:HA	1:D:507:LEU:HD12	1.90	0.54
1:A:105(A):ILE:HG22	1:A:108:LEU:H	1.73	0.53
4:A:706:BOG:H6'1	1:C:185:ARG:HA	1.91	0.53
1:A:121:SER:HB2	1:A:531:LEU:HD12	1.90	0.52
1:D:384:LEU:HD13	5:D:701:Y8A:CL22	2.46	0.52
1:A:384:LEU:HD13	5:A:707:Y8A:CL22	2.47	0.52
1:A:495:TYR:HE2	1:A:502:GLU:HG3	1.75	0.52
1:D:330:GLN:NE2	6:D:808:HOH:O	2.35	0.52
1:B:384:LEU:HB3	1:B:507:LEU:HD13	1.93	0.51
1:B:103:VAL:HG11	1:B:112:ILE:HD12	1.92	0.51
1:A:124:ILE:HD11	1:A:528:PRO:HB2	1.92	0.50
1:C:198:PHE:HZ	1:C:352:LEU:HD23	1.76	0.50
1:A:504:TYR:HA	1:A:507:LEU:HD12	1.94	0.50
1:B:124:ILE:HD11	1:B:528:PRO:HB2	1.94	0.50
1:B:44:ARG:NH2	1:B:125:ASP:OD1	2.36	0.50
1:C:380:GLU:O	1:C:384:LEU:HG	2.12	0.49
1:A:92:ILE:N	6:A:802:HOH:O	2.44	0.49
1:D:230:LEU:HD13	1:D:337:ILE:HG12	1.94	0.49
1:B:198:PHE:HZ	1:B:352:LEU:HD23	1.77	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:68:ASN:OD1	1:C:68:ASN:N	2.45	0.49
1:D:68:ASN:OD1	1:D:68:ASN:N	2.45	0.49
1:A:389:PRO:HB2	1:A:434:VAL:HA	1.94	0.49
1:A:380:GLU:HG2	1:A:466:TYR:CE1	2.48	0.48
1:D:147:TYR:HB2	6:D:850:HOH:O	2.12	0.48
1:A:414:LEU:HD11	1:A:419:LEU:HD23	1.96	0.47
1:A:518:PHE:HB3	1:A:522:MET:HB3	1.96	0.47
1:C:475:TYR:OH	1:C:510:GLU:OE2	2.30	0.47
1:A:360:LYS:HE2	1:A:362:ASP:HB2	1.95	0.47
1:D:380:GLU:O	1:D:384:LEU:HG	2.14	0.47
1:C:125:ASP:OD1	1:D:543:GLN:NE2	2.48	0.47
1:D:414:LEU:HD11	1:D:419:LEU:HD23	1.96	0.47
1:B:148:TYR:CZ	1:B:221:THR:HB	2.50	0.47
1:C:380:GLU:HG2	1:C:466:TYR:CE1	2.49	0.47
1:C:142:PHE:CE2	1:D:538:PRO:HG3	2.50	0.47
1:C:530:SER:HA	6:C:825:HOH:O	2.15	0.47
1:C:414:LEU:HD11	1:C:419:LEU:HD23	1.97	0.46
1:D:118:THR:O	1:D:122:TYR:HD1	1.97	0.46
1:D:389:PRO:HB2	1:D:434:VAL:HA	1.97	0.46
1:A:89:VAL:O	6:A:802:HOH:O	2.21	0.46
1:B:380:GLU:O	1:B:384:LEU:HG	2.15	0.46
1:A:185:ARG:HD3	1:A:438:ARG:HD3	1.97	0.46
1:A:287:VAL:HG21	1:A:292:PHE:HB2	1.97	0.46
1:B:132:VAL:HG13	1:B:133:HIS:CD2	2.51	0.46
1:B:539:ILE:HA	1:B:544:TYR:HB3	1.98	0.46
1:B:441:PRO:HG2	1:B:444:VAL:HG22	1.98	0.46
1:C:178:LEU:HD21	1:C:445:GLN:HB2	1.98	0.46
1:D:335:ILE:HA	1:D:559:ILE:HD11	1.98	0.46
1:B:117:LEU:HD22	1:B:531:LEU:HD21	1.98	0.46
1:C:124:ILE:HD11	1:C:528:PRO:HB2	1.98	0.45
1:A:44:ARG:NH2	1:A:125:ASP:OD1	2.39	0.45
1:D:438:ARG:NH1	6:D:822:HOH:O	2.48	0.45
1:B:206:THR:HG21	1:B:385:TYR:CE2	2.51	0.45
1:D:352:LEU:HD22	1:D:518:PHE:CE2	2.52	0.45
1:B:230:LEU:HG	1:B:233:ILE:HD12	1.98	0.45
1:C:296:PRO:HD2	1:C:407:PHE:CE2	2.51	0.45
1:D:380:GLU:HG2	1:D:466:TYR:CE1	2.52	0.45
1:D:108:LEU:HD13	1:D:108:LEU:HA	1.86	0.45
1:A:338:GLY:HA3	1:A:559:ILE:HD13	2.00	0.44
1:B:40:PRO:HB3	3:B:703:NAG:H83	2.00	0.44
1:C:472:LEU:HD11	1:C:524:GLU:HB2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:361:PHE:HA	6:D:816:HOH:O	2.17	0.44
1:C:206:THR:HG21	1:C:385:TYR:CE2	2.53	0.44
1:A:364:GLU:HG2	1:A:367:PHE:CE1	2.53	0.44
1:A:380:GLU:O	1:A:384:LEU:HG	2.17	0.44
1:B:67:GLU:O	6:B:801:HOH:O	2.21	0.44
1:A:538:PRO:HG3	1:B:142:PHE:CE2	2.53	0.44
1:B:495:TYR:O	1:B:497:ASP:N	2.49	0.44
1:B:198:PHE:CZ	1:B:352:LEU:HD23	2.53	0.43
1:C:441:PRO:HG2	1:C:444:VAL:HG22	2.00	0.43
1:D:34:ASN:HB3	1:D:37:CYS:SG	2.59	0.43
1:A:300:MET:HB3	1:A:300:MET:HE3	1.93	0.43
1:A:68:ASN:N	1:A:68:ASN:OD1	2.51	0.43
1:C:360:LYS:HE2	1:C:362:ASP:HB2	2.00	0.43
1:A:307:ARG:NH1	6:A:817:HOH:O	2.51	0.43
1:C:344:VAL:HA	1:C:348:TYR:HB3	2.00	0.43
1:D:206:THR:HG21	1:D:385:TYR:CE2	2.53	0.43
1:A:280:PRO:O	1:A:284:GLN:HG3	2.19	0.43
1:D:198:PHE:HZ	1:D:352:LEU:HD21	1.83	0.43
1:A:142:PHE:CE2	1:B:538:PRO:HG3	2.54	0.43
1:D:468:LYS:HG3	1:D:474:PRO:HG3	2.00	0.43
1:A:294:LEU:HA	1:A:409:TYR:CE1	2.55	0.42
1:B:117:LEU:O	1:B:121:SER:OG	2.29	0.42
1:B:265:THR:O	1:B:269:THR:OG1	2.31	0.42
1:C:467:ARG:HB3	1:C:472:LEU:HB2	2.01	0.42
1:D:105(A):ILE:HG22	1:D:108:LEU:H	1.85	0.42
1:B:504:TYR:HA	1:B:507:LEU:HD12	2.00	0.42
1:B:384:LEU:HD13	5:B:701:Y8A:CL22	2.56	0.42
1:C:481:LEU:HD12	1:C:510:GLU:HG3	2.02	0.42
1:A:526:GLY:HA3	5:A:707:Y8A:CL22	2.56	0.42
1:A:339:GLU:HG2	1:A:562:ALA:HB2	2.01	0.42
1:B:472:LEU:HD21	1:B:524:GLU:HG3	2.02	0.42
1:A:472:LEU:HD21	1:A:524:GLU:HG3	2.00	0.42
1:D:382:ASN:O	1:D:386:HIS:HD2	2.03	0.42
1:C:44:ARG:NH2	1:C:125:ASP:OD1	2.50	0.42
1:D:526:GLY:HA3	5:D:701:Y8A:CL22	2.57	0.42
1:A:344:VAL:HA	1:A:348:TYR:HB3	2.02	0.41
1:D:120:ARG:NH1	1:D:524:GLU:OE2	2.49	0.41
1:D:472:LEU:HD21	1:D:524:GLU:HG3	2.02	0.41
1:B:344:VAL:HA	1:B:348:TYR:HB3	2.02	0.41
1:D:281:GLU:HG3	1:D:281:GLU:H	1.74	0.41
1:C:323:TRP:HE3	1:C:328:LEU:HD23	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:538:PRO:HG3	1:D:142:PHE:CZ	2.55	0.41
1:D:181:VAL:HG21	1:D:491:LEU:HD21	2.03	0.41
1:A:335:ILE:HA	1:A:559:ILE:HD11	2.03	0.41
1:B:322:GLU:N	1:B:322:GLU:OE2	2.51	0.41
1:A:209:PHE:HB2	1:A:377:ILE:HG13	2.03	0.41
1:C:76:THR:O	1:C:80:LEU:HB2	2.21	0.41
1:D:377:ILE:HA	1:D:377:ILE:HD13	1.89	0.41
1:A:200:PHE:CD1	1:A:297:GLY:HA3	2.56	0.41
1:B:93:LEU:HD23	1:B:100:TRP:CZ2	2.56	0.41
1:B:380:GLU:HG2	1:B:466:TYR:CE1	2.56	0.41
1:C:295:VAL:HG23	1:C:298:LEU:HG	2.03	0.41
1:C:34:ASN:HB3	1:C:37:CYS:SG	2.61	0.41
1:A:549:THR:OG1	1:B:137:LYS:NZ	2.49	0.41
1:D:137:LYS:HB2	1:D:137:LYS:HE3	1.94	0.40
1:A:276:PRO:HD3	1:A:409:TYR:CD1	2.57	0.40
1:D:46:GLU:CD	1:D:137:LYS:HZ1	2.25	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	553/587 (94%)	533 (96%)	20 (4%)	0	100	100
1	B	553/587 (94%)	533 (96%)	20 (4%)	0	100	100
1	C	553/587 (94%)	534 (97%)	19 (3%)	0	100	100
1	D	553/587 (94%)	533 (96%)	19 (3%)	1 (0%)	49	67
All	All	2212/2348 (94%)	2133 (96%)	78 (4%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	398	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	496/525 (94%)	484 (98%)	12 (2%)	52	71
1	B	496/525 (94%)	483 (97%)	13 (3%)	49	69
1	C	496/525 (94%)	484 (98%)	12 (2%)	52	71
1	D	496/525 (94%)	482 (97%)	14 (3%)	47	66
All	All	1984/2100 (94%)	1933 (97%)	51 (3%)	49	69

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	68	ASN
1	A	81	LEU
1	A	232	HIS
1	A	270	GLN
1	A	271	VAL
1	A	289	GLN
1	A	300	MET
1	A	384	LEU
1	A	385	TYR
1	A	422	PHE
1	A	484	GLU
1	A	556	PHE
1	B	68	ASN
1	B	81	LEU
1	B	185	ARG
1	B	232	HIS
1	B	271	VAL
1	B	289	GLN
1	B	295	VAL
1	B	352	LEU
1	B	384	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	385	TYR
1	B	484	GLU
1	B	531	LEU
1	B	556	PHE
1	C	68	ASN
1	C	101	ASN
1	C	169	LYS
1	C	232	HIS
1	C	270	GLN
1	C	289	GLN
1	C	295	VAL
1	C	352	LEU
1	C	385	TYR
1	C	484	GLU
1	C	531	LEU
1	C	556	PHE
1	D	68	ASN
1	D	108	LEU
1	D	123	LEU
1	D	232	HIS
1	D	270	GLN
1	D	271	VAL
1	D	289	GLN
1	D	295	VAL
1	D	385	TYR
1	D	422	PHE
1	D	473	LYS
1	D	484	GLU
1	D	531	LEU
1	D	556	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	543	GLN
1	B	388	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	701	-	27,50,50	1.88	4 (14%)	17,82,82	1.41	2 (11%)
3	NAG	A	702	1	14,14,15	0.43	0	17,19,21	0.35	0
3	NAG	A	703	1,3	14,14,15	0.22	0	17,19,21	0.52	0
3	NAG	A	704	3	14,14,15	0.28	0	17,19,21	0.42	0
3	NAG	A	705	1	14,14,15	0.21	0	17,19,21	0.47	0
4	BOG	A	706	-	20,20,20	1.21	2 (10%)	25,25,25	0.78	0
5	Y8A	A	707	-	24,27,27	4.96	1 (4%)	26,39,39	1.11	2 (7%)
5	Y8A	B	701	-	24,27,27	4.87	2 (8%)	26,39,39	1.28	3 (11%)
2	HEM	B	702	-	27,50,50	1.91	4 (14%)	17,82,82	1.37	2 (11%)
3	NAG	B	703	1	14,14,15	0.32	0	17,19,21	0.55	0
3	NAG	B	704	1,3	14,14,15	0.33	0	17,19,21	0.45	0
3	NAG	B	705	3	14,14,15	0.30	0	17,19,21	0.43	0
3	NAG	B	706	1	14,14,15	0.22	0	17,19,21	0.44	0
5	Y8A	C	701	-	24,27,27	4.85	1 (4%)	26,39,39	1.08	1 (3%)
2	HEM	C	702	1	27,50,50	1.92	4 (14%)	17,82,82	1.36	2 (11%)
3	NAG	C	703	1	14,14,15	0.26	0	17,19,21	0.59	0
3	NAG	C	704	1,3	14,14,15	0.29	0	17,19,21	0.48	0
3	NAG	C	705	3	14,14,15	0.26	0	17,19,21	0.46	0
3	NAG	C	706	1	14,14,15	0.24	0	17,19,21	0.42	0
5	Y8A	D	701	-	24,27,27	4.95	1 (4%)	26,39,39	1.20	2 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	D	702	1	27,50,50	1.91	4 (14%)	17,82,82	1.36	1 (5%)
3	NAG	D	703	1	14,14,15	0.33	0	17,19,21	0.39	0
3	NAG	D	704	1,3	14,14,15	0.30	0	17,19,21	0.51	0
3	NAG	D	705	3	14,14,15	0.34	0	17,19,21	0.46	0
3	NAG	D	706	1	14,14,15	0.26	0	17,19,21	0.43	0
4	BOG	D	707	-	20,20,20	1.21	2 (10%)	25,25,25	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	701	-	-	0/6/54/54	-
3	NAG	A	702	1	-	1/6/23/26	0/1/1/1
3	NAG	A	703	1,3	-	2/6/23/26	0/1/1/1
3	NAG	A	704	3	-	0/6/23/26	0/1/1/1
3	NAG	A	705	1	-	2/6/23/26	0/1/1/1
4	BOG	A	706	-	-	7/11/31/31	0/1/1/1
5	Y8A	A	707	-	-	4/6/16/16	0/4/4/4
5	Y8A	B	701	-	-	4/6/16/16	0/4/4/4
2	HEM	B	702	-	-	0/6/54/54	-
3	NAG	B	703	1	-	3/6/23/26	0/1/1/1
3	NAG	B	704	1,3	-	2/6/23/26	0/1/1/1
3	NAG	B	705	3	-	0/6/23/26	0/1/1/1
3	NAG	B	706	1	-	0/6/23/26	0/1/1/1
5	Y8A	C	701	-	-	4/6/16/16	0/4/4/4
2	HEM	C	702	1	-	0/6/54/54	-
3	NAG	C	703	1	-	3/6/23/26	0/1/1/1
3	NAG	C	704	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	705	3	-	0/6/23/26	0/1/1/1
3	NAG	C	706	1	-	2/6/23/26	0/1/1/1
5	Y8A	D	701	-	-	4/6/16/16	0/4/4/4
2	HEM	D	702	1	-	0/6/54/54	-
3	NAG	D	703	1	-	4/6/23/26	0/1/1/1
3	NAG	D	704	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	705	3	-	2/6/23/26	0/1/1/1
3	NAG	D	706	1	-	1/6/23/26	0/1/1/1
4	BOG	D	707	-	-	4/11/31/31	0/1/1/1

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	707	Y8A	C10-N11	23.62	1.44	1.28
5	D	701	Y8A	C10-N11	23.61	1.44	1.28
5	B	701	Y8A	C10-N11	23.16	1.44	1.28
5	C	701	Y8A	C10-N11	23.07	1.43	1.28
2	A	701	HEM	C3C-C2C	-4.69	1.33	1.40
2	A	701	HEM	C3B-C2B	-4.65	1.33	1.40
2	D	702	HEM	C3B-C2B	-4.62	1.33	1.40
2	B	702	HEM	C3B-C2B	-4.61	1.34	1.40
2	C	702	HEM	C3B-C2B	-4.60	1.34	1.40
2	C	702	HEM	C3C-C2C	-4.51	1.34	1.40
2	D	702	HEM	C3C-C2C	-4.47	1.34	1.40
2	B	702	HEM	C3C-C2C	-4.46	1.34	1.40
2	D	702	HEM	C3C-CAC	3.69	1.55	1.47
2	B	702	HEM	C3C-CAC	3.68	1.55	1.47
2	C	702	HEM	C3C-CAC	3.67	1.55	1.47
2	C	702	HEM	C3B-CAB	3.63	1.55	1.47
2	B	702	HEM	C3B-CAB	3.61	1.55	1.47
2	D	702	HEM	C3B-CAB	3.60	1.55	1.47
4	A	706	BOG	O5-C1	3.53	1.50	1.41
4	D	707	BOG	O5-C1	3.49	1.50	1.41
2	A	701	HEM	C3C-CAC	3.48	1.55	1.47
2	A	701	HEM	C3B-CAB	3.48	1.55	1.47
4	D	707	BOG	O1-C1	-2.25	1.36	1.40
4	A	706	BOG	O1-C1	-2.23	1.36	1.40
5	B	701	Y8A	C13-C09	2.04	1.55	1.51

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	701	Y8A	C14-C10-C08	3.36	124.11	117.52
5	C	701	Y8A	C14-C10-C08	3.36	124.11	117.52
5	D	701	Y8A	C14-C10-C08	3.24	123.88	117.52
5	B	701	Y8A	C12-N11-C10	3.17	121.44	117.05
5	A	707	Y8A	C14-C10-C08	3.08	123.56	117.52
2	B	702	HEM	CAA-CBA-CGA	-2.92	107.67	112.66
2	A	701	HEM	CAA-CBA-CGA	-2.86	107.77	112.66
5	D	701	Y8A	C12-N11-C10	2.81	120.94	117.05
2	D	702	HEM	CBD-CAD-C3D	-2.64	107.42	112.47
5	A	707	Y8A	C12-N11-C10	2.59	120.64	117.05
2	C	702	HEM	CAA-CBA-CGA	-2.35	108.65	112.66
2	C	702	HEM	CBD-CAD-C3D	-2.28	108.12	112.47
5	B	701	Y8A	C12-C13-C09	2.21	115.39	110.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	702	HEM	CBD-CAD-C3D	-2.15	108.37	112.47
2	A	701	HEM	CBD-CAD-C3D	-2.08	108.50	112.47

There are no chirality outliers.

All (49) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	707	BOG	C2'-C1'-O1-C1
5	B	701	Y8A	C01-C02-O23-C24
5	A	707	Y8A	C03-C02-O23-C24
5	C	701	Y8A	C01-C02-O23-C24
5	B	701	Y8A	C03-C02-O23-C24
5	A	707	Y8A	C01-C02-O23-C24
5	C	701	Y8A	C03-C02-O23-C24
5	D	701	Y8A	C01-C02-O23-C24
5	D	701	Y8A	C03-C02-O23-C24
3	D	705	NAG	O5-C5-C6-O6
3	C	703	NAG	O5-C5-C6-O6
3	D	703	NAG	O5-C5-C6-O6
4	D	707	BOG	C4-C5-C6-O6
3	D	705	NAG	C4-C5-C6-O6
3	C	703	NAG	C4-C5-C6-O6
4	D	707	BOG	O5-C5-C6-O6
3	B	703	NAG	O5-C5-C6-O6
3	D	703	NAG	C4-C5-C6-O6
3	C	706	NAG	C4-C5-C6-O6
3	B	703	NAG	C4-C5-C6-O6
3	A	703	NAG	O5-C5-C6-O6
3	A	705	NAG	C4-C5-C6-O6
3	C	706	NAG	O5-C5-C6-O6
3	A	703	NAG	C4-C5-C6-O6
4	A	706	BOG	O1-C1'-C2'-C3'
4	A	706	BOG	C1'-C2'-C3'-C4'
3	A	705	NAG	O5-C5-C6-O6
4	D	707	BOG	C1'-C2'-C3'-C4'
4	A	706	BOG	C2'-C1'-O1-C1
5	C	701	Y8A	N07-C15-C16-C21
5	B	701	Y8A	N07-C15-C16-C21
4	A	706	BOG	C3'-C4'-C5'-C6'
5	C	701	Y8A	N07-C15-C16-C17
3	D	703	NAG	C1-C2-N2-C7
5	B	701	Y8A	N07-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	D	701	Y8A	N07-C15-C16-C17
5	A	707	Y8A	N07-C15-C16-C17
5	A	707	Y8A	N07-C15-C16-C21
5	D	701	Y8A	N07-C15-C16-C21
3	A	702	NAG	C1-C2-N2-C7
4	A	706	BOG	C2'-C3'-C4'-C5'
3	B	704	NAG	C4-C5-C6-O6
3	C	703	NAG	C3-C2-N2-C7
3	B	703	NAG	C3-C2-N2-C7
4	A	706	BOG	C2-C1-O1-C1'
3	B	704	NAG	O5-C5-C6-O6
3	D	706	NAG	C4-C5-C6-O6
4	A	706	BOG	O5-C1-O1-C1'
3	D	703	NAG	C3-C2-N2-C7


There are no ring outliers.

11 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	HEM	2	0
4	A	706	BOG	1	0
5	A	707	Y8A	2	0
5	B	701	Y8A	1	0
2	B	702	HEM	2	0
3	B	703	NAG	1	0
5	C	701	Y8A	1	0
2	C	702	HEM	2	0
5	D	701	Y8A	2	0
2	D	702	HEM	2	0
3	D	705	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient


equivalents in the CSD to analyse the geometry.




Ligand Y8A A 707




Bond lengths



Bond angles




Torsions




Rings


Ligand Y8A B 701




Bond lengths




Bond angles




Torsions




Rings




Ligand Y8A C 701




Bond lengths




Bond angles




Torsions




Rings




Ligand Y8A D 701




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	552/587 (94%)	-0.18	2 (0%) 92 93	28, 47, 70, 87	0
1	B	552/587 (94%)	-0.17	3 (0%) 90 90	28, 47, 72, 90	0
1	C	552/587 (94%)	-0.15	2 (0%) 92 93	29, 46, 70, 84	0
1	D	552/587 (94%)	-0.19	1 (0%) 94 95	28, 48, 68, 84	0
All	All	2208/2348 (94%)	-0.17	8 (0%) 92 93	28, 47, 70, 90	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	122	TYR	4.5
1	B	122	TYR	3.5
1	C	282	ASN	2.5
1	A	583	GLN	2.5
1	B	256	VAL	2.2
1	C	122	TYR	2.2
1	B	121	SER	2.2
1	D	583	GLN	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	Y8A	C	701	24/24	0.77	0.51	67,78,92,127	0
3	NAG	C	703	14/15	0.79	0.28	56,73,80,82	0
3	NAG	B	703	14/15	0.80	0.24	63,73,78,80	0
5	Y8A	B	701	24/24	0.82	0.37	65,72,80,93	0
5	Y8A	D	701	24/24	0.83	0.36	72,81,88,113	0
3	NAG	A	702	14/15	0.84	0.26	49,67,76,76	0
3	NAG	C	705	14/15	0.85	0.20	53,61,69,71	0
3	NAG	C	706	14/15	0.86	0.16	50,63,67,71	0
5	Y8A	A	707	24/24	0.86	0.30	67,73,81,97	0
3	NAG	D	703	14/15	0.86	0.23	55,73,79,83	0
3	NAG	A	705	14/15	0.88	0.25	50,66,71,80	0
3	NAG	B	705	14/15	0.89	0.22	41,66,70,73	0
3	NAG	A	704	14/15	0.89	0.19	58,67,73,74	0
3	NAG	D	706	14/15	0.90	0.20	50,60,71,75	0
3	NAG	B	704	14/15	0.91	0.17	34,45,54,59	0
3	NAG	D	705	14/15	0.92	0.20	61,66,71,73	0
3	NAG	D	704	14/15	0.93	0.14	35,43,50,57	0
4	BOG	A	706	20/20	0.93	0.22	39,44,50,52	0
3	NAG	A	703	14/15	0.93	0.14	27,41,48,50	0
4	BOG	D	707	20/20	0.94	0.15	34,44,55,58	0
3	NAG	C	704	14/15	0.94	0.16	27,37,49,54	0
3	NAG	B	706	14/15	0.94	0.14	58,68,72,77	0
2	HEM	B	702	43/43	0.94	0.22	34,45,74,87	0
2	HEM	A	701	43/43	0.95	0.26	36,58,76,84	0
2	HEM	D	702	43/43	0.95	0.22	24,44,68,79	0
2	HEM	C	702	43/43	0.96	0.20	29,42,64,82	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Y8A C 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Y8A B 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Y8A D 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Y8A A 707:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG A 706:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BOG D 707:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 702:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM C 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.