



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 14, 2018 – 03:53 am GMT

PDB ID : 4V4F
Title : The structure of the trp RNA-binding attenuation protein (TRAP) bound to a RNA molecule containing UAGAU repeats
Authors : Hopcroft, N.H.; Manfredo, A.; Wendt, A.L.; Brzozowski, A.M.; Gollnick, P.; Antson, A.A.
Deposited on : 2003-12-08
Resolution : 1.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk31020
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk31020


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	5502 (1.90-1.90)
Clashscore	122126	6115 (1.90-1.90)
Ramachandran outliers	120053	6048 (1.90-1.90)
Sidechain outliers	120020	6048 (1.90-1.90)
RSRZ outliers	108989	5379 (1.90-1.90)
RNA backbone	2636	1001 (2.58-1.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A0	5	
1	A1	5	
1	A2	5	
1	A3	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	A4	5	
1	A5	5	
1	A6	5	
1	A7	5	
1	A8	5	
1	A9	5	
1	AZ	5	
1	B0	5	
1	B1	5	
1	B2	5	
1	B3	5	
1	B4	5	
1	B5	5	
1	B6	5	
1	B7	5	
1	B8	5	
1	B9	5	
1	BZ	5	
2	AA	74	
2	AB	74	
2	AC	74	
2	AD	74	
2	AE	74	
2	AF	74	
2	AG	74	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	AH	74	
2	AI	74	
2	AJ	74	
2	AK	74	
2	AL	74	
2	AM	74	
2	AN	74	
2	AO	74	
2	AP	74	
2	AQ	74	
2	AR	74	
2	AS	74	
2	AT	74	
2	AU	74	
2	AV	74	
2	BA	74	
2	BB	74	
2	BC	74	
2	BD	74	
2	BE	74	
2	BF	74	
2	BG	74	
2	BH	74	
2	BI	74	
2	BJ	74	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	BK	74	
2	BL	74	
2	BM	74	
2	BN	74	
2	BO	74	
2	BP	74	
2	BQ	74	
2	BR	74	
2	BS	74	
2	BT	74	
2	BU	74	
2	BV	74	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 29038 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 5'-R(*UP*AP*GP*AP*UP)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A0	3	Total 48	C 20	N 10	O 15	P 3	0	0	0
1	A1	3	Total 48	C 20	N 10	O 15	P 3	0	0	0
1	A2	3	Total 48	C 20	N 10	O 15	P 3	0	0	0
1	A3	4	Total 68	C 29	N 12	O 23	P 4	0	0	0
1	A4	3	Total 67	C 30	N 15	O 19	P 3	0	0	0
1	A5	4	Total 68	C 29	N 12	O 23	P 4	0	0	0
1	A6	2	Total 45	C 20	N 10	O 13	P 2	0	0	0
1	A7	3	Total 48	C 20	N 10	O 15	P 3	0	0	0
1	A8	3	Total 48	C 20	N 10	O 15	P 3	0	0	0
1	A9	3	Total 48	C 20	N 10	O 15	P 3	0	0	0
1	AZ	3	Total 48	C 20	N 10	O 15	P 3	0	0	0
1	B0	4	Total 68	C 29	N 12	O 23	P 4	0	0	0
1	B1	3	Total 48	C 20	N 10	O 15	P 3	0	0	0
1	B2	2	Total 41	C 20	N 10	O 10	P 1	0	0	0
1	B3	2	Total 45	C 20	N 10	O 13	P 2	0	0	0
1	B4	3	Total 48	C 20	N 10	O 15	P 3	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B5	3	Total	C	N	O	P	0	0	0
			48	20	10	15	3			
1	B6	4	Total	C	N	O	P	0	0	0
			68	29	12	23	4			
1	B7	3	Total	C	N	O	P	0	0	0
			48	20	10	15	3			
1	B8	3	Total	C	N	O	P	0	0	0
			48	20	10	15	3			
1	B9	3	Total	C	N	O	P	0	0	0
			48	20	10	15	3			
1	BZ	3	Total	C	N	O	P	0	0	0
			48	20	10	15	3			

- Molecule 2 is a protein called TRANSCRIPTION ATTENUATION PROTEIN MTRB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AA	70	Total	C	N	O		0	0	0
			542	338	99	105				
2	AB	71	Total	C	N	O		4	0	0
			551	344	101	106				
2	AC	70	Total	C	N	O		0	0	0
			542	338	99	105				
2	AD	70	Total	C	N	O		4	0	0
			542	338	99	105				
2	AE	70	Total	C	N	O		0	0	0
			542	338	99	105				
2	AF	70	Total	C	N	O		0	0	0
			542	338	99	105				
2	AG	70	Total	C	N	O		4	0	0
			542	338	99	105				
2	AH	70	Total	C	N	O		0	0	0
			542	338	99	105				
2	AI	70	Total	C	N	O		0	0	0
			542	338	99	105				
2	AJ	70	Total	C	N	O		0	0	0
			542	338	99	105				
2	AK	71	Total	C	N	O		0	0	0
			551	344	101	106				
2	AL	70	Total	C	N	O		0	0	0
			542	338	99	105				
2	AM	71	Total	C	N	O		2	0	0
			551	344	101	106				

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	AN	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	AO	71	Total	C	N	O	3	0	0
			551	344	101	106			
2	AP	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	AQ	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	AR	70	Total	C	N	O	3	0	0
			542	338	99	105			
2	AS	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	AT	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	AU	70	Total	C	N	O	4	0	0
			542	338	99	105			
2	AV	70	Total	C	N	O	4	0	0
			542	338	99	105			
2	BA	71	Total	C	N	O	0	0	0
			551	344	101	106			
2	BB	71	Total	C	N	O	4	0	0
			551	344	101	106			
2	BC	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	BD	71	Total	C	N	O	0	0	0
			551	344	101	106			
2	BE	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	BF	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	BG	70	Total	C	N	O	4	0	0
			542	338	99	105			
2	BH	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	BI	70	Total	C	N	O	4	0	0
			542	338	99	105			
2	BJ	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	BK	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	BL	70	Total	C	N	O	0	0	0
			542	338	99	105			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	BM	71	Total	C	N	O	4	0	0
			551	344	101	106			
2	BN	70	Total	C	N	O	1	0	0
			542	338	99	105			
2	BO	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	BP	70	Total	C	N	O	4	0	0
			542	338	99	105			
2	BQ	70	Total	C	N	O	1	0	0
			542	338	99	105			
2	BR	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	BS	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	BT	70	Total	C	N	O	4	0	0
			542	338	99	105			
2	BU	70	Total	C	N	O	0	0	0
			542	338	99	105			
2	BV	70	Total	C	N	O	0	0	0
			542	338	99	105			

- Molecule 3 is TRYPTOPHAN (three-letter code: TRP) (formula: $C_{11}H_{12}N_2O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	AA	1	Total	C	N	O	0	0
			15	11	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	AB	1	Total	C	N	O	0	0
			15	11	2	2		
3	AC	1	Total	C	N	O	0	0
			15	11	2	2		
3	AD	1	Total	C	N	O	0	0
			15	11	2	2		
3	AE	1	Total	C	N	O	0	0
			15	11	2	2		
3	AF	1	Total	C	N	O	0	0
			15	11	2	2		
3	AG	1	Total	C	N	O	0	0
			15	11	2	2		
3	AH	1	Total	C	N	O	0	0
			15	11	2	2		
3	AI	1	Total	C	N	O	0	0
			15	11	2	2		
3	AJ	1	Total	C	N	O	0	0
			15	11	2	2		
3	AK	1	Total	C	N	O	0	0
			15	11	2	2		
3	AL	1	Total	C	N	O	0	0
			15	11	2	2		
3	AM	1	Total	C	N	O	0	0
			15	11	2	2		
3	AN	1	Total	C	N	O	0	0
			15	11	2	2		
3	AO	1	Total	C	N	O	0	0
			15	11	2	2		
3	AP	1	Total	C	N	O	0	0
			15	11	2	2		
3	AQ	1	Total	C	N	O	0	0
			15	11	2	2		
3	AR	1	Total	C	N	O	0	0
			15	11	2	2		
3	AS	1	Total	C	N	O	0	0
			15	11	2	2		
3	AT	1	Total	C	N	O	0	0
			15	11	2	2		
3	AU	1	Total	C	N	O	0	0
			15	11	2	2		
3	AV	1	Total	C	N	O	0	0
			15	11	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	BA	1	Total	C	N	O	0	0
			15	11	2	2		
3	BB	1	Total	C	N	O	0	0
			15	11	2	2		
3	BC	1	Total	C	N	O	0	0
			15	11	2	2		
3	BD	1	Total	C	N	O	0	0
			15	11	2	2		
3	BE	1	Total	C	N	O	0	0
			15	11	2	2		
3	BF	1	Total	C	N	O	0	0
			15	11	2	2		
3	BG	1	Total	C	N	O	0	0
			15	11	2	2		
3	BH	1	Total	C	N	O	0	0
			15	11	2	2		
3	BI	1	Total	C	N	O	0	0
			15	11	2	2		
3	BJ	1	Total	C	N	O	0	0
			15	11	2	2		
3	BK	1	Total	C	N	O	0	0
			15	11	2	2		
3	BL	1	Total	C	N		0	0
			13	11	2			
3	BM	1	Total	C	N	O	0	0
			15	11	2	2		
3	BN	1	Total	C	N	O	0	0
			15	11	2	2		
3	BO	1	Total	C	N	O	0	0
			15	11	2	2		
3	BP	1	Total	C	N	O	0	0
			15	11	2	2		
3	BQ	1	Total	C	N	O	0	0
			15	11	2	2		
3	BR	1	Total	C	N	O	0	0
			15	11	2	2		
3	BS	1	Total	C	N	O	0	0
			15	11	2	2		
3	BT	1	Total	C	N	O	0	0
			15	11	2	2		
3	BU	1	Total	C	N	O	0	0
			15	11	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	BV	1	Total	C	N	O	0	0
			15	11	2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A0	11	Total	O			0	0
			11	11				
4	A1	7	Total	O			0	0
			7	7				
4	A2	9	Total	O			0	0
			9	9				
4	A3	8	Total	O			0	0
			8	8				
4	A4	4	Total	O			0	0
			4	4				
4	A5	8	Total	O			0	0
			8	8				
4	A6	10	Total	O			0	0
			10	10				
4	A7	6	Total	O			0	0
			6	6				
4	A8	13	Total	O			0	0
			13	13				
4	A9	11	Total	O			0	0
			11	11				
4	AA	87	Total	O			0	0
			87	87				
4	AB	74	Total	O			0	0
			74	74				
4	AC	77	Total	O			0	0
			77	77				
4	AD	74	Total	O			0	0
			74	74				
4	AE	67	Total	O			0	0
			67	67				
4	AF	69	Total	O			0	0
			69	69				
4	AG	80	Total	O			0	0
			80	80				
4	AH	67	Total	O			0	0
			67	67				

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	AI	74	Total 74	O 74	0	0
4	AJ	78	Total 78	O 78	0	0
4	AK	62	Total 62	O 62	0	0
4	AL	70	Total 70	O 70	0	0
4	AM	50	Total 50	O 50	0	0
4	AN	57	Total 57	O 57	0	0
4	AO	71	Total 71	O 71	0	0
4	AP	61	Total 61	O 61	0	0
4	AQ	69	Total 69	O 69	0	0
4	AR	75	Total 75	O 75	0	0
4	AS	77	Total 77	O 77	0	0
4	AT	78	Total 78	O 78	0	0
4	AU	85	Total 85	O 85	0	0
4	AV	61	Total 61	O 61	0	0
4	AZ	5	Total 5	O 5	0	0
4	B0	11	Total 11	O 11	0	0
4	B1	6	Total 6	O 6	0	0
4	B2	8	Total 8	O 8	0	0
4	B3	3	Total 3	O 3	0	0
4	B4	14	Total 14	O 14	0	0
4	B5	12	Total 12	O 12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B6	13	Total O 13 13	0	0
4	B7	6	Total O 6 6	0	0
4	B8	5	Total O 5 5	0	0
4	B9	8	Total O 8 8	0	0
4	BA	67	Total O 67 67	0	0
4	BB	80	Total O 80 80	0	0
4	BC	78	Total O 78 78	0	0
4	BD	80	Total O 80 80	0	0
4	BE	76	Total O 76 76	0	0
4	BF	60	Total O 60 60	0	0
4	BG	71	Total O 71 71	0	0
4	BH	73	Total O 73 73	0	0
4	BI	85	Total O 85 85	0	0
4	BJ	80	Total O 80 80	0	0
4	BK	77	Total O 77 77	0	0
4	BL	72	Total O 72 72	0	0
4	BM	52	Total O 52 52	0	0
4	BN	49	Total O 49 49	0	0
4	BO	63	Total O 63 63	0	0
4	BP	55	Total O 55 55	0	0
4	BQ	75	Total O 75 75	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	BR	76	Total 76	O 76	0	0
4	BS	72	Total 72	O 72	0	0
4	BT	88	Total 88	O 88	0	0
4	BU	71	Total 71	O 71	0	0
4	BV	71	Total 71	O 71	0	0
4	BZ	6	Total 6	O 6	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'



- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'



- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'





- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 1: 5'-R(*UP*AP*GP*AP*UP)-3'




- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB



- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB








• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB





• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB





• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB







- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB





- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB



- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




- Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB









• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB





• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB







• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB





• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB





• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB



• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




• Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB










● Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB




● Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB



● Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB



● Molecule 2: TRANSCRIPTION ATTENUATION PROTEIN MTRB



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	113.91Å 133.99Å 232.83Å 90.00° 100.11° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 34.69 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-1.90) 93.0 (34.69-1.90)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.186 , 0.236 0.230 , 0.262	Depositor DCC
R_{free} test set	1249 reflections (0.50%)	wwPDB-VP
Wilson B-factor (Å ²)	25.0	Xtriage
Anisotropy	0.400	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 60.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	29038	wwPDB-VP
Average B, all atoms (Å ²)	13.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.10 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.8804e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A0	0.94	0/53	1.40	1/80 (1.2%)
1	A1	0.69	0/53	1.58	1/80 (1.2%)
1	A2	0.85	0/53	1.79	1/80 (1.2%)
1	A3	0.73	0/75	1.76	1/114 (0.9%)
1	A4	1.07	0/75	1.48	1/115 (0.9%)
1	A5	1.02	0/75	1.53	0/114
1	A6	0.72	0/50	1.46	1/76 (1.3%)
1	A7	0.90	0/53	1.21	0/80
1	A8	0.85	0/53	1.72	1/80 (1.2%)
1	A9	0.86	0/53	2.06	1/80 (1.2%)
1	AZ	0.88	0/53	1.37	1/80 (1.2%)
1	B0	0.95	0/75	1.54	1/114 (0.9%)
1	B1	0.82	0/53	1.40	1/80 (1.2%)
1	B2	1.10	0/46	1.68	1/71 (1.4%)
1	B3	1.00	0/50	1.57	1/76 (1.3%)
1	B4	1.07	0/53	1.75	1/80 (1.2%)
1	B5	0.83	0/53	1.30	0/80
1	B6	0.90	0/75	1.48	1/114 (0.9%)
1	B7	0.72	0/53	1.26	0/80
1	B8	0.85	0/53	1.31	0/80
1	B9	0.86	0/53	1.42	0/80
1	BZ	0.91	0/53	1.62	1/80 (1.2%)
2	AA	0.77	0/549	0.88	1/738 (0.1%)
2	AB	0.75	0/558	0.79	0/749
2	AC	0.70	0/549	0.84	1/738 (0.1%)
2	AD	0.69	0/549	0.86	0/738
2	AE	0.67	0/549	0.83	1/738 (0.1%)
2	AF	0.70	1/549 (0.2%)	0.81	0/738
2	AG	0.73	0/549	0.82	1/738 (0.1%)
2	AH	0.66	0/549	0.85	0/738
2	AI	0.72	0/549	0.84	0/738
2	AJ	0.70	0/549	0.80	1/738 (0.1%)
2	AK	0.70	0/558	0.80	1/749 (0.1%)
2	AL	0.65	0/549	0.82	1/738 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
2	AM	0.60	0/558	0.78	0/749
2	AN	0.65	0/549	0.82	0/738
2	AO	0.66	0/558	0.78	2/749 (0.3%)
2	AP	0.69	0/549	0.80	0/738
2	AQ	0.69	0/549	0.84	1/738 (0.1%)
2	AR	0.63	0/549	0.80	0/738
2	AS	0.71	0/549	0.83	2/738 (0.3%)
2	AT	0.69	0/549	0.79	0/738
2	AU	0.74	1/549 (0.2%)	0.81	2/738 (0.3%)
2	AV	0.72	0/549	0.78	0/738
2	BA	0.82	0/558	0.84	0/749
2	BB	0.77	0/558	0.84	0/749
2	BC	0.65	0/549	0.83	0/738
2	BD	0.70	0/558	0.83	1/749 (0.1%)
2	BE	0.64	0/549	0.78	0/738
2	BF	0.66	0/549	0.81	2/738 (0.3%)
2	BG	0.69	0/549	0.85	2/738 (0.3%)
2	BH	0.66	0/549	0.82	1/738 (0.1%)
2	BI	0.69	0/549	0.82	1/738 (0.1%)
2	BJ	0.70	0/549	0.84	0/738
2	BK	0.68	0/549	0.80	1/738 (0.1%)
2	BL	0.73	0/549	0.81	0/738
2	BM	0.63	0/558	0.84	1/749 (0.1%)
2	BN	0.98	1/549 (0.2%)	0.95	3/738 (0.4%)
2	BO	0.63	0/549	0.80	2/738 (0.3%)
2	BP	0.66	0/549	0.83	2/738 (0.3%)
2	BQ	0.69	0/549	0.85	3/738 (0.4%)
2	BR	0.75	0/549	0.81	1/738 (0.1%)
2	BS	0.74	0/549	0.83	1/738 (0.1%)
2	BT	0.82	1/549 (0.2%)	0.86	3/738 (0.4%)
2	BU	0.74	0/549	0.79	0/738
2	BV	0.72	0/549	0.79	0/738
All	All	0.72	4/25491 (0.0%)	0.88	54/34474 (0.2%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	BN	37	LYS	CE-NZ	-15.55	1.10	1.49
2	BT	37	LYS	CB-CG	-11.14	1.22	1.52
2	AU	237	LYS	CB-CG	-6.72	1.34	1.52
2	AF	43	VAL	CB-CG1	5.50	1.64	1.52

The worst 5 of 54 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A9	103	G	O4'-C1'-N9	11.01	117.01	108.20
2	BN	37	LYS	CD-CE-NZ	10.71	136.32	111.70
1	B4	103	G	O4'-C1'-N9	9.91	116.13	108.20
1	B3	103	G	O4'-C1'-N9	8.35	114.88	108.20
1	A2	103	G	O4'-C1'-N9	8.07	114.65	108.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A0	48	0	22	0	0
1	A1	48	0	22	0	0
1	A2	48	0	22	3	0
1	A3	68	0	32	2	0
1	A4	67	0	34	2	0
1	A5	68	0	32	0	0
1	A6	45	0	23	1	0
1	A7	48	0	22	0	0
1	A8	48	0	22	0	0
1	A9	48	0	22	1	0
1	AZ	48	0	22	1	0
1	B0	68	0	32	3	0
1	B1	48	0	22	0	0
1	B2	41	0	21	1	0
1	B3	45	0	23	1	0
1	B4	48	0	22	3	0
1	B5	48	0	22	2	0
1	B6	68	0	32	2	0
1	B7	48	0	22	0	0
1	B8	48	0	22	2	0
1	B9	48	0	22	1	0
1	BZ	48	0	22	1	0
2	AA	542	0	541	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	AB	551	0	554	7	0
2	AC	542	0	541	6	0
2	AD	542	0	541	10	0
2	AE	542	0	541	15	0
2	AF	542	0	541	11	0
2	AG	542	0	541	6	0
2	AH	542	0	541	8	0
2	AI	542	0	541	5	0
2	AJ	542	0	541	7	0
2	AK	551	0	554	6	0
2	AL	542	0	541	4	0
2	AM	551	0	554	7	0
2	AN	542	0	541	6	0
2	AO	551	0	554	9	0
2	AP	542	0	541	4	0
2	AQ	542	0	541	2	0
2	AR	542	0	541	2	0
2	AS	542	0	541	5	0
2	AT	542	0	541	6	0
2	AU	542	0	541	6	0
2	AV	542	0	541	4	0
2	BA	551	0	554	2	0
2	BB	551	0	554	6	0
2	BC	542	0	541	6	0
2	BD	551	0	554	9	0
2	BE	542	0	541	13	0
2	BF	542	0	541	15	0
2	BG	542	0	541	9	0
2	BH	542	0	541	6	0
2	BI	542	0	541	10	0
2	BJ	542	0	541	5	0
2	BK	542	0	541	11	0
2	BL	542	0	541	6	0
2	BM	551	0	554	5	0
2	BN	542	0	541	5	0
2	BO	542	0	541	3	0
2	BP	542	0	541	6	0
2	BQ	542	0	541	3	0
2	BR	542	0	541	6	0
2	BS	542	0	541	9	0
2	BT	542	0	541	3	0
2	BU	542	0	541	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	BV	542	0	541	5	0
3	AA	15	0	9	1	0
3	AB	15	0	9	1	0
3	AC	15	0	9	1	0
3	AD	15	0	9	1	0
3	AE	15	0	9	1	0
3	AF	15	0	9	0	0
3	AG	15	0	9	1	0
3	AH	15	0	9	1	0
3	AI	15	0	9	1	0
3	AJ	15	0	9	0	0
3	AK	15	0	9	1	0
3	AL	15	0	9	1	0
3	AM	15	0	9	1	0
3	AN	15	0	9	1	0
3	AO	15	0	9	1	0
3	AP	15	0	9	1	0
3	AQ	15	0	9	1	0
3	AR	15	0	9	1	0
3	AS	15	0	9	1	0
3	AT	15	0	9	1	0
3	AU	15	0	9	1	0
3	AV	15	0	9	1	0
3	BA	15	0	9	1	0
3	BB	15	0	9	1	0
3	BC	15	0	9	1	0
3	BD	15	0	9	1	0
3	BE	15	0	9	1	0
3	BF	15	0	9	1	0
3	BG	15	0	9	1	0
3	BH	15	0	9	1	0
3	BI	15	0	9	1	0
3	BJ	15	0	9	1	0
3	BK	15	0	9	1	0
3	BL	13	0	9	1	0
3	BM	15	0	9	1	0
3	BN	15	0	9	1	0
3	BO	15	0	9	1	0
3	BP	15	0	9	1	0
3	BQ	15	0	9	1	0
3	BR	15	0	9	1	0
3	BS	15	0	9	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	BT	15	0	9	1	0
3	BU	15	0	9	1	0
3	BV	15	0	9	0	0
4	A0	11	0	0	0	0
4	A1	7	0	0	0	0
4	A2	9	0	0	1	0
4	A3	8	0	0	0	0
4	A4	4	0	0	0	0
4	A5	8	0	0	0	0
4	A6	10	0	0	0	0
4	A7	6	0	0	0	0
4	A8	13	0	0	0	0
4	A9	11	0	0	0	0
4	AA	87	0	0	4	0
4	AB	74	0	0	0	0
4	AC	77	0	0	0	0
4	AD	74	0	0	1	0
4	AE	67	0	0	4	0
4	AF	69	0	0	4	0
4	AG	80	0	0	0	0
4	AH	67	0	0	0	0
4	AI	74	0	0	1	0
4	AJ	78	0	0	1	0
4	AK	62	0	0	1	0
4	AL	70	0	0	1	0
4	AM	50	0	0	2	0
4	AN	57	0	0	1	0
4	AO	71	0	0	3	0
4	AP	61	0	0	0	0
4	AQ	69	0	0	0	0
4	AR	75	0	0	0	0
4	AS	77	0	0	3	0
4	AT	78	0	0	1	0
4	AU	85	0	0	1	0
4	AV	61	0	0	1	0
4	AZ	5	0	0	0	0
4	B0	11	0	0	0	0
4	B1	6	0	0	0	0
4	B2	8	0	0	0	0
4	B3	3	0	0	0	0
4	B4	14	0	0	1	0
4	B5	12	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B6	13	0	0	0	0
4	B7	6	0	0	0	0
4	B8	5	0	0	0	0
4	B9	8	0	0	0	0
4	BA	67	0	0	1	0
4	BB	80	0	0	0	0
4	BC	78	0	0	0	0
4	BD	80	0	0	1	0
4	BE	76	0	0	2	0
4	BF	60	0	0	2	0
4	BG	71	0	0	2	0
4	BH	73	0	0	0	0
4	BI	85	0	0	2	0
4	BJ	80	0	0	1	0
4	BK	77	0	0	3	0
4	BL	72	0	0	3	0
4	BM	52	0	0	2	0
4	BN	49	0	0	1	0
4	BO	63	0	0	1	0
4	BP	55	0	0	1	0
4	BQ	75	0	0	1	0
4	BR	76	0	0	1	0
4	BS	72	0	0	1	0
4	BT	88	0	0	1	0
4	BU	71	0	0	1	0
4	BV	71	0	0	2	0
4	BZ	6	0	0	0	0
All	All	29038	0	24841	252	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 252 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:BL:2047:HOH:O	2:BM:66:ARG:HD3	1.55	1.05
2:BL:8:ASP:HB2	4:BL:2003:HOH:O	1.66	0.93
4:AF:241:HOH:O	2:AG:66:ARG:HD3	1.74	0.86
2:AL:208:ASP:HB2	4:AL:2117:HOH:O	1.76	0.84
2:AH:16:GLU:HG2	2:AH:60:LYS:HB3	1.64	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AA	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	AB	69/74 (93%)	69 (100%)	0	0	100	100
2	AC	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	AD	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	AE	68/74 (92%)	68 (100%)	0	0	100	100
2	AF	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	AG	68/74 (92%)	68 (100%)	0	0	100	100
2	AH	68/74 (92%)	68 (100%)	0	0	100	100
2	AI	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	AJ	68/74 (92%)	68 (100%)	0	0	100	100
2	AK	69/74 (93%)	68 (99%)	1 (1%)	0	100	100
2	AL	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	AM	69/74 (93%)	68 (99%)	1 (1%)	0	100	100
2	AN	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	AO	69/74 (93%)	68 (99%)	0	1 (1%)	12	3
2	AP	68/74 (92%)	68 (100%)	0	0	100	100
2	AQ	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	AR	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	AS	68/74 (92%)	68 (100%)	0	0	100	100
2	AT	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	AU	68/74 (92%)	68 (100%)	0	0	100	100
2	AV	68/74 (92%)	67 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	BA	69/74 (93%)	69 (100%)	0	0	100	100
2	BB	69/74 (93%)	69 (100%)	0	0	100	100
2	BC	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	BD	69/74 (93%)	67 (97%)	2 (3%)	0	100	100
2	BE	68/74 (92%)	68 (100%)	0	0	100	100
2	BF	68/74 (92%)	68 (100%)	0	0	100	100
2	BG	68/74 (92%)	66 (97%)	2 (3%)	0	100	100
2	BH	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	BI	68/74 (92%)	68 (100%)	0	0	100	100
2	BJ	68/74 (92%)	68 (100%)	0	0	100	100
2	BK	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	BL	68/74 (92%)	68 (100%)	0	0	100	100
2	BM	69/74 (93%)	68 (99%)	1 (1%)	0	100	100
2	BN	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	BO	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
2	BP	68/74 (92%)	68 (100%)	0	0	100	100
2	BQ	68/74 (92%)	68 (100%)	0	0	100	100
2	BR	68/74 (92%)	68 (100%)	0	0	100	100
2	BS	68/74 (92%)	68 (100%)	0	0	100	100
2	BT	68/74 (92%)	68 (100%)	0	0	100	100
2	BU	68/74 (92%)	68 (100%)	0	0	100	100
2	BV	68/74 (92%)	67 (98%)	1 (2%)	0	100	100
All	All	3000/3256 (92%)	2975 (99%)	24 (1%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AO	207	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AA	58/62 (94%)	55 (95%)	3 (5%)	25	15
2	AB	59/62 (95%)	58 (98%)	1 (2%)	63	60
2	AC	58/62 (94%)	56 (97%)	2 (3%)	40	30
2	AD	58/62 (94%)	56 (97%)	2 (3%)	40	30
2	AE	58/62 (94%)	54 (93%)	4 (7%)	17	8
2	AF	58/62 (94%)	54 (93%)	4 (7%)	17	8
2	AG	58/62 (94%)	57 (98%)	1 (2%)	63	60
2	AH	58/62 (94%)	57 (98%)	1 (2%)	63	60
2	AI	58/62 (94%)	55 (95%)	3 (5%)	25	15
2	AJ	58/62 (94%)	55 (95%)	3 (5%)	25	15
2	AK	59/62 (95%)	58 (98%)	1 (2%)	63	60
2	AL	58/62 (94%)	56 (97%)	2 (3%)	40	30
2	AM	59/62 (95%)	54 (92%)	5 (8%)	12	4
2	AN	58/62 (94%)	56 (97%)	2 (3%)	40	30
2	AO	59/62 (95%)	55 (93%)	4 (7%)	17	8
2	AP	58/62 (94%)	54 (93%)	4 (7%)	17	8
2	AQ	58/62 (94%)	54 (93%)	4 (7%)	17	8
2	AR	58/62 (94%)	56 (97%)	2 (3%)	40	30
2	AS	58/62 (94%)	54 (93%)	4 (7%)	17	8
2	AT	58/62 (94%)	55 (95%)	3 (5%)	25	15
2	AU	58/62 (94%)	54 (93%)	4 (7%)	17	8
2	AV	58/62 (94%)	56 (97%)	2 (3%)	40	30
2	BA	59/62 (95%)	55 (93%)	4 (7%)	17	8
2	BB	59/62 (95%)	58 (98%)	1 (2%)	63	60
2	BC	58/62 (94%)	55 (95%)	3 (5%)	25	15
2	BD	59/62 (95%)	55 (93%)	4 (7%)	17	8
2	BE	58/62 (94%)	54 (93%)	4 (7%)	17	8
2	BF	58/62 (94%)	55 (95%)	3 (5%)	25	15
2	BG	58/62 (94%)	55 (95%)	3 (5%)	25	15
2	BH	58/62 (94%)	56 (97%)	2 (3%)	40	30

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	BI	58/62 (94%)	54 (93%)	4 (7%)	17	8
2	BJ	58/62 (94%)	55 (95%)	3 (5%)	25	15
2	BK	58/62 (94%)	54 (93%)	4 (7%)	17	8
2	BL	58/62 (94%)	56 (97%)	2 (3%)	40	30
2	BM	59/62 (95%)	55 (93%)	4 (7%)	17	8
2	BN	58/62 (94%)	54 (93%)	4 (7%)	17	8
2	BO	58/62 (94%)	54 (93%)	4 (7%)	17	8
2	BP	58/62 (94%)	55 (95%)	3 (5%)	25	15
2	BQ	58/62 (94%)	52 (90%)	6 (10%)	8	3
2	BR	58/62 (94%)	57 (98%)	1 (2%)	63	60
2	BS	58/62 (94%)	56 (97%)	2 (3%)	40	30
2	BT	58/62 (94%)	56 (97%)	2 (3%)	40	30
2	BU	58/62 (94%)	57 (98%)	1 (2%)	63	60
2	BV	58/62 (94%)	53 (91%)	5 (9%)	11	4
All	All	2560/2728 (94%)	2430 (95%)	130 (5%)	27	15

5 of 130 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	AU	273	GLU
2	BD	75	LYS
2	BS	31	ARG
2	AV	270	ILE
2	BC	6	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 24 such sidechains are listed below:

Mol	Chain	Res	Type
2	AP	220	ASN
2	AU	206	ASN
2	BT	20	ASN
2	AQ	206	ASN
2	AT	206	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A0	1/5 (20%)	0	0
1	A1	1/5 (20%)	0	0
1	A2	1/5 (20%)	0	0
1	A3	2/5 (40%)	0	0
1	A4	2/5 (40%)	0	0
1	A5	2/5 (40%)	1 (50%)	0
1	A6	1/5 (20%)	0	0
1	A7	1/5 (20%)	0	0
1	A8	1/5 (20%)	0	0
1	A9	1/5 (20%)	0	0
1	AZ	1/5 (20%)	0	0
1	B0	3/5 (60%)	1 (33%)	1 (33%)
1	B1	1/5 (20%)	0	0
1	B2	1/5 (20%)	0	0
1	B3	1/5 (20%)	0	0
1	B4	1/5 (20%)	0	0
1	B5	1/5 (20%)	0	0
1	B6	2/5 (40%)	0	0
1	B7	1/5 (20%)	0	0
1	B8	1/5 (20%)	0	0
1	B9	1/5 (20%)	0	0
1	BZ	1/5 (20%)	0	0
All	All	28/110 (25%)	2 (7%)	1 (3%)

All (2) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A5	102	A
1	B0	102	A

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	B0	101	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

44 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TRP	AA	101	-	11,16,16	0.68	0	11,22,22	0.93	0
3	TRP	AB	101	-	11,16,16	0.73	0	11,22,22	0.75	0
3	TRP	AC	101	-	11,16,16	0.72	0	11,22,22	0.99	0
3	TRP	AD	101	-	11,16,16	0.79	0	11,22,22	0.77	0
3	TRP	AE	101	-	11,16,16	0.77	0	11,22,22	0.78	0
3	TRP	AF	101	-	11,16,16	0.65	0	11,22,22	0.83	0
3	TRP	AG	101	-	11,16,16	0.73	0	11,22,22	0.89	0
3	TRP	AH	101	-	11,16,16	0.58	0	11,22,22	1.00	1 (9%)
3	TRP	AI	101	-	11,16,16	0.80	0	11,22,22	0.87	0
3	TRP	AJ	101	-	11,16,16	1.07	1 (9%)	11,22,22	0.75	0
3	TRP	AK	101	-	11,16,16	0.74	0	11,22,22	0.96	0
3	TRP	AL	301	-	11,16,16	0.68	0	11,22,22	0.86	0
3	TRP	AM	301	-	11,16,16	0.79	0	11,22,22	0.90	0
3	TRP	AN	301	-	11,16,16	0.65	0	11,22,22	1.07	0
3	TRP	AO	301	-	11,16,16	0.82	0	11,22,22	0.74	0
3	TRP	AP	301	-	11,16,16	0.75	0	11,22,22	0.82	0
3	TRP	AQ	301	-	11,16,16	0.85	0	11,22,22	0.85	0
3	TRP	AR	301	-	11,16,16	0.84	0	11,22,22	0.84	0
3	TRP	AS	301	-	11,16,16	1.05	1 (9%)	11,22,22	0.79	0
3	TRP	AT	301	-	11,16,16	0.74	0	11,22,22	0.92	0
3	TRP	AU	301	-	11,16,16	0.89	1 (9%)	11,22,22	0.94	0
3	TRP	AV	301	-	11,16,16	0.87	0	11,22,22	0.94	0
3	TRP	BA	101	-	11,16,16	0.71	0	11,22,22	0.84	0
3	TRP	BB	101	-	11,16,16	0.81	0	11,22,22	0.95	0
3	TRP	BC	101	-	11,16,16	0.91	1 (9%)	11,22,22	0.85	0
3	TRP	BD	101	-	11,16,16	0.82	0	11,22,22	0.80	0
3	TRP	BE	101	-	11,16,16	0.76	0	11,22,22	0.89	0
3	TRP	BF	101	-	11,16,16	0.83	0	11,22,22	0.88	0
3	TRP	BG	101	-	11,16,16	0.80	0	11,22,22	0.86	0
3	TRP	BH	101	-	11,16,16	0.78	0	11,22,22	0.78	0
3	TRP	BI	101	-	11,16,16	0.73	0	11,22,22	0.87	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TRP	BJ	101	-	11,16,16	0.79	0	11,22,22	0.82	0
3	TRP	BK	101	-	11,16,16	0.74	0	11,22,22	0.88	0
3	TRP	BL	101	-	13,14,16	0.91	0	13,19,22	0.84	0
3	TRP	BM	101	-	11,16,16	0.95	1 (9%)	11,22,22	0.77	0
3	TRP	BN	101	-	11,16,16	0.92	1 (9%)	11,22,22	0.92	0
3	TRP	BO	101	-	11,16,16	0.85	0	11,22,22	0.90	0
3	TRP	BP	101	-	11,16,16	0.79	0	11,22,22	0.84	0
3	TRP	BQ	101	-	11,16,16	0.74	0	11,22,22	0.84	0
3	TRP	BR	101	-	11,16,16	0.72	0	11,22,22	0.80	0
3	TRP	BS	101	-	11,16,16	0.79	0	11,22,22	0.78	0
3	TRP	BT	101	-	11,16,16	1.03	1 (9%)	11,22,22	0.94	0
3	TRP	BU	101	-	11,16,16	0.72	0	11,22,22	0.87	0
3	TRP	BV	101	-	11,16,16	0.91	0	11,22,22	0.91	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRP	AA	101	-	-	0/3/8/8	0/2/2/2
3	TRP	AB	101	-	-	0/3/8/8	0/2/2/2
3	TRP	AC	101	-	-	0/3/8/8	0/2/2/2
3	TRP	AD	101	-	-	0/3/8/8	0/2/2/2
3	TRP	AE	101	-	-	0/3/8/8	0/2/2/2
3	TRP	AF	101	-	-	0/3/8/8	0/2/2/2
3	TRP	AG	101	-	-	0/3/8/8	0/2/2/2
3	TRP	AH	101	-	-	0/3/8/8	0/2/2/2
3	TRP	AI	101	-	-	0/3/8/8	0/2/2/2
3	TRP	AJ	101	-	-	0/3/8/8	0/2/2/2
3	TRP	AK	101	-	-	0/3/8/8	0/2/2/2
3	TRP	AL	301	-	-	0/3/8/8	0/2/2/2
3	TRP	AM	301	-	-	0/3/8/8	0/2/2/2
3	TRP	AN	301	-	-	0/3/8/8	0/2/2/2
3	TRP	AO	301	-	-	0/3/8/8	0/2/2/2
3	TRP	AP	301	-	-	0/3/8/8	0/2/2/2
3	TRP	AQ	301	-	-	0/3/8/8	0/2/2/2
3	TRP	AR	301	-	-	0/3/8/8	0/2/2/2
3	TRP	AS	301	-	-	0/3/8/8	0/2/2/2
3	TRP	AT	301	-	-	0/3/8/8	0/2/2/2
3	TRP	AU	301	-	-	0/3/8/8	0/2/2/2
3	TRP	AV	301	-	-	0/3/8/8	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRP	BA	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BB	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BC	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BD	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BE	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BF	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BG	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BH	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BI	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BJ	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BK	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BL	101	-	-	0/3/4/8	0/2/2/2
3	TRP	BM	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BN	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BO	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BP	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BQ	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BR	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BS	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BT	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BU	101	-	-	0/3/8/8	0/2/2/2
3	TRP	BV	101	-	-	0/3/8/8	0/2/2/2

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	BN	101	TRP	CZ3-CE3	2.09	1.41	1.36
3	BM	101	TRP	CH2-CZ3	2.15	1.43	1.38
3	AU	301	TRP	CZ3-CE3	2.20	1.41	1.36
3	BC	101	TRP	CH2-CZ3	2.25	1.43	1.38
3	AJ	101	TRP	CZ3-CE3	2.41	1.42	1.36

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AH	101	TRP	CH2-CZ2-CE2	-2.20	116.81	120.08

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

41 monomers are involved in 41 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	AA	101	TRP	1	0
3	AB	101	TRP	1	0
3	AC	101	TRP	1	0
3	AD	101	TRP	1	0
3	AE	101	TRP	1	0
3	AG	101	TRP	1	0
3	AH	101	TRP	1	0
3	AI	101	TRP	1	0
3	AK	101	TRP	1	0
3	AL	301	TRP	1	0
3	AM	301	TRP	1	0
3	AN	301	TRP	1	0
3	AO	301	TRP	1	0
3	AP	301	TRP	1	0
3	AQ	301	TRP	1	0
3	AR	301	TRP	1	0
3	AS	301	TRP	1	0
3	AT	301	TRP	1	0
3	AU	301	TRP	1	0
3	AV	301	TRP	1	0
3	BA	101	TRP	1	0
3	BB	101	TRP	1	0
3	BC	101	TRP	1	0
3	BD	101	TRP	1	0
3	BE	101	TRP	1	0
3	BF	101	TRP	1	0
3	BG	101	TRP	1	0
3	BH	101	TRP	1	0
3	BI	101	TRP	1	0
3	BJ	101	TRP	1	0
3	BK	101	TRP	1	0
3	BL	101	TRP	1	0
3	BM	101	TRP	1	0
3	BN	101	TRP	1	0
3	BO	101	TRP	1	0
3	BP	101	TRP	1	0
3	BQ	101	TRP	1	0
3	BR	101	TRP	1	0
3	BS	101	TRP	1	0
3	BT	101	TRP	1	0
3	BU	101	TRP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A0	3/5 (60%)	1.97	2 (66%) 0 0	14, 14, 16, 32	0
1	A1	3/5 (60%)	1.91	1 (33%) 0 0	13, 13, 16, 26	0
1	A2	3/5 (60%)	1.50	0 100 100	13, 13, 15, 20	0
1	A3	4/5 (80%)	1.75	1 (25%) 0 0	13, 14, 19, 21	0
1	A4	3/5 (60%)	2.94	2 (66%) 0 0	12, 12, 17, 29	0
1	A5	4/5 (80%)	1.50	1 (25%) 0 0	12, 14, 21, 28	0
1	A6	2/5 (40%)	2.96	2 (100%) 0 0	16, 16, 16, 18	0
1	A7	3/5 (60%)	2.86	2 (66%) 0 0	15, 15, 18, 32	0
1	A8	3/5 (60%)	1.38	0 100 100	15, 15, 16, 22	0
1	A9	3/5 (60%)	2.03	1 (33%) 0 0	11, 11, 17, 27	0
1	AZ	3/5 (60%)	1.63	1 (33%) 0 0	12, 12, 15, 28	0
1	B0	4/5 (80%)	1.83	1 (25%) 0 0	9, 11, 18, 23	0
1	B1	3/5 (60%)	3.80	3 (100%) 0 0	14, 14, 16, 32	0
1	B2	2/5 (40%)	2.07	1 (50%) 0 0	15, 15, 15, 20	0
1	B3	2/5 (40%)	2.29	1 (50%) 0 0	15, 15, 15, 17	0
1	B4	3/5 (60%)	2.37	2 (66%) 0 0	15, 15, 19, 23	0
1	B5	3/5 (60%)	2.40	2 (66%) 0 0	13, 13, 16, 16	0
1	B6	4/5 (80%)	1.66	1 (25%) 0 0	9, 12, 15, 18	0
1	B7	3/5 (60%)	1.84	1 (33%) 0 0	14, 14, 16, 28	0
1	B8	3/5 (60%)	2.01	1 (33%) 0 0	16, 16, 16, 22	0
1	B9	3/5 (60%)	1.08	0 100 100	15, 15, 15, 24	0
1	BZ	3/5 (60%)	2.04	2 (66%) 0 0	14, 14, 17, 26	0
2	AA	70/74 (94%)	0.28	5 (7%) 16 18	5, 10, 17, 22	0
2	AB	71/74 (95%)	0.38	4 (5%) 24 28	5, 9, 18, 25	1 (1%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
2	AC	70/74 (94%)	0.19	4 (5%)	24 27	4, 8, 15, 20	0
2	AD	70/74 (94%)	0.22	6 (8%)	10 12	4, 8, 16, 23	1 (1%)
2	AE	70/74 (94%)	0.35	5 (7%)	16 18	5, 8, 15, 21	0
2	AF	70/74 (94%)	0.15	3 (4%)	35 38	5, 9, 16, 19	0
2	AG	70/74 (94%)	0.14	3 (4%)	35 38	3, 9, 15, 20	1 (1%)
2	AH	70/74 (94%)	0.22	3 (4%)	35 38	5, 9, 16, 21	0
2	AI	70/74 (94%)	0.15	3 (4%)	35 38	4, 8, 16, 23	0
2	AJ	70/74 (94%)	0.41	5 (7%)	16 18	4, 8, 15, 21	0
2	AK	71/74 (95%)	0.26	2 (2%)	53 56	4, 8, 14, 23	0
2	AL	70/74 (94%)	0.47	6 (8%)	10 12	4, 8, 18, 25	0
2	AM	71/74 (95%)	0.48	5 (7%)	16 18	5, 8, 17, 25	1 (1%)
2	AN	70/74 (94%)	0.33	4 (5%)	24 27	4, 8, 17, 25	0
2	AO	71/74 (95%)	0.37	7 (9%)	7 8	4, 8, 18, 26	1 (1%)
2	AP	70/74 (94%)	0.26	4 (5%)	24 27	5, 8, 16, 28	0
2	AQ	70/74 (94%)	0.47	4 (5%)	24 27	5, 8, 17, 28	0
2	AR	70/74 (94%)	0.55	5 (7%)	16 18	4, 9, 18, 27	1 (1%)
2	AS	70/74 (94%)	0.54	4 (5%)	24 27	5, 9, 19, 26	0
2	AT	70/74 (94%)	0.49	6 (8%)	10 12	5, 8, 17, 28	0
2	AU	70/74 (94%)	0.29	4 (5%)	24 27	5, 8, 17, 25	1 (1%)
2	AV	70/74 (94%)	0.30	4 (5%)	24 27	4, 8, 18, 27	1 (1%)
2	BA	71/74 (95%)	0.13	0	100 100	4, 9, 15, 19	0
2	BB	71/74 (95%)	0.14	2 (2%)	53 56	4, 9, 15, 22	1 (1%)
2	BC	70/74 (94%)	0.09	1 (1%)	75 78	4, 9, 15, 19	0
2	BD	71/74 (95%)	0.24	4 (5%)	24 28	4, 8, 17, 21	0
2	BE	70/74 (94%)	0.49	5 (7%)	16 18	4, 8, 15, 20	0
2	BF	70/74 (94%)	0.21	4 (5%)	24 27	4, 8, 15, 20	0
2	BG	70/74 (94%)	0.11	3 (4%)	35 38	4, 9, 16, 19	1 (1%)
2	BH	70/74 (94%)	0.35	5 (7%)	16 18	4, 9, 17, 24	0
2	BI	70/74 (94%)	0.10	3 (4%)	35 38	4, 8, 17, 22	1 (1%)
2	BJ	70/74 (94%)	0.07	3 (4%)	35 38	5, 8, 17, 22	0
2	BK	70/74 (94%)	0.37	5 (7%)	16 18	5, 8, 15, 24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
2	BL	70/74 (94%)	0.23	4 (5%) 24 27	4, 8, 18, 26	0
2	BM	71/74 (95%)	0.34	5 (7%) 16 18	5, 9, 18, 24	1 (1%)
2	BN	70/74 (94%)	0.37	4 (5%) 24 27	4, 9, 18, 22	1 (1%)
2	BO	70/74 (94%)	0.41	5 (7%) 16 18	4, 8, 17, 24	0
2	BP	70/74 (94%)	0.27	4 (5%) 24 27	4, 8, 17, 28	1 (1%)
2	BQ	70/74 (94%)	0.39	3 (4%) 35 38	5, 8, 18, 22	1 (1%)
2	BR	70/74 (94%)	0.21	3 (4%) 35 38	4, 8, 17, 26	0
2	BS	70/74 (94%)	0.23	2 (2%) 51 55	4, 9, 17, 29	0
2	BT	70/74 (94%)	0.40	4 (5%) 24 27	4, 9, 16, 27	1 (1%)
2	BU	70/74 (94%)	0.58	7 (10%) 7 8	4, 9, 18, 26	0
2	BV	70/74 (94%)	0.31	5 (7%) 16 18	4, 8, 16, 24	0
All	All	3155/3366 (93%)	0.34	205 (6%) 19 21	3, 8, 18, 32	16 (0%)

The worst 5 of 205 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	AR	205	THR	9.4
2	BT	5	THR	8.1
2	AO	205	THR	7.7
2	AQ	205	THR	7.4
2	BS	5	THR	7.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	TRP	BL	101	13/15	0.84	0.14	3,6,11,11	0
3	TRP	AN	301	15/15	0.90	0.12	4,6,10,10	0
3	TRP	BN	101	15/15	0.91	0.12	3,5,11,12	0
3	TRP	AQ	301	15/15	0.92	0.09	3,5,9,11	0
3	TRP	BP	101	15/15	0.92	0.10	4,6,9,10	0
3	TRP	AS	301	15/15	0.92	0.10	3,6,9,10	0
3	TRP	BM	101	15/15	0.93	0.10	4,7,10,10	0
3	TRP	AP	301	15/15	0.93	0.10	2,5,8,11	0
3	TRP	BO	101	15/15	0.93	0.09	2,5,8,10	0
3	TRP	AT	301	15/15	0.93	0.12	3,5,8,9	0
3	TRP	BR	101	15/15	0.93	0.10	2,5,9,9	0
3	TRP	AU	301	15/15	0.93	0.11	2,5,9,10	0
3	TRP	AH	101	15/15	0.93	0.09	3,6,10,11	0
3	TRP	AO	301	15/15	0.93	0.10	5,7,9,11	0
3	TRP	BV	101	15/15	0.93	0.10	3,6,8,8	0
3	TRP	BQ	101	15/15	0.94	0.08	3,5,9,11	0
3	TRP	AG	101	15/15	0.94	0.09	5,7,9,10	0
3	TRP	AC	101	15/15	0.94	0.13	2,5,9,9	0
3	TRP	AA	101	15/15	0.94	0.11	3,6,9,10	0
3	TRP	BS	101	15/15	0.94	0.09	4,6,9,9	0
3	TRP	AL	301	15/15	0.94	0.09	3,6,9,10	0
3	TRP	BA	101	15/15	0.94	0.12	2,7,10,11	0
3	TRP	AM	301	15/15	0.94	0.09	4,5,8,9	0
3	TRP	AR	301	15/15	0.95	0.09	3,5,11,12	0
3	TRP	BB	101	15/15	0.95	0.08	4,6,11,11	0
3	TRP	BI	101	15/15	0.95	0.12	3,5,10,10	0
3	TRP	AV	301	15/15	0.95	0.09	4,6,9,11	0
3	TRP	BH	101	15/15	0.95	0.09	3,6,9,11	0
3	TRP	BT	101	15/15	0.95	0.09	5,7,9,11	0
3	TRP	AB	101	15/15	0.95	0.12	5,6,9,9	0
3	TRP	BF	101	15/15	0.95	0.13	5,7,9,11	0
3	TRP	AD	101	15/15	0.95	0.09	2,5,9,10	0
3	TRP	BG	101	15/15	0.95	0.10	4,6,9,10	0
3	TRP	BE	101	15/15	0.96	0.08	5,6,8,9	0
3	TRP	AE	101	15/15	0.96	0.10	3,5,8,9	0
3	TRP	AF	101	15/15	0.96	0.10	3,6,9,10	0
3	TRP	AK	101	15/15	0.96	0.15	4,7,10,10	0
3	TRP	BD	101	15/15	0.96	0.07	5,6,8,10	0
3	TRP	BU	101	15/15	0.96	0.07	3,5,11,12	0
3	TRP	BJ	101	15/15	0.97	0.08	4,6,9,10	0
3	TRP	BC	101	15/15	0.97	0.10	4,7,10,11	0
3	TRP	AI	101	15/15	0.97	0.07	2,5,9,10	0
3	TRP	AJ	101	15/15	0.97	0.08	2,5,8,9	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	TRP	BK	101	15/15	0.98	0.09	3,4,9,9	0

6.5 Other polymers [i](#)

There are no such residues in this entry.