



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 13, 2018 – 03:54 pm GMT

PDB ID : 2V6A
Title : Crystal structure of Chlamydomonas reinhardtii Rubisco with large- subunit mutations V331A, G344S
Authors : Karkehabadi, S.; Satagopan, S.; Taylor, T.C.; Spreitzer, R.J.; Andersson, I.
Deposited on : 2007-07-14
Resolution : 1.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk31020
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk31020


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	2534 (1.50-1.50)
Clashscore	122126	2727 (1.50-1.50)
Ramachandran outliers	120053	2661 (1.50-1.50)
Sidechain outliers	120020	2659 (1.50-1.50)
RSRZ outliers	108989	2481 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	475	<div> <div>3%</div> <div> <div></div> <div>87%</div> <div>11%</div> <div></div> </div> <div></div> </div>
1	B	475	<div> <div>4%</div> <div> <div></div> <div>88%</div> <div>10%</div> <div></div> </div> <div></div> </div>
1	C	475	<div> <div>4%</div> <div> <div></div> <div>89%</div> <div>9%</div> <div></div> </div> <div></div> </div>
1	D	475	<div> <div>3%</div> <div> <div></div> <div>88%</div> <div>10%</div> <div></div> </div> <div></div> </div>
1	E	475	<div> <div>2%</div> <div> <div></div> <div>86%</div> <div>11%</div> <div></div> </div> <div></div> </div>
1	F	475	<div> <div>3%</div> <div> <div></div> <div>87%</div> <div>11%</div> <div></div> </div> <div></div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	475	
1	H	475	
2	I	140	
2	J	140	
2	K	140	
2	L	140	
2	M	140	
2	N	140	
2	O	140	
2	P	140	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 42413 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RIBULOSE BISPHOSPHATE CARBOXYLASE LARGE CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	467	Total	C	N	O	S	0	9	0
			3658	2309	640	680	29			
1	B	467	Total	C	N	O	S	0	9	0
			3658	2309	640	680	29			
1	C	467	Total	C	N	O	S	0	8	0
			3655	2306	640	680	29			
1	D	466	Total	C	N	O	S	0	10	0
			3656	2307	639	681	29			
1	E	465	Total	C	N	O	S	0	9	0
			3648	2303	638	678	29			
1	F	465	Total	C	N	O	S	0	9	0
			3648	2303	638	678	29			
1	G	465	Total	C	N	O	S	0	9	0
			3648	2303	638	678	29			
1	H	467	Total	C	N	O	S	0	11	0
			3664	2313	640	682	29			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	46	PRO	LEU	conflict	UNP P00877
A	331	ALA	VAL	engineered mutation	UNP P00877
A	344	SER	GLY	engineered mutation	UNP P00877
B	46	PRO	LEU	conflict	UNP P00877
B	331	ALA	VAL	engineered mutation	UNP P00877
B	344	SER	GLY	engineered mutation	UNP P00877
C	46	PRO	LEU	conflict	UNP P00877
C	331	ALA	VAL	engineered mutation	UNP P00877
C	344	SER	GLY	engineered mutation	UNP P00877
D	46	PRO	LEU	conflict	UNP P00877
D	331	ALA	VAL	engineered mutation	UNP P00877
D	344	SER	GLY	engineered mutation	UNP P00877

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	46	PRO	LEU	conflict	UNP P00877
E	331	ALA	VAL	engineered mutation	UNP P00877
E	344	SER	GLY	engineered mutation	UNP P00877
F	46	PRO	LEU	conflict	UNP P00877
F	331	ALA	VAL	engineered mutation	UNP P00877
F	344	SER	GLY	engineered mutation	UNP P00877
G	46	PRO	LEU	conflict	UNP P00877
G	331	ALA	VAL	engineered mutation	UNP P00877
G	344	SER	GLY	engineered mutation	UNP P00877
H	46	PRO	LEU	conflict	UNP P00877
H	331	ALA	VAL	engineered mutation	UNP P00877
H	344	SER	GLY	engineered mutation	UNP P00877

- Molecule 2 is a protein called RIBULOSE BISPHTHOSPHATE CARBOXYLASE SMALL CHAIN 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	I	140	Total	C	N	O	S	0	3	0
			1147	740	190	205	12			
2	J	140	Total	C	N	O	S	0	4	0
			1155	747	190	206	12			
2	K	140	Total	C	N	O	S	0	5	0
			1162	753	190	207	12			
2	L	140	Total	C	N	O	S	0	6	0
			1163	754	190	206	13			
2	M	140	Total	C	N	O	S	0	6	0
			1164	754	190	207	13			
2	N	140	Total	C	N	O	S	0	5	0
			1163	754	190	206	13			
2	O	140	Total	C	N	O	S	0	6	0
			1158	748	190	206	14			
2	P	140	Total	C	N	O	S	0	5	0
			1162	753	190	207	12			

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	H	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	F	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 2-CARBOXYARABINITOL-1,5-DIPHOSPHATE (three-letter code: CAP) (formula: $C_6H_{14}O_{13}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	P	0	0
			21	6	13	2		
4	B	1	Total	C	O	P	0	0
			21	6	13	2		
4	C	1	Total	C	O	P	0	0
			21	6	13	2		
4	D	1	Total	C	O	P	0	0
			21	6	13	2		
4	E	1	Total	C	O	P	0	0
			21	6	13	2		
4	F	1	Total	C	O	P	0	0
			21	6	13	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	G	1	Total	C	O	P	0	0
			21	6	13	2		
4	H	1	Total	C	O	P	0	0
			21	6	13	2		

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O		0	0
			4	2	2			
5	A	1	Total	C	O		0	0
			4	2	2			
5	A	1	Total	C	O		0	0
			4	2	2			
5	A	1	Total	C	O		0	0
			4	2	2			
5	A	1	Total	C	O		0	0
			4	2	2			
5	B	1	Total	C	O		0	0
			4	2	2			
5	B	1	Total	C	O		0	0
			4	2	2			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	E	1	Total	C	O	0	0
			4	2	2		
5	E	1	Total	C	O	0	0
			4	2	2		
5	E	1	Total	C	O	0	0
			4	2	2		
5	E	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	F	1	Total 4	C 2	O 2	0	0
5	F	1	Total 4	C 2	O 2	0	0
5	F	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0
5	H	1	Total 4	C 2	O 2	0	0
5	H	1	Total 4	C 2	O 2	0	0
5	H	1	Total 4	C 2	O 2	0	0
5	H	1	Total 4	C 2	O 2	0	0
5	H	1	Total 4	C 2	O 2	0	0
5	H	1	Total 4	C 2	O 2	0	0
5	I	1	Total 4	C 2	O 2	0	0
5	I	1	Total 4	C 2	O 2	0	0
5	J	1	Total 4	C 2	O 2	0	0
5	J	1	Total 4	C 2	O 2	0	0
5	K	1	Total 4	C 2	O 2	0	0
5	K	1	Total 4	C 2	O 2	0	0
5	L	1	Total 4	C 2	O 2	0	0
5	L	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	M	1	Total	C	O	0	0
			4	2	2		
5	M	1	Total	C	O	0	0
			4	2	2		
5	N	1	Total	C	O	0	0
			4	2	2		
5	N	1	Total	C	O	0	0
			4	2	2		
5	O	1	Total	C	O	0	0
			4	2	2		
5	O	1	Total	C	O	0	0
			4	2	2		
5	P	1	Total	C	O	0	0
			4	2	2		
5	P	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	327	Total	O	0	0
			327	327		
6	B	334	Total	O	0	0
			334	334		
6	C	320	Total	O	0	0
			320	320		
6	D	332	Total	O	0	0
			332	332		
6	E	344	Total	O	0	0
			344	344		
6	F	330	Total	O	0	0
			330	330		
6	G	324	Total	O	0	0
			324	324		
6	H	330	Total	O	0	0
			330	330		
6	I	97	Total	O	0	0
			97	97		
6	J	106	Total	O	0	0
			106	106		
6	K	100	Total	O	0	0
			100	100		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	L	111	Total 111	O 111	0	0
6	M	112	Total 112	O 112	0	0
6	N	111	Total 111	O 111	0	0
6	O	114	Total 114	O 114	0	0
6	P	100	Total 100	O 100	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: RIBULOSE BISPHOSPHATE CARBOXYLASE LARGE CHAIN




• Molecule 1: RIBULOSE BISPHOSPHATE CARBOXYLASE LARGE CHAIN




• Molecule 1: RIBULOSE BISPHOSPHATE CARBOXYLASE LARGE CHAIN




• Molecule 1: RIBULOSE BISPHOSPHATE CARBOXYLASE LARGE CHAIN




• Molecule 1: RIBULOSE BISPHTHOSPHATE CARBOXYLASE LARGE CHAIN




• Molecule 1: RIBULOSE BISPHTHOSPHATE CARBOXYLASE LARGE CHAIN




• Molecule 1: RIBULOSE BISPHTHOSPHATE CARBOXYLASE LARGE CHAIN




• Molecule 1: RIBULOSE BISPHTHOSPHATE CARBOXYLASE LARGE CHAIN








- Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN 1





- Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN 1




- Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN 1




- Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN 1




- Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN 1




- Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN 1



- Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN 1



● Molecule 2: RIBULOSE BISPHOSPHATE CARBOXYLASE SMALL CHAIN 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	129.91Å 196.63Å 201.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.50 14.99 – 1.50	Depositor EDS
% Data completeness (in resolution range)	95.7 (30.00-1.50) 95.8 (14.99-1.50)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.176 , 0.192 0.175 , 0.176	Depositor DCC
R_{free} test set	39010 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	16.7	Xtriage
Anisotropy	0.333	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 49.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.000 for -h,l,k	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	42413	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CAP, EDO, HYP, MME, SMC, KCX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	0/3743	0.65	0/5059
1	B	0.49	0/3743	0.64	0/5059
1	C	0.50	0/3735	0.64	0/5048
1	D	0.51	0/3747	0.65	2/5064 (0.0%)
1	E	0.50	0/3734	0.65	0/5047
1	F	0.51	0/3734	0.65	1/5047 (0.0%)
1	G	0.51	0/3734	0.66	0/5047
1	H	0.52	0/3758	0.65	0/5080
2	I	0.47	0/1184	0.60	0/1608
2	J	0.48	0/1197	0.62	0/1626
2	K	0.48	0/1210	0.62	0/1644
2	L	0.48	0/1217	0.62	0/1654
2	M	0.46	0/1218	0.62	0/1654
2	N	0.47	0/1212	0.60	0/1646
2	O	0.47	0/1213	0.62	0/1646
2	P	0.49	0/1210	0.61	0/1644
All	All	0.50	0/39589	0.64	3/53573 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	187	ARG	NE-CZ-NH2	5.26	122.93	120.30
1	D	187	ARG	NE-CZ-NH2	5.05	122.83	120.30
1	D	449	CYS	CA-CB-SG	5.05	123.08	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3658	0	3556	43	0
1	B	3658	0	3556	36	0
1	C	3655	0	3551	34	0
1	D	3656	0	3551	34	0
1	E	3648	0	3548	41	0
1	F	3648	0	3546	39	0
1	G	3648	0	3546	35	0
1	H	3664	0	3563	38	0
2	I	1147	0	1125	9	0
2	J	1155	0	1130	12	0
2	K	1162	0	1135	8	0
2	L	1163	0	1136	8	0
2	M	1164	0	1136	9	0
2	N	1163	0	1135	11	0
2	O	1158	0	1132	8	0
2	P	1162	0	1135	8	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	A	21	0	7	0	0
4	B	21	0	7	0	0
4	C	21	0	7	0	0
4	D	21	0	7	0	0
4	E	21	0	7	0	0
4	F	21	0	7	0	0
4	G	21	0	7	0	0
4	H	21	0	7	0	0
5	A	28	0	42	0	0
5	B	20	0	30	1	0
5	C	24	0	36	0	0
5	D	20	0	30	0	0
5	E	16	0	24	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	24	0	36	1	0
5	G	20	0	30	0	0
5	H	20	0	30	0	0
5	I	8	0	12	0	0
5	J	8	0	12	0	0
5	K	8	0	12	0	0
5	L	8	0	12	0	0
5	M	8	0	12	0	0
5	N	8	0	12	0	0
5	O	8	0	12	0	0
5	P	8	0	12	0	0
6	A	327	0	0	3	0
6	B	334	0	0	3	0
6	C	320	0	0	1	0
6	D	332	0	0	3	0
6	E	344	0	0	3	0
6	F	330	0	0	3	0
6	G	324	0	0	3	0
6	H	330	0	0	3	0
6	I	97	0	0	0	0
6	J	106	0	0	0	0
6	K	100	0	0	0	0
6	L	111	0	0	0	0
6	M	112	0	0	2	0
6	N	111	0	0	2	0
6	O	114	0	0	0	0
6	P	100	0	0	0	0
All	All	42413	0	37891	325	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 325 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:267:HIS:HD2	1:F:277:ASN:HD22	1.01	0.99
1:H:267:HIS:HD2	1:H:277:ASN:HD22	1.01	0.99
1:G:267:HIS:HD2	1:G:277:ASN:HD22	1.02	0.99
1:B:267:HIS:HD2	1:B:277:ASN:HD22	1.05	0.98
1:A:267:HIS:HD2	1:A:277:ASN:HD22	1.02	0.97

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	469/475 (99%)	456 (97%)	13 (3%)	0	100	100
1	B	469/475 (99%)	454 (97%)	14 (3%)	1 (0%)	49	24
1	C	468/475 (98%)	454 (97%)	14 (3%)	0	100	100
1	D	469/475 (99%)	456 (97%)	13 (3%)	0	100	100
1	E	467/475 (98%)	454 (97%)	13 (3%)	0	100	100
1	F	467/475 (98%)	454 (97%)	13 (3%)	0	100	100
1	G	467/475 (98%)	453 (97%)	14 (3%)	0	100	100
1	H	471/475 (99%)	458 (97%)	12 (2%)	1 (0%)	49	24
2	I	141/140 (101%)	136 (96%)	5 (4%)	0	100	100
2	J	142/140 (101%)	138 (97%)	4 (3%)	0	100	100
2	K	143/140 (102%)	138 (96%)	5 (4%)	0	100	100
2	L	144/140 (103%)	139 (96%)	5 (4%)	0	100	100
2	M	144/140 (103%)	137 (95%)	7 (5%)	0	100	100
2	N	143/140 (102%)	138 (96%)	5 (4%)	0	100	100
2	O	144/140 (103%)	139 (96%)	5 (4%)	0	100	100
2	P	143/140 (102%)	137 (96%)	6 (4%)	0	100	100
All	All	4891/4920 (99%)	4741 (97%)	148 (3%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	91	PRO
1	H	337	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	377/376 (100%)	372 (99%)	5 (1%)	71	47
1	B	377/376 (100%)	370 (98%)	7 (2%)	60	29
1	C	376/376 (100%)	372 (99%)	4 (1%)	76	55
1	D	378/376 (100%)	374 (99%)	4 (1%)	76	55
1	E	377/376 (100%)	373 (99%)	4 (1%)	76	55
1	F	377/376 (100%)	373 (99%)	4 (1%)	76	55
1	G	377/376 (100%)	371 (98%)	6 (2%)	65	38
1	H	379/376 (101%)	373 (98%)	6 (2%)	65	38
2	I	125/122 (102%)	122 (98%)	3 (2%)	52	20
2	J	126/122 (103%)	123 (98%)	3 (2%)	52	20
2	K	127/122 (104%)	125 (98%)	2 (2%)	65	38
2	L	128/122 (105%)	126 (98%)	2 (2%)	65	38
2	M	128/122 (105%)	125 (98%)	3 (2%)	53	22
2	N	127/122 (104%)	125 (98%)	2 (2%)	65	38
2	O	128/122 (105%)	126 (98%)	2 (2%)	65	38
2	P	127/122 (104%)	125 (98%)	2 (2%)	65	38
All	All	4034/3984 (101%)	3975 (98%)	59 (2%)	67	41

5 of 59 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	239	TYR
1	G	445	ILE
2	N	12	PHE
1	F	241	ASN
1	G	94[B]	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 127 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	304	GLN
1	H	153	HIS
2	O	9	ASN
1	F	401	GLN
1	G	241	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

48 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	HYP	A	104	1	7,8,9	0.90	0	5,10,12	1.05	0
1	HYP	A	151	1	7,8,9	0.69	0	5,10,12	1.46	1 (20%)
1	KCX	A	201	1,3	8,11,12	0.80	0	6,12,14	0.80	0
1	SMC	A	256	1	6,6,7	0.93	0	3,6,8	0.98	0
1	SMC	A	369	1	6,6,7	0.77	0	3,6,8	1.26	0
1	HYP	B	104	1	7,8,9	0.62	0	5,10,12	1.07	1 (20%)
1	HYP	B	151	1	7,8,9	0.54	0	5,10,12	1.71	1 (20%)
1	KCX	B	201	1,3	8,11,12	0.66	0	6,12,14	0.77	0
1	SMC	B	256	1	6,6,7	0.86	0	3,6,8	1.29	0
1	SMC	B	369	1	6,6,7	1.16	1 (16%)	3,6,8	1.62	1 (33%)
1	HYP	C	104	1	7,8,9	0.76	0	5,10,12	1.02	0
1	HYP	C	151	1	7,8,9	0.79	0	5,10,12	1.45	1 (20%)
1	KCX	C	201	1,3	8,11,12	0.98	0	6,12,14	0.83	0
1	SMC	C	256	1	6,6,7	0.94	0	3,6,8	1.16	0
1	SMC	C	369	1	6,6,7	0.98	0	3,6,8	1.30	0
1	HYP	D	104	1	7,8,9	0.92	0	5,10,12	1.02	1 (20%)
1	HYP	D	151	1	7,8,9	0.68	0	5,10,12	1.32	0
1	KCX	D	201	1,3	8,11,12	0.75	0	6,12,14	0.83	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	SMC	D	256	1	6,6,7	0.50	0	3,6,8	1.33	0
1	SMC	D	369	1	6,6,7	0.95	0	3,6,8	1.50	0
1	HYP	E	104	1	7,8,9	0.99	1 (14%)	5,10,12	1.04	1 (20%)
1	HYP	E	151	1	7,8,9	0.67	0	5,10,12	1.76	2 (40%)
1	KCX	E	201	1,3	8,11,12	0.71	0	6,12,14	0.92	0
1	SMC	E	256	1	6,6,7	0.84	0	3,6,8	1.14	0
1	SMC	E	369	1	6,6,7	0.93	0	3,6,8	0.87	0
1	HYP	F	104	1	7,8,9	0.67	0	5,10,12	1.11	0
1	HYP	F	151	1	7,8,9	0.62	0	5,10,12	1.49	1 (20%)
1	KCX	F	201	1,3	8,11,12	0.89	0	6,12,14	0.80	0
1	SMC	F	256	1	6,6,7	1.02	0	3,6,8	1.22	0
1	SMC	F	369	1	6,6,7	0.76	0	3,6,8	1.43	0
1	HYP	G	104	1	7,8,9	0.82	0	5,10,12	1.03	1 (20%)
1	HYP	G	151	1	7,8,9	0.61	0	5,10,12	1.36	1 (20%)
1	KCX	G	201	1,3	8,11,12	0.86	0	6,12,14	0.92	0
1	SMC	G	256	1	6,6,7	0.72	0	3,6,8	1.06	0
1	SMC	G	369	1	6,6,7	0.83	0	3,6,8	1.22	0
1	HYP	H	104	1	7,8,9	0.92	0	5,10,12	1.08	1 (20%)
1	HYP	H	151	1	7,8,9	0.63	0	5,10,12	1.39	1 (20%)
1	KCX	H	201	1,3	8,11,12	0.68	0	6,12,14	0.77	0
1	SMC	H	256	1	6,6,7	0.86	0	3,6,8	0.83	0
1	SMC	H	369	1	6,6,7	1.02	1 (16%)	3,6,8	1.05	0
2	MME	I	1	2	8,8,9	2.61	1 (12%)	7,8,10	1.29	1 (14%)
2	MME	J	1	2	8,8,9	2.62	1 (12%)	7,8,10	1.48	2 (28%)
2	MME	K	1	2	8,8,9	2.67	1 (12%)	7,8,10	1.34	1 (14%)
2	MME	L	1	2	8,8,9	2.64	1 (12%)	7,8,10	1.39	0
2	MME	M	1	2	8,8,9	2.57	1 (12%)	7,8,10	1.44	2 (28%)
2	MME	N	1	2	8,8,9	2.60	1 (12%)	7,8,10	1.53	2 (28%)
2	MME	O	1	2	8,8,9	2.60	1 (12%)	7,8,10	1.22	0
2	MME	P	1	2	8,8,9	2.61	1 (12%)	7,8,10	1.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	HYP	A	104	1	-	0/0/11/13	0/1/1/1
1	HYP	A	151	1	-	0/0/11/13	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	A	201	1,3	-	0/6/10/12	0/0/0/0
1	SMC	A	256	1	-	0/3/5/7	0/0/0/0
1	SMC	A	369	1	-	0/3/5/7	0/0/0/0
1	HYP	B	104	1	-	0/0/11/13	0/1/1/1
1	HYP	B	151	1	-	0/0/11/13	0/1/1/1
1	KCX	B	201	1,3	-	0/6/10/12	0/0/0/0
1	SMC	B	256	1	-	0/3/5/7	0/0/0/0
1	SMC	B	369	1	-	0/3/5/7	0/0/0/0
1	HYP	C	104	1	-	0/0/11/13	0/1/1/1
1	HYP	C	151	1	-	0/0/11/13	0/1/1/1
1	KCX	C	201	1,3	-	0/6/10/12	0/0/0/0
1	SMC	C	256	1	-	0/3/5/7	0/0/0/0
1	SMC	C	369	1	-	0/3/5/7	0/0/0/0
1	HYP	D	104	1	-	0/0/11/13	0/1/1/1
1	HYP	D	151	1	-	0/0/11/13	0/1/1/1
1	KCX	D	201	1,3	-	0/6/10/12	0/0/0/0
1	SMC	D	256	1	-	0/3/5/7	0/0/0/0
1	SMC	D	369	1	-	0/3/5/7	0/0/0/0
1	HYP	E	104	1	-	0/0/11/13	0/1/1/1
1	HYP	E	151	1	-	0/0/11/13	0/1/1/1
1	KCX	E	201	1,3	-	0/6/10/12	0/0/0/0
1	SMC	E	256	1	-	0/3/5/7	0/0/0/0
1	SMC	E	369	1	-	0/3/5/7	0/0/0/0
1	HYP	F	104	1	-	0/0/11/13	0/1/1/1
1	HYP	F	151	1	-	0/0/11/13	0/1/1/1
1	KCX	F	201	1,3	-	0/6/10/12	0/0/0/0
1	SMC	F	256	1	-	0/3/5/7	0/0/0/0
1	SMC	F	369	1	-	0/3/5/7	0/0/0/0
1	HYP	G	104	1	-	0/0/11/13	0/1/1/1
1	HYP	G	151	1	-	0/0/11/13	0/1/1/1
1	KCX	G	201	1,3	-	0/6/10/12	0/0/0/0
1	SMC	G	256	1	-	0/3/5/7	0/0/0/0
1	SMC	G	369	1	-	0/3/5/7	0/0/0/0
1	HYP	H	104	1	-	0/0/11/13	0/1/1/1
1	HYP	H	151	1	-	0/0/11/13	0/1/1/1
1	KCX	H	201	1,3	-	0/6/10/12	0/0/0/0
1	SMC	H	256	1	-	0/3/5/7	0/0/0/0
1	SMC	H	369	1	-	0/3/5/7	0/0/0/0
2	MME	I	1	2	-	0/4/8/10	0/0/0/0
2	MME	J	1	2	-	0/4/8/10	0/0/0/0
2	MME	K	1	2	-	0/4/8/10	0/0/0/0
2	MME	L	1	2	-	0/4/8/10	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MME	M	1	2	-	0/4/8/10	0/0/0/0
2	MME	N	1	2	-	0/4/8/10	0/0/0/0
2	MME	O	1	2	-	0/4/8/10	0/0/0/0
2	MME	P	1	2	-	0/4/8/10	0/0/0/0

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	K	1	MME	CM-N	-7.18	1.27	1.46
2	P	1	MME	CM-N	-7.14	1.27	1.46
2	L	1	MME	CM-N	-7.13	1.27	1.46
2	J	1	MME	CM-N	-7.07	1.27	1.46
2	O	1	MME	CM-N	-7.06	1.27	1.46

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	151	HYP	CB-CG-CD	-3.12	99.36	103.31
1	B	151	HYP	O-C-CA	-2.51	119.24	125.09
2	J	1	MME	CB-CA-C	-2.49	107.09	111.85
1	F	151	HYP	O-C-CA	-2.47	119.34	125.09
2	N	1	MME	CB-CA-C	-2.44	107.20	111.85

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	201	KCX	1	0
1	E	201	KCX	1	0
1	H	201	KCX	1	0

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 75 ligands modelled in this entry, 8 are monoatomic - leaving 67 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	CAP	A	1477	3	14,20,20	0.88	0	18,31,31	0.52	0
5	EDO	A	1478	-	3,3,3	0.52	0	2,2,2	0.21	0
5	EDO	A	1479	-	3,3,3	0.41	0	2,2,2	0.41	0
5	EDO	A	1480	-	3,3,3	0.53	0	2,2,2	0.32	0
5	EDO	A	1481	-	3,3,3	0.46	0	2,2,2	0.46	0
5	EDO	A	1482	-	3,3,3	0.50	0	2,2,2	0.20	0
5	EDO	A	1483	-	3,3,3	0.56	0	2,2,2	0.09	0
5	EDO	A	1484	-	3,3,3	0.49	0	2,2,2	0.31	0
4	CAP	B	1477	3	14,20,20	0.81	0	18,31,31	0.74	0
5	EDO	B	1478	-	3,3,3	0.51	0	2,2,2	0.34	0
5	EDO	B	1479	-	3,3,3	0.50	0	2,2,2	0.17	0
5	EDO	B	1480	-	3,3,3	0.56	0	2,2,2	0.34	0
5	EDO	B	1481	-	3,3,3	0.52	0	2,2,2	0.32	0
5	EDO	B	1482	-	3,3,3	0.50	0	2,2,2	0.38	0
4	CAP	C	1477	3	14,20,20	0.93	0	18,31,31	0.68	0
5	EDO	C	1478	-	3,3,3	0.69	0	2,2,2	0.14	0
5	EDO	C	1479	-	3,3,3	0.52	0	2,2,2	0.16	0
5	EDO	C	1480	-	3,3,3	0.53	0	2,2,2	0.33	0
5	EDO	C	1481	-	3,3,3	0.46	0	2,2,2	0.45	0
5	EDO	C	1482	-	3,3,3	0.48	0	2,2,2	0.34	0
5	EDO	C	1483	-	3,3,3	0.51	0	2,2,2	0.14	0
4	CAP	D	1477	3	14,20,20	0.94	0	18,31,31	0.70	0
5	EDO	D	1478	-	3,3,3	0.62	0	2,2,2	0.27	0
5	EDO	D	1479	-	3,3,3	0.46	0	2,2,2	0.19	0
5	EDO	D	1480	-	3,3,3	0.53	0	2,2,2	0.35	0
5	EDO	D	1481	-	3,3,3	0.53	0	2,2,2	0.22	0
5	EDO	D	1482	-	3,3,3	0.48	0	2,2,2	0.30	0
4	CAP	E	1477	3	14,20,20	0.87	0	18,31,31	0.59	0
5	EDO	E	1478	-	3,3,3	0.69	0	2,2,2	0.10	0
5	EDO	E	1479	-	3,3,3	0.57	0	2,2,2	0.18	0
5	EDO	E	1480	-	3,3,3	0.63	0	2,2,2	0.15	0
5	EDO	E	1481	-	3,3,3	0.48	0	2,2,2	0.32	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CAP	F	1477	3	14,20,20	0.69	0	18,31,31	0.66	0
5	EDO	F	1478	-	3,3,3	0.55	0	2,2,2	0.18	0
5	EDO	F	1479	-	3,3,3	0.62	0	2,2,2	0.12	0
5	EDO	F	1480	-	3,3,3	0.52	0	2,2,2	0.08	0
5	EDO	F	1481	-	3,3,3	0.57	0	2,2,2	0.31	0
5	EDO	F	1482	-	3,3,3	0.43	0	2,2,2	0.49	0
5	EDO	F	1483	-	3,3,3	0.46	0	2,2,2	0.31	0
4	CAP	G	1477	3	14,20,20	0.99	1 (7%)	18,31,31	0.52	0
5	EDO	G	1478	-	3,3,3	0.66	0	2,2,2	0.20	0
5	EDO	G	1479	-	3,3,3	0.58	0	2,2,2	0.17	0
5	EDO	G	1480	-	3,3,3	0.60	0	2,2,2	0.20	0
5	EDO	G	1481	-	3,3,3	0.48	0	2,2,2	0.43	0
5	EDO	G	1482	-	3,3,3	0.48	0	2,2,2	0.34	0
4	CAP	H	1477	3	14,20,20	0.96	0	18,31,31	0.92	1 (5%)
5	EDO	H	1478	-	3,3,3	0.47	0	2,2,2	0.12	0
5	EDO	H	1479	-	3,3,3	0.69	0	2,2,2	0.11	0
5	EDO	H	1480	-	3,3,3	0.47	0	2,2,2	0.31	0
5	EDO	H	1481	-	3,3,3	0.53	0	2,2,2	0.30	0
5	EDO	H	1482	-	3,3,3	0.56	0	2,2,2	0.24	0
5	EDO	I	1141	-	3,3,3	0.52	0	2,2,2	0.27	0
5	EDO	I	1142	-	3,3,3	0.48	0	2,2,2	0.41	0
5	EDO	J	1141	-	3,3,3	0.51	0	2,2,2	0.22	0
5	EDO	J	1142	-	3,3,3	0.44	0	2,2,2	0.54	0
5	EDO	K	1141	-	3,3,3	0.51	0	2,2,2	0.25	0
5	EDO	K	1142	-	3,3,3	0.48	0	2,2,2	0.39	0
5	EDO	L	1141	-	3,3,3	0.54	0	2,2,2	0.17	0
5	EDO	L	1142	-	3,3,3	0.48	0	2,2,2	0.44	0
5	EDO	M	1141	-	3,3,3	0.50	0	2,2,2	0.34	0
5	EDO	M	1142	-	3,3,3	0.45	0	2,2,2	0.55	0
5	EDO	N	1141	-	3,3,3	0.48	0	2,2,2	0.38	0
5	EDO	N	1142	-	3,3,3	0.48	0	2,2,2	0.40	0
5	EDO	O	1141	-	3,3,3	0.50	0	2,2,2	0.36	0
5	EDO	O	1142	-	3,3,3	0.47	0	2,2,2	0.45	0
5	EDO	P	1141	-	3,3,3	0.50	0	2,2,2	0.26	0
5	EDO	P	1142	-	3,3,3	0.44	0	2,2,2	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CAP	A	1477	3	-	0/23/29/29	0/0/0/0
5	EDO	A	1478	-	-	0/1/1/1	0/0/0/0
5	EDO	A	1479	-	-	0/1/1/1	0/0/0/0
5	EDO	A	1480	-	-	0/1/1/1	0/0/0/0
5	EDO	A	1481	-	-	0/1/1/1	0/0/0/0
5	EDO	A	1482	-	-	0/1/1/1	0/0/0/0
5	EDO	A	1483	-	-	0/1/1/1	0/0/0/0
5	EDO	A	1484	-	-	0/1/1/1	0/0/0/0
4	CAP	B	1477	3	-	0/23/29/29	0/0/0/0
5	EDO	B	1478	-	-	0/1/1/1	0/0/0/0
5	EDO	B	1479	-	-	0/1/1/1	0/0/0/0
5	EDO	B	1480	-	-	0/1/1/1	0/0/0/0
5	EDO	B	1481	-	-	0/1/1/1	0/0/0/0
5	EDO	B	1482	-	-	0/1/1/1	0/0/0/0
4	CAP	C	1477	3	-	0/23/29/29	0/0/0/0
5	EDO	C	1478	-	-	0/1/1/1	0/0/0/0
5	EDO	C	1479	-	-	0/1/1/1	0/0/0/0
5	EDO	C	1480	-	-	0/1/1/1	0/0/0/0
5	EDO	C	1481	-	-	0/1/1/1	0/0/0/0
5	EDO	C	1482	-	-	0/1/1/1	0/0/0/0
5	EDO	C	1483	-	-	0/1/1/1	0/0/0/0
4	CAP	D	1477	3	-	0/23/29/29	0/0/0/0
5	EDO	D	1478	-	-	0/1/1/1	0/0/0/0
5	EDO	D	1479	-	-	0/1/1/1	0/0/0/0
5	EDO	D	1480	-	-	0/1/1/1	0/0/0/0
5	EDO	D	1481	-	-	0/1/1/1	0/0/0/0
5	EDO	D	1482	-	-	0/1/1/1	0/0/0/0
4	CAP	E	1477	3	-	0/23/29/29	0/0/0/0
5	EDO	E	1478	-	-	0/1/1/1	0/0/0/0
5	EDO	E	1479	-	-	0/1/1/1	0/0/0/0
5	EDO	E	1480	-	-	0/1/1/1	0/0/0/0
5	EDO	E	1481	-	-	0/1/1/1	0/0/0/0
4	CAP	F	1477	3	-	0/23/29/29	0/0/0/0
5	EDO	F	1478	-	-	0/1/1/1	0/0/0/0
5	EDO	F	1479	-	-	0/1/1/1	0/0/0/0
5	EDO	F	1480	-	-	0/1/1/1	0/0/0/0
5	EDO	F	1481	-	-	0/1/1/1	0/0/0/0
5	EDO	F	1482	-	-	0/1/1/1	0/0/0/0
5	EDO	F	1483	-	-	0/1/1/1	0/0/0/0
4	CAP	G	1477	3	-	0/23/29/29	0/0/0/0
5	EDO	G	1478	-	-	0/1/1/1	0/0/0/0
5	EDO	G	1479	-	-	0/1/1/1	0/0/0/0
5	EDO	G	1480	-	-	0/1/1/1	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	G	1481	-	-	0/1/1/1	0/0/0/0
5	EDO	G	1482	-	-	0/1/1/1	0/0/0/0
4	CAP	H	1477	3	-	0/23/29/29	0/0/0/0
5	EDO	H	1478	-	-	0/1/1/1	0/0/0/0
5	EDO	H	1479	-	-	0/1/1/1	0/0/0/0
5	EDO	H	1480	-	-	0/1/1/1	0/0/0/0
5	EDO	H	1481	-	-	0/1/1/1	0/0/0/0
5	EDO	H	1482	-	-	0/1/1/1	0/0/0/0
5	EDO	I	1141	-	-	0/1/1/1	0/0/0/0
5	EDO	I	1142	-	-	0/1/1/1	0/0/0/0
5	EDO	J	1141	-	-	0/1/1/1	0/0/0/0
5	EDO	J	1142	-	-	0/1/1/1	0/0/0/0
5	EDO	K	1141	-	-	0/1/1/1	0/0/0/0
5	EDO	K	1142	-	-	0/1/1/1	0/0/0/0
5	EDO	L	1141	-	-	0/1/1/1	0/0/0/0
5	EDO	L	1142	-	-	0/1/1/1	0/0/0/0
5	EDO	M	1141	-	-	0/1/1/1	0/0/0/0
5	EDO	M	1142	-	-	0/1/1/1	0/0/0/0
5	EDO	N	1141	-	-	0/1/1/1	0/0/0/0
5	EDO	N	1142	-	-	0/1/1/1	0/0/0/0
5	EDO	O	1141	-	-	0/1/1/1	0/0/0/0
5	EDO	O	1142	-	-	0/1/1/1	0/0/0/0
5	EDO	P	1141	-	-	0/1/1/1	0/0/0/0
5	EDO	P	1142	-	-	0/1/1/1	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	1477	CAP	O2-C2	2.17	1.46	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	1477	CAP	O4-C4-C5	-2.50	104.44	110.02

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	1482	EDO	1	0
5	F	1483	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	462/475 (97%)	-0.10	14 (3%)	50	56	10, 15, 28, 40	0
1	B	462/475 (97%)	-0.09	17 (3%)	41	46	10, 15, 28, 40	0
1	C	462/475 (97%)	-0.12	20 (4%)	35	39	10, 16, 28, 41	0
1	D	461/475 (97%)	-0.11	14 (3%)	50	56	11, 16, 27, 40	0
1	E	460/475 (96%)	-0.17	10 (2%)	62	67	10, 15, 28, 41	0
1	F	460/475 (96%)	-0.16	14 (3%)	50	56	11, 16, 28, 39	0
1	G	460/475 (96%)	-0.10	14 (3%)	50	56	10, 15, 28, 41	0
1	H	462/475 (97%)	-0.06	18 (3%)	39	44	10, 16, 28, 40	0
2	I	139/140 (99%)	0.35	15 (10%)	6	6	14, 21, 32, 36	0
2	J	139/140 (99%)	0.26	12 (8%)	10	11	14, 20, 33, 36	0
2	K	139/140 (99%)	0.31	14 (10%)	7	7	14, 21, 33, 37	0
2	L	139/140 (99%)	0.18	10 (7%)	15	16	14, 21, 32, 35	0
2	M	139/140 (99%)	0.17	9 (6%)	19	20	13, 20, 33, 35	0
2	N	139/140 (99%)	0.25	11 (7%)	12	13	14, 21, 33, 36	0
2	O	139/140 (99%)	0.19	12 (8%)	10	11	14, 20, 33, 36	0
2	P	139/140 (99%)	0.55	18 (12%)	3	3	14, 21, 33, 37	0
All	All	4801/4920 (97%)	-0.02	222 (4%)	32	36	10, 17, 30, 41	0

The worst 5 of 222 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	475	LEU	10.7
1	D	10	GLY	9.3
2	P	136	ASN	9.0
1	H	9	ALA	8.7
1	D	475	LEU	7.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MME	J	1	9/10	0.85	0.21	27,29,37,38	0
2	MME	N	1	9/10	0.85	0.19	27,28,36,37	0
2	MME	O	1	9/10	0.86	0.20	27,29,37,37	0
2	MME	M	1	9/10	0.86	0.14	26,28,36,36	0
2	MME	I	1	9/10	0.86	0.15	27,28,36,36	0
2	MME	P	1	9/10	0.87	0.17	27,28,35,36	0
2	MME	K	1	9/10	0.89	0.14	27,28,36,37	0
2	MME	L	1	9/10	0.90	0.16	26,28,35,35	0
1	HYP	H	104	8/9	0.96	0.07	13,13,14,15	0
1	HYP	C	151	8/9	0.96	0.06	12,12,13,14	0
1	SMC	A	369	7/8	0.96	0.07	15,16,20,21	0
1	SMC	D	369	7/8	0.96	0.07	15,16,20,22	0
1	KCX	E	201	12/13	0.97	0.07	12,14,15,15	0
1	KCX	A	201	12/13	0.97	0.07	12,13,14,14	0
1	KCX	G	201	12/13	0.97	0.08	12,12,13,13	0
1	HYP	E	104	8/9	0.97	0.06	12,12,13,15	0
1	HYP	G	104	8/9	0.97	0.06	13,13,14,16	0
1	HYP	F	104	8/9	0.97	0.08	13,13,15,16	0
1	HYP	C	104	8/9	0.97	0.06	13,14,14,15	0
1	SMC	B	369	7/8	0.97	0.07	15,16,20,23	0
1	HYP	D	104	8/9	0.97	0.06	13,13,14,16	0
1	KCX	F	201	12/13	0.97	0.07	12,13,14,15	0
1	HYP	D	151	8/9	0.97	0.05	12,12,12,13	0
1	KCX	C	201	12/13	0.97	0.08	13,13,15,15	0
1	SMC	F	369	7/8	0.97	0.07	15,16,20,22	0
1	KCX	H	201	12/13	0.97	0.08	12,12,14,16	0
1	HYP	B	104	8/9	0.97	0.07	12,13,13,15	0
1	HYP	F	151	8/9	0.97	0.07	12,13,13,13	0
1	SMC	C	369	7/8	0.97	0.07	15,16,20,21	0
1	SMC	E	369	7/8	0.98	0.05	15,15,20,21	0
1	KCX	B	201	12/13	0.98	0.07	12,13,13,15	0
1	SMC	G	369	7/8	0.98	0.05	14,15,19,22	0
1	HYP	H	151	8/9	0.98	0.07	12,12,12,12	0
1	KCX	D	201	12/13	0.98	0.07	12,13,14,15	0
1	HYP	E	151	8/9	0.98	0.06	11,12,12,12	0
1	HYP	A	104	8/9	0.98	0.06	13,13,14,15	0
1	HYP	B	151	8/9	0.98	0.07	12,12,12,13	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	HYP	A	151	8/9	0.98	0.07	12,12,12,12	0
1	SMC	H	369	7/8	0.98	0.06	15,16,20,20	0
1	SMC	D	256	7/8	0.99	0.06	11,11,12,13	0
1	SMC	G	256	7/8	0.99	0.05	10,11,12,13	0
1	SMC	B	256	7/8	0.99	0.06	10,11,12,13	0
1	HYP	G	151	8/9	0.99	0.05	12,12,12,13	0
1	SMC	C	256	7/8	0.99	0.06	10,11,13,13	0
1	SMC	H	256	7/8	0.99	0.06	10,11,12,13	0
1	SMC	A	256	7/8	0.99	0.06	11,11,12,14	0
1	SMC	F	256	7/8	0.99	0.05	10,11,12,15	0
1	SMC	E	256	7/8	0.99	0.07	11,11,12,13	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	EDO	G	1480	4/4	0.59	0.22	37,38,38,39	0
5	EDO	F	1481	4/4	0.61	0.16	37,38,38,38	0
5	EDO	N	1142	4/4	0.62	0.23	34,36,37,40	0
5	EDO	A	1480	4/4	0.62	0.17	40,40,41,41	0
5	EDO	B	1480	4/4	0.63	0.15	37,37,37,37	0
5	EDO	D	1480	4/4	0.64	0.15	43,43,43,43	0
5	EDO	I	1142	4/4	0.71	0.19	39,40,41,43	0
5	EDO	A	1484	4/4	0.73	0.23	53,53,54,54	0
5	EDO	C	1482	4/4	0.73	0.20	50,51,51,51	0
5	EDO	E	1480	4/4	0.75	0.17	33,34,34,34	0
5	EDO	B	1482	4/4	0.76	0.25	40,42,43,44	0
5	EDO	C	1480	4/4	0.76	0.16	34,34,35,35	0
5	EDO	A	1482	4/4	0.78	0.23	34,38,38,40	0
5	EDO	M	1142	4/4	0.79	0.15	29,31,32,35	0
5	EDO	G	1482	4/4	0.81	0.14	43,43,43,43	0
5	EDO	H	1481	4/4	0.81	0.13	35,36,36,37	0
5	EDO	D	1482	4/4	0.82	0.15	57,58,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	EDO	H	1482	4/4	0.82	0.20	33,33,34,34	0
5	EDO	G	1479	4/4	0.82	0.13	27,27,28,29	0
5	EDO	O	1141	4/4	0.83	0.15	32,32,33,34	0
5	EDO	J	1142	4/4	0.83	0.17	35,37,38,39	0
5	EDO	L	1141	4/4	0.83	0.17	30,31,31,32	0
5	EDO	O	1142	4/4	0.83	0.15	33,35,36,38	0
5	EDO	J	1141	4/4	0.83	0.15	32,32,33,33	0
5	EDO	I	1141	4/4	0.84	0.17	31,31,33,33	0
5	EDO	L	1142	4/4	0.85	0.15	31,33,35,37	0
5	EDO	N	1141	4/4	0.85	0.13	32,33,33,34	0
5	EDO	M	1141	4/4	0.85	0.21	31,31,32,32	0
5	EDO	K	1141	4/4	0.85	0.17	32,32,34,34	0
5	EDO	F	1483	4/4	0.87	0.21	35,38,38,40	0
5	EDO	P	1141	4/4	0.88	0.11	34,34,35,36	0
5	EDO	P	1142	4/4	0.88	0.16	29,31,33,36	0
5	EDO	B	1481	4/4	0.89	0.13	28,29,29,29	0
5	EDO	A	1479	4/4	0.91	0.10	23,23,23,24	0
5	EDO	D	1478	4/4	0.92	0.11	21,21,22,23	0
5	EDO	K	1142	4/4	0.92	0.15	33,34,35,35	0
5	EDO	E	1478	4/4	0.92	0.12	19,20,22,23	0
5	EDO	F	1479	4/4	0.92	0.09	20,20,22,23	0
5	EDO	C	1478	4/4	0.93	0.11	20,21,22,22	0
5	EDO	B	1478	4/4	0.93	0.12	18,19,20,22	0
5	EDO	G	1478	4/4	0.93	0.10	20,20,22,23	0
5	EDO	H	1479	4/4	0.93	0.10	18,18,20,21	0
5	EDO	A	1481	4/4	0.94	0.10	25,25,25,25	0
5	EDO	G	1481	4/4	0.94	0.15	24,25,26,27	0
5	EDO	E	1479	4/4	0.94	0.09	22,23,23,23	0
5	EDO	B	1479	4/4	0.94	0.09	24,24,25,25	0
5	EDO	C	1483	4/4	0.94	0.06	20,21,22,23	0
5	EDO	F	1482	4/4	0.95	0.13	26,26,26,27	0
5	EDO	C	1479	4/4	0.95	0.12	24,25,25,28	0
5	EDO	F	1480	4/4	0.95	0.08	25,26,26,26	0
5	EDO	A	1478	4/4	0.95	0.08	18,20,21,21	0
5	EDO	E	1481	4/4	0.96	0.11	25,26,27,28	0
5	EDO	A	1483	4/4	0.96	0.07	19,19,19,20	0
5	EDO	D	1479	4/4	0.96	0.10	25,27,27,27	0
5	EDO	C	1481	4/4	0.96	0.09	30,31,31,31	0
5	EDO	H	1480	4/4	0.96	0.10	25,25,26,27	0
5	EDO	D	1481	4/4	0.97	0.09	25,25,25,26	0
5	EDO	F	1478	4/4	0.97	0.06	19,21,21,21	0
4	CAP	D	1477	21/21	0.98	0.06	13,14,15,19	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	CAP	A	1477	21/21	0.98	0.05	13,14,15,19	0
4	CAP	C	1477	21/21	0.98	0.06	14,15,17,20	0
4	CAP	E	1477	21/21	0.98	0.06	13,14,15,20	0
3	MG	F	1476	1/1	0.98	0.05	13,13,13,13	0
4	CAP	H	1477	21/21	0.98	0.06	14,14,16,19	0
4	CAP	F	1477	21/21	0.98	0.06	13,15,17,21	0
5	EDO	H	1478	4/4	0.98	0.05	20,20,21,21	0
3	MG	H	1476	1/1	0.99	0.03	13,13,13,13	0
3	MG	C	1476	1/1	0.99	0.04	13,13,13,13	0
3	MG	D	1476	1/1	0.99	0.04	13,13,13,13	0
4	CAP	G	1477	21/21	0.99	0.05	12,14,16,19	0
4	CAP	B	1477	21/21	0.99	0.05	14,14,16,20	0
3	MG	A	1476	1/1	1.00	0.02	13,13,13,13	0
3	MG	B	1476	1/1	1.00	0.04	13,13,13,13	0
3	MG	E	1476	1/1	1.00	0.03	13,13,13,13	0
3	MG	G	1476	1/1	1.00	0.04	12,12,12,12	0

6.5 Other polymers [i](#)

There are no such residues in this entry.