



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2018 – 12:11 pm GMT

PDB ID : 1VCN  
Title : Crystal Structure of T.th. HB8 CTP synthetase complex with Sulfate anion  
Authors : Goto, M.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)  
Deposited on : 2004-03-10  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk31020  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk31020


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1178 (2.26-2.26)
Clashscore	122126	1286 (2.26-2.26)
Ramachandran outliers	120053	1253 (2.26-2.26)
Sidechain outliers	120020	1254 (2.26-2.26)
RSRZ outliers	108989	1158 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	550	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4133 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CTP synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	506	Total	C	N	O	S	0	0	0
			3862	2476	678	701	7			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	256	Total 256	O 256	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: CTP synthetase



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.41Å 117.10Å 142.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.25 19.91 – 2.25	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-2.25) 99.2 (19.91-2.25)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.43 (at 2.26Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.248 , 0.292 0.255 , 0.298	Depositor DCC
$R_{free}$ test set	3577 reflections (9.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	42.0	Xtriage
Anisotropy	0.359	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 54.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4133	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.38	0/3938	0.68	4/5345 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	513	HIS	N-CA-CB	-13.10	87.03	110.60
1	A	512	ASP	N-CA-C	11.14	141.08	111.00
1	A	512	ASP	CB-CA-C	-8.25	93.90	110.40
1	A	513	HIS	N-CA-C	-5.01	97.46	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3862	0	3863	171	0
2	A	15	0	0	0	0
3	A	256	0	0	5	0
All	All	4133	0	3863	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:512:ASP:O	1:A:512:ASP:OD2	1.63	1.17
1:A:222:ARG:HH22	1:A:251:THR:HG22	1.17	1.08
1:A:370:ILE:HD11	1:A:396:ILE:HD11	1.37	1.04
1:A:368:ARG:HD3	1:A:368:ARG:H	1.22	1.00
1:A:469:HIS:HD2	1:A:471:HIS:HE1	1.13	0.96
1:A:513:HIS:HD2	1:A:515:PHE:H	1.10	0.96
1:A:512:ASP:O	1:A:512:ASP:CG	2.02	0.94
1:A:210:ARG:HD3	3:A:728:HOH:O	1.68	0.92
1:A:308:LYS:HD2	1:A:308:LYS:H	1.35	0.88
1:A:447:PRO:O	1:A:494:THR:HG22	1.75	0.87
1:A:534:PRO:HG2	1:A:535:PRO:HD3	1.56	0.87
1:A:469:HIS:HD2	1:A:471:HIS:CE1	1.96	0.84
1:A:368:ARG:HD3	1:A:368:ARG:N	1.92	0.83
1:A:260:LEU:HD21	1:A:287:TRP:HB3	1.62	0.81
1:A:222:ARG:NH2	1:A:251:THR:HG22	1.97	0.74
1:A:496:GLY:HA2	1:A:502:ALA:HB3	1.68	0.74
1:A:181:LEU:HD22	1:A:183:LEU:HD12	1.72	0.71
1:A:513:HIS:CD2	1:A:515:PHE:H	2.02	0.71
1:A:408:LEU:HB3	1:A:422:HIS:ND1	2.08	0.69
1:A:222:ARG:HH12	1:A:251:THR:HG23	1.57	0.69
1:A:232:ARG:HG2	1:A:246:VAL:HG12	1.75	0.68
1:A:395:GLN:HE21	1:A:520:GLN:HE22	1.42	0.68
1:A:502:ALA:HB1	1:A:504:LEU:HD23	1.77	0.66
1:A:476:ASN:HD22	1:A:477:PRO:N	1.93	0.66
1:A:424:VAL:HG23	1:A:425:ILE:CD1	2.26	0.65
1:A:301:VAL:CG1	1:A:544:LEU:HD23	2.25	0.65
1:A:469:HIS:CD2	1:A:471:HIS:HE1	2.05	0.65
1:A:401:PHE:CE2	1:A:488:LEU:HB2	2.32	0.65
1:A:424:VAL:C	1:A:425:ILE:HD12	2.18	0.64
1:A:456:LEU:HD23	1:A:517:LEU:HD11	1.78	0.64
1:A:494:THR:HG23	1:A:506:GLU:CG	2.27	0.63
1:A:524:GLU:HG3	1:A:536:PHE:CZ	2.33	0.63
1:A:76:ALA:HB2	1:A:95:ARG:HB3	1.81	0.63
1:A:117:TYR:O	1:A:120:GLN:HG3	2.00	0.62
1:A:450:ILE:HG13	1:A:456:LEU:CD1	2.30	0.62
1:A:472:ARG:HD3	3:A:878:HOH:O	2.00	0.62
1:A:496:GLY:HA3	1:A:502:ALA:H	1.64	0.62
1:A:476:ASN:HD22	1:A:477:PRO:CD	2.13	0.62
1:A:378:GLN:HB2	1:A:400:GLU:OE1	2.00	0.61
1:A:427:LEU:HD11	1:A:472:ARG:HG2	1.83	0.60

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:135:ARG:O	1:A:139:VAL:HG23	2.00	0.60
1:A:112:GLU:OE2	1:A:113:ARG:HD2	2.01	0.60
1:A:135:ARG:NH1	1:A:135:ARG:HG3	2.16	0.60
1:A:497:MET:H	1:A:501:GLY:HA3	1.67	0.60
1:A:356:VAL:HG22	1:A:358:GLY:H	1.68	0.59
1:A:159:ILE:HA	1:A:162:LEU:HD22	1.84	0.59
1:A:181:LEU:HD22	1:A:183:LEU:CD1	2.33	0.58
1:A:359:ILE:HD12	1:A:380:ALA:HB2	1.85	0.58
1:A:481:ASP:O	1:A:485:ARG:HG3	2.04	0.58
1:A:112:GLU:OE2	1:A:113:ARG:CD	2.52	0.58
1:A:424:VAL:HG23	1:A:425:ILE:HD13	1.85	0.58
1:A:308:LYS:H	1:A:308:LYS:CD	2.11	0.57
1:A:427:LEU:CD1	1:A:472:ARG:HG2	2.33	0.57
1:A:135:ARG:HG3	1:A:135:ARG:HH11	1.70	0.57
1:A:301:VAL:HG11	1:A:544:LEU:HD23	1.85	0.57
1:A:96:GLY:O	1:A:139:VAL:HG21	2.04	0.57
1:A:484:GLU:HG2	1:A:488:LEU:O	2.06	0.56
1:A:394:LEU:C	1:A:394:LEU:HD23	2.25	0.56
1:A:427:LEU:HD13	1:A:473:TYR:CE1	2.41	0.56
1:A:296:HIS:O	1:A:296:HIS:ND1	2.38	0.55
1:A:222:ARG:HD2	1:A:249:SER:O	2.06	0.55
1:A:353:PHE:O	1:A:356:VAL:HG12	2.07	0.55
1:A:467:GLU:OE1	1:A:467:GLU:HA	2.07	0.55
1:A:209:LEU:HD22	1:A:214:ILE:HB	1.89	0.54
1:A:534:PRO:CG	1:A:535:PRO:HD3	2.33	0.54
1:A:476:ASN:HD22	1:A:477:PRO:HD2	1.71	0.54
1:A:450:ILE:HG21	1:A:457:HIS:HA	1.89	0.54
1:A:200:LYS:HB3	1:A:201:PRO:HD3	1.90	0.54
1:A:476:ASN:C	1:A:476:ASN:HD22	2.07	0.54
1:A:476:ASN:ND2	1:A:477:PRO:HD2	2.23	0.54
1:A:394:LEU:HD12	1:A:518:GLY:C	2.28	0.54
1:A:504:LEU:N	1:A:504:LEU:HD22	2.23	0.53
1:A:181:LEU:HD23	1:A:182:TYR:N	2.23	0.53
1:A:222:ARG:HH12	1:A:251:THR:CG2	2.22	0.53
1:A:368:ARG:HG2	1:A:368:ARG:O	2.09	0.53
1:A:27:LYS:CG	1:A:185:LEU:HD23	2.40	0.52
1:A:301:VAL:HG13	1:A:544:LEU:HD23	1.91	0.52
1:A:370:ILE:CD1	1:A:396:ILE:HD11	2.26	0.52
1:A:469:HIS:CD2	1:A:471:HIS:CE1	2.87	0.52
1:A:260:LEU:HD21	1:A:287:TRP:CB	2.36	0.52
1:A:402:ALA:HA	1:A:406:ALA:HB3	1.91	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:183:LEU:HG	1:A:218:ILE:HB	1.90	0.52
1:A:368:ARG:CD	1:A:368:ARG:N	2.69	0.52
1:A:415:GLU:HB2	1:A:473:TYR:CZ	2.44	0.52
1:A:27:LYS:HG3	1:A:185:LEU:HD23	1.90	0.52
1:A:346:ALA:C	1:A:348:ASP:H	2.12	0.51
1:A:367:VAL:HB	1:A:368:ARG:HD3	1.91	0.51
1:A:496:GLY:CA	1:A:502:ALA:H	2.24	0.51
1:A:45:VAL:HG12	1:A:46:THR:N	2.26	0.51
1:A:448:MET:HE2	1:A:506:GLU:HB3	1.93	0.51
1:A:194:SER:HB2	1:A:196:GLU:HG2	1.93	0.51
1:A:370:ILE:HD13	1:A:392:LEU:HD21	1.92	0.51
1:A:506:GLU:HA	1:A:506:GLU:OE2	2.11	0.51
1:A:51:ASP:O	1:A:100:THR:HA	2.11	0.51
1:A:442:ARG:HD3	1:A:474:GLU:OE1	2.11	0.50
1:A:27:LYS:HB3	1:A:151:GLU:OE2	2.10	0.50
1:A:508:ILE:C	1:A:508:ILE:HD12	2.32	0.50
1:A:494:THR:HG23	1:A:506:GLU:HG3	1.93	0.50
1:A:446:TRP:HB2	1:A:469:HIS:CE1	2.46	0.50
1:A:233:ARG:HG2	3:A:683:HOH:O	2.12	0.49
1:A:263:GLU:HG2	1:A:284:LEU:HD11	1.93	0.49
1:A:90:ASP:HA	1:A:528:ARG:HD3	1.93	0.49
1:A:192:GLU:OE1	1:A:192:GLU:HA	2.13	0.48
1:A:349:LEU:HD12	1:A:349:LEU:N	2.28	0.48
1:A:427:LEU:HD13	1:A:473:TYR:CZ	2.48	0.48
1:A:494:THR:O	1:A:503:GLY:HA2	2.13	0.48
1:A:220:VAL:CG1	1:A:249:SER:HB2	2.44	0.47
1:A:424:VAL:HG23	1:A:425:ILE:HD12	1.97	0.47
1:A:450:ILE:HG13	1:A:456:LEU:HD12	1.96	0.47
1:A:412:ASN:OD1	1:A:413:SER:N	2.47	0.47
1:A:496:GLY:HA2	1:A:502:ALA:CB	2.40	0.47
1:A:166:GLU:O	1:A:170:GLN:HG3	2.15	0.46
1:A:529:PRO:HG2	3:A:737:HOH:O	2.14	0.46
1:A:536:PHE:O	1:A:540:VAL:HG23	2.15	0.46
1:A:21:VAL:HG12	1:A:22:VAL:HG13	1.98	0.46
1:A:123:GLN:HA	1:A:123:GLN:HE21	1.80	0.46
1:A:32:SER:HB3	1:A:88:PHE:CG	2.51	0.46
1:A:455:LEU:HD11	1:A:515:PHE:CE1	2.50	0.46
1:A:139:VAL:O	1:A:143:GLN:HG3	2.16	0.46
1:A:450:ILE:N	1:A:450:ILE:HD12	2.30	0.46
1:A:532:PRO:HB2	1:A:537:VAL:CG2	2.46	0.46
1:A:395:GLN:O	1:A:399:ILE:HG13	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:326:ALA:CB	1:A:540:VAL:HG21	2.46	0.45
1:A:360:LEU:HD23	1:A:360:LEU:C	2.37	0.45
1:A:502:ALA:CB	1:A:504:LEU:HD23	2.45	0.45
1:A:442:ARG:CD	1:A:474:GLU:OE1	2.65	0.45
1:A:142:GLU:HG3	3:A:847:HOH:O	2.16	0.45
1:A:442:ARG:NH2	1:A:506:GLU:OE1	2.43	0.45
1:A:54:VAL:HG12	1:A:54:VAL:O	2.16	0.45
1:A:447:PRO:HA	1:A:466:LEU:HD23	1.98	0.44
1:A:492:ALA:HB3	1:A:507:ALA:HB3	1.99	0.44
1:A:469:HIS:CE1	1:A:521:SER:HB3	2.52	0.44
1:A:379:TYR:CE1	1:A:383:ARG:HG3	2.52	0.44
1:A:349:LEU:O	1:A:350:ASP:C	2.55	0.44
1:A:455:LEU:HB3	1:A:509:GLU:OE1	2.18	0.44
1:A:427:LEU:O	1:A:428:MET:HB3	2.18	0.44
1:A:330:ASN:O	1:A:331:ARG:C	2.56	0.43
1:A:479:TYR:O	1:A:483:LEU:HG	2.18	0.43
1:A:346:ALA:O	1:A:348:ASP:N	2.52	0.43
1:A:508:ILE:O	1:A:508:ILE:HD12	2.19	0.43
1:A:527:SER:HB2	1:A:533:SER:HB2	2.01	0.43
1:A:524:GLU:HG3	1:A:536:PHE:HZ	1.81	0.43
1:A:519:LEU:HD12	1:A:519:LEU:N	2.34	0.43
1:A:300:THR:O	1:A:300:THR:HG23	2.19	0.43
1:A:191:LEU:O	1:A:195:GLU:N	2.52	0.42
1:A:258:VAL:O	1:A:261:LEU:HG	2.19	0.42
1:A:122:VAL:HG13	1:A:127:HIS:CG	2.54	0.42
1:A:112:GLU:OE2	1:A:113:ARG:HD3	2.20	0.42
1:A:460:TYR:CZ	1:A:534:PRO:HG2	2.55	0.42
1:A:443:LEU:HA	1:A:469:HIS:O	2.20	0.42
1:A:455:LEU:HD22	1:A:455:LEU:O	2.20	0.41
1:A:132:ILE:HD13	1:A:164:PHE:CD1	2.55	0.41
1:A:256:TYR:O	1:A:260:LEU:HD23	2.20	0.41
1:A:181:LEU:HD23	1:A:217:ASP:HB2	2.02	0.41
1:A:349:LEU:O	1:A:352:ALA:N	2.53	0.41
1:A:513:HIS:CD2	1:A:514:PRO:HD2	2.55	0.41
1:A:360:LEU:HD23	1:A:361:VAL:N	2.35	0.41
1:A:107:SER:CB	1:A:135:ARG:HH21	2.34	0.41
1:A:222:ARG:HG3	1:A:222:ARG:HH11	1.86	0.41
1:A:460:TYR:CE2	1:A:465:VAL:HG21	2.56	0.41
1:A:131:GLU:O	1:A:135:ARG:HG2	2.21	0.41
1:A:425:ILE:N	1:A:425:ILE:HD12	2.35	0.41
1:A:117:TYR:O	1:A:120:GLN:CG	2.67	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:472:ARG:CZ	1:A:472:ARG:HB2	2.50	0.41
1:A:293:VAL:HG13	1:A:331:ARG:HD3	2.02	0.40
1:A:401:PHE:CE1	1:A:405:VAL:HG11	2.57	0.40
1:A:460:TYR:HD2	1:A:465:VAL:HG11	1.86	0.40
1:A:313:PRO:HG2	1:A:314:ASP:H	1.87	0.40
1:A:260:LEU:N	1:A:260:LEU:HD22	2.37	0.40
1:A:370:ILE:CD1	1:A:373:LYS:HD2	2.51	0.40
1:A:45:VAL:CG1	1:A:46:THR:N	2.84	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	488/550 (89%)	462 (95%)	22 (4%)	4 (1%)	21	19

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	347	ALA
1	A	297	PRO
1	A	331	ARG
1	A	350	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/455 (88%)	379 (95%)	20 (5%)	27	29

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	LYS
1	A	37	LEU
1	A	53	TYR
1	A	98	ASN
1	A	118	LEU
1	A	123	GLN
1	A	126	PRO
1	A	148	VAL
1	A	162	LEU
1	A	172	ARG
1	A	192	GLU
1	A	261	LEU
1	A	308	LYS
1	A	319	LEU
1	A	323	LEU
1	A	368	ARG
1	A	476	ASN
1	A	488	LEU
1	A	517	LEU
1	A	524	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	ASN
1	A	120	GLN
1	A	123	GLN
1	A	170	GLN
1	A	240	ASN
1	A	378	GLN
1	A	404	ASN
1	A	469	HIS
1	A	476	ASN
1	A	513	HIS
1	A	520	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	610	-	4,4,4	1.91	1 (25%)	6,6,6	0.92	0
2	SO4	A	620	-	4,4,4	1.87	1 (25%)	6,6,6	0.83	0
2	SO4	A	630	-	4,4,4	1.86	1 (25%)	6,6,6	0.90	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	610	-	-	0/0/0/0	0/0/0/0
2	SO4	A	620	-	-	0/0/0/0	0/0/0/0
2	SO4	A	630	-	-	0/0/0/0	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	630	SO4	O1-S	3.20	1.62	1.45
2	A	620	SO4	O1-S	3.22	1.62	1.45
2	A	610	SO4	O1-S	3.28	1.63	1.45

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	506/550 (92%)	0.39	34 (6%) 18 19	26, 45, 68, 80	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	346	ALA	5.8
1	A	251	THR	4.5
1	A	119	SER	4.5
1	A	173	PHE	4.4
1	A	193	THR	4.3
1	A	428	MET	3.9
1	A	368	ARG	3.8
1	A	347	ALA	3.7
1	A	118	LEU	3.6
1	A	545	ALA	3.5
1	A	440	THR	3.3
1	A	367	VAL	3.3
1	A	252	VAL	3.1
1	A	192	GLU	3.1
1	A	452	PRO	3.1
1	A	250	PRO	2.7
1	A	511	LYS	2.7
1	A	497	MET	2.6
1	A	331	ARG	2.6
1	A	512	ASP	2.6
1	A	496	GLY	2.6
1	A	296	HIS	2.5
1	A	350	ASP	2.5
1	A	485	ARG	2.5
1	A	148	VAL	2.4
1	A	144	LYS	2.4
1	A	461	GLY	2.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	355	ASP	2.3
1	A	495	PRO	2.2
1	A	453	GLY	2.2
1	A	278	GLU	2.1
1	A	478	LEU	2.1
1	A	313	PRO	2.1
1	A	15	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	A	610	5/5	0.93	0.21	60,61,62,63	0
2	SO4	A	630	5/5	0.98	0.08	44,45,45,48	0
2	SO4	A	620	5/5	0.98	0.10	45,47,49,51	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.