



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 23, 2018 – 07:31 AM EDT

PDB ID : 5VQB
Title : Crystal structure of rifampin monooxygenase from *Streptomyces venezuelae*, complex with FAD
Authors : Cox, G.; Kelso, J.; Stogios, P.J.; Savchenko, A.; Anderson, W.F.; Wright, G.D.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2017-05-08
Resolution : 3.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : rb-20031021
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20031021


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	1928 (3.50-3.30)
Clashscore	122126	2051 (3.50-3.30)
Ramachandran outliers	120053	2006 (3.50-3.30)
Sidechain outliers	120020	2006 (3.50-3.30)
RSRZ outliers	108989	1827 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	476	<div> <div>5%</div> <div>82%</div> <div>17%</div> </div>
1	B	476	<div> <div>11%</div> <div>82%</div> <div>14%</div> <div>••</div> </div>
1	C	476	<div> <div>12%</div> <div>79%</div> <div>18%</div> <div>•</div> </div>

2 Entry composition ⓘ


There are 5 unique types of molecules in this entry. The entry contains 10862 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Rifampin monooxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	474	Total	C	N	O	S	0	1	0
			3605	2262	669	661	13			
1	B	460	Total	C	N	O	S	0	0	0
			3502	2195	648	649	10			
1	C	464	Total	C	N	O	S	0	0	0
			3522	2208	654	647	13			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	4	Total	Cl	0	0
			4	4		
3	A	3	Total	Cl	0	0
			3	3		
3	C	1	Total	Cl	0	0
			1	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	37	Total	O	0	0
			37	37		
5	B	12	Total	O	0	0
			12	12		
5	C	11	Total	O	0	0
			11	11		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Rifampin monooxygenase




• Molecule 1: Rifampin monooxygenase



• Molecule 1: Rifampin monooxygenase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	203.09 Å 129.28 Å 75.31 Å 90.00° 105.52° 90.00°	Depositor
Resolution (Å)	48.92 – 3.39 48.92 – 3.39	Depositor EDS
% Data completeness (in resolution range)	99.2 (48.92-3.39) 89.8 (48.92-3.39)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.29	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.78 (at 3.40 Å)	Xtriage
Refinement program	PHENIX (dev_2733: ???)	Depositor
R, R_{free}	0.226 , 0.284 0.226 , 0.283	Depositor DCC
R_{free} test set	1296 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	50.2	Xtriage
Anisotropy	0.128	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	10862	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, FAD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/3677	0.42	0/4992
1	B	0.23	0/3565	0.42	1/4837 (0.0%)
1	C	0.23	0/3587	0.41	0/4868
All	All	0.23	0/10829	0.42	1/14697 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	270	ASP	N-CA-C	5.19	125.00	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3605	0	3532	47	0
1	B	3502	0	3416	42	0
1	C	3522	0	3443	52	0
2	A	53	0	31	1	0
2	B	53	0	31	1	0
2	C	53	0	31	1	0
3	A	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	4	0	0	0	0
3	C	1	0	0	0	0
4	B	6	0	8	0	0
5	A	37	0	0	1	0
5	B	12	0	0	0	0
5	C	11	0	0	1	0
All	All	10862	0	10492	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:201:ARG:HG3	1:B:217:PRO:HG3	1.76	0.66
1:C:370:GLU:HG2	1:C:375:ILE:HD11	1.78	0.64
1:A:50:ILE:HD11	1:A:94:LEU:H	1.64	0.63
1:A:331:VAL:O	1:A:335:THR:HG23	1.98	0.63
1:A:378:ARG:NH2	1:A:386:GLU:O	2.33	0.62
1:B:292:LEU:HD22	1:B:331:VAL:HG11	1.80	0.62
1:B:261:THR:HG22	1:B:283:PRO:HD3	1.83	0.61
1:A:261:THR:HG22	1:A:283:PRO:HD3	1.83	0.60
1:B:370:GLU:HG2	1:B:375:ILE:HD11	1.83	0.60
1:A:370:GLU:HG2	1:A:375:ILE:HD11	1.82	0.59
1:A:416:GLN:NE2	1:A:441:VAL:O	2.35	0.59
1:A:133:THR:OG1	1:A:143:ARG:NH1	2.35	0.59
1:B:42:ALA:HB3	1:B:98:GLN:HB2	1.85	0.59
1:C:66:GLY:HA3	1:C:96:VAL:HG22	1.84	0.59
1:A:381:VAL:HG12	1:A:465:ARG:HH22	1.69	0.58
1:B:62:PHE:HB3	1:B:94:LEU:HD21	1.86	0.57
1:A:419:ARG:NH1	1:A:457:GLU:O	2.37	0.57
1:B:5:ILE:HG12	1:B:28:LEU:HB3	1.85	0.57
1:A:442:PRO:HG2	1:A:457:GLU:HB3	1.87	0.57
1:B:424:GLY:HA3	1:B:473:ALA:HB1	1.87	0.56
1:C:178:GLU:OE1	1:C:252:ARG:NH1	2.37	0.56
1:C:120:ARG:NH1	1:C:140:GLU:OE2	2.36	0.56
1:B:270:ASP:O	1:B:270:ASP:CG	2.41	0.56
1:A:175:LEU:HD13	1:A:218:ALA:HB2	1.89	0.54
1:B:442:PRO:HG2	1:B:457:GLU:HB3	1.88	0.54
1:B:50:ILE:HD11	1:B:94:LEU:H	1.70	0.54
1:B:45:LEU:HD12	1:B:94:LEU:HD23	1.88	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:341:LEU:HB3	1:C:352:ARG:HG3	1.88	0.54
1:B:233:GLU:OE2	1:B:256:ARG:NH1	2.27	0.53
1:B:151:ASP:OD1	1:B:151:ASP:N	2.41	0.53
1:A:353:ARG:NH1	5:A:602:HOH:O	2.41	0.53
1:C:179:MET:HB3	1:C:251:PRO:HB3	1.91	0.53
1:B:44:GLY:HA2	1:B:96:VAL:H	1.74	0.52
1:A:345:GLU:HB2	1:A:348:PRO:HD2	1.92	0.52
1:B:269:VAL:HG23	1:B:272:VAL:HB	1.92	0.52
1:A:419:ARG:HH22	1:A:457:GLU:HB2	1.75	0.52
1:B:158:ARG:NH1	1:B:278:ALA:O	2.42	0.52
1:C:83:PRO:HB3	1:C:366:ARG:HB3	1.90	0.51
1:B:175:LEU:HG	1:B:218:ALA:HB2	1.92	0.51
1:C:267:TYR:H	1:C:321:HIS:CD2	2.29	0.51
1:C:50:ILE:HD11	1:C:94:LEU:H	1.75	0.50
1:A:129:GLU:O	1:A:271:ARG:NH2	2.44	0.50
1:A:268:ARG:NH1	1:A:318:ASP:OD1	2.44	0.50
1:C:206:PRO:HA	1:C:212:PHE:HD1	1.76	0.50
1:C:5:ILE:HG12	1:C:28:LEU:HB3	1.92	0.50
1:A:5:ILE:HG12	1:A:28:LEU:HB3	1.93	0.50
1:A:313:PRO:HD2	1:A:316:LEU:HD22	1.93	0.50
1:B:146:TYR:HD1	1:B:271:ARG:HA	1.76	0.50
1:A:412:LEU:HD23	1:A:446:LEU:HD12	1.94	0.50
1:A:394:ASP:OD2	1:A:401:ARG:NH2	2.37	0.50
1:A:324:ARG:NH1	1:A:379:TYR:OH	2.36	0.49
1:A:47:VAL:HG11	1:A:88:THR:HG21	1.94	0.49
1:A:60:GLU:HG2	1:C:60:GLU:HG2	1.93	0.49
1:B:261:THR:OG1	1:B:336:ARG:NH1	2.46	0.49
1:C:261:THR:HG22	1:C:283:PRO:HD3	1.94	0.49
1:A:30:LEU:HD13	1:A:136:LEU:HD21	1.94	0.49
1:C:30:LEU:HD13	1:C:136:LEU:HD21	1.93	0.48
1:A:182:THR:N	1:A:247:GLY:O	2.40	0.48
1:C:167:GLY:HA3	1:C:262:ARG:HA	1.95	0.48
1:B:175:LEU:HD23	1:B:256:ARG:HG3	1.96	0.48
1:B:54:ALA:HB2	1:B:59:LEU:HD22	1.95	0.48
1:B:15:MET:HG2	1:B:294:ILE:HG23	1.95	0.48
1:C:97:PRO:HD2	1:C:100:ILE:HD12	1.96	0.48
1:A:181:MET:HA	1:A:248:VAL:HA	1.96	0.47
1:C:31:GLU:OE1	1:C:32:LYS:N	2.47	0.47
1:C:331:VAL:O	1:C:335:THR:HG23	2.14	0.47
1:B:176:LEU:HD12	1:B:215:VAL:HB	1.95	0.47
1:C:391:ARG:HA	1:C:451:HIS:HA	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:LYS:HE3	1:A:248:VAL:HG22	1.95	0.47
1:B:31:GLU:OE1	1:B:32:LYS:N	2.47	0.47
1:C:181:MET:SD	1:C:181:MET:N	2.88	0.47
1:A:267:TYR:CE1	1:A:279:ALA:HB1	2.50	0.47
1:B:78:LEU:HD13	1:B:359:VAL:HG11	1.96	0.47
1:B:449:ASP:N	1:B:449:ASP:OD1	2.48	0.47
1:C:285:THR:OG1	1:C:286:GLY:N	2.48	0.46
1:A:426:GLU:OE1	1:A:426:GLU:N	2.48	0.46
1:B:21:ARG:NE	1:B:112:LEU:O	2.44	0.46
1:B:397:LEU:HB3	1:B:434:GLU:HB3	1.97	0.46
1:A:62:PHE:HB3	1:A:94:LEU:HD21	1.97	0.46
1:C:428:ARG:NH1	1:C:472:ALA:O	2.48	0.46
1:C:94:LEU:HG	1:C:96:VAL:HG23	1.98	0.46
1:C:62:PHE:HB3	1:C:94:LEU:HD21	1.98	0.46
1:C:270:ASP:O	1:C:271:ARG:HB2	2.16	0.46
1:C:428:ARG:NH1	1:C:470:PHE:O	2.48	0.46
1:A:282:HIS:HB3	1:A:332:LEU:HG	1.98	0.45
1:A:44:GLY:HA2	1:A:96:VAL:H	1.81	0.45
1:C:325:HIS:HB3	1:C:326:PRO:HD3	1.97	0.45
1:A:200:GLN:HG2	1:A:352:ARG:CZ	2.47	0.45
1:C:313:PRO:HD2	1:C:316:LEU:HB2	1.97	0.45
1:C:286:GLY:O	1:C:335:THR:HG22	2.17	0.45
1:C:173:GLU:HG3	1:C:222:ALA:H	1.81	0.45
1:C:268:ARG:HG2	1:C:270:ASP:H	1.82	0.45
1:C:302:TRP:NE1	1:C:449:ASP:OD2	2.47	0.44
1:B:16:LEU:HB2	1:B:297:ALA:HB1	1.98	0.44
1:C:280:HIS:O	1:C:280:HIS:ND1	2.51	0.44
1:C:426:GLU:N	1:C:426:GLU:OE1	2.51	0.44
1:B:31:GLU:O	1:B:119:GLY:N	2.48	0.44
1:C:161:LEU:HD22	1:C:269:VAL:HG21	2.00	0.44
1:B:32:LYS:HG3	1:B:121:ALA:HB2	2.00	0.43
1:C:267:TYR:CE1	1:C:279:ALA:HB1	2.53	0.43
1:B:325:HIS:HB3	1:B:326:PRO:HD3	2.00	0.43
1:A:174:THR:HG23	1:A:217:PRO:HA	2.00	0.43
1:A:316:LEU:O	1:A:319:THR:OG1	2.27	0.43
1:A:427:ASP:OD1	1:A:427:ASP:N	2.47	0.43
1:C:151:ASP:OD1	1:C:151:ASP:N	2.36	0.43
1:C:29:VAL:HB	1:C:116:ILE:HA	2.01	0.43
1:B:48:ARG:NH1	1:B:391:ARG:HD3	2.34	0.43
1:B:267:TYR:CE1	1:B:279:ALA:HB1	2.54	0.42
1:B:151:ASP:HA	2:B:501:FAD:H52A	1.99	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:21:ARG:HB3	1:C:112:LEU:HB3	2.02	0.42
1:C:178:GLU:HB3	1:C:211:VAL:HG21	2.02	0.42
1:C:381:VAL:HG12	1:C:465:ARG:HH22	1.84	0.42
1:A:176:LEU:HB2	1:A:257:PHE:HE1	1.83	0.42
1:A:267:TYR:HB2	1:A:321:HIS:HB2	2.02	0.42
1:A:447:ARG:NH2	1:A:449:ASP:OD2	2.51	0.42
1:C:47:VAL:HG11	1:C:88:THR:HG21	2.01	0.42
1:A:149:GLY:N	1:A:273:PHE:O	2.40	0.42
1:B:205:MET:HB2	1:B:213:ARG:HB3	2.01	0.42
1:A:283:PRO:HA	1:A:284:PRO:HD3	1.95	0.42
1:B:266:ARG:HA	1:B:321:HIS:CE1	2.55	0.41
1:A:325:HIS:HB3	1:A:326:PRO:HD3	2.03	0.41
1:C:31:GLU:OE2	2:C:501:FAD:O3B	2.27	0.41
1:B:317:LEU:HD12	1:B:317:LEU:HA	1.95	0.41
1:C:263:GLN:HB2	1:C:332:LEU:HD22	2.02	0.41
1:C:45:LEU:HB3	1:C:49:SER:HB2	2.02	0.41
1:C:353:ARG:NH2	5:C:601:HOH:O	2.54	0.41
1:C:14:LEU:HD22	1:C:106:ALA:HA	2.01	0.41
1:B:47:VAL:HG11	1:B:88:THR:HG21	2.02	0.41
1:C:15:MET:HG2	1:C:294:ILE:HG23	2.01	0.41
1:C:147:VAL:O	1:C:272:VAL:HA	2.21	0.41
1:A:161:LEU:HD13	1:A:269:VAL:HG21	2.02	0.41
1:C:86:LEU:O	1:C:88:THR:N	2.52	0.41
1:A:200:GLN:NE2	1:A:349:GLN:OE1	2.49	0.41
1:C:48:ARG:NH1	1:C:391:ARG:HD3	2.36	0.40
2:A:501:FAD:H1'1	2:A:501:FAD:H9	1.90	0.40
1:A:419:ARG:HH12	1:A:457:GLU:HB2	1.85	0.40
1:B:345:GLU:HB2	1:B:348:PRO:HD2	2.03	0.40
1:A:45:LEU:HB3	1:A:49:SER:HB2	2.02	0.40
1:A:46:HIS:CD2	1:A:373:THR:HG22	2.57	0.40
1:B:147:VAL:O	1:B:272:VAL:HA	2.21	0.40
1:C:54:ALA:HB2	1:C:59:LEU:HD22	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	473/476 (99%)	432 (91%)	41 (9%)	0	100	100
1	B	452/476 (95%)	422 (93%)	30 (7%)	0	100	100
1	C	458/476 (96%)	421 (92%)	37 (8%)	0	100	100
All	All	1383/1428 (97%)	1275 (92%)	108 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	357/379 (94%)	352 (99%)	5 (1%)	69	87
1	B	347/379 (92%)	344 (99%)	3 (1%)	81	91
1	C	349/379 (92%)	343 (98%)	6 (2%)	63	84
All	All	1053/1137 (93%)	1039 (99%)	14 (1%)	71	87

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	ARG
1	A	165	PHE
1	A	181	MET
1	A	391	ARG
1	A	398	LYS
1	B	165	PHE
1	B	266	ARG
1	B	391	ARG
1	C	85	ARG
1	C	165	PHE
1	C	181	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	309	ASP
1	C	390	ARG
1	C	391	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	340	GLN
1	B	340	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	A	501	-	51,58,58	0.96	5 (9%)	57,89,89	2.20	7 (12%)
2	FAD	B	501	-	51,58,58	0.96	5 (9%)	57,89,89	2.18	6 (10%)
4	GOL	B	502	-	5,5,5	0.90	0	5,5,5	1.00	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	C	501	-	51,58,58	0.96	5 (9%)	57,89,89	2.20	7 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	501	-	-	0/28/50/50	0/6/6/6
2	FAD	B	501	-	-	0/28/50/50	0/6/6/6
4	GOL	B	502	-	-	0/4/4/4	0/0/0/0
2	FAD	C	501	-	-	0/28/50/50	0/6/6/6

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	FAD	C4X-C10	2.05	1.44	1.41
2	B	501	FAD	C4X-C10	2.06	1.44	1.41
2	C	501	FAD	C4X-C10	2.07	1.44	1.41
2	B	501	FAD	C9A-N10	2.21	1.41	1.38
2	A	501	FAD	C9A-N10	2.22	1.41	1.38
2	C	501	FAD	C9A-N10	2.26	1.41	1.38
2	A	501	FAD	C4-C4X	2.32	1.45	1.41
2	B	501	FAD	C4-C4X	2.32	1.45	1.41
2	C	501	FAD	C4-C4X	2.34	1.45	1.41
2	C	501	FAD	C5X-N5	2.46	1.39	1.35
2	B	501	FAD	C5X-N5	2.47	1.39	1.35
2	A	501	FAD	C5X-N5	2.50	1.39	1.35
2	C	501	FAD	C4-N3	2.99	1.38	1.33
2	B	501	FAD	C4-N3	3.01	1.38	1.33
2	A	501	FAD	C4-N3	3.02	1.38	1.33

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	FAD	C4X-C4-N3	-6.83	113.75	123.47
2	A	501	FAD	C4X-C4-N3	-6.80	113.81	123.47
2	B	501	FAD	C4X-C4-N3	-6.79	113.81	123.47
2	C	501	FAD	C4X-C10-N10	-3.96	116.72	120.40
2	B	501	FAD	C4X-C10-N10	-3.95	116.73	120.40
2	A	501	FAD	C4X-C10-N10	-3.92	116.75	120.40
2	B	501	FAD	C4-C4X-C10	-3.35	117.45	119.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	FAD	C4-C4X-C10	-3.32	117.47	119.95
2	A	501	FAD	C4-C4X-C10	-3.32	117.47	119.95
2	A	501	FAD	P-O3P-PA	-2.54	124.11	132.63
2	C	501	FAD	P-O3P-PA	-2.37	124.65	132.63
2	A	501	FAD	C1'-N10-C9A	2.66	120.67	118.31
2	C	501	FAD	C1'-N10-C9A	2.67	120.68	118.31
2	B	501	FAD	C1'-N10-C9A	2.75	120.76	118.31
2	A	501	FAD	C10-C4X-N5	3.36	124.45	120.59
2	C	501	FAD	C10-C4X-N5	3.38	124.48	120.59
2	B	501	FAD	C10-C4X-N5	3.41	124.52	120.59
2	B	501	FAD	C4-N3-C2	12.87	126.09	115.14
2	A	501	FAD	C4-N3-C2	12.93	126.14	115.14
2	C	501	FAD	C4-N3-C2	12.93	126.15	115.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	FAD	1	0
2	B	501	FAD	1	0
2	C	501	FAD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	474/476 (99%)	0.16	26 (5%) 25 25	20, 54, 145, 190	0
1	B	460/476 (96%)	0.40	53 (11%) 5 5	27, 55, 200, 295	0
1	C	464/476 (97%)	0.55	58 (12%) 4 4	32, 69, 205, 268	0
All	All	1398/1428 (97%)	0.37	137 (9%) 7 9	20, 59, 188, 295	0

All (137) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	219	GLU	9.6
1	B	194	GLU	8.8
1	C	240	ALA	8.0
1	C	203	GLY	7.6
1	B	206	PRO	7.2
1	B	220	GLY	6.7
1	B	238	LEU	6.7
1	C	241	HIS	6.4
1	C	186	GLU	5.9
1	C	194	GLU	5.8
1	B	205	MET	5.7
1	C	220	GLY	5.7
1	C	238	LEU	5.5
1	B	172	VAL	5.5
1	B	189	THR	5.2
1	C	192	MET	5.1
1	B	243	GLY	5.1
1	C	202	PHE	4.9
1	B	176	LEU	4.9
1	C	181	MET	4.8
1	C	216	VAL	4.8
1	B	240	ALA	4.7
1	B	237	GLN	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	193	THR	4.7
1	B	245	ASP	4.6
1	B	234	PHE	4.6
1	B	212	PHE	4.5
1	B	185	GLN	4.5
1	C	179	MET	4.5
1	C	229	PRO	4.3
1	C	239	ARG	4.3
1	A	202	PHE	4.2
1	B	188	LEU	4.2
1	A	181	MET	4.2
1	B	204	ALA	4.2
1	C	79	ALA	4.1
1	B	207	LEU	4.1
1	C	188	LEU	4.0
1	C	189	THR	4.0
1	C	214	VAL	4.0
1	B	195	VAL	4.0
1	C	193	THR	4.0
1	A	204	ALA	3.9
1	B	221	VAL	3.9
1	B	174	THR	3.9
1	B	175	LEU	3.9
1	C	200	GLN	3.9
1	C	215	VAL	3.9
1	B	196	ARG	3.9
1	A	182	THR	3.9
1	B	190	SER	3.9
1	B	218	ALA	3.8
1	C	201	ARG	3.7
1	B	186	GLU	3.6
1	C	234	PHE	3.6
1	A	188	LEU	3.6
1	B	187	GLU	3.5
1	C	190	SER	3.5
1	C	205	MET	3.5
1	C	170	SER	3.5
1	B	244	THR	3.5
1	B	239	ARG	3.5
1	C	204	ALA	3.4
1	B	202	PHE	3.4
1	B	241	HIS	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	244	THR	3.4
1	C	182	THR	3.3
1	A	253	TRP	3.3
1	B	254	LEU	3.3
1	A	179	MET	3.2
1	C	253	TRP	3.2
1	B	246	PHE	3.2
1	C	169	PRO	3.2
1	A	243	GLY	3.2
1	A	205	MET	3.2
1	B	253	TRP	3.1
1	C	180	GLU	3.1
1	A	221	VAL	3.0
1	C	198	THR	3.0
1	C	183	ALA	3.0
1	B	200	GLN	3.0
1	B	198	THR	2.9
1	B	211	VAL	2.9
1	C	191	VAL	2.9
1	C	254	LEU	2.8
1	C	237	GLN	2.8
1	C	187	GLU	2.8
1	C	199	GLN	2.8
1	B	215	VAL	2.8
1	B	216	VAL	2.8
1	C	211	VAL	2.8
1	C	256	ARG	2.7
1	A	203	GLY	2.7
1	B	208	GLY	2.7
1	B	210	GLY	2.7
1	B	199	GLN	2.7
1	C	175	LEU	2.7
1	A	220	GLY	2.6
1	C	206	PRO	2.6
1	B	214	VAL	2.6
1	C	423	ALA	2.6
1	C	219	GLU	2.5
1	B	209	ASP	2.5
1	C	80	THR	2.5
1	C	196	ARG	2.5
1	A	250	SER	2.5
1	C	172	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	40	SER	2.5
1	A	249	HIS	2.4
1	A	180	GLU	2.4
1	C	233	GLU	2.4
1	B	231	LEU	2.4
1	A	192	MET	2.4
1	A	212	PHE	2.3
1	C	174	THR	2.3
1	B	182	THR	2.3
1	A	183	ALA	2.3
1	C	467	PRO	2.3
1	A	254	LEU	2.3
1	B	203	GLY	2.2
1	A	176	LEU	2.2
1	C	230	THR	2.2
1	B	197	LYS	2.2
1	B	242	ALA	2.2
1	C	185	GLN	2.2
1	C	2	PHE	2.2
1	B	230	THR	2.2
1	C	85	ARG	2.2
1	C	212	PHE	2.2
1	A	174	THR	2.1
1	C	251	PRO	2.1
1	A	189	THR	2.1
1	A	423	ALA	2.1
1	B	217	PRO	2.1
1	C	217	PRO	2.0
1	C	218	ALA	2.0
1	A	185	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CL	B	506	1/1	0.77	0.17	85,85,85,85	0
3	CL	C	502	1/1	0.79	0.26	67,67,67,67	0
3	CL	A	503	1/1	0.88	0.27	65,65,65,65	0
3	CL	B	503	1/1	0.89	0.30	57,57,57,57	0
3	CL	A	504	1/1	0.90	0.49	66,66,66,66	0
3	CL	B	505	1/1	0.92	0.19	49,49,49,49	0
3	CL	B	504	1/1	0.93	0.14	56,56,56,56	0
2	FAD	A	501	53/53	0.94	0.18	32,44,57,63	0
2	FAD	B	501	53/53	0.94	0.22	24,43,56,61	0
4	GOL	B	502	6/6	0.95	0.12	24,30,42,44	0
2	FAD	C	501	53/53	0.95	0.19	18,46,72,78	0
3	CL	A	502	1/1	0.95	0.27	35,35,35,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.