



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 20, 2020 – 11:44 AM EST

PDB ID : 4WC1  
Title : Structure of tRNA-processing enzyme with CTP  
Authors : Yamashita, S.; Tomita, K.  
Deposited on : 2014-09-04  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.0 (224370), CSD as540be (2019)  
Xtriage (Phenix) : 1.13  
EDS : 2.4  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.4


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1115 (3.12-3.08)
Clashscore	122126	1042 (3.10-3.10)
Ramachandran outliers	120053	1010 (3.10-3.10)
Sidechain outliers	120020	1010 (3.10-3.10)
RSRZ outliers	108989	1089 (3.12-3.08)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	<div> <div>5%</div> <div> <div></div> <div>58%</div> <div>32%</div> <div>• 8%</div> </div> </div>
1	B	396	<div> <div>3%</div> <div> <div></div> <div>54%</div> <div>33%</div> <div>• 12%</div> </div> </div>

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 5995 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Poly A polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	364	Total	C	N	O	S	0	0	0
			3026	1967	524	528	7			
1	B	350	Total	C	N	O	S	0	0	0
			2911	1892	506	506	7			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP O66728
A	384	LYS	-	expression tag	UNP O66728
A	385	LEU	-	expression tag	UNP O66728
A	386	ALA	-	expression tag	UNP O66728
A	387	ALA	-	expression tag	UNP O66728
A	388	ALA	-	expression tag	UNP O66728
A	389	LEU	-	expression tag	UNP O66728
A	390	GLU	-	expression tag	UNP O66728
A	391	HIS	-	expression tag	UNP O66728
A	392	HIS	-	expression tag	UNP O66728
A	393	HIS	-	expression tag	UNP O66728
A	394	HIS	-	expression tag	UNP O66728
A	395	HIS	-	expression tag	UNP O66728
A	396	HIS	-	expression tag	UNP O66728
B	1	MET	-	expression tag	UNP O66728
B	384	LYS	-	expression tag	UNP O66728
B	385	LEU	-	expression tag	UNP O66728
B	386	ALA	-	expression tag	UNP O66728
B	387	ALA	-	expression tag	UNP O66728
B	388	ALA	-	expression tag	UNP O66728
B	389	LEU	-	expression tag	UNP O66728
B	390	GLU	-	expression tag	UNP O66728
B	391	HIS	-	expression tag	UNP O66728
B	392	HIS	-	expression tag	UNP O66728
B	393	HIS	-	expression tag	UNP O66728

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	394	HIS	-	expression tag	UNP O66728
B	395	HIS	-	expression tag	UNP O66728
B	396	HIS	-	expression tag	UNP O66728


- Molecule 2 is CYTIDINE-5'-TRIPHOSPHATE (three-letter code: CTP) (formula: C<sub>9</sub>H<sub>16</sub>N<sub>3</sub>O<sub>14</sub>P<sub>3</sub>).




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Poly A polymerase



#### • Molecule 1: Poly A polymerase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.40Å 108.09Å 84.92Å 90.00° 110.08° 90.00°	Depositor
Resolution (Å)	19.83 – 3.10 48.90 – 3.10	Depositor EDS
% Data completeness (in resolution range)	98.8 (19.83-3.10) 98.3 (48.90-3.10)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.53 (at 3.12Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, $R_{free}$	0.181 , 0.231 0.183 , 0.221	Depositor DCC
$R_{free}$ test set	893 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	99.8	Xtriage
Anisotropy	0.459	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 105.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.468 for h,-k,-h-l	Xtriage
Reported twinning fraction	0.490 for h,-k,-h-l	Depositor
Outliers	0 of 17858 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	5995	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	135.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.80% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.31	0/3077	0.47	0/4122
1	B	0.31	0/2961	0.48	0/3969
All	All	0.31	0/6038	0.48	0/8091

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3026	0	3190	95	0
1	B	2911	0	3060	95	0
2	A	29	0	12	4	0
2	B	29	0	12	4	0
All	All	5995	0	6274	189	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (189) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:161:GLY:HA3	1:B:208:ILE:HG12	1.57	0.84
1:B:298:GLY:HA2	1:B:301:LYS:HE2	1.66	0.78
1:A:269:ASP:H	1:A:272:ARG:HE	1.35	0.74
1:A:109:ASN:HD21	1:A:159:PHE:HE2	1.36	0.74
1:B:21:ARG:NH2	2:B:501:CTP:O3G	2.21	0.73
1:B:162:ARG:NH2	2:B:501:CTP:O2G	2.23	0.71
1:A:303:GLU:HA	1:A:306:LYS:HB2	1.72	0.70
1:B:45:LYS:HA	1:B:55:VAL:HG11	1.73	0.69
1:B:142:HIS:HD2	1:B:144:VAL:HG23	1.58	0.69
1:A:105:ASP:OD2	1:A:155:ARG:NH1	2.22	0.68
1:B:304:LEU:HD23	1:B:334:LEU:HD13	1.76	0.68
1:B:293:MET:HA	1:B:297:LEU:HB2	1.77	0.65
1:A:252:GLU:OE2	1:A:346:ARG:NH2	2.29	0.65
1:B:223:GLU:O	1:B:272:ARG:NH1	2.31	0.64
1:A:34:PHE:HE1	1:A:73:LEU:HD22	1.63	0.64
1:B:116:ASN:N	1:B:116:ASN:OD1	2.29	0.63
1:A:107:THR:HB	1:A:129:GLY:HA2	1.79	0.63
1:A:158:ARG:NH2	1:A:195:GLU:OE1	2.26	0.63
1:B:131:ARG:NE	1:B:135:ASP:OD2	2.32	0.62
1:B:19:VAL:HG13	1:B:29:VAL:HG21	1.81	0.62
1:B:11:LEU:HD22	1:B:38:GLY:HA3	1.82	0.61
1:A:105:ASP:OD1	1:A:106:PHE:N	2.30	0.59
1:A:268:LEU:HA	1:A:272:ARG:HH21	1.66	0.59
1:A:333:GLU:HG2	1:A:334:LEU:HG	1.86	0.58
1:B:20:VAL:HG21	1:B:112:ALA:HA	1.85	0.58
1:A:204:ARG:NH1	1:A:207:GLU:OE1	2.36	0.58
1:A:160:ALA:HA	1:A:165:PHE:HB2	1.84	0.58
1:A:55:VAL:HG23	1:A:66:LEU:HB3	1.86	0.57
2:A:401:CTP:O2G	2:A:401:CTP:O1A	2.22	0.57
1:A:80:ARG:NH2	1:A:94:PRO:O	2.38	0.57
1:A:105:ASP:HB3	1:A:152:ARG:NE	2.19	0.57
1:B:152:ARG:HA	1:B:155:ARG:HB2	1.87	0.56
1:A:125:ASP:OD1	1:A:129:GLY:N	2.37	0.56
1:A:24:LEU:HD13	1:A:130:LEU:HD13	1.86	0.56
1:B:203:ASP:N	1:B:203:ASP:OD1	2.37	0.56
1:B:22:ASP:HA	1:B:25:LEU:HD12	1.88	0.56
1:B:142:HIS:CD2	1:B:144:VAL:HG23	2.41	0.55
1:B:117:LEU:O	1:B:120:TYR:HB2	2.06	0.55
1:A:269:ASP:HB2	1:A:272:ARG:HG2	1.89	0.55
1:A:5:ILE:HD13	1:A:46:GLU:HB3	1.89	0.55
1:B:262:LEU:HA	1:B:265:ILE:HG12	1.89	0.55
1:B:159:PHE:HE1	2:B:501:CTP:O2G	1.89	0.55

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:207:GLU:OE2	1:B:239:ARG:NH1	2.40	0.54
1:A:305:LYS:HE3	1:A:333:GLU:HG3	1.90	0.54
1:B:19:VAL:HG21	1:B:33:ASP:H	1.72	0.54
1:A:354:LYS:O	1:A:358:LEU:HG	2.08	0.53
1:B:187:ALA:HB3	1:B:192:LEU:HD11	1.89	0.53
1:B:239:ARG:O	1:B:243:ASP:HB2	2.07	0.53
1:A:204:ARG:NH1	1:A:204:ARG:HA	2.24	0.53
1:A:225:PHE:HA	1:A:268:LEU:HD21	1.89	0.53
1:A:269:ASP:H	1:A:272:ARG:NE	2.05	0.53
1:B:293:MET:HG3	1:B:297:LEU:HD22	1.90	0.53
1:A:205:PHE:HE2	1:A:260:TYR:HB2	1.73	0.52
1:B:143:PRO:HA	1:B:174:LEU:HD13	1.91	0.52
1:B:325:LEU:HD13	1:B:342:LEU:HD21	1.91	0.52
1:B:343:GLU:HB3	1:B:344:LYS:HE2	1.91	0.52
1:B:14:TYR:HD1	1:B:114:SER:HA	1.73	0.51
1:A:139:ARG:HH22	1:A:169:ARG:CZ	2.24	0.51
1:B:331:GLU:HG3	1:B:334:LEU:HD12	1.92	0.51
1:A:1:MET:HG3	1:A:2:VAL:H	1.75	0.51
1:A:155:ARG:NH2	2:A:401:CTP:O3A	2.44	0.51
1:B:225:PHE:HA	1:B:268:LEU:HD21	1.91	0.51
1:B:298:GLY:O	1:B:302:GLU:HG2	2.11	0.51
1:B:142:HIS:O	1:B:145:SER:HB2	2.11	0.50
1:B:370:GLU:HA	1:B:373:GLU:HG2	1.93	0.50
1:B:310:ASN:HB2	1:B:380:MET:HG2	1.93	0.50
1:B:6:ALA:O	1:B:11:LEU:N	2.44	0.50
1:A:15:ILE:HG12	1:A:34:PHE:CE2	2.46	0.50
1:B:341:TYR:CE1	1:B:346:ARG:HB3	2.47	0.50
1:A:293:MET:HG3	1:A:297:LEU:HD22	1.94	0.50
1:B:228:ASN:ND2	1:B:231:VAL:HB	2.27	0.49
1:A:358:LEU:HD22	1:A:371:ARG:HG2	1.93	0.49
1:B:304:LEU:HG	1:B:334:LEU:HD22	1.94	0.49
1:B:21:ARG:NE	1:B:22:ASP:OD1	2.46	0.49
1:A:108:ILE:HG13	1:A:109:ASN:OD1	2.13	0.49
1:B:198:LEU:O	1:B:202:GLU:HG2	2.11	0.49
1:B:322:THR:HA	1:B:325:LEU:HD12	1.95	0.49
1:A:289:THR:HG23	1:A:324:VAL:HG22	1.95	0.48
1:B:65:HIS:CE1	1:B:74:GLU:HG3	2.48	0.48
1:A:11:LEU:HD22	1:A:38:GLY:HA3	1.94	0.48
1:A:283:PRO:HD2	1:A:286:VAL:HG21	1.96	0.48
1:B:131:ARG:HD2	1:B:134:LYS:HD3	1.96	0.48
1:B:22:ASP:HA	1:B:25:LEU:HB2	1.96	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:218:LEU:HD23	1:A:221:ILE:HD12	1.96	0.47
1:A:16:VAL:HG21	1:A:35:VAL:HB	1.95	0.47
2:A:401:CTP:PB	2:A:401:CTP:H5'1	2.54	0.47
1:B:162:ARG:HH22	2:B:501:CTP:PG	2.36	0.47
1:A:116:ASN:HB2	1:A:119:ASP:OD1	2.14	0.47
1:B:284:SER:O	1:B:288:GLU:HG2	2.14	0.47
1:B:300:LEU:HD21	1:B:320:LEU:HD11	1.95	0.47
1:A:4:GLN:HG3	1:A:117:LEU:HD11	1.96	0.47
1:B:100:ASP:O	1:B:103:ARG:HG2	2.14	0.47
1:B:184:LEU:HB3	1:B:220:GLU:OE1	2.15	0.47
1:B:138:ILE:HD11	1:B:163:LEU:HD12	1.96	0.47
1:B:140:VAL:HG22	1:B:171:THR:HG23	1.96	0.47
1:B:68:ILE:O	1:B:71:LEU:HB2	2.15	0.47
1:A:189:ARG:NH1	1:A:221:ILE:O	2.41	0.47
1:A:251:GLU:HG2	1:B:318:LYS:HE3	1.97	0.47
1:A:30:TRP:HB3	1:A:71:LEU:HA	1.97	0.47
1:B:245:HIS:CD2	1:B:326:LEU:HD21	2.50	0.46
1:A:168:SER:HB3	1:A:171:THR:OG1	2.15	0.46
1:A:237:ALA:HA	1:A:240:LYS:HD2	1.96	0.46
1:B:292:PHE:CE1	1:B:296:LYS:HB2	2.50	0.46
1:A:32:VAL:HB	1:A:73:LEU:HD23	1.98	0.46
1:B:375:LEU:HA	1:B:378:GLU:HG3	1.98	0.46
1:A:249:PHE:HB2	1:A:252:GLU:HB2	1.97	0.46
1:B:284:SER:HA	1:B:287:ARG:NH1	2.31	0.46
1:A:334:LEU:O	1:A:338:ILE:HG12	2.16	0.46
1:B:185:LYS:HE3	1:B:220:GLU:HG2	1.98	0.45
1:A:1:MET:HG3	1:A:2:VAL:HG23	1.98	0.45
1:A:48:ALA:O	1:A:52:GLY:N	2.50	0.45
1:B:183:LEU:HA	1:B:186:GLU:HB2	1.98	0.45
1:A:288:GLU:OE1	1:B:284:SER:HB2	2.17	0.45
1:B:63:THR:HB	1:B:75:PHE:O	2.16	0.45
1:A:192:LEU:O	1:A:196:ILE:HG13	2.17	0.45
1:A:321:HIS:HB3	1:A:324:VAL:HG23	1.99	0.45
1:B:105:ASP:OD1	1:B:106:PHE:N	2.46	0.45
1:A:184:LEU:HD12	1:A:184:LEU:HA	1.79	0.45
1:B:262:LEU:O	1:B:266:SER:N	2.50	0.45
1:B:193:ILE:HG12	1:B:279:GLU:HG2	1.99	0.45
1:B:311:TYR:HA	1:B:380:MET:SD	2.56	0.45
1:A:100:ASP:O	1:A:103:ARG:HG2	2.16	0.44
1:B:154:LEU:HD21	1:B:221:ILE:HD11	2.00	0.44
1:B:194:ASN:HA	1:B:197:LYS:HD3	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:17:GLY:HA2	1:A:109:ASN:O	2.18	0.44
1:A:118:GLU:HG2	1:A:119:ASP:H	1.82	0.44
1:A:162:ARG:NE	1:A:202:GLU:OE2	2.49	0.44
1:A:207:GLU:O	1:A:210:GLU:HB2	2.17	0.44
1:A:189:ARG:NE	1:A:279:GLU:OE2	2.40	0.44
1:A:163:LEU:HG	1:A:163:LEU:H	1.61	0.44
1:A:234:LYS:HE3	1:A:330:LEU:HD13	2.00	0.44
1:B:219:GLU:N	1:B:219:GLU:OE1	2.43	0.44
1:A:154:LEU:HB2	1:A:195:GLU:HG2	1.99	0.44
1:A:104:ARG:HD3	2:A:401:CTP:O3'	2.18	0.44
1:B:141:LEU:HB2	1:B:142:HIS:ND1	2.33	0.44
1:A:149:ASP:OD1	1:A:191:ARG:NH2	2.51	0.44
1:A:149:ASP:HB3	1:A:152:ARG:HD2	2.00	0.43
1:B:101:LEU:HA	1:B:101:LEU:HD23	1.84	0.43
1:B:371:ARG:HH11	1:B:374:GLU:HB2	1.83	0.43
1:A:268:LEU:HD22	1:A:272:ARG:NH2	2.34	0.43
1:A:350:LEU:HA	1:A:351:PRO:HD3	1.75	0.43
1:A:273:GLY:HA3	1:A:290:TYR:OH	2.18	0.43
1:B:139:ARG:HH12	1:B:169:ARG:HH12	1.65	0.43
1:B:254:ILE:HD12	1:B:285:TRP:CZ3	2.53	0.43
1:A:105:ASP:OD1	1:A:109:ASN:ND2	2.51	0.43
1:A:311:TYR:HA	1:A:380:MET:SD	2.59	0.42
1:B:371:ARG:NH1	1:B:374:GLU:HB2	2.35	0.42
1:B:16:VAL:HG12	1:B:33:ASP:O	2.19	0.42
1:A:169:ARG:O	1:A:172:GLU:HB3	2.18	0.42
1:A:24:LEU:HD23	1:A:24:LEU:HA	1.82	0.42
1:B:116:ASN:HB2	1:B:119:ASP:OD1	2.20	0.42
1:B:334:LEU:O	1:B:338:ILE:HG12	2.20	0.42
1:B:341:TYR:HA	1:B:345:LEU:HG	2.02	0.42
1:A:209:LEU:HD23	1:A:209:LEU:HA	1.77	0.42
1:A:68:ILE:O	1:A:71:LEU:HB3	2.20	0.42
1:A:129:GLY:O	1:A:133:LEU:HB2	2.19	0.42
1:A:147:ILE:HA	1:A:183:LEU:HD13	2.02	0.42
1:A:58:PHE:O	1:A:62:GLY:N	2.51	0.42
1:A:113:ILE:HA	1:A:122:THR:O	2.20	0.41
1:A:322:THR:O	1:A:326:LEU:HG	2.19	0.41
1:A:58:PHE:HA	1:A:59:PRO:HD2	1.86	0.41
1:B:254:ILE:HD12	1:B:285:TRP:CH2	2.55	0.41
1:B:263:ILE:HD11	1:B:327:LEU:HD11	2.03	0.41
1:A:276:PHE:O	1:A:279:GLU:HB3	2.21	0.41
1:B:119:ASP:OD1	1:B:119:ASP:N	2.48	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:63:THR:HB	1:B:76:ALA:HA	2.02	0.41
1:B:299:SER:O	1:B:303:GLU:HG3	2.21	0.41
1:B:310:ASN:ND2	1:B:380:MET:O	2.54	0.41
1:A:181:LEU:HA	1:A:181:LEU:HD23	1.77	0.41
1:A:67:LYS:HE2	1:A:70:LYS:HA	2.02	0.41
1:A:284:SER:OG	1:B:284:SER:OG	2.28	0.41
1:A:304:LEU:HD23	1:A:334:LEU:HD13	2.02	0.41
1:A:25:LEU:HD21	1:A:133:LEU:HD22	2.03	0.41
1:A:224:GLY:HA3	1:A:272:ARG:NH1	2.35	0.41
1:B:191:ARG:HB3	1:B:191:ARG:HE	1.62	0.41
1:B:207:GLU:N	1:B:207:GLU:OE1	2.43	0.41
1:B:208:ILE:HA	1:B:211:LEU:HB2	2.03	0.41
1:B:218:LEU:HD23	1:B:218:LEU:HA	1.91	0.41
1:B:276:PHE:CE2	1:B:280:MET:HG3	2.56	0.41
1:A:1:MET:HG3	1:A:2:VAL:N	2.36	0.41
1:B:193:ILE:O	1:B:197:LYS:HG3	2.21	0.41
1:B:230:LYS:HA	1:B:230:LYS:HD3	1.90	0.41
1:A:1:MET:HB3	1:A:1:MET:HE2	1.80	0.41
1:A:276:PHE:O	1:A:280:MET:HG2	2.21	0.41
1:A:194:ASN:O	1:A:197:LYS:HB2	2.21	0.40
1:A:311:TYR:O	1:A:314:TYR:HB3	2.21	0.40
1:A:193:ILE:HG13	1:A:280:MET:SD	2.61	0.40
1:A:60:GLU:CD	1:A:60:GLU:H	2.24	0.40
1:B:142:HIS:CD2	1:B:145:SER:HA	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	358/396 (90%)	345 (96%)	13 (4%)	0	<a href="#">100</a> <a href="#">100</a>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	344/396 (87%)	330 (96%)	14 (4%)	0	100	100
All	All	702/792 (89%)	675 (96%)	27 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	324/349 (93%)	311 (96%)	13 (4%)	34	69
1	B	311/349 (89%)	296 (95%)	15 (5%)	28	63
All	All	635/698 (91%)	607 (96%)	28 (4%)	31	65

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	31	ASP
1	A	46	GLU
1	A	107	THR
1	A	133	LEU
1	A	140	VAL
1	A	163	LEU
1	A	169	ARG
1	A	170	SER
1	A	204	ARG
1	A	230	LYS
1	A	268	LEU
1	A	308	LYS
1	B	43	LEU
1	B	50	ARG
1	B	116	ASN
1	B	122	THR
1	B	133	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	144	VAL
1	B	145	SER
1	B	168	SER
1	B	193	ILE
1	B	203	ASP
1	B	204	ARG
1	B	230	LYS
1	B	231	VAL
1	B	255	ASP
1	B	308	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	CTP	A	401	-	23,30,30	0.78	0	27,47,47	1.38	4 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	CTP	B	501	-	23,30,30	0.80	0	27,47,47	1.53	6 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CTP	A	401	-	-	5/18/38/38	0/2/2/2
2	CTP	B	501	-	-	6/18/38/38	0/2/2/2

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	CTP	PB-O3B-PG	-3.65	120.97	132.57
2	B	501	CTP	C2-N3-C4	3.59	119.70	116.26
2	B	501	CTP	PB-O3A-PA	-3.49	121.47	132.57
2	A	401	CTP	PB-O3A-PA	-3.32	122.03	132.57
2	A	401	CTP	C2-N3-C4	2.91	119.04	116.26
2	B	501	CTP	C4'-O4'-C1'	2.84	112.79	109.83
2	B	501	CTP	N4-C4-N3	2.62	120.61	116.48
2	A	401	CTP	N4-C4-N3	2.53	120.46	116.48
2	B	501	CTP	PB-O3B-PG	-2.19	125.60	132.57
2	B	501	CTP	C5-C4-N3	-2.01	119.38	121.72

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	CTP	C3'-C4'-C5'-O5'
2	A	401	CTP	O4'-C4'-C5'-O5'
2	A	401	CTP	C5'-O5'-PA-O1A
2	B	501	CTP	C5'-O5'-PA-O1A
2	B	501	CTP	C3'-C4'-C5'-O5'
2	B	501	CTP	O4'-C4'-C5'-O5'
2	A	401	CTP	C5'-O5'-PA-O3A
2	B	501	CTP	C5'-O5'-PA-O3A
2	B	501	CTP	PB-O3A-PA-O2A
2	A	401	CTP	PB-O3A-PA-O2A

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	B	501	CTP	PB-O3A-PA-O1A

There are no ring outliers.


2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	CTP	4	0
2	B	501	CTP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å <sup>2</sup> )	Q < 0.9
1	A	364/396 (91%)	0.04	21 (5%)	23 10	61, 116, 251, 422	0
1	B	350/396 (88%)	-0.06	11 (3%)	49 26	58, 118, 234, 287	0
All	All	714/792 (90%)	-0.01	32 (4%)	33 16	58, 117, 246, 422	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	294	LYS	8.3
1	A	293	MET	8.2
1	A	309	GLU	6.3
1	A	360	LYS	4.9
1	B	308	LYS	4.9
1	A	336	GLU	4.2
1	A	335	LYS	4.2
1	B	262	LEU	4.0
1	A	355	ILE	3.9
1	B	58	PHE	3.9
1	A	378	GLU	3.8
1	A	308	LYS	3.8
1	A	315	ARG	3.8
1	A	350	LEU	3.6
1	B	320	LEU	3.6
1	A	307	ALA	3.5
1	B	313	VAL	3.4
1	B	348	VAL	3.4
1	A	320	LEU	3.1
1	B	339	LYS	3.0
1	A	328	LEU	2.9
1	B	272	ARG	2.9
1	A	284	SER	2.8
1	A	280	MET	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	304	LEU	2.4
1	B	282	ALA	2.4
1	A	329	MET	2.3
1	B	286	VAL	2.3
1	A	374	GLU	2.2
1	A	352	LYS	2.1
1	A	317	LEU	2.1
1	B	222	ILE	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	CTP	A	401	29/29	0.94	0.20	60,79,119,123	0
2	CTP	B	501	29/29	0.95	0.20	54,81,118,123	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around CTP A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.