



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 9, 2018 – 11:54 AM EDT

PDB ID : 5XR3
Title : SAV0551 with glyoxylate
Authors : Kim, H.J.; Kwon, A.R.; Lee, B.J.
Deposited on : 2017-06-08
Resolution : 3.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : rb-20031021
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20031021


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	2110 (3.04-3.00)
Clashscore	122126	2436 (3.04-3.00)
Ramachandran outliers	120053	2362 (3.04-3.00)
Sidechain outliers	120020	2365 (3.04-3.00)
RSRZ outliers	108989	2001 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	300	
1	B	300	
1	C	300	
1	D	300	
1	E	300	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	300	<div><div></div><div>83%</div><div>11% • 5%</div></div>
1	G	300	<div><div></div><div>91%</div><div>6% •</div></div>
1	H	300	<div><div></div><div>86%</div><div>9% • •</div></div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 17842 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein/nucleic acid deglycase HchA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	286	Total	C	N	O	S	0	0	0
			2220	1415	364	432	9			
1	B	287	Total	C	N	O	S	0	0	0
			2227	1417	364	437	9			
1	C	290	Total	C	N	O	S	0	0	0
			2256	1435	371	441	9			
1	D	284	Total	C	N	O	S	0	0	0
			2204	1404	360	431	9			
1	E	285	Total	C	N	O	S	0	0	0
			2212	1409	363	431	9			
1	F	284	Total	C	N	O	S	0	0	0
			2204	1404	360	431	9			
1	G	292	Total	C	N	O	S	0	0	0
			2273	1446	375	443	9			
1	H	287	Total	C	N	O	S	0	0	0
			2229	1418	366	436	9			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	293	LEU	-	expression tag	UNP P64312
A	294	GLU	-	expression tag	UNP P64312
A	295	HIS	-	expression tag	UNP P64312
A	296	HIS	-	expression tag	UNP P64312
A	297	HIS	-	expression tag	UNP P64312
A	298	HIS	-	expression tag	UNP P64312
A	299	HIS	-	expression tag	UNP P64312
A	300	HIS	-	expression tag	UNP P64312
B	293	LEU	-	expression tag	UNP P64312
B	294	GLU	-	expression tag	UNP P64312
B	295	HIS	-	expression tag	UNP P64312
B	296	HIS	-	expression tag	UNP P64312
B	297	HIS	-	expression tag	UNP P64312

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	298	HIS	-	expression tag	UNP P64312
B	299	HIS	-	expression tag	UNP P64312
B	300	HIS	-	expression tag	UNP P64312
C	293	LEU	-	expression tag	UNP P64312
C	294	GLU	-	expression tag	UNP P64312
C	295	HIS	-	expression tag	UNP P64312
C	296	HIS	-	expression tag	UNP P64312
C	297	HIS	-	expression tag	UNP P64312
C	298	HIS	-	expression tag	UNP P64312
C	299	HIS	-	expression tag	UNP P64312
C	300	HIS	-	expression tag	UNP P64312
D	293	LEU	-	expression tag	UNP P64312
D	294	GLU	-	expression tag	UNP P64312
D	295	HIS	-	expression tag	UNP P64312
D	296	HIS	-	expression tag	UNP P64312
D	297	HIS	-	expression tag	UNP P64312
D	298	HIS	-	expression tag	UNP P64312
D	299	HIS	-	expression tag	UNP P64312
D	300	HIS	-	expression tag	UNP P64312
E	293	LEU	-	expression tag	UNP P64312
E	294	GLU	-	expression tag	UNP P64312
E	295	HIS	-	expression tag	UNP P64312
E	296	HIS	-	expression tag	UNP P64312
E	297	HIS	-	expression tag	UNP P64312
E	298	HIS	-	expression tag	UNP P64312
E	299	HIS	-	expression tag	UNP P64312
E	300	HIS	-	expression tag	UNP P64312
F	293	LEU	-	expression tag	UNP P64312
F	294	GLU	-	expression tag	UNP P64312
F	295	HIS	-	expression tag	UNP P64312
F	296	HIS	-	expression tag	UNP P64312
F	297	HIS	-	expression tag	UNP P64312
F	298	HIS	-	expression tag	UNP P64312
F	299	HIS	-	expression tag	UNP P64312
F	300	HIS	-	expression tag	UNP P64312
G	293	LEU	-	expression tag	UNP P64312
G	294	GLU	-	expression tag	UNP P64312
G	295	HIS	-	expression tag	UNP P64312
G	296	HIS	-	expression tag	UNP P64312
G	297	HIS	-	expression tag	UNP P64312
G	298	HIS	-	expression tag	UNP P64312
G	299	HIS	-	expression tag	UNP P64312

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	300	HIS	-	expression tag	UNP P64312
H	293	LEU	-	expression tag	UNP P64312
H	294	GLU	-	expression tag	UNP P64312
H	295	HIS	-	expression tag	UNP P64312
H	296	HIS	-	expression tag	UNP P64312
H	297	HIS	-	expression tag	UNP P64312
H	298	HIS	-	expression tag	UNP P64312
H	299	HIS	-	expression tag	UNP P64312
H	300	HIS	-	expression tag	UNP P64312

- Molecule 2 is GLYOXYLIC ACID (three-letter code: GLV) (formula: $C_2H_2O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			5	2	3		
2	E	1	Total	C	O	0	0
			5	2	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	O	0	0
			3	3		
3	F	2	Total	O	0	0
			2	2		
3	G	1	Total	O	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	H	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Protein/nucleic acid deglycase HchA




- Molecule 1: Protein/nucleic acid deglycase HchA




- Molecule 1: Protein/nucleic acid deglycase HchA



- Molecule 1: Protein/nucleic acid deglycase HchA





- Molecule 1: Protein/nucleic acid deglycase HchA

Chain E: 88% 6% • 5%



- Molecule 1: Protein/nucleic acid deglycase HchA

Chain F: 83% 11% • 5%





- Molecule 1: Protein/nucleic acid deglycase HchA

Chain G: 91% 6% •



- Molecule 1: Protein/nucleic acid deglycase HchA

Chain H: 86% 9% • •



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	97.20Å 130.12Å 187.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.01 – 3.01 48.81 – 3.01	Depositor EDS
% Data completeness (in resolution range)	99.1 (50.01-3.01) 99.2 (48.81-3.01)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	0.21	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.50 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.181 , 0.269 0.183 , 0.265	Depositor DCC
R_{free} test set	2428 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	50.0	Xtriage
Anisotropy	0.094	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 30.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	17842	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 27.84 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.0477e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GLV, CGV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	0/2255	0.74	0/3058
1	B	0.55	0/2262	0.72	0/3069
1	C	0.55	0/2292	0.72	0/3108
1	D	0.52	0/2239	0.71	0/3037
1	E	0.55	0/2247	0.74	0/3047
1	F	0.55	0/2239	0.71	0/3037
1	G	0.57	0/2310	0.73	0/3133
1	H	0.55	0/2264	0.72	0/3070
All	All	0.55	0/18108	0.72	0/24559

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2220	0	2215	18	0
1	B	2227	0	2210	13	0
1	C	2256	0	2240	14	0
1	D	2204	0	2191	19	0
1	E	2212	0	2204	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2204	0	2191	17	0
1	G	2273	0	2256	8	0
1	H	2229	0	2216	11	0
2	A	5	0	1	0	0
2	E	5	0	1	0	0
3	A	3	0	0	0	0
3	F	2	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
All	All	17842	0	17725	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:81:GLU:OE1	1:B:190:CGV:H6	1.85	0.75
1:C:213:VAL:HG12	1:C:267:THR:HG21	1.72	0.71
1:G:81:GLU:OE1	1:G:190:CGV:H6	1.91	0.69
1:A:159:GLY:N	1:A:190:CGV:OD2	2.26	0.68
1:F:166:ILE:CG2	1:F:195:ALA:HB2	2.27	0.64
1:F:192:GLY:N	1:F:193:PRO:CD	2.60	0.64
1:B:156:ILE:HD13	1:B:195:ALA:CB	2.29	0.63
1:G:32:TYR:CE2	1:G:228:ILE:HD11	2.34	0.63
1:H:286:LEU:O	1:H:290:GLN:NE2	2.34	0.60
1:B:289:ILE:O	1:B:290:GLN:NE2	2.36	0.59
1:D:213:VAL:CG1	1:D:265:LEU:HD21	2.34	0.57
1:E:78:HIS:HD2	1:E:80:VAL:H	1.52	0.57
1:F:188:THR:HG23	1:F:267:THR:HG22	1.86	0.57
1:C:163:VAL:HG22	1:C:237:TRP:CH2	2.41	0.56
1:D:108:LEU:HB2	1:D:110:LEU:CD1	2.38	0.54
1:F:81:GLU:OE1	1:F:190:CGV:H6	2.07	0.54
1:A:237:TRP:CE3	1:A:242:LEU:HD22	2.43	0.54
1:A:115:THR:HG23	1:A:116:GLU:HG3	1.90	0.53
1:D:32:TYR:CE2	1:D:228:ILE:HD11	2.44	0.53
1:E:63:ARG:O	1:E:63:ARG:HG3	2.07	0.53
1:A:188:THR:HG23	1:A:267:THR:HG22	1.91	0.52
1:B:153:SER:HB2	1:B:185:PHE:HB2	1.91	0.52
1:E:75:THR:OG1	1:E:76:GLY:N	2.41	0.52
1:C:78:HIS:HD2	1:C:80:VAL:H	1.58	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:LEU:HD22	1:A:248:LEU:HD22	1.91	0.52
1:F:166:ILE:HG22	1:F:195:ALA:HB2	1.92	0.51
1:A:218:ASP:OD1	1:A:240:ALA:HB3	2.10	0.51
1:E:107:LYS:NZ	1:F:62:GLU:OE1	2.36	0.51
1:B:75:THR:OG1	1:B:76:GLY:N	2.44	0.51
1:A:90:MET:CE	1:A:123:THR:HG23	2.41	0.50
1:F:32:TYR:CE2	1:F:228:ILE:HD11	2.47	0.50
1:F:188:THR:CG2	1:F:267:THR:HG22	2.40	0.50
1:F:86:LEU:HD22	1:F:96:VAL:HG21	1.92	0.50
1:C:62:GLU:HG2	1:C:164:VAL:HG11	1.94	0.49
1:D:222:GLU:HG2	1:D:238:LEU:HD11	1.95	0.49
1:D:188:THR:HG23	1:D:267:THR:HG22	1.95	0.49
1:G:160:HIS:O	1:G:163:VAL:HB	2.13	0.49
1:C:188:THR:HG22	1:C:267:THR:HG22	1.95	0.48
1:D:58:ILE:HD11	1:D:175:THR:HG21	1.94	0.48
1:B:84:LEU:HB3	1:B:85:PRO:HD3	1.94	0.48
1:C:189:LEU:HD23	1:C:189:LEU:N	2.28	0.48
1:A:226:ILE:HD11	1:A:234:ARG:HA	1.96	0.47
1:D:81:GLU:OE1	1:D:190:CGV:H6	2.15	0.47
1:B:159:GLY:H	1:B:190:CGV:H9	1.80	0.47
1:C:237:TRP:CE3	1:C:242:LEU:HD22	2.49	0.47
1:H:193:PRO:O	1:H:196:LEU:N	2.45	0.47
1:B:153:SER:CB	1:B:185:PHE:HB2	2.44	0.47
1:D:108:LEU:HB2	1:D:110:LEU:HD13	1.97	0.47
1:A:32:TYR:CE2	1:A:228:ILE:HD11	2.49	0.46
1:G:188:THR:O	1:G:267:THR:HA	2.15	0.46
1:C:222:GLU:CG	1:C:238:LEU:HD11	2.46	0.46
1:B:156:ILE:HD13	1:B:195:ALA:HB1	1.97	0.45
1:C:183:ASP:OD2	1:C:264:LYS:HE3	2.15	0.45
1:D:84:LEU:HB3	1:D:85:PRO:HD3	1.99	0.45
1:E:159:GLY:H	1:E:190:CGV:CD1	2.30	0.45
1:G:84:LEU:HB3	1:G:85:PRO:HD3	1.98	0.45
1:C:89:LEU:HD23	1:C:282:VAL:HG22	1.99	0.45
1:C:137:LEU:HD23	1:C:171:ASP:HB3	1.99	0.44
1:D:251:VAL:HG11	1:D:260:LEU:HD22	1.99	0.44
1:E:189:LEU:HD22	1:E:277:LEU:HD23	1.99	0.44
1:H:237:TRP:CE3	1:H:242:LEU:HD12	2.53	0.44
1:E:159:GLY:H	1:E:190:CGV:H9	1.83	0.44
1:E:84:LEU:HB3	1:E:85:PRO:HD3	2.00	0.44
1:D:159:GLY:H	1:D:190:CGV:H9	1.83	0.44
1:A:75:THR:OG1	1:A:76:GLY:N	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:188:THR:HG23	1:B:267:THR:HG22	1.99	0.43
1:H:189:LEU:HD23	1:H:189:LEU:N	2.33	0.43
1:H:84:LEU:HB3	1:H:85:PRO:HD3	1.99	0.43
1:A:192:GLY:N	1:A:193:PRO:CD	2.81	0.43
1:A:90:MET:HE2	1:A:123:THR:HG23	2.00	0.43
1:F:190:CGV:O	1:F:193:PRO:HD2	2.18	0.43
1:A:115:THR:HG21	1:F:35:PRO:HD2	2.00	0.43
1:A:158:GLY:HA3	1:A:190:CGV:H5	2.00	0.43
1:D:222:GLU:CG	1:D:238:LEU:HD11	2.49	0.43
1:B:96:VAL:O	1:B:130:LYS:NZ	2.46	0.43
1:D:270:SER:HB2	1:D:271:PRO:HD2	1.99	0.43
1:A:163:VAL:HG13	1:A:237:TRP:CZ2	2.53	0.42
1:A:84:LEU:HB3	1:A:85:PRO:HD3	2.01	0.42
1:F:188:THR:O	1:F:267:THR:HA	2.19	0.42
1:B:218:ASP:HB3	1:B:238:LEU:HD13	2.01	0.42
1:G:255:MET:HG3	1:G:270:SER:CB	2.49	0.42
1:C:153:SER:HB2	1:C:185:PHE:HB2	2.02	0.42
1:D:220:LEU:HD23	1:D:224:ALA:HB3	2.00	0.42
1:B:32:TYR:CE2	1:B:228:ILE:HD11	2.54	0.42
1:C:189:LEU:HD13	1:C:277:LEU:HD22	2.02	0.42
1:F:108:LEU:HB2	1:F:110:LEU:CD1	2.50	0.42
1:G:81:GLU:CD	1:G:190:CGV:H6	2.40	0.42
1:H:141:ILE:HD11	1:H:171:ASP:O	2.20	0.42
1:D:173:GLN:NE2	1:D:201:LEU:O	2.52	0.42
1:H:189:LEU:HD22	1:H:277:LEU:CD2	2.50	0.42
1:D:218:ASP:OD1	1:D:240:ALA:HB3	2.20	0.41
1:G:50:ASP:OD1	1:G:50:ASP:N	2.53	0.41
1:H:178:TRP:CD1	1:H:182:ASN:ND2	2.87	0.41
1:H:155:PHE:HA	1:H:187:VAL:O	2.21	0.41
1:C:32:TYR:CE2	1:C:228:ILE:HD11	2.56	0.41
1:F:163:VAL:HG13	1:F:237:TRP:CZ2	2.56	0.41
1:F:81:GLU:HG2	1:F:189:LEU:HD11	2.03	0.41
1:D:188:THR:O	1:D:267:THR:HA	2.21	0.41
1:F:196:LEU:HD21	1:F:265:LEU:HD11	2.03	0.41
1:H:259:THR:CG2	1:H:280:LEU:HD22	2.50	0.41
1:A:89:LEU:HD23	1:A:282:VAL:HG22	2.03	0.41
1:E:237:TRP:CE3	1:E:242:LEU:HD22	2.56	0.40
1:A:188:THR:CG2	1:A:267:THR:HG22	2.51	0.40
1:D:251:VAL:HG11	1:D:260:LEU:CD2	2.51	0.40
1:F:59:ALA:HB3	1:F:106:VAL:HG22	2.03	0.40
1:D:56:LEU:HB2	1:D:151:TYR:CD1	2.57	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:270:SER:HB2	1:H:271:PRO:HD2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	283/300 (94%)	270 (95%)	13 (5%)	0	100	100
1	B	284/300 (95%)	260 (92%)	23 (8%)	1 (0%)	36	74
1	C	287/300 (96%)	273 (95%)	14 (5%)	0	100	100
1	D	281/300 (94%)	259 (92%)	19 (7%)	3 (1%)	16	51
1	E	282/300 (94%)	259 (92%)	22 (8%)	1 (0%)	36	74
1	F	281/300 (94%)	261 (93%)	18 (6%)	2 (1%)	24	63
1	G	289/300 (96%)	271 (94%)	18 (6%)	0	100	100
1	H	284/300 (95%)	257 (90%)	25 (9%)	2 (1%)	24	63
All	All	2271/2400 (95%)	2110 (93%)	152 (7%)	9 (0%)	36	74

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	263	ARG
1	E	39	PHE
1	D	258	ARG
1	F	47	ALA
1	H	194	ALA
1	B	164	VAL
1	D	164	VAL
1	H	192	GLY
1	F	166	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/256 (94%)	236 (98%)	6 (2%)	50	82
1	B	243/256 (95%)	232 (96%)	11 (4%)	30	67
1	C	246/256 (96%)	236 (96%)	10 (4%)	33	70
1	D	240/256 (94%)	231 (96%)	9 (4%)	36	72
1	E	241/256 (94%)	233 (97%)	8 (3%)	41	76
1	F	240/256 (94%)	229 (95%)	11 (5%)	29	67
1	G	248/256 (97%)	242 (98%)	6 (2%)	52	82
1	H	243/256 (95%)	234 (96%)	9 (4%)	37	73
All	All	1943/2048 (95%)	1873 (96%)	70 (4%)	38	74

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	LEU
1	A	50	ASP
1	A	154	VAL
1	A	168	GLU
1	A	183	ASP
1	A	251	VAL
1	B	4	ASP
1	B	52	LYS
1	B	75	THR
1	B	110	LEU
1	B	131	LEU
1	B	163	VAL
1	B	180	LEU
1	B	196	LEU
1	B	227	GLU
1	B	266	LEU
1	B	290	GLN
1	C	7	GLU
1	C	45	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	50	ASP
1	C	115	THR
1	C	163	VAL
1	C	183	ASP
1	C	212	SER
1	C	227	GLU
1	C	251	VAL
1	C	291	ASN
1	D	7	GLU
1	D	19	ASP
1	D	38	ASP
1	D	50	ASP
1	D	62	GLU
1	D	110	LEU
1	D	131	LEU
1	D	154	VAL
1	D	196	LEU
1	E	63	ARG
1	E	75	THR
1	E	95	ASP
1	E	188	THR
1	E	244	THR
1	E	251	VAL
1	E	267	THR
1	E	290	GLN
1	F	50	ASP
1	F	110	LEU
1	F	131	LEU
1	F	180	LEU
1	F	205	LYS
1	F	219	SER
1	F	234	ARG
1	F	258	ARG
1	F	259	THR
1	F	264	LYS
1	F	290	GLN
1	G	30	SER
1	G	50	ASP
1	G	63	ARG
1	G	251	VAL
1	G	276	GLU
1	G	287	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	8	LEU
1	H	9	SER
1	H	131	LEU
1	H	188	THR
1	H	196	LEU
1	H	212	SER
1	H	267	THR
1	H	290	GLN
1	H	291	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	78	HIS
1	B	290	GLN
1	C	78	HIS
1	D	78	HIS
1	E	78	HIS
1	E	291	ASN
1	F	78	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CGV	A	190	1	4,10,11	3.47	1 (25%)	3,12,14	3.00	2 (66%)
1	CGV	B	190	1	4,10,11	3.56	1 (25%)	3,12,14	2.82	1 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CGV	C	190	1	4,10,11	3.08	1 (25%)	3,12,14	3.69	2 (66%)
1	CGV	D	190	1	4,10,11	2.95	1 (25%)	3,12,14	1.95	2 (66%)
1	CGV	E	190	1	4,10,11	3.12	1 (25%)	3,12,14	2.12	2 (66%)
1	CGV	F	190	1	4,10,11	3.48	1 (25%)	3,12,14	3.53	1 (33%)
1	CGV	G	190	1	4,10,11	3.26	1 (25%)	3,12,14	3.45	2 (66%)
1	CGV	H	190	1	4,10,11	3.20	1 (25%)	3,12,14	4.44	1 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CGV	A	190	1	-	0/3/11/13	0/0/0/0
1	CGV	B	190	1	-	0/3/11/13	0/0/0/0
1	CGV	C	190	1	-	0/3/11/13	0/0/0/0
1	CGV	D	190	1	-	0/3/11/13	0/0/0/0
1	CGV	E	190	1	-	0/3/11/13	0/0/0/0
1	CGV	F	190	1	-	0/3/11/13	0/0/0/0
1	CGV	G	190	1	-	0/3/11/13	0/0/0/0
1	CGV	H	190	1	-	0/3/11/13	0/0/0/0

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	190	CGV	CA-C	5.67	1.57	1.50
1	C	190	CGV	CA-C	5.86	1.57	1.50
1	E	190	CGV	CA-C	6.08	1.58	1.50
1	H	190	CGV	CA-C	6.12	1.58	1.50
1	G	190	CGV	CA-C	6.21	1.58	1.50
1	F	190	CGV	CA-C	6.63	1.58	1.50
1	A	190	CGV	CA-C	6.79	1.59	1.50
1	B	190	CGV	CA-C	6.91	1.59	1.50

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	190	CGV	O-C-CA	-2.95	116.88	124.96
1	E	190	CGV	O-C-CA	-2.65	117.67	124.96
1	G	190	CGV	O-C-CA	-2.34	118.53	124.96
1	D	190	CGV	O-C-CA	-2.31	118.61	124.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	190	CGV	O-C-CA	-2.28	118.70	124.96
1	E	190	CGV	CB-SG-CD1	2.03	105.09	101.25
1	D	190	CGV	CB-SG-CD1	2.45	105.89	101.25
1	A	190	CGV	CB-SG-CD1	3.86	108.57	101.25
1	B	190	CGV	CB-SG-CD1	4.65	110.07	101.25
1	G	190	CGV	CB-SG-CD1	5.49	111.66	101.25
1	C	190	CGV	CB-SG-CD1	5.91	112.46	101.25
1	F	190	CGV	CB-SG-CD1	5.96	112.55	101.25
1	H	190	CGV	CB-SG-CD1	7.44	115.35	101.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	190	CGV	2	0
1	B	190	CGV	2	0
1	D	190	CGV	2	0
1	E	190	CGV	2	0
1	F	190	CGV	2	0
1	G	190	CGV	2	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLV	A	401	-	1,4,4	0.16	0	0,4,4	0.00	-
2	GLV	E	401	-	1,4,4	0.17	0	0,4,4	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLV	A	401	-	-	0/0/2/2	0/0/0/0
2	GLV	E	401	-	-	0/0/2/2	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	285/300 (95%)	-0.53	0	100 100	25, 37, 59, 92	0
1	B	286/300 (95%)	-0.34	0	100 100	27, 50, 72, 83	0
1	C	289/300 (96%)	-0.51	0	100 100	25, 39, 65, 105	0
1	D	283/300 (94%)	-0.18	3 (1%)	80 55	30, 60, 83, 103	0
1	E	284/300 (94%)	-0.47	0	100 100	24, 42, 65, 81	0
1	F	283/300 (94%)	-0.37	0	100 100	28, 51, 72, 100	0
1	G	291/300 (97%)	-0.44	1 (0%)	93 82	25, 38, 61, 103	0
1	H	286/300 (95%)	-0.30	1 (0%)	93 82	28, 53, 76, 93	0
All	All	2287/2400 (95%)	-0.39	5 (0%)	94 86	24, 45, 72, 105	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	287	ASN	3.4
1	G	5	VAL	2.6
1	D	227	GLU	2.4
1	H	218	ASP	2.3
1	D	40	ASP	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CGV	E	190	11/12	0.87	0.32	33,65,81,85	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	CGV	G	190	11/12	0.90	0.28	32,47,67,72	0
1	CGV	B	190	11/12	0.90	0.25	34,63,77,82	0
1	CGV	C	190	11/12	0.91	0.30	36,57,73,73	0
1	CGV	H	190	11/12	0.91	0.20	36,61,76,83	0
1	CGV	F	190	11/12	0.92	0.18	43,68,83,90	0
1	CGV	D	190	11/12	0.93	0.33	55,75,86,86	0
1	CGV	A	190	11/12	0.93	0.20	36,50,66,78	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	GLV	A	401	5/5	0.93	0.23	47,48,52,57	0
2	GLV	E	401	5/5	0.95	0.15	48,49,54,56	0

6.5 Other polymers [i](#)

There are no such residues in this entry.