



wwPDB EM Validation Summary Report ⓘ

Dec 12, 2022 – 01:32 am GMT

PDB ID : 6TH6
EMDB ID : EMD-10503
Title : Cryo-EM Structure of T. kodakarensis 70S ribosome
Authors : Matzov, D.; Sas-Chen, A.; Thomas, J.M.; Santangelo, T.; Meier, J.L.;
Schwartz, S.; Shalev-Benami, M.
Deposited on : 2019-11-18
Resolution : 2.55 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	Aa	1498	<div> <div>11%</div> <div>80%</div> <div>17%</div> <div>.</div> </div>
2	Ab	201	<div> <div>25%</div> <div>98%</div> <div>.</div> </div>
3	Ac	209	<div> <div>81%</div> <div>91%</div> <div>9%</div> </div>
4	Ad	200	<div> <div>30%</div> <div>95%</div> <div>5%</div> </div>
5	Ae	180	<div> <div>16%</div> <div>97%</div> <div>.</div> </div>
6	Af	243	<div> <div>8%</div> <div>99%</div> <div>.</div> </div>
7	Ag	235	<div> <div>13%</div> <div>94%</div> <div>5%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	Ah	125	
9	Ai	215	
10	Aj	130	
11	Ak	130	
12	Al	135	
13	Am	102	
14	An	140	
15	Ao	147	
16	Ap	149	
17	Aq	151	
18	Ar	56	
19	As	114	
20	At	67	
21	Au	133	
22	Av	150	
23	Aw	98	
24	Ax	65	
25	Ay	70	
26	Az	62	
27	BA	3037	
28	BB	126	
29	BC	239	
30	BD	346	
31	BE	255	
32	BF	183	







Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	BG	184	
34	BH	123	
34	BI	123	
35	BJ	182	
36	BK	142	
37	BL	141	
38	BM	83	
38	BN	83	
39	BO	148	
40	BP	194	
41	BQ	201	
42	BR	121	
43	BS	150	
44	BT	77	
45	BU	98	
46	BV	156	
47	BW	86	
48	BX	121	
49	BY	67	
50	BZ	66	
51	Ba	155	
52	Bb	102	
53	Bc	90	
54	Bd	125	
55	Be	90	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
56	Bg	86	
57	Bh	63	
58	Bi	51	
59	Bj	51	
60	Bk	37	
61	Bl	94	

2 Entry composition

There are 63 unique types of molecules in this entry. The entry contains 161508 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	Aa	1463	Total	C	N	O	P	0	0
			31499	14027	5837	10172	1463		

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	Ab	196	Total	C	N	O	S	0	0
			1580	1021	272	284	3		

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	Ac	191	Total	C	N	O	S	0	0
			1513	967	276	267	3		

- Molecule 4 is a protein called 30S ribosomal protein S3Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	Ad	190	Total	C	N	O	S	0	0
			1550	997	277	273	3		

- Molecule 5 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	Ae	174	Total	C	N	O	S	0	0
			1454	912	287	253	2		

- Molecule 6 is a protein called 30S ribosomal protein S4e.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	Af	241	Total	C	N	O	S	0	0
			1945	1256	348	336	5		

- Molecule 7 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	Ag	223	Total	C	N	O	S	0	0
			1753	1107	327	312	7		

- Molecule 8 is a protein called 30S ribosomal protein S6e.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	Ah	123	Total	C	N	O	S	0	0
			952	599	179	172	2		

- Molecule 9 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	Ai	213	Total	C	N	O	S	0	0
			1706	1082	316	300	8		

- Molecule 10 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	Aj	129	Total	C	N	O	S	0	0
			1020	662	176	180	2		

- Molecule 11 is a protein called 30S ribosomal protein S8e.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	Ak	125	Total	C	N	O		0	0
			982	615	198	169			

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	Al	133	Total	C	N	O	S	0	0
			1054	656	205	188	5		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	Am	100	Total	C	N	O	S	0	0
			803	498	154	148	3		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	An	127	Total	C	N	O	S	0	0
			953	587	190	173	3		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	Ao	143	Total	C	N	O	S	0	0
			1122	712	216	192	2		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Ap	135	Total	C	N	O	S	0	0
			1090	691	214	181	4		

- Molecule 17 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Aq	149	Total	C	N	O	S	0	0
			1217	776	233	206	2		

- Molecule 18 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	Ar	54	Total	C	N	O	S	0	0
			447	284	92	65	6		

- Molecule 19 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	As	107	Total	C	N	O	S	0	0
			868	554	160	151	3		

- Molecule 20 is a protein called 30S ribosomal protein S17e.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	At	64	Total	C	N	O	S	0	0
			538	338	103	95	2		

- Molecule 21 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	Au	116	Total	C	N	O	S	0	0
			952	608	175	163	6		

- Molecule 22 is a protein called 30S ribosomal protein S19e.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	Av	149	Total	C	N	O	S	0	0
			1216	788	215	213			

- Molecule 23 is a protein called 30S ribosomal protein S24e.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Aw	95	Total	C	N	O	S	0	0
			777	497	131	146	3		

- Molecule 24 is a protein called 30S ribosomal protein S27e.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Ax	61	Total	C	N	O	S	0	0
			461	294	83	79	5		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Ax	64	GLU	LEU	conflict	UNP Q5JE50
Ax	65	LEU	GLU	conflict	UNP Q5JE50

- Molecule 25 is a protein called 30S ribosomal protein S28e.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Ay	64	Total	C	N	O	S	0	0
			499	307	99	93			

- Molecule 26 is a protein called Predicted zinc-ribbon RNA-binding protein involved in translation.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Az	55	Total	C	N	O	S	0	0
			426	269	74	75	8		

- Molecule 27 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
27	BA	2934	Total	C	N	O	P	S	0	0
			63188	28147	11754	20352	2934	1		

- Molecule 28 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BB	125	Total	C	N	O	P	0	0
			2678	1191	492	870	125		

- Molecule 29 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BC	237	Total	C	N	O	S	0	0
			1820	1150	356	311	3		

- Molecule 30 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BD	344	Total	C	N	O	S	0	0
			2746	1765	505	469	7		

- Molecule 31 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BE	255	Total	C	N	O	S	0	0
			2026	1286	389	347	4		

- Molecule 32 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BF	166	Total	C	N	O	S	0	0
			1338	839	258	234	7		

- Molecule 33 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BG	183	Total	C	N	O	S	0	0
			1463	942	253	266	2		

- Molecule 34 is a protein called 50S ribosomal protein L7Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BH	121	Total	C	N	O	S	0	0
			928	591	154	180	3		
34	BI	121	Total	C	N	O	S	0	0
			928	591	154	180	3		

- Molecule 35 is a protein called 50S ribosomal protein L10e.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BJ	168	Total	C	N	O	S	0	0
			1378	877	258	236	7		

- Molecule 36 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BK	142	Total	C	N	O	S	0	0
			1146	731	213	198	4		

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BL	140	Total	C	N	O	S	0	0
			1055	658	214	180	3		

- Molecule 38 is a protein called 50S ribosomal protein L14e.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BM	81	Total	C	N	O	S	0	0
			610	382	119	108	1		
38	BN	81	Total	C	N	O	S	0	0
			610	382	119	108	1		

- Molecule 39 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BO	148	Total	C	N	O	S	0	0
			1162	740	221	198	3		

- Molecule 40 is a protein called 50S ribosomal protein L15e.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BP	193	Total	C	N	O	S	0	0
			1582	1010	316	250	6		

- Molecule 41 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BQ	164	Total	C	N	O	S	0	0
			1314	841	243	228	2		

- Molecule 42 is a protein called 50S ribosomal protein L18e.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BR	120	Total	C	N	O	S	0	0
			959	601	187	169	2		

- Molecule 43 is a protein called 50S ribosomal protein L19e.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BS	146	Total	C	N	O	S	0	0
			1200	753	246	194	7		

- Molecule 44 is a protein called 50S ribosomal protein L18Ae.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	BT	74	Total	C	N	O	0	0
			624	399	113	112		

- Molecule 45 is a protein called 50S ribosomal protein L21e.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BU	96	Total	C	N	O	S	0	0
			784	502	158	123	1		

- Molecule 46 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BV	154	Total	C	N	O	S	0	0
			1234	777	242	211	4		

- Molecule 47 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BW	85	Total	C	N	O	S	0	0
			683	438	119	123	3		

- Molecule 48 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BX	120	Total	C	N	O	S	0	0
			991	628	188	170	5		

- Molecule 49 is a protein called 50S ribosomal protein L24e.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BY	62	Total	C	N	O	S	0	0
			524	334	99	85	6		

- Molecule 50 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BZ	60	Total	C	N	O	S	0	0
			506	314	98	90	4		

- Molecule 51 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	Ba	154	Total	C	N	O	S	0	0
			1242	788	235	214	5		

- Molecule 52 is a protein called 50S ribosomal protein L30e.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	Bb	96	Total	C	N	O	S	0	0
			730	473	123	133	1		

- Molecule 53 is a protein called 50S ribosomal protein L31e.

Mol	Chain	Residues	Atoms				AltConf	Trace
53	Bc	89	Total	C	N	O	0	0
			721	463	140	118		

- Molecule 54 is a protein called 50S ribosomal protein L32e.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	Bd	124	Total	C	N	O	S	0	0
			1022	650	208	162	2		

- Molecule 55 is a protein called 50S ribosomal protein L34e.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	Be	89	Total	C	N	O	S	0	0
			728	454	155	110	9		

- Molecule 56 is a protein called 50S ribosomal protein L37Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	Bg	84	Total	C	N	O	S	0	0
			630	392	132	101	5		

- Molecule 57 is a protein called 50S ribosomal protein L37e.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	Bh	62	Total	C	N	O	S	0	0
			512	314	118	75	5		

- Molecule 58 is a protein called 50S ribosomal protein L39e.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	Bi	50	Total	C	N	O	S	0	0
			432	276	97	59			

- Molecule 59 is a protein called 50S ribosomal protein L40e.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	Bj	47	Total	C	N	O	S	0	0
			373	233	79	56	5		

- Molecule 60 is a protein called LSU ribosomal protein L41E.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	Bk	36	Total	C	N	O	S	0	0
			345	218	86	39	2		

- Molecule 61 is a protein called 50S ribosomal protein L44e.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	Bl	93	Total	C	N	O	S	0	0
			778	494	160	119	5		

- Molecule 62 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
62	Ag	1	Total 1	Zn 1	0
62	Ar	1	Total 1	Zn 1	0
62	As	1	Total 1	Zn 1	0
62	Ax	1	Total 1	Zn 1	0
62	Az	2	Total 2	Zn 2	0
62	BY	1	Total 1	Zn 1	0
62	Be	1	Total 1	Zn 1	0
62	Bg	1	Total 1	Zn 1	0
62	Bh	1	Total 1	Zn 1	0
62	Bj	1	Total 1	Zn 1	0
62	Bl	1	Total 1	Zn 1	0

- Molecule 63 is water.

Mol	Chain	Residues	Atoms		AltConf
63	Aa	153	Total 153	O 153	0
63	Ae	1	Total 1	O 1	0
63	Af	5	Total 5	O 5	0
63	Ag	1	Total 1	O 1	0
63	Ai	1	Total 1	O 1	0
63	Aj	1	Total 1	O 1	0
63	Ak	2	Total 2	O 2	0
63	Al	2	Total 2	O 2	0
63	An	1	Total 1	O 1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
63	Ao	2	Total 2	O 2	0
63	Ap	1	Total 1	O 1	0
63	Aq	5	Total 5	O 5	0
63	Av	1	Total 1	O 1	0
63	Az	1	Total 1	O 1	0
63	BA	1674	Total 1674	O 1674	0
63	BB	7	Total 7	O 7	0
63	BC	29	Total 29	O 29	0
63	BD	30	Total 30	O 30	0
63	BE	24	Total 24	O 24	0
63	BF	1	Total 1	O 1	0
63	BH	1	Total 1	O 1	0
63	BJ	4	Total 4	O 4	0
63	BK	7	Total 7	O 7	0
63	BL	8	Total 8	O 8	0
63	BN	1	Total 1	O 1	0
63	BO	19	Total 19	O 19	0
63	BP	23	Total 23	O 23	0
63	BQ	5	Total 5	O 5	0
63	BR	1	Total 1	O 1	0
63	BS	12	Total 12	O 12	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
63	BV	17	Total 17	O 17	0
63	BW	3	Total 3	O 3	0
63	BX	7	Total 7	O 7	0
63	BY	5	Total 5	O 5	0
63	BZ	3	Total 3	O 3	0
63	Ba	6	Total 6	O 6	0
63	Bb	1	Total 1	O 1	0
63	Bc	7	Total 7	O 7	0
63	Bd	12	Total 12	O 12	0
63	Be	7	Total 7	O 7	0
63	Bg	6	Total 6	O 6	0
63	Bh	18	Total 18	O 18	0
63	Bi	5	Total 5	O 5	0
63	Bk	6	Total 6	O 6	0
63	Bl	3	Total 3	O 3	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 16S ribosomal RNA






- Molecule 2: 30S ribosomal protein S2

Chain Ab:




- Molecule 3: 30S ribosomal protein S3

Chain Ac:




- Molecule 4: 30S ribosomal protein S3Ae

Chain Ad:




- Molecule 5: 30S ribosomal protein S4


Chain Ae:




- Molecule 6: 30S ribosomal protein S4e




- Molecule 7: 30S ribosomal protein S5




- Molecule 8: 30S ribosomal protein S6e




- Molecule 9: 30S ribosomal protein S7




- Molecule 10: 30S ribosomal protein S8





- Molecule 11: 30S ribosomal protein S8e





- Molecule 12: 30S ribosomal protein S9




- Molecule 13: 30S ribosomal protein S10




- Molecule 14: 30S ribosomal protein S11




- Molecule 15: 30S ribosomal protein S12




- Molecule 16: 30S ribosomal protein S13







- Molecule 17: 30S ribosomal protein S15




- Molecule 18: 30S ribosomal protein S14 type Z





- Molecule 19: 30S ribosomal protein S17




- Molecule 20: 30S ribosomal protein S17e




- Molecule 21: 30S ribosomal protein S19




- Molecule 22: 30S ribosomal protein S19e




- Molecule 23: 30S ribosomal protein S24e




- Molecule 24: 30S ribosomal protein S27e




- Molecule 25: 30S ribosomal protein S28e




- Molecule 26: Predicted zinc-ribbon RNA-binding protein involved in translation




- Molecule 27: 23S ribosomal RNA







C1581	U1700	G1813	A1913	A2026	G2116	C2228	G2288	U2375	A2482	G2598	G2725	C2829
G1589	G1706	G1814	A1914	C2027	G2117	G2229	C2289	G2379	A2483	C2602	G2726	C2834
A1592	C1709	A1817	G1921	U2028	C2118	U2230	C2290	G2382	A2484	C2603	A2727	A2835
G1593	A1715	U1819	G1927	A2029	C2119	A2231	C2291	G2383	G2489	G2606	G2728	G2836
C1605	A1716	C1820	U1928	U2030	G2120	G2232	A2292	U2384	C2491	C2607	U2733	C2837
A1606	A1717	G1821	U1929	A2031	G2123	G2233	C2293	G2385	C2496	U2608	G2734	G2845
C1607	A1717	G1822	A1930	A2032	C2135	G2234	C2294	C2386	G2497	G2609	G2742	G2853
A1608	C1721	A1824	G1940	C2033	C2136	G2235	C2295	A2390	A2498	U2610	A2743	C2854
A1609	G1727	A1825	G1941	C2034	G2139	G2236	U2296	G2393	G2505	G2613	G2744	G2857
G1610	U1734	A1826	U1944	C2035	C2140	A2237	U2297	G2394	C2524	G2616	G2745	U2858
G1611	U1748	C1831	G1945	U2036	A2143	A2238	U2298	G2395	G2528	C2617	A2746	A2859
U1623	G1742	U1841	U1949	C2037	U2144	G2239	G2299	G2406	C2531	G2618	G2747	A2860
U1625	A1743	U1842	G1950	U2038	A2145	G2240	C2301	G2407	G2533	A2622	A2748	A2867
G1635	A1748	A1848	G1951	U2039	C2148	G2241	C2302	U2408	G2534	U2623	G2749	G2868
A1636	C1749	G1851	G1952	G2042	G2152	U2242	U2303	A2410	A2534	G2628	G2751	C2876
G1637	A1752	G1852	G1953	G2043	G2153	G2244	A2304	G2411	A2535	G2633	G2752	G2877
U1638	G1753	G1853	G1956	G2046	C2159	A2246	C2305	G2412	A2536	U2638	G2753	A2878
G1639	A1754	C1860	A1957	G2048	G2160	A2247	A2310	U2413	U2542	G2649	A2754	A2879
C1640	A1755	G1861	G1958	A2049	G2161	G2248	A2311	A2414	C2545	G2656	G2755	A2883
C1656	G1758	G1862	C1959	A2051	U2162	G2249	C2312	U2415	G2548	U2656	G2756	G2884
G1657	A1759	G1863	C1960	U2052	G2163	C2250	G2316	G2416	G2549	U2657	A2757	G2885
G1658	G1760	U1866	U1969	C2054	A2167	C2251	G2317	C2417	G2550	A2669	G2758	G2886
G1659	C1762	A1867	U1975	C2055	G2172	G2252	G2318	C2420	G2551	U2670	G2759	G2887
A1662	U1766	A1969	A1976	G2058	G2173	C2253	A2319	U2422	A2552	G2671	U2794	C2891
A1663	G1767	A1977	U1977	G2062	A2174	C2254	A2320	G2424	G2553	G2672	A2795	C2892
G1669	C1768	G1874	G1980	A2067	C2175	C2255	G2321	A2425	G2556	U2678	G2796	U2890
A1670	C1769	G1877	A1991	U2068	G2181	U2256	G2325	U2426	A2557	U2679	G2797	C2891
U1672	U1772	G1881	A1991	C2070	G2205	C2257	A2326	U2427	G2563	G2680	A2798	C2892
C1676	U1776	A1882	U2000	G2075	G2208	C2258	G2332	C2428	G2568	G2685	G2802	U2891
U1677	G1777	A1883	G2001	U2076	U2209	G2259	G2336	A2430	C2571	G2686	U2803	C2892
C1678	A1780	G1884	A2002	G2077	A2210	G2260	G2337	G2431	G2572	G2687	C2804	U2893
C1679	U1785	G1891	G2003	C2078	C2211	G2261	G2338	G2432	G2573	U2688	C2805	G2894
C1680	U1792	G1892	G2004	A2079	G2212	G2262	G2339	G2433	G2574	U2689	U2806	G2895
G1681	G1793	G1893	G2010	U2080	G2213	G2263	G2340	G2434	C2577	G2692	A2807	G2896
U1682	U1794	G1894	A1901	G2083	C2214	G2264	G2341	A2435	C2578	A2693	G2810	G2897
A1683	C1795	U1905	G1904	U2084	G2215	G2265	U2345	U2436	C2579	G2696	G2811	U2898
A1684	G1798	U1906	G2017	G2085	C2216	G2266	U2347	A2438	A2580	A2706	G2812	G2899
G1685	U1799	U1907	C2018	G2086	G2217	G2267	G2348	A2439	U2581	G2707	U2815	G2900
G1686	G1800	U1908	C2019	G2087	G2218	G2268	G2349	G2448	G2585	A2708	G2816	G2901
G1687	A1801	A1909	G2020	U2104	G2219	G2269	C2356	A2449	G2586	G2709	G2817	G2902
G1688	U1811	U1910	G2021	G2105	G2220	G2270	C2357	C2450	G2587	A2713	G2818	G2903
U1691	A1812	A1911	G2022	U2106	U2221	G2271	C2358	G2453	C2359	U2717	G2819	G2904
G1693	G1811	A1912	G2023	G2112	G2222	G2272	A2360	G2454	A2592	A2718	U2719	G2905
C1694	U1812	A1912	U2024	C2113	G2223	G2273	A2361	A2460	U2597	U2720	C2720	G2906
A1699	A1812	A1912	A2025	G2115	G2224	G2274	A2362	G2471	U2598	U2721	G2721	G2907
					G2225	G2275	A2363					
					A2226	G2276	A2364					
					G2227	G2277	A2365					
					G2228	G2278	A2366					
					G2229	G2279	A2367					
					G2230	G2280	A2368					
					G2231	G2281	A2369					
					G2232	G2282	A2370					
					G2233	G2283	A2371					
					G2234	G2284	A2372					
					G2235	G2285	A2373					
					G2236	G2286	A2374					
					G2237	G2287	A2375					
					G2238	G2288	A2376					
					G2239	G2289	A2377					
					G2240	G2290	A2378					
					G2241	G2291	A2379					
					G2242	G2292	A2380					
					G2243	G2293	A2381					
					G2244	G2294	A2382					
					G2245	G2295	A2383					
					G2246	G2296	A2384					
					G2247	G2297	A2385					
					G2248	G2298	A2386					
					G2249	G2299	A2387					
					G2250	G2300	A2388					
					G2251	G2301	A2389					
					G2252	G2302	A2390					
					G2253	G2303	A2391					
					G2254	G2304	A2392					
					G2255	G2305	A2393					
					G2256	G2306	A2394					
					G2257	G2307	A2395					
					G2258	G2308	A2396					
					G2259	G2309	A2397					
					G2260	G2310	A2398					
					G2261	G2311	A2399					
					G2262	G2312	A2400					
					G2263	G2313	A2401					
					G2264	G2314	A2402					
					G2265	G2315	A2403					
					G2266	G2316	A2404					
					G2267	G2317	A2405					
					G2268	G2318	A2406					
					G2269	G2319	A2407					
					G2270	G2320	A2408					
					G2271	G2321	A2409					
					G2272	G2322	A2410					
					G2273	G2323	A2411					
					G2274	G2324	A2412					
					G2275	G2325	A2413					
					G2276	G2326	A2414					
					G2277	G2327	A2415					
					G2278	G2328	A2416					
					G2279	G2329	A2417					
					G2280	G2330	A2418					
					G2281	G2331	A2419					
					G2282	G2332	A2420					
					G2283	G2333	A2421					
					G2284	G2334	A2422					
					G2285	G2335	A2423					
					G2286	G2336	A2424					
					G2287	G2337	A2425					
					G2288	G2338	A2426					
					G2289	G2339	A2427					
					G2290	G2340	A2428					
					G2291	G2341	A2429					
					G2292	G2342	A2430					
					G2293	G2343	A2431					
					G2294	G2344	A2432					
					G2295	G2345	A2433					
					G2296	G2346	A2434					
					G2297	G2347	A2435					
					G2298	G2348	A2436					
					G2299	G2349	A2437					
					G2300	G2350	A2438					
					G2301	G2351	A2439					
					G2302	G2352	A2440					
					G2303	G2353	A2441					
					G2304	G2354	A2442					
					G2305	G2355	A2443					
					G2306	G2356	A2444					
					G2307	G2357	A2445					
					G2308	G2358	A2446					
					G2309	G2359	A2447					
					G2310	G2360	A2448					
					G2311	G2361	A2449					
					G2312	G2362	A2450					
					G2313	G2363	A2451					
					G2314	G2364	A2452					
					G2315	G2365	A2453					
					G2316	G2366	A2454					
					G2317	G2367	A2455					
					G2318	G2368	A2456					
					G2319</							




• Molecule 28: 5S ribosomal RNA





• Molecule 29: 50S ribosomal protein L2




• Molecule 30: 50S ribosomal protein L3




• Molecule 31: 50S ribosomal protein L4




• Molecule 32: 50S ribosomal protein L5




- Molecule 33: 50S ribosomal protein L6



- Molecule 34: 50S ribosomal protein L7Ae




- Molecule 34: 50S ribosomal protein L7Ae







- Molecule 35: 50S ribosomal protein L10e




- Molecule 36: 50S ribosomal protein L13




- Molecule 37: 50S ribosomal protein L14




- Molecule 38: 50S ribosomal protein L14e




- Molecule 38: 50S ribosomal protein L14e




- Molecule 39: 50S ribosomal protein L15








- Molecule 40: 50S ribosomal protein L15e



- Molecule 41: 50S ribosomal protein L18




- Molecule 42: 50S ribosomal protein L18e




- Molecule 43: 50S ribosomal protein L19e





- Molecule 44: 50S ribosomal protein L18Ae








- Molecule 45: 50S ribosomal protein L21e




- Molecule 46: 50S ribosomal protein L22





- Molecule 47: 50S ribosomal protein L23





- Molecule 48: 50S ribosomal protein L24




- Molecule 49: 50S ribosomal protein L24e




- Molecule 50: 50S ribosomal protein L29




- Molecule 51: 50S ribosomal protein L30




- Molecule 52: 50S ribosomal protein L30e




- Molecule 53: 50S ribosomal protein L31e



- Molecule 54: 50S ribosomal protein L32e



- Molecule 55: 50S ribosomal protein L34e



- Molecule 56: 50S ribosomal protein L37Ae



- Molecule 57: 50S ribosomal protein L37e




- Molecule 58: 50S ribosomal protein L39e

Chain Bi:  12% 96% ..



- Molecule 59: 50S ribosomal protein L40e

Chain Bj:  12% 92% 8%




- Molecule 60: LSU ribosomal protein L41E

Chain Bk:  97% .



- Molecule 61: 50S ribosomal protein L44e

Chain Bl:  7% 99% .



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	283424	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	34	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	29000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.506	Depositor
Minimum map value	-0.277	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	408.0, 408.0, 408.0	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.85, 0.85, 0.85	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, OMC, 4SU, 5MC, 6MZ, 4AC, OMU, OMG, LV2, MA6, LHH, 5MU, A2M

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	Aa	0.81	0/34630	0.97	20/54028 (0.0%)
2	Ab	0.42	0/1611	0.51	0/2179
3	Ac	0.31	0/1534	0.48	0/2057
4	Ad	0.41	0/1578	0.53	0/2119
5	Ae	0.45	0/1477	0.55	0/1980
6	Af	0.51	0/1991	0.57	0/2688
7	Ag	0.48	0/1778	0.58	1/2393 (0.0%)
8	Ah	0.37	0/968	0.54	0/1300
9	Ai	0.39	0/1738	0.50	0/2332
10	Aj	0.50	0/1039	0.58	0/1397
11	Ak	0.51	0/991	0.59	0/1322
12	Al	0.38	0/1068	0.54	0/1430
13	Am	0.32	0/810	0.49	0/1087
14	An	0.62	2/971 (0.2%)	0.60	1/1308 (0.1%)
15	Ao	0.49	0/1139	0.56	0/1518
16	Ap	0.38	0/1113	0.52	0/1500
17	Aq	0.51	0/1241	0.57	0/1667
18	Ar	0.37	0/457	0.50	0/602
19	As	0.54	0/888	0.54	0/1200
20	At	0.30	0/545	0.47	0/725
21	Au	0.40	0/970	0.48	0/1295
22	Av	0.45	0/1249	0.49	0/1687
23	Aw	0.45	0/790	0.52	0/1063
24	Ax	0.44	0/469	0.54	0/633
25	Ay	0.36	0/501	0.54	0/672
26	Az	0.47	0/440	0.48	0/599
27	BA	1.03	1/69303 (0.0%)	1.13	90/108170 (0.1%)
28	BB	0.60	0/2993	0.93	2/4668 (0.0%)
29	BC	0.58	0/1860	0.74	4/2511 (0.2%)
30	BD	0.56	0/2815	0.65	0/3795
31	BE	0.53	0/2066	0.64	0/2785
32	BF	0.34	0/1355	0.57	0/1806

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	BG	0.43	0/1490	0.55	0/2006
34	BH	0.43	0/941	0.53	0/1272
34	BI	0.32	0/941	0.55	0/1272
35	BJ	0.46	0/1407	0.57	0/1891
36	BK	0.54	0/1165	0.66	0/1558
37	BL	0.53	0/1067	0.63	0/1435
38	BM	0.49	0/614	0.65	0/824
38	BN	0.42	0/614	0.60	0/824
39	BO	0.49	0/1184	0.65	0/1581
40	BP	0.63	0/1621	0.68	0/2163
41	BQ	0.40	0/1342	0.56	0/1804
42	BR	0.50	0/971	0.62	0/1301
43	BS	0.51	0/1216	0.65	0/1607
44	BT	0.41	0/636	0.57	0/852
45	BU	0.56	0/806	0.61	0/1080
46	BV	0.51	0/1259	0.60	0/1688
47	BW	0.47	0/690	0.60	0/925
48	BX	0.51	0/1007	0.64	0/1344
49	BY	0.61	0/538	0.59	0/716
50	BZ	0.44	0/506	0.63	0/668
51	Ba	0.51	0/1259	0.64	0/1680
52	Bb	0.42	0/742	0.53	0/1001
53	Bc	0.52	0/736	0.59	0/990
54	Bd	0.53	0/1044	0.63	1/1394 (0.1%)
55	Be	0.54	0/746	0.62	0/997
56	Bg	0.57	0/640	0.69	0/855
57	Bh	0.75	0/524	0.75	0/692
58	Bi	0.58	0/441	0.69	1/588 (0.2%)
59	Bj	0.42	0/381	0.56	0/505
60	Bk	0.78	0/351	0.70	0/454
61	Bl	0.55	0/796	0.59	0/1056
All	All	0.81	3/170053 (0.0%)	0.94	120/251539 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
14	An	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	An	125	PRO	N-CA	13.69	1.70	1.47
14	An	124	ILE	C-N	5.96	1.45	1.34
27	BA	190	A	C6-N6	-5.19	1.29	1.33

The worst 5 of 120 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	BA	549	G	O4'-C1'-N9	9.49	115.80	108.20
27	BA	2297	C	N1-C2-O2	8.28	123.87	118.90
14	An	125	PRO	CA-N-CD	-7.97	100.34	111.50
1	Aa	700	C	C2-N1-C1'	7.58	127.14	118.80
1	Aa	1469	C	C2-N1-C1'	7.21	126.74	118.80

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
14	An	126	HIS	Peptide
14	An	127	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Aa	31499	0	15927	0	0
2	Ab	1580	0	1634	0	0
3	Ac	1513	0	1598	0	0
4	Ad	1550	0	1618	0	0
5	Ae	1454	0	1521	0	0
6	Af	1945	0	2028	0	0
7	Ag	1753	0	1820	0	0
8	Ah	952	0	997	0	0
9	Ai	1706	0	1772	0	0
10	Aj	1020	0	1066	0	0
11	Ak	982	0	1071	0	0
12	Al	1054	0	1105	0	0
13	Am	803	0	854	0	0
14	An	953	0	973	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
15	Ao	1122	0	1212	0	0
16	Ap	1090	0	1121	0	0
17	Aq	1217	0	1302	0	0
18	Ar	447	0	469	0	0
19	As	868	0	895	0	0
20	At	538	0	560	0	0
21	Au	952	0	1000	0	0
22	Av	1216	0	1236	0	0
23	Aw	777	0	797	0	0
24	Ax	461	0	494	0	0
25	Ay	499	0	528	0	0
26	Az	426	0	403	0	0
27	BA	63188	0	31965	584	0
28	BB	2678	0	1361	24	0
29	BC	1820	0	1902	16	0
30	BD	2746	0	2840	26	0
31	BE	2026	0	2128	19	0
32	BF	1338	0	1403	48	0
33	BG	1463	0	1520	9	0
34	BH	928	0	970	7	0
34	BI	928	0	970	21	0
35	BJ	1378	0	1409	18	0
36	BK	1146	0	1213	6	0
37	BL	1055	0	1134	5	0
38	BM	610	0	660	18	0
38	BN	610	0	660	10	0
39	BO	1162	0	1218	11	0
40	BP	1582	0	1677	8	0
41	BQ	1314	0	1359	20	0
42	BR	959	0	1018	9	0
43	BS	1200	0	1298	11	0
44	BT	624	0	647	3	0
45	BU	784	0	821	7	0
46	BV	1234	0	1274	15	0
47	BW	683	0	743	4	0
48	BX	991	0	1053	8	0
49	BY	524	0	512	4	0
50	BZ	506	0	559	3	0
51	Ba	1242	0	1332	0	0
52	Bb	730	0	768	0	0
53	Bc	721	0	776	0	0
54	Bd	1022	0	1106	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
55	Be	728	0	785	0	0
56	Bg	630	0	675	0	0
57	Bh	512	0	527	0	0
58	Bi	432	0	488	0	0
59	Bj	373	0	391	0	0
60	Bk	345	0	407	0	0
61	Bl	778	0	833	0	0
62	Ag	1	0	0	0	0
62	Ar	1	0	0	0	0
62	As	1	0	0	0	0
62	Ax	1	0	0	0	0
62	Az	2	0	0	0	0
62	BY	1	0	0	0	0
62	Be	1	0	0	0	0
62	Bg	1	0	0	0	0
62	Bh	1	0	0	0	0
62	Bj	1	0	0	0	0
62	Bl	1	0	0	0	0
63	Aa	153	0	0	0	0
63	Ae	1	0	0	0	0
63	Af	5	0	0	0	0
63	Ag	1	0	0	0	0
63	Ai	1	0	0	0	0
63	Aj	1	0	0	0	0
63	Ak	2	0	0	0	0
63	Al	2	0	0	0	0
63	An	1	0	0	0	0
63	Ao	2	0	0	0	0
63	Ap	1	0	0	0	0
63	Aq	5	0	0	0	0
63	Av	1	0	0	0	0
63	Az	1	0	0	0	0
63	BA	1674	0	0	277	0
63	BB	7	0	0	1	0
63	BC	29	0	0	3	0
63	BD	30	0	0	0	0
63	BE	24	0	0	1	0
63	BF	1	0	0	0	0
63	BH	1	0	0	0	0
63	BJ	4	0	0	0	0
63	BK	7	0	0	1	0
63	BL	8	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
63	BN	1	0	0	1	0
63	BO	19	0	0	0	0
63	BP	23	0	0	3	0
63	BQ	5	0	0	0	0
63	BR	1	0	0	0	0
63	BS	12	0	0	1	0
63	BV	17	0	0	5	0
63	BW	3	0	0	0	0
63	BX	7	0	0	1	0
63	BY	5	0	0	0	0
63	BZ	3	0	0	0	0
63	Ba	6	0	0	0	0
63	Bb	1	0	0	0	0
63	Bc	7	0	0	0	0
63	Bd	12	0	0	0	0
63	Be	7	0	0	0	0
63	Bg	6	0	0	0	0
63	Bh	18	0	0	0	0
63	Bi	5	0	0	0	0
63	Bk	6	0	0	0	0
63	Bl	3	0	0	0	0
All	All	161508	0	114403	875	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 875 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
27:BA:1904:G:OP2	63:BA:3101:HOH:O	1.79	0.99
27:BA:1181:C:O2'	27:BA:1182:A:O5'	1.81	0.99
27:BA:1181:C:O2	27:BA:2853:G:N2	1.96	0.98
27:BA:2616:C:OP1	30:BD:9:ARG:NH1	1.99	0.95
27:BA:2744:G:N7	63:BA:3108:HOH:O	2.01	0.94

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	Ab	194/201 (96%)	175 (90%)	19 (10%)	0	100	100
3	Ac	187/209 (90%)	173 (92%)	14 (8%)	0	100	100
4	Ad	188/200 (94%)	176 (94%)	12 (6%)	0	100	100
5	Ae	172/180 (96%)	166 (96%)	6 (4%)	0	100	100
6	Af	239/243 (98%)	229 (96%)	10 (4%)	0	100	100
7	Ag	219/235 (93%)	197 (90%)	22 (10%)	0	100	100
8	Ah	121/125 (97%)	113 (93%)	8 (7%)	0	100	100
9	Ai	209/215 (97%)	197 (94%)	12 (6%)	0	100	100
10	Aj	127/130 (98%)	117 (92%)	10 (8%)	0	100	100
11	Ak	123/130 (95%)	111 (90%)	12 (10%)	0	100	100
12	Al	131/135 (97%)	124 (95%)	7 (5%)	0	100	100
13	Am	98/102 (96%)	90 (92%)	8 (8%)	0	100	100
14	An	125/140 (89%)	114 (91%)	11 (9%)	0	100	100
15	Ao	141/147 (96%)	134 (95%)	7 (5%)	0	100	100
16	Ap	133/149 (89%)	114 (86%)	19 (14%)	0	100	100
17	Aq	147/151 (97%)	135 (92%)	12 (8%)	0	100	100
18	Ar	52/56 (93%)	45 (86%)	7 (14%)	0	100	100
19	As	105/114 (92%)	98 (93%)	7 (7%)	0	100	100
20	At	62/67 (92%)	56 (90%)	6 (10%)	0	100	100
21	Au	114/133 (86%)	107 (94%)	7 (6%)	0	100	100
22	Av	147/150 (98%)	143 (97%)	4 (3%)	0	100	100
23	Aw	93/98 (95%)	87 (94%)	6 (6%)	0	100	100
24	Ax	59/65 (91%)	51 (86%)	8 (14%)	0	100	100
25	Ay	62/70 (89%)	56 (90%)	6 (10%)	0	100	100
26	Az	53/62 (86%)	47 (89%)	6 (11%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
29	BC	235/239 (98%)	216 (92%)	19 (8%)	0	100	100
30	BD	342/346 (99%)	325 (95%)	17 (5%)	0	100	100
31	BE	253/255 (99%)	242 (96%)	11 (4%)	0	100	100
32	BF	162/183 (88%)	122 (75%)	40 (25%)	0	100	100
33	BG	181/184 (98%)	163 (90%)	18 (10%)	0	100	100
34	BH	119/123 (97%)	110 (92%)	9 (8%)	0	100	100
34	BI	119/123 (97%)	105 (88%)	14 (12%)	0	100	100
35	BJ	164/182 (90%)	147 (90%)	17 (10%)	0	100	100
36	BK	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
37	BL	138/141 (98%)	132 (96%)	6 (4%)	0	100	100
38	BM	79/83 (95%)	65 (82%)	14 (18%)	0	100	100
38	BN	79/83 (95%)	61 (77%)	18 (23%)	0	100	100
39	BO	146/148 (99%)	130 (89%)	16 (11%)	0	100	100
40	BP	191/194 (98%)	184 (96%)	7 (4%)	0	100	100
41	BQ	158/201 (79%)	142 (90%)	16 (10%)	0	100	100
42	BR	118/121 (98%)	113 (96%)	5 (4%)	0	100	100
43	BS	144/150 (96%)	140 (97%)	4 (3%)	0	100	100
44	BT	72/77 (94%)	67 (93%)	5 (7%)	0	100	100
45	BU	94/98 (96%)	91 (97%)	3 (3%)	0	100	100
46	BV	152/156 (97%)	145 (95%)	7 (5%)	0	100	100
47	BW	83/86 (96%)	80 (96%)	3 (4%)	0	100	100
48	BX	118/121 (98%)	113 (96%)	5 (4%)	0	100	100
49	BY	60/67 (90%)	60 (100%)	0	0	100	100
50	BZ	56/66 (85%)	52 (93%)	4 (7%)	0	100	100
51	Ba	152/155 (98%)	140 (92%)	12 (8%)	0	100	100
52	Bb	94/102 (92%)	84 (89%)	10 (11%)	0	100	100
53	Bc	87/90 (97%)	80 (92%)	7 (8%)	0	100	100
54	Bd	122/125 (98%)	119 (98%)	3 (2%)	0	100	100
55	Be	87/90 (97%)	77 (88%)	10 (12%)	0	100	100
56	Bg	82/86 (95%)	76 (93%)	6 (7%)	0	100	100
57	Bh	60/63 (95%)	57 (95%)	3 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
58	Bi	48/51 (94%)	42 (88%)	6 (12%)	0	100	100
59	Bj	45/51 (88%)	41 (91%)	4 (9%)	0	100	100
60	Bk	34/37 (92%)	33 (97%)	1 (3%)	0	100	100
61	Bl	91/94 (97%)	91 (100%)	0	0	100	100
All	All	7606/8020 (95%)	7033 (92%)	573 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	Ab	170/175 (97%)	170 (100%)	0	100	100
3	Ac	155/168 (92%)	155 (100%)	0	100	100
4	Ad	162/169 (96%)	162 (100%)	0	100	100
5	Ae	153/156 (98%)	153 (100%)	0	100	100
6	Af	210/212 (99%)	210 (100%)	0	100	100
7	Ag	185/197 (94%)	185 (100%)	0	100	100
8	Ah	104/105 (99%)	104 (100%)	0	100	100
9	Ai	182/184 (99%)	182 (100%)	0	100	100
10	Aj	106/107 (99%)	106 (100%)	0	100	100
11	Ak	101/105 (96%)	101 (100%)	0	100	100
12	Al	110/112 (98%)	110 (100%)	0	100	100
13	Am	89/91 (98%)	89 (100%)	0	100	100
14	An	95/108 (88%)	94 (99%)	1 (1%)	73	83
15	Ao	117/120 (98%)	117 (100%)	0	100	100
16	Ap	111/123 (90%)	111 (100%)	0	100	100
17	Aq	129/131 (98%)	129 (100%)	0	100	100
18	Ar	45/46 (98%)	45 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
19	As	95/101 (94%)	94 (99%)	1 (1%)	73	83
20	At	58/61 (95%)	58 (100%)	0	100	100
21	Au	104/117 (89%)	104 (100%)	0	100	100
22	Av	125/126 (99%)	125 (100%)	0	100	100
23	Aw	85/88 (97%)	85 (100%)	0	100	100
24	Ax	53/56 (95%)	53 (100%)	0	100	100
25	Ay	53/59 (90%)	53 (100%)	0	100	100
26	Az	49/55 (89%)	49 (100%)	0	100	100
29	BC	185/187 (99%)	184 (100%)	1 (0%)	88	93
30	BD	288/289 (100%)	287 (100%)	1 (0%)	92	96
31	BE	212/212 (100%)	211 (100%)	1 (0%)	88	93
32	BF	140/155 (90%)	137 (98%)	3 (2%)	53	68
33	BG	158/159 (99%)	158 (100%)	0	100	100
34	BH	99/100 (99%)	99 (100%)	0	100	100
34	BI	99/100 (99%)	99 (100%)	0	100	100
35	BJ	144/153 (94%)	144 (100%)	0	100	100
36	BK	120/120 (100%)	120 (100%)	0	100	100
37	BL	104/105 (99%)	104 (100%)	0	100	100
38	BM	63/65 (97%)	62 (98%)	1 (2%)	62	77
38	BN	63/65 (97%)	63 (100%)	0	100	100
39	BO	115/116 (99%)	115 (100%)	0	100	100
40	BP	161/162 (99%)	161 (100%)	0	100	100
41	BQ	138/167 (83%)	137 (99%)	1 (1%)	84	90
42	BR	101/102 (99%)	101 (100%)	0	100	100
43	BS	120/124 (97%)	118 (98%)	2 (2%)	60	75
44	BT	69/72 (96%)	69 (100%)	0	100	100
45	BU	84/85 (99%)	84 (100%)	0	100	100
46	BV	129/131 (98%)	129 (100%)	0	100	100
47	BW	75/76 (99%)	75 (100%)	0	100	100
48	BX	109/109 (100%)	109 (100%)	0	100	100
49	BY	54/58 (93%)	54 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
50	BZ	57/61 (93%)	57 (100%)	0	100	100
51	Ba	132/133 (99%)	132 (100%)	0	100	100
52	Bb	76/80 (95%)	76 (100%)	0	100	100
53	Bc	75/76 (99%)	75 (100%)	0	100	100
54	Bd	106/107 (99%)	106 (100%)	0	100	100
55	Be	80/80 (100%)	78 (98%)	2 (2%)	47	62
56	Bg	62/63 (98%)	61 (98%)	1 (2%)	62	77
57	Bh	50/51 (98%)	50 (100%)	0	100	100
58	Bi	45/46 (98%)	44 (98%)	1 (2%)	52	66
59	Bj	36/38 (95%)	36 (100%)	0	100	100
60	Bk	34/35 (97%)	34 (100%)	0	100	100
61	Bl	83/84 (99%)	83 (100%)	0	100	100
All	All	6512/6738 (97%)	6496 (100%)	16 (0%)	93	97

5 of 16 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
56	Bg	3	ARG
55	Be	63	ARG
38	BM	34	LEU
55	Be	12	ARG
32	BF	179	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 14 such sidechains are listed below:

Mol	Chain	Res	Type
30	BD	274	ASN
32	BF	47	GLN
61	Bl	78	HIS
54	Bd	83	HIS
56	Bg	57	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	Aa	1449/1498 (96%)	235 (16%)	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
27	BA	2928/3037 (96%)	525 (17%)	36 (1%)
28	BB	124/126 (98%)	22 (17%)	1 (0%)
All	All	4501/4661 (96%)	782 (17%)	37 (0%)

5 of 782 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	Aa	4	C
1	Aa	17	C
1	Aa	33	U
1	Aa	35	G
1	Aa	42	G

5 of 37 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
27	BA	2496	C
27	BA	3022	C
27	BA	2534	A
27	BA	2836	G
27	BA	1182	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

81 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
27	OMG	BA	491	27	18,26,27	2.11	7 (38%)	19,38,41	1.50	4 (21%)
27	A2M	BA	1109	27	18,25,26	4.13	7 (38%)	18,36,39	3.09	4 (22%)
27	OMC	BA	2876	27	19,22,23	2.72	7 (36%)	26,31,34	1.00	0
1	OMG	Aa	852	1	18,26,27	2.16	7 (38%)	19,38,41	1.38	3 (15%)
27	OMU	BA	1969	27	19,22,23	2.91	7 (36%)	26,31,34	1.78	6 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMG	Aa	548	1	18,26,27	2.31	8 (44%)	19,38,41	1.40	3 (15%)
27	OMG	BA	2115	27	18,26,27	2.15	6 (33%)	19,38,41	1.23	3 (15%)
27	OMU	BA	657	27	19,22,23	2.80	7 (36%)	26,31,34	1.67	4 (15%)
27	OMG	BA	833	27	18,26,27	2.23	7 (38%)	19,38,41	1.34	3 (15%)
1	5MU	Aa	917	1	19,22,23	1.40	5 (26%)	28,32,35	2.18	6 (21%)
1	MA6	Aa	1468	1	19,26,27	1.16	2 (10%)	18,38,41	3.45	2 (11%)
1	OMG	Aa	529	1	18,26,27	2.18	7 (38%)	19,38,41	1.26	3 (15%)
27	OMU	BA	2656	27	19,22,23	2.91	7 (36%)	26,31,34	1.71	5 (19%)
27	A2M	BA	61	27	18,25,26	4.10	7 (38%)	18,36,39	3.10	5 (27%)
27	OMU	BA	1905	27	19,22,23	2.76	8 (42%)	26,31,34	1.55	5 (19%)
27	OMG	BA	1953	27	18,26,27	2.18	7 (38%)	19,38,41	1.35	3 (15%)
27	OMG	BA	2613	27	18,26,27	2.16	8 (44%)	19,38,41	1.30	3 (15%)
1	OMG	Aa	659	1	18,26,27	2.29	8 (44%)	19,38,41	1.33	3 (15%)
27	A2M	BA	932	27	18,25,26	4.14	7 (38%)	18,36,39	3.02	3 (16%)
1	4AC	Aa	458	1	21,24,25	1.07	1 (4%)	29,34,37	1.13	3 (10%)
1	5MC	Aa	1352	1	18,22,23	3.43	7 (38%)	26,32,35	1.00	2 (7%)
27	OMG	BA	800	27	18,26,27	2.16	7 (38%)	19,38,41	1.37	4 (21%)
1	5MC	Aa	672	1	18,22,23	3.25	7 (38%)	26,32,35	1.00	2 (7%)
27	OMG	BA	912	27	18,26,27	2.19	7 (38%)	19,38,41	1.86	5 (26%)
1	A2M	Aa	352	1	18,25,26	4.17	6 (33%)	18,36,39	3.14	3 (16%)
27	A2M	BA	505	27	18,25,26	4.24	8 (44%)	18,36,39	3.12	3 (16%)
27	OMG	BA	674	27	18,26,27	2.12	6 (33%)	19,38,41	1.24	3 (15%)
27	OMG	BA	668	27	18,26,27	2.21	7 (38%)	19,38,41	1.31	3 (15%)
27	5MC	BA	2120	27	18,22,23	3.07	7 (38%)	26,32,35	1.28	3 (11%)
1	4AC	Aa	5	1	21,24,25	3.15	10 (47%)	29,34,37	0.93	2 (6%)
27	A2M	BA	872	27	18,25,26	4.07	8 (44%)	18,36,39	2.80	3 (16%)
27	A2M	BA	2145	27	18,25,26	4.12	8 (44%)	18,36,39	2.86	3 (16%)
27	OMG	BA	1945	27	18,26,27	2.15	7 (38%)	19,38,41	1.48	3 (15%)
1	MA6	Aa	1467	1	19,26,27	1.11	1 (5%)	18,38,41	3.21	2 (11%)
27	OMG	BA	63	27	18,26,27	2.26	8 (44%)	19,38,41	1.40	4 (21%)
27	5MC	BA	2055	27	18,22,23	3.41	7 (38%)	26,32,35	1.23	4 (15%)
27	OMU	BA	453	27	19,22,23	2.90	7 (36%)	26,31,34	1.71	5 (19%)
27	OMG	BA	943	27	18,26,27	2.23	7 (38%)	19,38,41	1.75	6 (31%)
27	OMC	BA	1721	27	19,22,23	2.71	7 (36%)	26,31,34	0.97	0
27	OMU	BA	1776	27	19,22,23	2.86	7 (36%)	26,31,34	1.62	6 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
27	OMG	BA	1129	27	18,26,27	2.22	8 (44%)	19,38,41	1.31	3 (15%)
27	A2M	BA	879	27	18,25,26	4.03	7 (38%)	18,36,39	3.06	3 (16%)
27	4SU	BA	2553	27	18,21,22	4.08	8 (44%)	26,30,33	1.94	5 (19%)
1	OMG	Aa	498	1	18,26,27	2.23	8 (44%)	19,38,41	1.37	3 (15%)
27	5MC	BA	342	27	18,22,23	3.37	7 (38%)	26,32,35	0.98	2 (7%)
27	LHH	BA	501	27	22,25,26	2.41	4 (18%)	29,35,38	1.23	4 (13%)
27	OMU	BA	1949	27	19,22,23	2.85	7 (36%)	26,31,34	1.66	5 (19%)
27	OMU	BA	1623	27	19,22,23	2.85	8 (42%)	26,31,34	1.65	5 (19%)
27	OMC	BA	1709	27	19,22,23	2.82	7 (36%)	26,31,34	0.83	0
27	OMC	BA	2047	27	19,22,23	2.69	7 (36%)	26,31,34	0.88	0
1	OMC	Aa	1354	1	19,22,23	2.82	8 (42%)	26,31,34	0.81	0
27	OMG	BA	215	27	18,26,27	2.29	8 (44%)	19,38,41	1.36	3 (15%)
1	OMG	Aa	913	1	18,26,27	2.37	8 (44%)	19,38,41	1.46	3 (15%)
27	OMG	BA	2353	27	18,26,27	2.47	8 (44%)	19,38,41	1.48	4 (21%)
27	OMC	BA	2545	27	19,22,23	2.70	7 (36%)	26,31,34	0.81	1 (3%)
1	5MC	Aa	854	1	18,22,23	0.96	2 (11%)	26,32,35	1.27	3 (11%)
27	OMG	BA	2672	27	18,26,27	2.25	7 (38%)	19,38,41	1.37	3 (15%)
27	5MC	BA	2075	27	18,22,23	3.27	7 (38%)	26,32,35	0.94	0
27	OMG	BA	2010	27	18,26,27	2.23	7 (38%)	19,38,41	1.28	3 (15%)
27	OMG	BA	2745	27	18,26,27	2.22	7 (38%)	19,38,41	1.35	3 (15%)
1	4AC	Aa	1459	1	21,24,25	3.00	11 (52%)	29,34,37	1.08	3 (10%)
27	OMG	BA	65	27	18,26,27	2.19	7 (38%)	19,38,41	1.43	4 (21%)
27	OMC	BA	2786	27	19,22,23	2.63	7 (36%)	26,31,34	0.93	1 (3%)
27	5MC	BA	875	27	18,22,23	3.33	7 (38%)	26,32,35	1.22	6 (23%)
27	OMG	BA	2016	27	18,26,27	2.22	7 (38%)	19,38,41	1.24	3 (15%)
1	6MZ	Aa	1449	1	18,25,26	0.84	1 (5%)	16,36,39	2.14	4 (25%)
27	OMG	BA	2550	27	18,26,27	2.21	7 (38%)	19,38,41	1.25	2 (10%)
27	OMC	BA	869	27	19,22,23	2.62	7 (36%)	26,31,34	1.06	2 (7%)
27	5MC	BA	1965	27	18,22,23	3.31	7 (38%)	26,32,35	0.95	3 (11%)
1	OMG	Aa	446	1	18,26,27	2.27	7 (38%)	19,38,41	1.34	3 (15%)
1	OMG	Aa	658	1	18,26,27	2.28	7 (38%)	19,38,41	1.60	5 (26%)
27	OMC	BA	1820	27	19,22,23	2.70	7 (36%)	26,31,34	0.99	2 (7%)
1	LV2	Aa	918	1	20,23,24	0.91	0	26,33,36	0.77	0
1	4AC	Aa	730	1	21,24,25	3.21	10 (47%)	29,34,37	0.96	2 (6%)
1	OMG	Aa	450	1	18,26,27	1.06	1 (5%)	19,38,41	1.07	2 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
27	A2M	BA	849	27	18,25,26	4.13	6 (33%)	18,36,39	2.96	3 (16%)
1	OMU	Aa	8	1	19,22,23	2.82	7 (36%)	26,31,34	1.80	5 (19%)
27	OMG	BA	2379	27	18,26,27	2.17	7 (38%)	19,38,41	1.36	4 (21%)
27	OMG	BA	2528	27	18,26,27	2.33	8 (44%)	19,38,41	1.31	3 (15%)
27	OMU	BA	2542	27	19,22,23	2.86	7 (36%)	26,31,34	1.60	5 (19%)
27	OMC	BA	477	27	19,22,23	2.88	7 (36%)	26,31,34	0.97	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
27	OMG	BA	491	27	-	1/5/27/28	0/3/3/3
27	A2M	BA	1109	27	-	0/5/27/28	0/3/3/3
27	OMC	BA	2876	27	-	0/9/27/28	0/2/2/2
1	OMG	Aa	852	1	-	1/5/27/28	0/3/3/3
27	OMU	BA	1969	27	-	0/9/27/28	0/2/2/2
1	OMG	Aa	548	1	-	0/5/27/28	0/3/3/3
27	OMG	BA	2115	27	-	1/5/27/28	0/3/3/3
27	OMU	BA	657	27	-	0/9/27/28	0/2/2/2
27	OMG	BA	833	27	-	0/5/27/28	0/3/3/3
1	5MU	Aa	917	1	-	0/7/25/26	0/2/2/2
1	MA6	Aa	1468	1	-	1/7/29/30	0/3/3/3
1	OMG	Aa	529	1	-	0/5/27/28	0/3/3/3
27	OMU	BA	2656	27	-	0/9/27/28	0/2/2/2
27	A2M	BA	61	27	-	2/5/27/28	0/3/3/3
27	OMU	BA	1905	27	-	0/9/27/28	0/2/2/2
27	OMG	BA	1953	27	-	1/5/27/28	0/3/3/3
27	OMG	BA	2613	27	-	0/5/27/28	0/3/3/3
1	OMG	Aa	659	1	-	2/5/27/28	0/3/3/3
27	A2M	BA	932	27	-	0/5/27/28	0/3/3/3
1	4AC	Aa	458	1	-	3/11/29/30	0/2/2/2
1	5MC	Aa	1352	1	-	0/7/25/26	0/2/2/2
27	OMG	BA	800	27	-	1/5/27/28	0/3/3/3
1	5MC	Aa	672	1	-	0/7/25/26	0/2/2/2
27	OMG	BA	912	27	-	0/5/27/28	0/3/3/3
1	A2M	Aa	352	1	-	0/5/27/28	0/3/3/3
27	A2M	BA	505	27	-	2/5/27/28	0/3/3/3
27	OMG	BA	674	27	-	2/5/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
27	OMG	BA	668	27	-	1/5/27/28	0/3/3/3
27	5MC	BA	2120	27	-	0/7/25/26	0/2/2/2
1	4AC	Aa	5	1	-	2/11/29/30	0/2/2/2
27	A2M	BA	872	27	-	0/5/27/28	0/3/3/3
27	A2M	BA	2145	27	-	0/5/27/28	0/3/3/3
27	OMG	BA	1945	27	-	2/5/27/28	0/3/3/3
1	MA6	Aa	1467	1	-	0/7/29/30	0/3/3/3
27	OMG	BA	63	27	-	0/5/27/28	0/3/3/3
27	5MC	BA	2055	27	-	0/7/25/26	0/2/2/2
27	OMU	BA	453	27	-	0/9/27/28	0/2/2/2
27	OMG	BA	943	27	-	0/5/27/28	0/3/3/3
27	OMC	BA	1721	27	-	0/9/27/28	0/2/2/2
27	OMU	BA	1776	27	-	0/9/27/28	0/2/2/2
27	OMG	BA	1129	27	-	0/5/27/28	0/3/3/3
27	A2M	BA	879	27	-	0/5/27/28	0/3/3/3
27	4SU	BA	2553	27	-	0/7/25/26	0/2/2/2
1	OMG	Aa	498	1	-	0/5/27/28	0/3/3/3
27	5MC	BA	342	27	-	2/7/25/26	0/2/2/2
27	LHH	BA	501	27	-	0/13/31/32	0/2/2/2
27	OMU	BA	1949	27	-	0/9/27/28	0/2/2/2
27	OMU	BA	1623	27	-	2/9/27/28	0/2/2/2
27	OMC	BA	1709	27	-	0/9/27/28	0/2/2/2
27	OMC	BA	2047	27	-	0/9/27/28	0/2/2/2
1	OMC	Aa	1354	1	-	0/9/27/28	0/2/2/2
27	OMG	BA	215	27	-	0/5/27/28	0/3/3/3
1	OMG	Aa	913	1	-	2/5/27/28	0/3/3/3
27	OMG	BA	2353	27	-	2/5/27/28	0/3/3/3
27	OMC	BA	2545	27	-	1/9/27/28	0/2/2/2
1	5MC	Aa	854	1	-	0/7/25/26	0/2/2/2
27	OMG	BA	2672	27	-	2/5/27/28	0/3/3/3
27	5MC	BA	2075	27	-	2/7/25/26	0/2/2/2
27	OMG	BA	2010	27	-	0/5/27/28	0/3/3/3
27	OMG	BA	2745	27	-	0/5/27/28	0/3/3/3
1	4AC	Aa	1459	1	-	0/11/29/30	0/2/2/2
27	OMG	BA	65	27	-	2/5/27/28	0/3/3/3
27	OMC	BA	2786	27	-	2/9/27/28	0/2/2/2
27	5MC	BA	875	27	-	2/7/25/26	0/2/2/2
27	OMG	BA	2016	27	-	0/5/27/28	0/3/3/3
1	6MZ	Aa	1449	1	-	0/5/27/28	0/3/3/3
27	OMG	BA	2550	27	-	0/5/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
27	OMC	BA	869	27	-	2/9/27/28	0/2/2/2
27	5MC	BA	1965	27	-	0/7/25/26	0/2/2/2
1	OMG	Aa	446	1	-	1/5/27/28	0/3/3/3
1	OMG	Aa	658	1	-	0/5/27/28	0/3/3/3
27	OMC	BA	1820	27	-	0/9/27/28	0/2/2/2
1	LV2	Aa	918	1	-	2/9/29/30	0/2/2/2
1	4AC	Aa	730	1	-	0/11/29/30	0/2/2/2
1	OMG	Aa	450	1	-	0/5/27/28	0/3/3/3
27	A2M	BA	849	27	-	2/5/27/28	0/3/3/3
1	OMU	Aa	8	1	-	3/9/27/28	0/2/2/2
27	OMG	BA	2379	27	-	3/5/27/28	0/3/3/3
27	OMG	BA	2528	27	-	0/5/27/28	0/3/3/3
27	OMU	BA	2542	27	-	0/9/27/28	0/2/2/2
27	OMC	BA	477	27	-	0/9/27/28	0/2/2/2

The worst 5 of 544 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
27	BA	505	A2M	O4'-C1'	14.94	1.61	1.41
1	Aa	352	A2M	O4'-C1'	14.90	1.61	1.41
27	BA	1109	A2M	O4'-C1'	14.81	1.61	1.41
27	BA	849	A2M	O4'-C1'	14.79	1.61	1.41
27	BA	932	A2M	O4'-C1'	14.68	1.61	1.41

The worst 5 of 253 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Aa	1468	MA6	N1-C6-N6	-13.55	102.80	117.06
1	Aa	1467	MA6	N1-C6-N6	-12.53	103.87	117.06
1	Aa	352	A2M	C5-C6-N6	9.73	135.14	120.35
27	BA	1109	A2M	C5-C6-N6	9.49	134.77	120.35
27	BA	505	A2M	C5-C6-N6	9.37	134.59	120.35

There are no chirality outliers.

5 of 54 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	Aa	5	4AC	O4'-C4'-C5'-O5'
1	Aa	5	4AC	C3'-C4'-C5'-O5'
1	Aa	659	OMG	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	Aa	913	OMG	O4'-C4'-C5'-O5'
27	BA	61	A2M	C1'-C2'-O2'-CM'

There are no ring outliers.

16 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
27	BA	2115	OMG	1	0
27	BA	61	A2M	1	0
27	BA	912	OMG	1	0
27	BA	505	A2M	1	0
27	BA	674	OMG	1	0
27	BA	2120	5MC	4	0
27	BA	1945	OMG	1	0
27	BA	879	A2M	1	0
27	BA	342	5MC	1	0
27	BA	1949	OMU	3	0
27	BA	1623	OMU	1	0
27	BA	2353	OMG	1	0
27	BA	2672	OMG	1	0
27	BA	2745	OMG	1	0
27	BA	869	OMC	1	0
27	BA	2379	OMG	2	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
27	BA	1
7	Ag	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	BA	582:A	O3'	583:A	P	4.39
1	Ag	75:ASP	C	76:SER	N	3.06


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-10503. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 227



Y Index: 181




Z Index: 265


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 518 nm³; this corresponds to an approximate mass of 468 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.392 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-10503 and PDB model 6TH6. Per-residue inclusion information can be found in [section 3](#) on [page 18](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 69% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary



























































The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7245	 0.6220
Aa	 0.7552	 0.6320
Ab	 0.5561	 0.6270
Ac	 0.1559	 0.5370
Ad	 0.5398	 0.6070
Ae	 0.6831	 0.6450
Af	 0.7644	 0.6520
Ag	 0.7203	 0.6340
Ah	 0.3247	 0.5650
Ai	 0.4630	 0.5940
Aj	 0.7984	 0.6580
Ak	 0.7300	 0.6350
Al	 0.5054	 0.6250
Am	 0.2265	 0.5540
An	 0.5054	 0.6120
Ao	 0.7051	 0.6510
Ap	 0.4544	 0.5650
Aq	 0.7174	 0.6350
Ar	 0.4242	 0.5780
As	 0.5785	 0.5960
At	 0.0346	 0.5090
Au	 0.4659	 0.6130
Av	 0.5748	 0.6340
Aw	 0.5661	 0.6110
Ax	 0.6145	 0.6110
Ay	 0.2678	 0.5710
Az	 0.7064	 0.6440
BA	 0.8081	 0.6240
BB	 0.5075	 0.5460
BC	 0.8580	 0.6730
BD	 0.8417	 0.6770
BE	 0.8271	 0.6680
BF	 0.1194	 0.3620
BG	 0.5794	 0.6030
BH	 0.5475	 0.5880



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BI	 0.0011	 0.3030
BJ	 0.6399	 0.6170
BK	 0.8161	 0.6720
BL	 0.7957	 0.6530
BM	 0.5926	 0.5990
BN	 0.4259	 0.5440
BO	 0.6062	 0.6120
BP	 0.8920	 0.6800
BQ	 0.4626	 0.5670
BR	 0.7935	 0.6570
BS	 0.8372	 0.6620
BT	 0.5554	 0.6250
BU	 0.8447	 0.6780
BV	 0.8610	 0.6740
BW	 0.7246	 0.6410
BX	 0.7815	 0.6450
BY	 0.7698	 0.6460
BZ	 0.5782	 0.5810
Ba	 0.7889	 0.6560
Bb	 0.6058	 0.5970
Bc	 0.7773	 0.6660
Bd	 0.8157	 0.6700
Be	 0.8167	 0.6530
Bg	 0.7970	 0.6600
Bh	 0.9419	 0.6990
Bi	 0.7718	 0.6250
Bj	 0.6966	 0.6420
Bk	 0.8774	 0.6490
Bl	 0.7701	 0.6600