



## wwPDB EM Validation Summary Report ⓘ

Dec 18, 2022 – 01:57 am GMT

PDB ID : 6ZTL  
EMDB ID : EMD-11419  
Title : E. coli 70S-RNAP expressome complex in collided state bound to NusG  
Authors : Webster, M.W.; Takacs, M.; Weixlbaumer, A.  
Deposited on : 2020-07-20  
Resolution : 3.50 Å(reported)  
Based on initial models : 6ALH, 4YBB

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3




# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1542	
2	AB	241	
3	AC	233	
4	AD	206	
5	AE	167	
6	AF	131	
7	AG	156	

Continued on next page...




























Continued from previous page...

Mol	Chain	Length	Quality of chain
8	AH	130	
9	AI	130	
10	AJ	103	
11	AK	129	
12	AL	124	
13	AM	118	
14	AN	101	
15	AO	89	
16	AP	82	
17	AQ	84	
18	AR	75	
19	AS	92	
20	AT	87	
21	AU	71	
22	AV	49	
23	AW	77	
24	AX	76	
25	BA	2904	
26	BB	120	
27	BC	273	
28	BD	209	
29	BE	201	
30	BF	179	
31	BG	177	
32	BH	149	

Continued on next page...



Continued from previous page...

Mol	Chain	Length	Quality of chain
33	BK	142	
34	BL	123	
35	BM	144	
36	BN	136	
37	BO	127	
38	BP	117	
39	BQ	115	
40	BR	118	
41	BS	103	
42	BT	110	
43	BU	100	
44	BV	104	
45	BW	94	
46	BX	85	
47	BY	78	
48	BZ	63	
49	B1	59	
50	B2	57	
51	B3	55	
52	B4	46	
53	B5	65	
54	B6	50	
55	CN	39	
56	CT	39	
57	CA	329	

Continued on next page...



Continued from previous page...

Mol	Chain	Length	Quality of chain
57	CB	329	<div><div><div>40%</div><div>56%</div><div>9%</div><div>33%</div></div></div>
58	CC	1342	<div><div><div>40%</div><div>75%</div><div>19%</div><div>• •</div></div></div>
59	CD	1407	<div><div><div>54%</div><div>76%</div><div>17%</div><div>• 5%</div></div></div>
60	CE	91	<div><div><div>56%</div><div>49%</div><div>7%</div><div>44%</div></div></div>
61	CF	181	<div><div><div>54%</div><div>42%</div><div>12%</div><div>• 46%</div></div></div>



## 2 Entry composition

There are 64 unique types of molecules in this entry. The entry contains 173008 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AA	1533	Total	C	N	O	P	0	0
			32908	14683	6037	10655	1533		

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	AB	226	Total	C	N	O	S	0	0
			1764	1116	316	324	8		

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AC	211	Total	C	N	O	S	0	0
			1653	1046	310	293	4		

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AD	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AE	156	Total	C	N	O	S	0	0
			1148	715	217	210	6		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	9	CYS	GLY	conflict	UNP P0A7W1
AE	151	ALA	GLU	conflict	UNP P0A7W1



- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AF	104	Total	C	N	O	S	0	0
			848	536	153	152	7		

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AG	154	Total	C	N	O	S	0	0
			1214	756	235	219	4		

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AH	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AI	128	Total	C	N	O	S	0	0
			1031	639	207	182	3		

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AJ	102	Total	C	N	O	S	0	0
			817	509	157	150	1		

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AK	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AL	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 13 is a protein called 30S ribosomal protein S13.



Mol	Chain	Residues	Atoms					AltConf	Trace
13	AM	115	Total	C	N	O	S	0	0
			891	552	179	157	3		

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AN	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AO	89	Total	C	N	O	S	0	0
			722	444	145	131	2		

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AP	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AQ	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	AR	57	Total	C	N	O	0	0
			474	298	90	86		

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AS	82	Total	C	N	O	S	0	0
			656	419	125	110	2		

- Molecule 20 is a protein called 30S ribosomal protein S20.



Mol	Chain	Residues	Atoms					AltConf	Trace
20	AT	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AU	70	Total	C	N	O	S	0	0
			590	366	125	98	1		

- Molecule 22 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AV	34	Total	C	N	O	P	0	0
			720	323	130	233	34		

- Molecule 23 is a RNA chain called tRNA(fmet) P-site.

Mol	Chain	Residues	Atoms					AltConf	Trace	
23	AW	77	Total	C	N	O	P	S	0	0
			1645	734	297	536	77	1		

- Molecule 24 is a RNA chain called Phe-NH-tRNA(Phe) A-site.

Mol	Chain	Residues	Atoms						AltConf	Trace
24	AX	76	Total	C	N	O	P	S	0	0
			1629	729	290	533	76	1		

- Molecule 25 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BA	2899	Total	C	N	O	P	0	0
			62248	27776	11451	20122	2899		

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BA	?	-	G	deletion	GB CP023165.1
BA	?	-	C	deletion	GB CP023165.1
BA	1211	U	C	conflict	GB CP023165.1
BA	1723	G	A	conflict	GB CP023165.1
BA	2211	G	A	conflict	GB CP023165.1

- Molecule 26 is a RNA chain called 5S ribosomal RNA.



Mol	Chain	Residues	Atoms					AltConf	Trace
26	BB	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 27 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BC	272	Total	C	N	O	S	0	0
			2092	1294	425	366	7		

- Molecule 28 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BD	209	Total	C	N	O	S	0	0
			1566	980	288	294	4		

- Molecule 29 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BE	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 30 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BF	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 31 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BG	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 32 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BH	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 33 is a protein called 50S ribosomal protein L13.



Mol	Chain	Residues	Atoms					AltConf	Trace
33	BK	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BL	123	Total	C	N	O	S	0	0
			946	592	181	167	6		

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BM	144	Total	C	N	O	S	0	0
			1052	653	207	190	2		

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BN	136	Total	C	N	O	S	0	0
			1075	686	205	178	6		

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BO	118	Total	C	N	O	S	0	0
			945	585	194	161	5		

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BP	117	Total	C	N	O	S	0	0
			900	557	179	163	1		

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BQ	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 40 is a protein called 50S ribosomal protein L20.



Mol	Chain	Residues	Atoms				AltConf	Trace
40	BR	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 41 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BS	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BT	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BU	95	Total	C	N	O	S	0	0
			757	479	141	135	2		

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	BV	102	Total	C	N	O	0	0
			779	492	146	141		

- Molecule 45 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BW	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BX	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 47 is a protein called 50S ribosomal protein L28.



Mol	Chain	Residues	Atoms					AltConf	Trace
47	BY	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 48 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BZ	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 49 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	B1	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 50 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	B2	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 51 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
51	B3	52	Total	C	N	O	0	0
			426	275	78	73		

- Molecule 52 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B4	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 53 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B5	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 54 is a protein called 50S ribosomal protein L36.



Mol	Chain	Residues	Atoms					AltConf	Trace
54	B6	38	Total	C	N	O	S	0	0
			301	185	65	47	4		

- Molecule 55 is a DNA chain called Non-template DNA strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	CN	30	Total	C	N	O	P	0	0
			618	294	114	180	30		

- Molecule 56 is a DNA chain called Template DNA strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	CT	30	Total	C	N	O	P	0	0
			606	288	105	183	30		

- Molecule 57 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	CA	229	Total	C	N	O	S	0	0
			1775	1106	313	350	6		
57	CB	219	Total	C	N	O	S	0	0
			1684	1051	295	332	6		

- Molecule 58 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	CC	1320	Total	C	N	O	S	0	0
			10415	6535	1815	2021	44		

- Molecule 59 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	CD	1333	Total	C	N	O	S	0	0
			10375	6518	1851	1956	50		

- Molecule 60 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	CE	51	Total	C	N	O	S	0	0
			399	246	77	75	1		

- Molecule 61 is a protein called Transcription termination/antitermination protein NusG.




Mol	Chain	Residues	Atoms					AltConf	Trace
61	CF	98	Total	C	N	O	S	0	0
			790	505	139	140	6		

- Molecule 62 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
62	AA	115	Total	Mg	0
			115	115	
62	AL	1	Total	Mg	0
			1	1	
62	AM	1	Total	Mg	0
			1	1	
62	AN	1	Total	Mg	0
			1	1	
62	AP	1	Total	Mg	0
			1	1	
62	AX	1	Total	Mg	0
			1	1	
62	BA	304	Total	Mg	0
			304	304	
62	BB	8	Total	Mg	0
			8	8	
62	BC	4	Total	Mg	0
			4	4	
62	BD	2	Total	Mg	0
			2	2	
62	BQ	1	Total	Mg	0
			1	1	
62	BR	1	Total	Mg	0
			1	1	
62	CD	1	Total	Mg	0
			1	1	

- Molecule 63 is PHENYLALANINE (three-letter code: PHE) (formula: C<sub>9</sub>H<sub>11</sub>NO<sub>2</sub>).





Mol	Chain	Residues	Atoms				AltConf
63	AX	1	Total	C	N	O	0
			11	9	1	1	

- Molecule 64 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
64	B6	1	Total	Zn	0
			1	1	
64	CD	2	Total	Zn	0
			2	2	



### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: 16S ribosomal RNA













• Molecule 3: 30S ribosomal protein S3




• Molecule 4: 30S ribosomal protein S4






- Molecule 5: 30S ribosomal protein S5

Chain AE: 





- Molecule 6: 30S ribosomal protein S6

Chain AF: 




- Molecule 7: 30S ribosomal protein S7

Chain AG: 




- Molecule 8: 30S ribosomal protein S8

Chain AH: 




- Molecule 9: 30S ribosomal protein S9







- Molecule 10: 30S ribosomal protein S10




- Molecule 11: 30S ribosomal protein S11



- Molecule 12: 30S ribosomal protein S12




- Molecule 13: 30S ribosomal protein S13









- Molecule 14: 30S ribosomal protein S14




- Molecule 15: 30S ribosomal protein S15



- Molecule 16: 30S ribosomal protein S16




- Molecule 17: 30S ribosomal protein S17




- Molecule 18: 30S ribosomal protein S18










- Molecule 19: 30S ribosomal protein S19





- Molecule 20: 30S ribosomal protein S20



- Molecule 21: 30S ribosomal protein S21




- Molecule 22: mRNA




- Molecule 23: tRNA(fmet) P-site









• Molecule 24: Phe-NH-tRNA(Phe) A-site



• Molecule 25: 23S ribosomal RNA










U2779	G2780	U2687	G2523	A2448	G2373	G2304	G2228	C2161	A2101	U2026	U1917	G1835	G1743
G2781	C2610	G2688	G2529	U2449	A2377	U2305	U2229	G2162	G2102	G2029	A1918	C1838	A1744
U2690		U2689	A2530	G2454	G2378	G2307	U2231	A2163	C2103	A2030	G1921	C1838	A1745
	U2613	G2613	G2531	G2455	C2379	G2308	U2232	C2164	C2104	A2031	G1922	G1843	U1747
U2698	G2614	G2614	G2532	G2456	C2380	A2309	U2233	C2165	U2105	G2032	U1923	C1844	C1748
C2699	U2615	U2615		U2457	A2381	C2310	G2234	C2165	U2106	A2033		G1845	A1749
U2700		G2458	G2535	G2458	G2382	C2311	G2235	U2166	G2107	A2037	G1929	G1846	G1750
G2788	G2618	G2618	G2536	A2459	U2383	U2312	U2236	U2167	A2108	G2038	G1930	U1751	C1752
C2789	U2701	G2702	U2537	U2460	U2384	C2313	G2237	C2168	U2109	U2039	U1931	A1847	C1752
C2703		C2538	U2537	A2461	C2385	A2314	G2238	A2169	G2110	G2040		A1848	G1753
C2704		C2539	C2539			G2315	G2239	A2170	G2111	U2041		A1853	G1756
	G2625	G2626	A2542	C2466	U2390	G2316	U2243	A2171	U2110	G2042		A1854	
G2714			G2543	C2467	G2391	A2317	U2244	A2172	G2112	A2042		G1857	C1760
	G2629		G2544	A2468	A2392	G2318	U2245	U2172	G2113	C2043		G1857	C1760
G2717	G2630	G2630	U2545	A2469	U2393	G2319	G2246	A2173	U2114	C2044		A1858	
G2718			G2545	G2470	C2394	U2320	A2247	A2173	G2114	G2045		U1859	C1764
G2719			U2546			U2321	G2247	C2174	A2115	C2046			
U2720	C2636		A2547	U2473	G2399	U2322	G2248	C2175	U1955	G2047		U1864	
	U2637		U2548	U2474	G2400	G2322	U2249	C2176	A2116	G2048		U1865	A1773
G2723	G2638			C2475	U2401	G2323	U2250	A2176	G2116			A1866	C1774
U2724	A2639		U2552	A2476	U2402	U2324	G2251	C2177	A2117	A2052		G1867	U1775
A2725	G2640		G2553	U2477	C2403	G2325	G2252	C2178	U2118			C1868	U1779
A2726			U2554	A2478	U2404	C2326	U2253	C2179	A2119	C2055		C1869	
A2727	G2645		U2555		G2405	A2327	G2254	U2180	G2120	G2056		C1870	A1784
U2807	G2647		G2557	G2481	A2406	A2328	C2261	U2181	G2121	G2057		A1871	
G2808	G2648		C2558	A2482		U2329		C2178	G2122	A2058		A1872	A1789
A2809			U2562	C2483	A2412	C2330	U2257	U2182	G2123	G2059		G1873	C1790
A2810	U2650			G2485	G2413	A2334	G2258	A2183	G2124	A2060		C1874	A1791
					G2414	A2335	G2259	U2184	G2125	G2061		G1874	A1791
G2732					G2415		G2260	U2185	G2126	A2062		G1875	A1794
A2733							G2261	U2186	A2126	C2063		A1876	C1795
	A2654		A2566	U2489	A2418		U2272	U2187	G2127	C2064		U1880	U1796
G2736	G2655		G2567	G2490		G2341	G2273	U2188	C2128	G2065		C1881	U1797
G2737	U2656			U2491	A2418	C2342	A2273	U2189	G1988	C2066		U1882	U1798
	A2657		U2571	U2492	U2419	U2343	A2274	G2190	U1991			U1883	G1799
U2740	C2658		G2572	U2493	C2420	G2344		C2129	G1992	G2068		U1884	C1800
G2741			C2573	G2494	G2421	G2345	G2279	U2130	U1993	G2069		A1801	A1802
G2742				G2495	U2422	U2346	G2280	A2191	G1992	A2070		A1802	A1803
	G2661		U2580		U2423	A2346	G2281	U2192	U1993	A2071		A1803	
G2744	A2662		G2581	C2498	U2423	G2347	A2281	G2193	U1993	C2072		G1887	
G2745	G2663		G2581	C2499	C2424	U2348	G2282	U2194	U1996	C2073		G1888	
U2746	G2664		G2582		A2425	G2349	G2283	U2195	C1996	U2074		A1889	
G2747	A2665		G2583		A2426	C2350	C2284	U2196	C1997			A1890	
G2748	C2666		U2584	G2502	C2427		U2284	C2196					
A2748	G2667		U2584	A2503	G2427		G2285	U2197					
			U2586	U2504	G2428		G2286	A2198					
G2749			U2586	G2505	G2429	C2354	A2287	A2199					
	A2670			U2506	A2430		A2288	C2200					
G2751			A2590	C2507	A2435	G2357	G2289	G2201					
G2752	G2671		G2591	G2508	G2436	A2358	G2290	G2201					
	U2753		G2592	G2508	G2436	C2359	U2291	A2204					
U2754	G2673				G2437	G2360	U2292	G2204					
G2755			G2595	A2513	U2438	G2361	G2293						
U2756				U2514	A2439		G2294						
A2757	G2677		U2596	C2515	C2440	C2364	G2295						
	G2678		A2598	U2516	U2441	G2365	G2296						
				C2517	U2441	A2366	U2297						
				G2518	C2442	G2367	A2297						
				A2518	C2443	C2368	A2298						
				U2519	G2444	A2369	A2299						
				G2520	G2445	G2370	U2299						
				C2521	G2446	G2371							
				U2605	G2446	G2371							
				G2606	G2447	U2372							








• Molecule 26: 5S ribosomal RNA





• Molecule 27: 50S ribosomal protein L2




• Molecule 28: 50S ribosomal protein L3




• Molecule 29: 50S ribosomal protein L4










• Molecule 30: 50S ribosomal protein L5



• Molecule 31: 50S ribosomal protein L6




• Molecule 32: 50S ribosomal protein L9



• Molecule 33: 50S ribosomal protein L13




Chain BK:  61% 37%





- Molecule 34: 50S ribosomal protein L14

Chain BL:  15% 65% 33%





- Molecule 35: 50S ribosomal protein L15

Chain BM:  6% 74% 24%




- Molecule 36: 50S ribosomal protein L16

Chain BN:  10% 74% 24%




- Molecule 37: 50S ribosomal protein L17


Chain BO:  62% 28% 7%








- Molecule 38: 50S ribosomal protein L18




- Molecule 39: 50S ribosomal protein L19



- Molecule 40: 50S ribosomal protein L20




- Molecule 41: 50S ribosomal protein L21




- Molecule 42: 50S ribosomal protein L22









• Molecule 43: 50S ribosomal protein L23




• Molecule 44: 50S ribosomal protein L24



• Molecule 45: 50S ribosomal protein L25




• Molecule 46: 50S ribosomal protein L27



• Molecule 47: 50S ribosomal protein L28









- Molecule 48: 50S ribosomal protein L29





- Molecule 49: 50S ribosomal protein L30




- Molecule 50: 50S ribosomal protein L32





- Molecule 51: 50S ribosomal protein L33



- Molecule 52: 50S ribosomal protein L34








- Molecule 53: 50S ribosomal protein L35



- Molecule 54: 50S ribosomal protein L36

















• Molecule 59: DNA-directed RNA polymerase subunit beta'













- Molecule 60: DNA-directed RNA polymerase subunit omega



- Molecule 61: Transcription termination/antitermination protein NusG





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	45774	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	42	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	2.406	Depositor
Minimum map value	-0.343	Depositor
Average map value	0.066	Depositor
Map value standard deviation	0.104	Depositor
Recommended contour level	0.5	Depositor
Map size (Å)	550.4, 550.4, 550.4	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.075, 1.075, 1.075	Depositor



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MC, 6MZ, 2MA, PSU, ZN, MG, H2U, UR3, MA6, MIA, OMU, 3AU, 4D4, 7MG, 1MG, G7M, 5MU, OMG, 4OC, MEQ, 4SU, OMC, 3TD, 2MG, D2T

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	AA	0.73	0/36569	0.92	19/57044 (0.0%)
2	AB	0.31	0/1795	0.49	0/2418
3	AC	0.37	0/1680	0.48	0/2263
4	AD	0.34	0/1665	0.48	0/2227
5	AE	0.39	0/1161	0.50	0/1563
6	AF	0.37	0/867	0.52	0/1171
7	AG	0.30	0/1230	0.45	0/1649
8	AH	0.37	0/989	0.50	0/1326
9	AI	0.35	0/1043	0.63	0/1387
10	AJ	0.34	0/827	0.53	0/1117
11	AK	0.35	0/893	0.46	0/1205
12	AL	0.45	1/960 (0.1%)	0.51	0/1286
13	AM	0.33	0/900	0.50	0/1204
14	AN	0.32	0/817	0.43	0/1088
15	AO	0.32	0/730	0.43	0/974
16	AP	0.34	0/659	0.50	0/884
17	AQ	0.37	0/657	0.50	0/881
18	AR	0.37	0/481	0.49	0/645
19	AS	0.31	0/672	0.46	0/904
20	AT	0.30	0/676	0.42	0/895
21	AU	0.30	0/598	0.51	0/792
22	AV	1.76	27/803 (3.4%)	1.63	32/1245 (2.6%)
23	AW	0.70	1/1725 (0.1%)	0.94	2/2687 (0.1%)
24	AX	0.58	1/1584 (0.1%)	0.86	0/2463
25	BA	0.89	1/69143 (0.0%)	0.93	43/107862 (0.0%)
26	BB	0.67	0/2872	0.86	1/4478 (0.0%)
27	BC	0.48	1/2131 (0.0%)	0.52	0/2863
28	BD	0.44	0/1576	0.53	0/2119
29	BE	0.40	0/1571	0.48	0/2113
30	BF	0.34	0/1444	0.47	0/1937
31	BG	0.35	0/1333	0.47	0/1805



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	BH	0.31	0/1122	0.62	0/1515
33	BK	0.45	0/1152	0.48	0/1551
34	BL	0.43	0/955	0.53	0/1277
35	BM	0.42	0/1061	0.51	0/1412
36	BN	0.44	0/1081	0.50	0/1443
37	BO	0.41	0/958	0.49	0/1281
38	BP	0.33	0/910	0.49	0/1219
39	BQ	0.40	0/929	0.51	0/1242
40	BR	0.52	0/960	0.48	0/1278
41	BS	0.45	0/829	0.52	0/1107
42	BT	0.40	0/864	0.51	0/1156
43	BU	0.37	0/764	0.49	0/1021
44	BV	0.37	0/787	0.50	0/1051
45	BW	0.38	0/766	0.47	0/1025
46	BX	0.44	0/589	0.49	0/779
47	BY	0.42	0/635	0.48	0/848
48	BZ	0.32	0/502	0.44	0/667
49	B1	0.39	0/453	0.51	0/605
50	B2	0.40	0/450	0.56	0/599
51	B3	0.36	0/433	0.55	0/576
52	B4	0.42	0/380	0.48	0/498
53	B5	0.39	0/513	0.49	0/676
54	B6	0.41	0/302	0.47	0/397
55	CN	1.78	12/693 (1.7%)	1.24	2/1068 (0.2%)
56	CT	2.53	41/676 (6.1%)	1.33	9/1039 (0.9%)
57	CA	1.13	6/1797 (0.3%)	0.91	2/2436 (0.1%)
57	CB	0.81	1/1703 (0.1%)	0.86	3/2308 (0.1%)
58	CC	1.41	122/10581 (1.2%)	0.97	31/14275 (0.2%)
59	CD	1.12	57/10532 (0.5%)	0.91	16/14219 (0.1%)
60	CE	0.48	0/401	0.75	0/540
61	CF	0.41	0/808	0.58	0/1088
All	All	0.84	271/184637 (0.1%)	0.86	160/272691 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
9	AI	0	1
13	AM	0	2
22	AV	0	1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
53	B5	0	1
All	All	0	5

The worst 5 of 271 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	AW	1	C	OP3-P	-10.66	1.48	1.61
24	AX	1	G	OP3-P	-10.41	1.48	1.61
56	CT	18	DC	C3'-O3'	-10.24	1.30	1.44
59	CD	1357	ILE	C-N	-9.76	1.15	1.34
56	CT	14	DC	C3'-O3'	-9.59	1.31	1.44

The worst 5 of 160 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	2902	C	N3-C2-O2	-11.33	113.97	121.90
56	CT	19	DG	O4'-C1'-N9	10.14	115.10	108.00
25	BA	2902	C	N1-C2-O2	9.98	124.89	118.90
22	AV	48	C	C6-N1-C2	-9.65	116.44	120.30
25	BA	2164	C	C2-N1-C1'	9.05	128.76	118.80

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
9	AI	30	ILE	Peptide
13	AM	48	LEU	Peptide
13	AM	49	SER	Peptide
22	AV	41	C	Sidechain
53	B5	31	HIS	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32908	0	16576	926	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	AB	1764	0	1788	63	0
3	AC	1653	0	1725	140	0
4	AD	1643	0	1706	100	0
5	AE	1148	0	1195	26	0
6	AF	848	0	846	41	0
7	AG	1214	0	1267	42	0
8	AH	979	0	1031	41	0
9	AI	1031	0	1076	31	0
10	AJ	817	0	853	36	0
11	AK	877	0	887	29	0
12	AL	957	0	1017	32	0
13	AM	891	0	952	29	0
14	AN	805	0	844	21	0
15	AO	722	0	746	14	0
16	AP	649	0	666	34	0
17	AQ	648	0	691	29	0
18	AR	474	0	494	13	0
19	AS	656	0	680	36	0
20	AT	670	0	719	26	0
21	AU	590	0	629	10	0
22	AV	720	0	369	45	0
23	AW	1645	0	842	39	0
24	AX	1629	0	835	37	0
25	BA	62248	0	31320	1337	0
26	BB	2569	0	1301	55	0
27	BC	2092	0	2167	51	0
28	BD	1566	0	1618	46	0
29	BE	1552	0	1618	27	0
30	BF	1420	0	1457	49	0
31	BG	1313	0	1358	39	0
32	BH	1111	0	1148	13	0
33	BK	1129	0	1162	37	0
34	BL	946	0	1019	34	0
35	BM	1052	0	1127	27	0
36	BN	1075	0	1154	22	0
37	BO	945	0	989	25	0
38	BP	900	0	935	32	0
39	BQ	917	0	962	34	0
40	BR	947	0	1019	32	0
41	BS	816	0	839	23	0
42	BT	857	0	922	26	0
43	BU	757	0	820	16	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	BV	779	0	830	22	0
45	BW	753	0	780	24	0
46	BX	582	0	599	19	0
47	BY	625	0	652	19	0
48	BZ	501	0	531	14	0
49	B1	449	0	488	16	0
50	B2	444	0	458	15	0
51	B3	426	0	464	23	0
52	B4	377	0	418	9	0
53	B5	504	0	572	18	0
54	B6	301	0	340	8	0
55	CN	618	0	336	67	0
56	CT	606	0	338	39	0
57	CA	1775	0	1799	41	0
57	CB	1684	0	1713	19	0
58	CC	10415	0	10431	277	0
59	CD	10375	0	10596	191	0
60	CE	399	0	417	4	0
61	CF	790	0	781	61	0
62	AA	115	0	0	0	0
62	AL	1	0	0	0	0
62	AM	1	0	0	0	0
62	AN	1	0	0	0	0
62	AP	1	0	0	0	0
62	AX	1	0	0	0	0
62	BA	304	0	0	0	0
62	BB	8	0	0	0	0
62	BC	4	0	0	0	0
62	BD	2	0	0	0	0
62	BQ	1	0	0	0	0
62	BR	1	0	0	0	0
62	CD	1	0	0	0	0
63	AX	11	0	8	1	0
64	B6	1	0	0	0	0
64	CD	2	0	0	0	0
All	All	173008	0	123920	4047	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 4047 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:AD:192:SER:CA	59:CD:74:LYS:HE2	1.36	1.52
3:AC:80:LYS:CE	58:CC:873:ILE:HG21	1.42	1.49
3:AC:107:ARG:CD	57:CA:165:GLU:HG2	1.05	1.48
4:AD:192:SER:HB3	59:CD:74:LYS:CE	1.43	1.46
3:AC:80:LYS:HE3	58:CC:873:ILE:CG2	1.40	1.46

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AB	224/241 (93%)	200 (89%)	24 (11%)	0	100	100
3	AC	209/233 (90%)	197 (94%)	12 (6%)	0	100	100
4	AD	203/206 (98%)	191 (94%)	12 (6%)	0	100	100
5	AE	154/167 (92%)	140 (91%)	14 (9%)	0	100	100
6	AF	102/131 (78%)	94 (92%)	8 (8%)	0	100	100
7	AG	152/156 (97%)	140 (92%)	12 (8%)	0	100	100
8	AH	127/130 (98%)	122 (96%)	5 (4%)	0	100	100
9	AI	126/130 (97%)	115 (91%)	10 (8%)	1 (1%)	19	58
10	AJ	100/103 (97%)	88 (88%)	10 (10%)	2 (2%)	7	39
11	AK	115/129 (89%)	105 (91%)	10 (9%)	0	100	100
12	AL	120/124 (97%)	107 (89%)	12 (10%)	1 (1%)	19	58
13	AM	113/118 (96%)	106 (94%)	7 (6%)	0	100	100
14	AN	98/101 (97%)	93 (95%)	5 (5%)	0	100	100
15	AO	87/89 (98%)	84 (97%)	3 (3%)	0	100	100
16	AP	80/82 (98%)	68 (85%)	12 (15%)	0	100	100
17	AQ	78/84 (93%)	72 (92%)	6 (8%)	0	100	100

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
18	AR	55/75 (73%)	51 (93%)	4 (7%)	0	100	100
19	AS	80/92 (87%)	73 (91%)	7 (9%)	0	100	100
20	AT	84/87 (97%)	81 (96%)	3 (4%)	0	100	100
21	AU	68/71 (96%)	66 (97%)	2 (3%)	0	100	100
27	BC	270/273 (99%)	244 (90%)	25 (9%)	1 (0%)	34	72
28	BD	206/209 (99%)	198 (96%)	7 (3%)	1 (0%)	29	68
29	BE	199/201 (99%)	191 (96%)	8 (4%)	0	100	100
30	BF	176/179 (98%)	159 (90%)	17 (10%)	0	100	100
31	BG	173/177 (98%)	158 (91%)	15 (9%)	0	100	100
32	BH	147/149 (99%)	134 (91%)	11 (8%)	2 (1%)	11	46
33	BK	140/142 (99%)	132 (94%)	8 (6%)	0	100	100
34	BL	121/123 (98%)	108 (89%)	13 (11%)	0	100	100
35	BM	142/144 (99%)	131 (92%)	11 (8%)	0	100	100
36	BN	133/136 (98%)	126 (95%)	7 (5%)	0	100	100
37	BO	116/127 (91%)	108 (93%)	8 (7%)	0	100	100
38	BP	115/117 (98%)	102 (89%)	13 (11%)	0	100	100
39	BQ	112/115 (97%)	104 (93%)	8 (7%)	0	100	100
40	BR	115/118 (98%)	112 (97%)	3 (3%)	0	100	100
41	BS	101/103 (98%)	94 (93%)	7 (7%)	0	100	100
42	BT	108/110 (98%)	100 (93%)	8 (7%)	0	100	100
43	BU	93/100 (93%)	83 (89%)	10 (11%)	0	100	100
44	BV	100/104 (96%)	87 (87%)	13 (13%)	0	100	100
45	BW	92/94 (98%)	85 (92%)	7 (8%)	0	100	100
46	BX	74/85 (87%)	66 (89%)	8 (11%)	0	100	100
47	BY	75/78 (96%)	69 (92%)	6 (8%)	0	100	100
48	BZ	60/63 (95%)	57 (95%)	3 (5%)	0	100	100
49	B1	56/59 (95%)	53 (95%)	3 (5%)	0	100	100
50	B2	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
51	B3	50/55 (91%)	49 (98%)	1 (2%)	0	100	100
52	B4	44/46 (96%)	39 (89%)	5 (11%)	0	100	100
53	B5	62/65 (95%)	52 (84%)	9 (14%)	1 (2%)	9	43

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
54	B6	36/50 (72%)	35 (97%)	1 (3%)	0	100	100
57	CA	227/329 (69%)	217 (96%)	10 (4%)	0	100	100
57	CB	215/329 (65%)	203 (94%)	11 (5%)	1 (0%)	29	68
58	CC	1316/1342 (98%)	1197 (91%)	110 (8%)	9 (1%)	22	61
59	CD	1327/1407 (94%)	1223 (92%)	94 (7%)	10 (1%)	19	58
60	CE	49/91 (54%)	40 (82%)	8 (16%)	1 (2%)	7	39
61	CF	94/181 (52%)	88 (94%)	6 (6%)	0	100	100
All	All	8773/9507 (92%)	8089 (92%)	654 (8%)	30 (0%)	44	75

5 of 30 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
9	AI	13	LYS
32	BH	89	LYS
58	CC	165	HIS
59	CD	1159	ILE
32	BH	15	LEU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	187/199 (94%)	163 (87%)	24 (13%)	4	22
3	AC	172/190 (90%)	151 (88%)	21 (12%)	5	23
4	AD	172/173 (99%)	154 (90%)	18 (10%)	7	31
5	AE	118/126 (94%)	108 (92%)	10 (8%)	10	39
6	AF	91/112 (81%)	76 (84%)	15 (16%)	2	13
7	AG	127/129 (98%)	104 (82%)	23 (18%)	1	9
8	AH	104/105 (99%)	91 (88%)	13 (12%)	4	23
9	AI	106/107 (99%)	102 (96%)	4 (4%)	33	65
10	AJ	89/90 (99%)	79 (89%)	10 (11%)	6	27

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
11	AK	90/99 (91%)	80 (89%)	10 (11%)	6	28
12	AL	102/103 (99%)	84 (82%)	18 (18%)	2	10
13	AM	93/96 (97%)	82 (88%)	11 (12%)	5	25
14	AN	83/84 (99%)	74 (89%)	9 (11%)	6	30
15	AO	77/77 (100%)	66 (86%)	11 (14%)	3	19
16	AP	65/65 (100%)	57 (88%)	8 (12%)	4	23
17	AQ	74/78 (95%)	56 (76%)	18 (24%)	0	4
18	AR	50/65 (77%)	43 (86%)	7 (14%)	3	19
19	AS	71/79 (90%)	62 (87%)	9 (13%)	4	22
20	AT	65/66 (98%)	60 (92%)	5 (8%)	13	42
21	AU	60/61 (98%)	56 (93%)	4 (7%)	16	48
27	BC	217/218 (100%)	201 (93%)	16 (7%)	13	44
28	BD	163/163 (100%)	144 (88%)	19 (12%)	5	26
29	BE	165/165 (100%)	148 (90%)	17 (10%)	7	32
30	BF	149/150 (99%)	122 (82%)	27 (18%)	1	9
31	BG	136/138 (99%)	114 (84%)	22 (16%)	2	14
32	BH	114/114 (100%)	111 (97%)	3 (3%)	46	74
33	BK	116/116 (100%)	107 (92%)	9 (8%)	12	42
34	BL	104/104 (100%)	99 (95%)	5 (5%)	25	60
35	BM	103/103 (100%)	96 (93%)	7 (7%)	16	48
36	BN	108/108 (100%)	100 (93%)	8 (7%)	13	44
37	BO	98/103 (95%)	89 (91%)	9 (9%)	9	36
38	BP	87/87 (100%)	76 (87%)	11 (13%)	4	22
39	BQ	99/100 (99%)	90 (91%)	9 (9%)	9	36
40	BR	89/90 (99%)	81 (91%)	8 (9%)	9	37
41	BS	84/84 (100%)	76 (90%)	8 (10%)	8	34
42	BT	93/93 (100%)	84 (90%)	9 (10%)	8	33
43	BU	82/84 (98%)	75 (92%)	7 (8%)	10	39
44	BV	83/85 (98%)	71 (86%)	12 (14%)	3	18
45	BW	78/78 (100%)	72 (92%)	6 (8%)	13	42
46	BX	58/63 (92%)	54 (93%)	4 (7%)	15	47

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
47	BY	67/68 (98%)	63 (94%)	4 (6%)	19	52
48	BZ	54/55 (98%)	47 (87%)	7 (13%)	4	21
49	B1	48/49 (98%)	43 (90%)	5 (10%)	7	31
50	B2	47/48 (98%)	43 (92%)	4 (8%)	10	39
51	B3	47/49 (96%)	41 (87%)	6 (13%)	4	22
52	B4	38/38 (100%)	35 (92%)	3 (8%)	12	41
53	B5	51/52 (98%)	45 (88%)	6 (12%)	5	25
54	B6	34/44 (77%)	33 (97%)	1 (3%)	42	71
57	CA	197/286 (69%)	193 (98%)	4 (2%)	55	79
57	CB	187/286 (65%)	177 (95%)	10 (5%)	22	55
58	CC	1139/1157 (98%)	1097 (96%)	42 (4%)	34	65
59	CD	1118/1168 (96%)	1096 (98%)	22 (2%)	55	79
60	CE	43/75 (57%)	42 (98%)	1 (2%)	50	77
61	CF	86/158 (54%)	85 (99%)	1 (1%)	71	87
All	All	7378/7883 (94%)	6798 (92%)	580 (8%)	16	41

5 of 580 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
46	BX	77	ARG
59	CD	1165	PHE
49	B1	11	ARG
46	BX	70	GLU
58	CC	262	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
40	BR	72	ASN
48	BZ	58	ASN
48	BZ	41	HIS
19	AS	57	HIS
39	BQ	7	GLN

### 5.3.3 RNA ⓘ



Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1529/1542 (99%)	299 (19%)	8 (0%)
22	AV	32/49 (65%)	13 (40%)	1 (3%)
23	AW	76/77 (98%)	19 (25%)	2 (2%)
24	AX	73/76 (96%)	22 (30%)	1 (1%)
25	BA	2893/2904 (99%)	561 (19%)	7 (0%)
26	BB	119/120 (99%)	17 (14%)	1 (0%)
All	All	4722/4768 (99%)	931 (19%)	20 (0%)

5 of 931 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	2	A
1	AA	4	U
1	AA	6	G
1	AA	9	G
1	AA	16	A

5 of 20 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
25	BA	784	G
25	BA	2225	A
26	BB	41	G
25	BA	2609	U
1	AA	1166	G

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

53 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
23	5MU	AW	54	23	19,22,23	1.40	6 (31%)	28,32,35	2.20	9 (32%)
25	3TD	BA	1915	25	18,22,23	4.39	9 (50%)	22,32,35	1.67	2 (9%)
25	H2U	BA	2449	25	18,21,22	2.76	5 (27%)	21,30,33	2.44	5 (23%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	G7M	AA	527	1	20,26,27	2.30	8 (40%)	17,39,42	1.24	3 (17%)
1	UR3	AA	1498	1	19,22,23	2.55	6 (31%)	26,32,35	1.40	3 (11%)
1	2MG	AA	966	1	18,25,27	2.50	8 (44%)	19,37,41	1.51	4 (21%)
1	MA6	AA	1518	1	19,26,27	1.37	3 (15%)	18,38,41	4.34	2 (11%)
25	2MA	BA	2503	25,62	17,25,26	2.57	6 (35%)	17,37,40	1.44	3 (17%)
25	1MG	BA	745	25	18,26,27	2.58	6 (33%)	19,39,42	1.48	4 (21%)
24	MIA	AX	37	24	22,29,32	2.88	4 (18%)	22,41,47	2.85	7 (31%)
25	2MG	BA	1835	25	18,26,27	2.21	7 (38%)	16,38,41	1.70	4 (25%)
25	5MU	BA	747	25	19,22,23	1.40	4 (21%)	28,32,35	2.11	6 (21%)
25	PSU	BA	746	25,62	18,21,22	1.08	3 (16%)	22,30,33	1.80	4 (18%)
25	6MZ	BA	1618	25	18,25,26	1.95	3 (16%)	16,36,39	2.21	4 (25%)
25	PSU	BA	1917	25	18,21,22	1.06	2 (11%)	22,30,33	1.73	4 (18%)
25	PSU	BA	2457	25	18,21,22	1.04	3 (16%)	22,30,33	1.97	5 (22%)
23	4SU	AW	8	23	18,21,22	4.05	8 (44%)	26,30,33	2.41	5 (19%)
24	PSU	AX	39	24	18,21,22	1.01	1 (5%)	22,30,33	1.78	4 (18%)
25	2MG	BA	2445	29,25	18,26,27	2.20	7 (38%)	16,38,41	1.58	4 (25%)
25	PSU	BA	2604	25,62	18,21,22	0.98	2 (11%)	22,30,33	1.69	4 (18%)
24	H2U	AX	20	24	18,21,22	3.12	5 (27%)	21,30,33	1.97	4 (19%)
24	4SU	AX	8	24	18,21,22	4.14	8 (44%)	26,30,33	2.27	4 (15%)
1	5MC	AA	967	1	18,22,23	3.95	7 (38%)	26,32,35	1.15	2 (7%)
25	PSU	BA	2605	25	18,21,22	1.04	2 (11%)	22,30,33	1.79	5 (22%)
25	OMG	BA	2251	25,23	18,26,27	2.56	8 (44%)	19,38,41	1.52	4 (21%)
25	OMU	BA	2552	25	19,22,23	2.78	7 (36%)	26,31,34	1.77	5 (19%)
24	PSU	AX	32	24	18,21,22	0.97	1 (5%)	22,30,33	1.83	5 (22%)
23	OMC	AW	32	23	19,22,23	2.91	8 (42%)	26,31,34	0.83	0
25	PSU	BA	1911	25	18,21,22	1.03	2 (11%)	22,30,33	1.93	4 (18%)
25	5MU	BA	1939	25	19,22,23	1.43	4 (21%)	28,32,35	2.34	6 (21%)
25	PSU	BA	955	25	18,21,22	1.08	3 (16%)	22,30,33	1.73	4 (18%)
12	D2T	AL	89	12	7,9,10	1.00	0	6,11,13	2.26	3 (50%)
1	2MG	AA	1207	1	18,26,27	2.34	7 (38%)	16,38,41	1.52	4 (25%)
1	MA6	AA	1519	1	19,26,27	1.35	3 (15%)	18,38,41	4.18	2 (11%)
23	PSU	AW	55	23	18,21,22	1.11	1 (5%)	22,30,33	1.77	4 (18%)
24	H2U	AX	16	24	18,21,22	3.05	5 (27%)	21,30,33	2.05	5 (23%)
23	H2U	AW	20	23	18,21,22	3.15	5 (27%)	21,30,33	2.02	5 (23%)
28	MEQ	BD	150	28	8,9,10	0.94	0	5,10,12	1.08	1 (20%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
24	3AU	AX	47	24	18,21,29	3.49	8 (44%)	26,30,43	1.62	4 (15%)
24	PSU	AX	55	24	18,21,22	1.06	2 (11%)	22,30,33	1.79	4 (18%)
25	5MC	BA	1962	25	18,22,23	3.80	7 (38%)	26,32,35	1.03	1 (3%)
25	OMC	BA	2498	25,62	18,21,23	2.81	7 (38%)	26,30,34	0.60	0
25	PSU	BA	2504	25	18,21,22	1.04	1 (5%)	22,30,33	1.84	4 (18%)
36	4D4	BN	81	36	9,11,12	2.31	2 (22%)	8,13,15	1.10	1 (12%)
1	5MC	AA	1407	1	18,22,23	3.82	7 (38%)	26,32,35	1.12	2 (7%)
24	5MU	AX	54	24	19,22,23	1.38	4 (21%)	28,32,35	2.24	6 (21%)
1	2MG	AA	1516	1	18,26,27	2.24	7 (38%)	16,38,41	1.57	4 (25%)
25	6MZ	BA	2030	25	18,25,26	1.90	4 (22%)	16,36,39	2.73	4 (25%)
1	PSU	AA	516	1,62	18,21,22	0.97	1 (5%)	22,30,33	1.80	5 (22%)
25	PSU	BA	2580	25	18,21,22	1.08	2 (11%)	22,30,33	1.98	5 (22%)
1	4OC	AA	1402	1,62	20,23,24	3.42	9 (45%)	26,32,35	0.88	1 (3%)
24	7MG	AX	46	24	20,25,27	3.22	10 (50%)	27,37,42	2.23	8 (29%)
25	G7M	BA	2069	25	20,26,27	2.21	8 (40%)	17,39,42	1.12	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	5MU	AW	54	23	-	0/7/25/26	0/2/2/2
25	3TD	BA	1915	25	-	0/7/25/26	0/2/2/2
25	H2U	BA	2449	25	-	0/7/38/39	0/2/2/2
1	G7M	AA	527	1	-	1/3/25/26	0/3/3/3
1	UR3	AA	1498	1	-	0/7/25/26	0/2/2/2
1	2MG	AA	966	1	-	2/3/25/28	0/3/3/3
1	MA6	AA	1518	1	-	4/7/29/30	0/3/3/3
25	2MA	BA	2503	25,62	-	3/3/25/26	0/3/3/3
25	1MG	BA	745	25	-	0/3/25/26	0/3/3/3
24	MIA	AX	37	24	-	4/9/31/34	0/3/3/3
25	2MG	BA	1835	25	-	2/5/27/28	0/3/3/3
25	5MU	BA	747	25	-	0/7/25/26	0/2/2/2
25	PSU	BA	746	25,62	-	1/7/25/26	0/2/2/2
25	6MZ	BA	1618	25	-	5/5/27/28	0/3/3/3
25	PSU	BA	1917	25	-	0/7/25/26	0/2/2/2
25	PSU	BA	2457	25	-	0/7/25/26	0/2/2/2

Continued on next page...



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	4SU	AW	8	23	-	0/7/25/26	0/2/2/2
24	PSU	AX	39	24	-	0/7/25/26	0/2/2/2
25	2MG	BA	2445	29,25	-	2/5/27/28	0/3/3/3
25	PSU	BA	2604	25,62	-	0/7/25/26	0/2/2/2
24	H2U	AX	20	24	-	3/7/38/39	0/2/2/2
24	4SU	AX	8	24	-	3/7/25/26	0/2/2/2
1	5MC	AA	967	1	-	0/7/25/26	0/2/2/2
25	PSU	BA	2605	25	-	0/7/25/26	0/2/2/2
25	OMG	BA	2251	25,23	-	1/5/27/28	0/3/3/3
25	OMU	BA	2552	25	-	0/9/27/28	0/2/2/2
24	PSU	AX	32	24	-	0/7/25/26	0/2/2/2
23	OMC	AW	32	23	-	0/9/27/28	0/2/2/2
25	PSU	BA	1911	25	-	1/7/25/26	0/2/2/2
25	5MU	BA	1939	25	-	0/7/25/26	0/2/2/2
25	PSU	BA	955	25	-	0/7/25/26	0/2/2/2
12	D2T	AL	89	12	-	1/7/12/14	-
1	2MG	AA	1207	1	-	0/5/27/28	0/3/3/3
1	MA6	AA	1519	1	-	4/7/29/30	0/3/3/3
23	PSU	AW	55	23	-	1/7/25/26	0/2/2/2
24	H2U	AX	16	24	-	4/7/38/39	0/2/2/2
23	H2U	AW	20	23	-	1/7/38/39	0/2/2/2
28	MEQ	BD	150	28	-	1/8/9/11	-
24	3AU	AX	47	24	-	2/7/25/35	0/2/2/2
24	PSU	AX	55	24	-	1/7/25/26	0/2/2/2
25	5MC	BA	1962	25	-	4/7/25/26	0/2/2/2
25	OMC	BA	2498	25,62	-	2/7/25/28	0/2/2/2
25	PSU	BA	2504	25	-	2/7/25/26	0/2/2/2
36	4D4	BN	81	36	-	4/11/12/14	-
1	5MC	AA	1407	1	-	0/7/25/26	0/2/2/2
24	5MU	AX	54	24	-	0/7/25/26	0/2/2/2
1	2MG	AA	1516	1	-	0/5/27/28	0/3/3/3
25	6MZ	BA	2030	25	-	2/5/27/28	0/3/3/3
1	PSU	AA	516	1,62	-	0/7/25/26	0/2/2/2
25	PSU	BA	2580	25	-	0/7/25/26	0/2/2/2
1	4OC	AA	1402	1,62	-	2/9/29/30	0/2/2/2
24	7MG	AX	46	24	-	6/7/34/38	0/3/3/3
25	G7M	BA	2069	25	-	2/3/25/26	0/3/3/3

The worst 5 of 256 bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	1915	3TD	C6-C5	11.77	1.49	1.35
23	AW	20	H2U	C2-N1	9.77	1.49	1.35
24	AX	20	H2U	C2-N1	9.66	1.49	1.35
25	BA	1915	3TD	C2-N1	9.63	1.49	1.37
24	AX	37	MIA	C13-C14	9.61	1.60	1.32

The worst 5 of 203 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1518	MA6	N1-C6-N6	-17.41	98.73	117.06
1	AA	1519	MA6	N1-C6-N6	-16.80	99.38	117.06
24	AX	37	MIA	C12-C13-C14	-8.98	109.67	127.14
25	BA	2449	H2U	C4-N3-C2	-8.53	118.71	125.79
23	AW	8	4SU	C4-N3-C2	-8.33	119.25	127.34

There are no chirality outliers.

5 of 71 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	AA	1518	MA6	O4'-C4'-C5'-O5'
1	AA	1519	MA6	O4'-C4'-C5'-O5'
12	AL	89	D2T	CG-CB-SB-CB1
24	AX	8	4SU	C3'-C4'-C5'-O5'
24	AX	8	4SU	O4'-C4'-C5'-O5'

There are no ring outliers.

26 monomers are involved in 36 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
23	AW	54	5MU	2	0
1	AA	1498	UR3	1	0
1	AA	1518	MA6	1	0
25	BA	2503	2MA	2	0
25	BA	745	1MG	1	0
25	BA	1618	6MZ	1	0
25	BA	1917	PSU	1	0
24	AX	20	H2U	2	0
25	BA	2605	PSU	1	0
25	BA	2251	OMG	1	0
25	BA	2552	OMU	2	0
23	AW	32	OMC	1	0
12	AL	89	D2T	2	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	AA	1207	2MG	2	0
1	AA	1519	MA6	1	0
24	AX	16	H2U	1	0
23	AW	20	H2U	2	0
28	BD	150	MEQ	3	0
24	AX	47	3AU	1	0
36	BN	81	4D4	1	0
1	AA	1407	5MC	1	0
1	AA	1516	2MG	1	0
25	BA	2030	6MZ	2	0
1	AA	1402	4OC	2	0
24	AX	46	7MG	2	0
25	BA	2069	G7M	1	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 445 ligands modelled in this entry, 444 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
63	PHE	AX	102	24	10,11,12	0.53	0	10,13,15	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
63	PHE	AX	102	24	-	4/5/6/8	0/1/1/1



There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
63	AX	102	PHE	N-CA-CB-CG
63	AX	102	PHE	CA-CB-CG-CD1
63	AX	102	PHE	CA-CB-CG-CD2
63	AX	102	PHE	C-CA-CB-CG

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
63	AX	102	PHE	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
59	CD	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	CD	1357:ILE	C	1358:PRO	N	1.15




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11419. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


### 6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 279




Y Index: 242




Z Index: 180


### 6.3.2 Raw map



X Index: 291



Y Index: 242




Z Index: 176

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

## 6.5 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 931 nm<sup>3</sup>; this corresponds to an approximate mass of 841 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of  $0.286 \text{ \AA}^{-1}$



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.286 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.50	-	-
Author-provided FSC curve	3.50	4.13	3.54
Unmasked-calculated*	4.70	7.63	4.85


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.70 differs from the reported value 3.5 by more than 10 %



## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-11419 and PDB model 6ZTL. Per-residue inclusion information can be found in section [3](#) on page [17](#).


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).



## 9.4 Atom inclusion ⓘ









































































At the recommended contour level, 75% of all backbone atoms, 68% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

























































Chain	Atom inclusion	Q-score
All	 0.6795	 0.4150
AA	 0.7884	 0.4470
AB	 0.2245	 0.4050
AC	 0.5246	 0.4820
AD	 0.3509	 0.4310
AE	 0.5888	 0.5060
AF	 0.5586	 0.4430
AG	 0.4710	 0.4440
AH	 0.5990	 0.4930
AI	 0.5263	 0.4430
AJ	 0.4343	 0.4450
AK	 0.5662	 0.4800
AL	 0.6082	 0.5130
AM	 0.4651	 0.4140
AN	 0.5729	 0.4810
AO	 0.6132	 0.4610
AP	 0.5064	 0.4590
AQ	 0.5696	 0.4790
AR	 0.5516	 0.4620
AS	 0.5078	 0.4600
AT	 0.5435	 0.4380
AU	 0.1929	 0.3420
AV	 0.4028	 0.2650
AW	 0.6620	 0.4200
AX	 0.4979	 0.4040
B1	 0.6934	 0.5260
B2	 0.6799	 0.5010
B3	 0.2560	 0.4410
B4	 0.7437	 0.5450
B5	 0.7291	 0.5430
B6	 0.6952	 0.5390
BA	 0.8275	 0.4750
BB	 0.8095	 0.4450
BC	 0.7305	 0.5440
BD	 0.7028	 0.5270



*Continued on next page...*



Continued from previous page...

Chain	Atom inclusion	Q-score
BE	 0.6612	 0.5070
BF	 0.4584	 0.4430
BG	 0.5540	 0.4580
BH	 0.0739	 0.2620
BK	 0.7255	 0.5230
BL	 0.6276	 0.5250
BM	 0.7048	 0.5300
BN	 0.6702	 0.5250
BO	 0.7740	 0.5290
BP	 0.6062	 0.4640
BQ	 0.6277	 0.5130
BR	 0.7536	 0.5330
BS	 0.7327	 0.5260
BT	 0.6974	 0.5250
BU	 0.6262	 0.4920
BV	 0.6558	 0.4900
BW	 0.6450	 0.4970
BX	 0.7014	 0.5350
BY	 0.6922	 0.5230
BZ	 0.6196	 0.4600
CA	 0.4221	 0.1470
CB	 0.2900	 0.1330
CC	 0.4467	 0.1460
CD	 0.3382	 0.1240
CE	 0.0000	 -0.0350
CF	 0.0207	 0.0280
CN	 0.4029	 0.1810
CT	 0.5660	 0.2190